

DAFTAR PUSTAKA

- Abbasi MA, Chertow GM, Hall YN. 2010. End-Stage Renal Disease. *BMJ Clinical Evidence*; 07: 1-16.
- Abraham HMA, White CM, White WB. 2015. The Comparative Efficacy and Safety of the Angiotensin Receptor Blockers in the Management of Hypertension and Other Cardiovascular Diseases. *Drug Safety*; 38(1): 33-54. <https://doi.org/10.1007/s40264-014-0239-7>.
- Acharjya D, Bhattacharyya S, Banerjee U, Saha M, Ghosh A. 2019. Association of Serum hs-CRP with Urinary Albumin Creatinine Ratio and Lipid Profile in Diabetic Individuals Attending a Tertiary Care Hospital in the Sub-Himalayan Belt. *Indian Journal of Medical Biochemistry*; 23(2): 247-249.
- ADA (American Diabetes Association). 2020. Classification and Diagnosis of Diabetes: Standards of Medical Care in Diabetes-2020. *Diabetes Care*; 43(Suppl 1); S14-S31. <https://doi.org/10.2337/dc20-S002>.
- Adukauskiene D, Ciginskiene A, Adukauskaitė A, Pentiokiniene D, Slapikas R, Ceponiene I. 2016. Clinical Relevance of High Sensitivity C-Reactive Protein in Cardiology. *Medicina*; 52: 1-10. <https://doi.org/10.1016/j.medici.2015.12.001>.
- Al-Adsani A. 2012. Risk Factors Associated with Albuminuria in Kuwaiti Adults with Type 2 Diabetes. *Saudi Journal of Kidney Diseases and Transplantation*; 23(4): 860-865.
- Al-Fehaid AA. 2017. Prevalence of Microalbuminuria and Its Correlates among Diabetic Patients Attending Diabetic Clinic at National Guard Hospital in Alhasa. *Journal of Family and Community Medicine*; 24: 1-5. <https://doi.org/10.4103/2230-8229.197174>.
- Al-Salman RA, Al-Basri HA, Al-Sayyad AS, Hearnshaw HM. 2009. Prevalence and Risk Factors of Albuminuria in Type 2 Diabetes in Bahrain. *Journal of Endocrinology Investigation*; 32: 746-751.
- Al-Shehri DG, NoorElahi MM, Shaheen MA, Samman AH, Soubhanneyaz AA, Bakkari OA, Al-Beladi MA. 2015. Factors Affecting Albuminuria in Diabetic Patients in King Fahad Hospital in Almadinah Almunawwarah. *Journal of Taibah University Medical Sciences*; 10(2): 250-256. <https://doi.org/10.1016/j.jtumed.2014.09.004>.
- Alicic RZ, Rooney MT, Tuttle KR. 2017. Diabetic Kidney Disease: Challenges, Progress, and Possibilities. *Clinical Journal of American Society of Nephrology*; 13: 1-14. <https://doi.org/10.2215/CJN.11491116>.
- Amanullah S, Jarari A, Govindan M, Basha MI, Khatheeja S. 2010. Association of hs-CRP with Diabetic and Non-Diabetic Individuals. *Jordan Journal of Biological Sciences*; 3(1): 7-12.

- Aryan Z, Ghajar A, Faghihi-Kashani S, Afarideh M, Nakhjavani M, Esteghamati A. 2018. Baseline High-Sensitivity C-Reactive Protein Predicts Macrovascular and Microvascular Complications of Type 2 Diabetes: A Population-Based Study. *Annals of Nutrition and Metabolism*; 72: 287-295. <https://doi.org/10.1159/000488537>.
- Aslam M, Chandrasekhara P. 2016. Correlation of Fibrinogen and hs-CRP with Microvascular Complications of Type 2 Diabetes Mellitus. *International Journal of Health Sciences and Research*; 6(5): 25-32.
- Asmathulla S, Rupa Vani K, Kripa S, Rajarajeswari R. 2013. Insulin Resistance and Its Relation to Inflammatory Status and Serum Lipids among Young Women with PCOS. *International Journal of Reproduction, Contraception, Obstetrics and Gynecology*; 2(3): 325-329. <https://doi.org/10.5455/2320-1770.ijrcog20130913>.
- Balla DIWA, Abdalla AM, Elrayah ZAE, Abdrabo AA. 2018. The Association of 25(OH)Vitamin D Level with Glycemic Control and Nephropathy Complication in Sudanese with Type-2 Diabetes. *International Journal of Medical Research & Health Sciences*; 7(2): 62-68.
- Bandyopadhyay R, Paul R, Basu AK, Chakraborty PP, Mitra S. 2013. Study of C-Reactive Protein in Type 2 Diabetes and Its Relation with Various Complications from Eastern India. *Journal of Applied Pharmaceutical Science*; 3(07): 156-159. <https://doi.org/10.7324/JAPS.2013.3729>.
- Barreto ML, Teixeira MG, Carmo EH. 2006. Infectious Disease Epidemiology. *Journal of Epidemiology and Community Health*; 60(3): 192-195. <https://doi.org/10.1136/jech.2003.011593>.
- Bentata Y, Chemlal A, Karimi I, El Alaoui, Haddiya I, Abouqal R. 2015. Diabetic Kidney Disease and Vascular Comorbidities in Patients with Type 2 Diabetes Mellitus in a Developing Country. *Saudi Journal of Kidney Diseases and Transplantation*; 26(5): 1035-43.
- Bhowmick K, Kutty AVM, Shetty HV. 2007. Glycemic Control Modifies the Association between Microalbuminuria and C-Reactive Protein in Type 2 Diabetes Mellitus. *Indian Journal of Clinical Biochemistry*; 22(2): 53-59.
- Bose S, Maity C, Roy N. 2016. Inflammatory Markers in Pre-Diabetics. *Journal of Evolution of Medical and Dental Sciences*; 5(35): 2056-60. <https://doi.org/10.14260/jemds/2016/482>.
- BPOM (Badan Pengawas Obat dan Makanan Republik Indonesia). 2015. Pusat Informasi Obat Nasional: Vitamin D. Diakses dari www.pionas.pom.go.id/ioni/bab-9-gizi-dan-darah/95-vitamin/954-vitamin-d.
- Cassia MA, Pozzi FE, Bascape S, Saggiante L, Daminelli G, Cirelli C, Damavandi PT, Elli M, Gallieni M. 2016. Proteinuria and Albuminuria at Point of Care.

- Nephrology @ Point of Care;* 2(1): e8-e16.
<https://doi.org/10.5301/pocj.5000194>.
- Cassia MA, Daminelli G, Zambon M, Cardellichio M, Cetin I, Gallieni M. 2018. Proteinuria in Pregnancy: Clinically Driven Considerations. *Nephrology @ Point of Care*; 4: 1-5. <https://doi.org/10.1177/2059300718755622>.
- Chauhan R, Singh R, Lal R. 2017. Correlation of hs-CRP with Urinary Albumin Creatinin Ratio (UACR) in Patients of Diabetes with and without Nephropathy. *IOSR Journal of Dental and Medical Sciences*; 16(4): 51-54. <https://doi.org/10.9790/0853-1604055154>.
- Chawla A, Chawla R, Jaggi S. 2016. Microvascular dan Macrovascular Complications in Diabetes Mellitus: Distinct or Continuum? *Indian Journal of Endocrinology and Metabolism*; 20: 546-53. <https://doi.org/10.4103/2230-8210.183480>.
- Chen F, Wang J, Liu X, Ma X, Zhang X, Huang T, Ma D, Wang Q. 2013. Levels of Inflammatory Cytokines in Type 2 Diabetes Patients with Different Urinary Albumin Excretion Rates and Their Correlation with Clinical Variables. *Journal of Diabetes Research*; 1-6. <https://doi.org/10.1155/2013/138969>.
- Costa J. 2019. Cancer. Encyclopaedia Britannica. Diakses dari www.britannica.com/science/cancer-disease/Cancer-rates-and-trends.
- Dahlan MS. 2014. Hipotesis Korelatif. Dalam: Dahlan MS (eds.). *Statistik untuk Kedokteran dan Kesehatan: Deskriptif, Bivariat, dan Multivariat, Dilengkapi Aplikasi Menggunakan SPSS*. Edisi 6. Jakarta: PT Epidemiologi Indonesia; 223-244.
- DeGuire J, Clarke J, Rouleau K, Roy J, Bushnik T. 2019. Blood Pressure and Hypertension. *Health Reports*; 30(2): 14-21. <https://doi.org/10.25318/82-003-x201900200002>.
- Devaraj S, Singh U, Jialal I. 2009. Human C-Reactive Protein and the Metabolic Syndrome. *Current Opinion in Lipidology*; 20(3): 182-189. <https://doi.org/10.1097/MOL.0b013e32832ac03e>.
- Draganidis D, Jamurtas AZ, Stampoulis T, Laschou VC, Deli CK, Georgakouli K, Papanikolaou K, Chatzinikolaou A, Michlopoulou M, Papadopoulos C, Tsimeas P, Chondrogianni N, Koutedakis Y, Karagounis LG, Fatouros IG. 2018. Disparate Habitual Physical Activity and Dietary Intake Profiles of Elderly Men with Low and Elevated Systemic Inflammation. *Nutrients*; 10(556): 1-16. <https://doi.org/10.3390/nu10050566>.
- Eckel RH. The Metabolic Syndrome. Dalam: Jameson JL (eds.). *Harrison's Endocrinology, 3rd Edition*. New York: McGraw-Hill Education; 253-260.
- Fox ER, Benjamin EJ, Sarpong DF, Nagarajarao H, Taylor JK, Steffes MW, Salahudeen AK, Flessner MF, Akylbekova EL, Fox CS, Garrison RJ, Taylor Jr HA. 2010. The Relation of C-Reactive Protein to Chronic Kidney Disease

- in African Americans: The Jackson Heart Study. *BMC Nephrology*; 11: 1-7. <https://doi.org/10.1186/1471-2369-11-1>.
- Goroz JL, Martinez-Castelao A. 2012. Proteinuria: Detection and Role in Native Renal Disease Progression. *Transplantation Reviews*; 26: 3-13. <https://doi.org/10.1016/j.trre.2011.10.002>.
- Goud BKM, Nayal B, Devi OS, Devaki RN, Avinash SS, Satisha TG, Raghuveer CV. 2012. Comparisaon of Microalbuminuria with hs-CRP and Low Density Lipoprotein Levels in Nondiabetic, Nonhypertensive Myocardial Infarction Patients. *Cardiovascular Disease Research*; 3(4): 287-9. <https://doi.org/10.4103/0975-3583.102702>.
- Gowdaiah PK, Mamatha TR, Nirgude D, Hosamani PB. 2016. High Sensitivity C-Reactive Protein in Metabolic Syndrome. *International Journal of Advances in Medicine*; 3(3): 607-610. <https://doi.org/10.18203/2349-3933.ijam20162503>.
- Gupta A, Kumar D, Rajvanshi S, Kumar A, Arya TVS. 2015. To Study the Association of High Sensitivity C-Reactive Protein with Newly Diagnosed DM Type 2. *Journal of Indian Academy of Clinical Medicine*; 16(1): 12-18.
- Haddad NS. 2012. High Sensitivity C-Reactive Protein (hs-CRP) and Metabolic Syndrome: Correlation with Number and Type of Metabolic Syndrome Components in Iraqi Patients. *The Medical Journal of Basrah University*; 30(1): 49-54.
- Harbuwono DS, Pramono LA, Yunir E, Subekti I. 2018. Obesity and Central Obesity in Indonesia: Evidence from A National Health Survey. *Medical Journal of Indonesia*; 27: 114-120. <https://doi.org/10.13181/mji.v27i2.1512>.
- Hayashino Y, Mashitani T, Tsujii S, Ishii H. 2014. Serum High-Sensitivity C-Reactive Protein Levels Are Associated with High Risk of Development, Not Progression, of Diabetic Nephropathy among Japanese Type 2 Diabetic Patients: A Prospective Cohort Study (Diabetes Distress and Care Registry at Tenty [DDCRT7]). *Diabetes Care*; 37: 2947-2952. <https://doi.org/10.2337/dc14-1357>.
- Heerspink HJL, Kropelin TF, Hoekman J, de Zeeuw D. 2015. Drug-Induced Reduction in Albuminuria is Associated with Subsequent Renoprotection: A Meta-Analysis. *Journal of American Society of Nephrology*; 26(8): 2055-2064. <https://doi.org/10.1681/ASN.2014070688>.
- Holt RIG, Hanley NA. 2012. Complications of Diabetes. Dalam: Holt RIG, Hanley NA (eds.). *Essential Endocrinology and Diabetes, Sixth Edition*. West Sussex: Blackwell Publishing Ltd; 311-340.
- Hsu CC, Chang HY, Huang MC, Hwang SJ, Yang YC, Tai TY, Yang HJ, Chang CT, Chang CJ, Li YS, Shin SJ, Kuo KN. 2011. Association between Insulin Resistance and Development of Microalbuminuria in Type 2 Diabetes. *Diabetes Care*; 34: 982-987. <https://doi.org/10.2337/dc10-1718>.

- IDF (International Diabetes Federation). 2019. IDF Diabetes Atlas, Ninth Edition 2019.
- Jiang L, Huang W, Liang Y, Wang F, Duan X, Yang X, Wen J, Wang N. 2013. Metabolic Syndrome, C-Reactive Protein and Microalbuminuria in A Rural Chinese Population: A Cross-Sectional Study. *BMC Nephrology*; 14:118. <https://doi.org/10.1186/1471-2369-14-118>.
- Kamus Besar Bahasa Indonesia. 2017. Jakarta: Badan Pengembangan Bahasa dan Perbukuan.
- KDIGO (Kidney Disease Improving Global Outcomes). 2012. KDIGO 2012 Clinical Practice Guideline for the Evaluation and Management of Chronic Kidney Disease. *Official Journal of the International Society of Nephrology*; 3(1): 1-150.
- KDIGO (Kidney Disease Improving Global Outcomes). 2019. KDIGO Clinical Practice Guideline on Diabetes Management in Chronic Kidney Disease.
- Kosmas CE, Silverio D, Tsomidou C, Salcedo MD, Montan PD, Guzman E. 2018. The Impact of Insulin Resistance and Chronic Kidney Disease on Inflammation and Cardiovascular Disease. *Clinical Medicine Insights: Endocrinology and Diabetes*; 11: 1-6. <https://doi.org/10.1177/1179551418792257>.
- Kshirsagar AV, Bomback AS, Bang H, Gerber LM, Vupputuri S, Shoham DA, Mazumdar M, Ballantyne CM, Paparello JJ, Klemmer PJ. 2008. Association of C-Reactive Protein and Microalbuminuria (from the National Health and Nutrition Examination Surveys, 1999 to 2004). *American Journal of Cardiology*; 101(3): 401-406.
- Kumar R, Sharma R, Bairwa K, Roy RK, Kumar A, Baruwa A. 2010. Modern Development in ACE Inhibitors. *Der Pharmacia Lettre*; 2(3): 388-419.
- Kumaresh PM, Thilagam G, Latha J. 2016. Serum High-Sensitive C-Reactive Protein and Insulin Resistance in Patients with Type 2 Diabetes Mellitus with Coronary Artery Disease. *International Journal of Scientific Study*; 4(9): 129-134. <https://doi.org/10.17354/ijss/2016/630>.
- Lamicchane A, Prasad S, Agrawal BK, Bhaskar N, Chaudary V, Manhas S. 2016. High-Sensitivity C-Reactive Protein (hs-CRP) and Insulin Resistance in Patients with Metabolic Syndrome. *World Journal of Pharmacy and Pharmaceutical Sciences*; 5(10): 867-880.
- Lande S, Humaney NR, Mundale RP. 2016. Study of Serum Highly Sensitive C-Reactive Protein in Normotensive Diabetics and Hypertensive Diabetics. *British Biomedical Bulletin*; 4(4):294.
- Lee CH, Lam KSL. 2015. Biomarkers of Progression in Diabetic Nephropathy: The Past, Present, and Future. *Journal of Diabetes Investigation*; 6(3) 247-8. <https://doi.org/10.1111/jdi.12329>.

- Levey AS, Eckardt KU, Dorman NM, Christiansen SL, Cheung M, Jadoul M, Winkelmayer WC. Nomenclature for Kidney Function and Disease: Executive Summary and Glossary from a Kidney Disease: Improving Global Outcomes (KDIGO) Consensus Conference. *Kidney International Report*; 5: 965-72. <https://doi.org/10.1016/j.ekir.2020.03.027>.
- McFarlane P, Cherney D, Gilbert RE, Senior P. 2018. Chronic Kidney Disease in Diabetes. *Canadian Journal of Diabetes*; 42: S201-S209. <https://doi.org/10.1016/j.jcjd.2017.11.004>.
- Messerli FH, Bangalore S, Bavishi C, Rimoldi SF. 2018. Angiotensin-Converting Enzyme Inhibitors in Hypertension. *Journal of the American College of Cardiology*; 71(13): 1474-1482. <https://doi.org/10.1016/j.jacc.2018.01.058>.
- Miroliaee A, Nasiri-Toosi M, Khalilzadeh O, Esteghamati A, Abdollahi A, Mazloumi M. 2010. Disturbances of Parathyroid Hormone-Vitamin D Axis in Non-Cholestatic Chronic Liver Disease: A Cross-Sectional Study. *Hepatology International*; 4: 634-640. <https://doi.org/10.1007/s12072-010-9194-2>.
- Mohammadi A, Khajehlandi A. 2014. hs-CRP and Adipokin (Lcn2): Response to Exercise Training in Obese Men. *Biomedical & Pharmacology Journal*; 7(1): 17-22. <https://doi.org/10.13005/bpj/447>.
- Mojahedi MJ, Bonakdaran S, Hami M, Sheikhian MR, Shakeri MT, Aiatollahi H. 2009. Elevated Serum C-Reactive Protein Level and Microalbuminuria in Patients with Type 2 Diabetes Mellitus. *Iranian Journal of Kidney Diseases*; 3: 12-16.
- Mora-Fernandez C, Dominguez-Pimentel V, de Fuentes MM, Gorriz JL, Martinez-Castelao A, Navarro-Gonzalez JF. 2014. Diabetic Kidney Disease: From Physiology to Therapeutics. *The Journal of Physiology*; 592.18: 3997-4012. <https://doi.org/10.1111/jphysiol.2014.272328>.
- Nah UH, Cho S, Kim S, Cho HI. 2017. Comparison of Urine Albumin-to-Creatinine Ratio (ACR) between ACR Strip Test and Quantitative Test in Prediabetes and Diabetes. *Annals of Laboratory Medicine*; 37: 28-33. <https://doi.org/10.3343/alm.2017.37.1.28>.
- Nakhjavani M, Esteghamati A, Esfahanian F, Aghamohammadzadeh N, Hamidi S, Meysamie A, Abbasi M. 2008. Albuminuria and Its Correlates in An Iranian Type 2 Diabetic Population. *Lipids in Health and Disease*; 7(20): 1-5.
- Nakkeeran M, Priasamy S, Inmozhi SR, Santha K, Sethupathy S. 2017. Increased Levels of Inflammatory Marker hs-CRP, MDA, and Lipid Profile in Non-Obese Hypertension Subjects. *Biochemistry & Analytical Biochemistry*; 6(4): 339. <https://doi.org/10.4172/2161-1009.1000339>.
- National Kidney Foundation. 2012. KDOQI Clinical Practice Guideline for Diabetes and CKD: 2012 Update. *American Journal of Kidney Diseases*; 60(5): 850-86.

- Nicholas SB. 2011. Diabetic Kidney Disease. Dalam: Yee J, Krol GD (eds.). *Chronic Kidney Disease (CKD): Clinical Practice Recommendations for Primary Care Physicians and Healthcare Providers – A Collaborative Approach*. Los Angeles: Henry Ford Health System; 15-8.
- Nsiah-Kumi PA, Lasley S, Whiting M, Brushbreaker C, Erickson JM, Qiu F, Yu F, Larsen JL. 2013. Diabetes, Pre-diabetes, and Insulin Resistance Screening in Native American Children and Youth. *International Journal of Obesity*; 37: 540-545. <https://doi.org/10.1038/ijo.2012.199>.
- Palacios S, Stevenson JC, Schaudig K, Lukasiewicz M, Graziottin A. 2019. Hormone Therapy for First-Line Management of Menopausal Symptoms: Practical Recommendations. *Women's Health*; 15: 1745506519864009. <https://doi.org/10.1177/1745506519864009>.
- Pearson TA, Mensah GA, Alexander RW, Anderson JL, Cannon III RO, Criqui M, Fadl YY, Fortman SP, Hong Y, Myers GL, Rifai N, Smith Jr SC, Taubert K, Tracy RP, Vinicor F. 2003. Markers of Inflammation and Cardiovascular Disease. *Circulation*; 107: 499-511. <https://doi.org/10.1161/01.CIR.0000052939.59093.45>.
- PERKENI (Perkumpulan Endokrinologi Indonesia). 2019(A). Pedoman Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 Dewasa di Indonesia 2019. Cetakan Pertama. Jakarta: PB PERKENI.
- PERKENI (Perkumpulan Endokrinologi Indonesia). 2019(B). Panduan Pengelolaan Dislipidemia di Indonesia 2019. Cetakan Pertama. Jakarta: PB PERKENI.
- PERKI (Perhimpunan Dokter Spesialis Kardiovaskular Indonesia). 2017. Panduan Tata Laksana Dislipidemia 2017.
- Persson F, Rossing P. 2018. Diagnosis of Diabetic Kidney Disease: State of the Art and Future Perspective. *Kidney International Supplements*; 8: 2-7. <https://doi.org/10.1016/j.kisu.2017.10.003>.
- Pojskic L, Hasic S, Tahto E, Arnautovic-Torlak V, Pojskic B. 2018. Influence of C-Reactive Protein on the Occurrence and Assessing of Albuminuria Severity in Diabetics. *Medicinski Glasnik (Zenica)*; 15(1): 1-7. <https://doi.org/10.17392/919-18>.
- Powers AC. 2015. Diabetes Mellitus: Complications. In: Casper DL, Hauser SL, Jameson JL, Fauci AS, Longo DL, Loscalzo J. *Harrison's Principles of Internal Medicine*, 19th Ed. New York: McGraw-Hill Education; 2422-29.
- Preethi BL, Kumar KMP, Suresh KP. 2013. High-Sensitivity C-Reactive Protein A Surrogate Marker of Insulin Resistance. *Journal of Physiology and Pathophysiology*; 4(3): 29-36. <https://doi.org/10.5897/JPAP11.019>.
- Purnamasari D. 2015. Diagnosis dan Klasifikasi Diabetes Melitus. Dalam: Setiati S, Alwi I, Sudoyo AW, Simadibrata M, Setiyahadi B, Syam AF (eds.). *Buku Ajar Ilmu Penyakit Dalam, Edisi Keenam*. Jakarta: Interna Publishing; 2323-2327.

- Rasheed MK, Rasheed MK, Mahmood HG. 2013. Interleukin-6 and High-Sensitivity C-Reactive Protein Correlation in Atherosclerosis in Iraqi Type 2 Diabetic Patients. *International Journal of Drug Development & Research*; 5(4): 106-114.
- Raum E, Gebhardt K, Buchner M, Schiltenwolf M, Brenner H. 2006. Long-Term and Short-Term Alcohol Consumption and Levels of C-Reactive Protein. *International Journal of Cardiology*; 1-4. <https://doi.org/10.1016/j.ijcard.2006.08.104>.
- Roopakala MS, Pawan HR, Krishnamurty U, Silvia CRWD, Eshwarappa M, Kumar KMP. 2012. Evaluation of High Sensitivity C-Reactive Protein and Glycated Hemoglobin Levels in Diabetic Nephropathy. *Saudi Journal of Kidney Disease and Transplantation*; 23(2): 286-289.
- Sabanayagam C, Lee J, Shankar A, Lim SC, Wong TY, Tai ES. 2009. C-Reactive Protein and Microalbuminuria in A Multi-ethnic Asian Population. *Nephrology Dialysis Transplantation*; 25: 1167-72. <https://doi.org/10.1093/ndt/gfp591>.
- Shiel Jr WC. 2018. Medical Definition of Infection. Diakses dari www.medicinenet.com/script/main/art.asp?articlekey=12923.
- Silva D, de Lacerda AP. 2012. High-Sensitivity C-Reactive Protein as A Biomarker of Risk in Coronary Artery Disease. *Portuguese Journal of Cardiology*; 31(11): 733-745. <https://doi.org/10.1016/j.repc.2012.02.018>.
- Silva B, Camoes M, Simoes M, Bezerra P. 2017. Obesity, Physical Fitness and Inflammation in the Elderly. *Geriatrics*; 2(30): 1-9. <https://doi.org/10.3390/geriatrics2040030>.
- Soewondo P, Ferrario A, Tahapary DL. 2013. Challenges in Diabetes Management in Indonesia: A Literature Review. *Globalization and Health*; 9(63): 1-17. <https://doi.org/10.1186/1744-8603-9-63>.
- Sproston NR, Ashworth JJ. 2018. Role of C-Reactive Protein at Sites of Inflammation and Infection. *Frontiers in Immunology*; 9: 754. <https://doi.org/10.3389/fimmu.2018.00754>.
- Stephanie O, Michael O, Karolina S. 2016. Normal Pregnancy: A Clinical Review. *Academic Journal of Pediatrics and Neonatology*; 1(1): 1-4.
- Stephen R, Jolly SE, Nally JV, Navaneethan SD. 2014. Albuminuria: When Urine Predicts Kidney and Cardiovascular Disease. *Cleveland Clinic Journal of Medicine*; 81(1): 41-50. <https://doi.org/10.3949/ccjm.81a.13040>.
- Sun L, Kanwar YS. 2015. Relevance of NTF- α in the Context of Other Inflammatory Cytokines in the Progression of Diabetic Nephropathy. *Kidney International*; 88(4): 662-665. <https://doi.org/10.1038/ki.2015.250>.
- Tajiri Y, Mimura K, Umeda F. 2005. High-Sensitivity C-Reactive Protein in Japanese Patients with Type 2 Diabetes. *Obesity Research*; 13: 1810-1816.

- Tonstad S, Cowan JL. 2009. C-Reactive Protein as A Predictor of Disease in Smokers and Former Smokers: A Review. *The Clinical Journal of Clinical Practice*; 63(11): 1634-1641. <https://doi.org/10.1111/j.1742-1241.2009.02179.x>.
- Toth-Manikowski S, Atta MG. 2015. Diabetic Kidney Disease: Patophysiology and Therapeutic Targets. *Journal of Diabetes Research*; 1-16. <https://doi.org/10.1155/2015/697010>.
- Tuttle KR, Bakris GL, Bilous RW, Chiang JL, de Boer IH, Goldstein-Fuchs J, Hirsch IB, Kalantar-Zadeh K, Narva AS, Navaneethan SD, Neumiller JJ, Patel UD, Ratner RE, Whaley-Connell AT, Molitch ME. 2014. Diabetic Kidney Disease: A Report from An ADA Consensus Conference. *Diabetes Care*; 37: 2864-2883. <https://doi.org/10.2337/dc14-1296>.
- Tutuncu Y, Satman I, Celik S, Dinccag N, Karsidag K, Telci A, Genc S, Issever H, Tuomilehto J, Omer B. 2016. A Comparison of hs-CRP Levels in New Diabetes Groups Diagnosed Based on FPG, 2-hPG, or HbA1c Criteria. *Journal of Diabetes Research*; 1-9. <https://doi.org/10.1155/2016/5827041>.
- Uemura H, Katsuura-Kamano S, Yamaguchi M, Bahari T, Ishizu M, Fujioka M, Arisawa K. 2017. Relationships of Serum High-Sensitivity C-Reactive Protein and Body Size with Insulin Resistance in a Japanese Cohort. *PLoS ONE*; 12(6): e0178672. <https://doi.org/10.1371/journal.pone.0178672>.
- Umanath K, Lewis JB. 2018. Update on Diabetic Nephropathy: Core Curriculum 2018. *American Journal of Kidney Diseases*; 71(6): 884-895. <https://doi.org/10.1053/j.ajkd.2017.10.026>.
- van der Velde M, Bello AK, Brantsma AH, El Nahas M, Bakker SJL, de Jong PE, Gansevoort RT. 2012. Do Albuminuria and hs-CRP Add to the International Diabetes Federation Definition of the Metabolic Syndrome in Predicting Outcome? *Nephrology Dialysis Transplantation*; 27: 2275-2283. <https://doi.org/10.1093/ndt/gfr634>.
- Verghese J, Holtzer R, Lipton RB, Wang C. 2012. High-Sensitivity C-Reactive Protein and Mobility Disability in Older Adults. *Age and Ageing*; 41: 541-545. <https://doi.org/10.1093/ageing/afs038>.
- Volker D, Grunhage F, Wagenpfeil S, Lammert F, Stokes CS. 2019. Serum 25-Hydroxyvitamin D Levels and Mortality Risk in Patients with Liver Cirrhosis: A Protocol for A Systemic Review and Meta-analysis of Observational Studies. *Systematic Reviews*; 8(73): 1-6. <https://doi.org/10.1186/s13643-019-0988-6>.
- Wan X, Zhang L, Gu H, Wang S, Liu X. 2019. The Association of Serum hs-CRP and Urinary Alpha1-Microglobulin in Patients with Type 2 Diabetes Mellitus. *BioMed Research International*; 1-10. <https://doi.org/10.1155/2019/6364390>.

- Wang Z, Hoy WE, Wang Z. 2013. The Correlates of Urinary Albumin to Creatinine Ratio (ACR) in A High Risk Australian Aboriginal Community. *BMC Nephrology*; 14: 176. <https://doi.org/10.1186/1471-2369-14-176>.
- Xue X, Qiu Y, Cao S, Yue Y, Sun X, Yan W. 2019. Detection and Significance of TNF-a and hs-CRP in the Pleural Effusion of Patients with Diabetes and Pulmonary Tuberculosis. *European Journal of Inflammation*; 17: 1-5. <https://doi.org/10.1177/2058739219828628>.
- Yang S, Liu J, Yi B, Mao J, Zhang X, Liu Y, Lei D, Gui M, Zhang H. 2017. Elevated High Sensitivity C-Reactive Protein Increases the Risk of Microalbuminuria in Subjects with Cardiovascular Disease Risk Factors. *Therapeutic Apheresis and Dialysis*; 1-8. <https://doi.org/10.1111/1744-9987.12530>.
- Yorulmaz E, Uzunlulu M, Alpaslan B, Oguz A. 2006. hs-CRP for Cardiovascular Risk in Diabetes: Problems in Daily Practice. *Turkish Journal of Endocrinology and Metabolism*; 2: 35-38.
- Yousuf O, Mohanty BD, Martin SS, Joshi PH, Blaha MJ, Nasir K, Blumenthal RS, Budoff MJ. 2013. High-Sensitivity C-Reactive Protein and Cardiovascular Disease. *Journal of the American College of Cardiology*; 62: 397-408. <https://doi.org/10.1016/j.jacc.2013.05.016>.
- Yu H, Huang Y, Chen XY, Nie WB, Wang YJ, Jiao Y, Reed GL, Gu W, Chen H. 2017. High-Sensitivity C-Reactive Protein in Stroke Patients – The Importance in Consideration of Influence of Multiple Factors in the Predictability for Disease Severity and Death. *Journal of Clinical Neuroscience*; 36: 12-19. <https://doi.org/10.1016/j.jocn.2016.10.020>.
- Yucel D. 2014. C-Reactive Protein vs High-Sensitivity C-Reactive Protein: What is the Difference? *Turkish Journal of Biochemistry*; 39(1): 43-44. <https://doi.org/10.5505/tjb.2014.92408>.
- Zakerkish M, Shahbazian HB, Shahbazian H, Latifi SM, Aleali AM. 2013. Albuminuria and Its Correlates in Type 2 Diabetic Patients. *Iranian Journal of Kidney Diseases*; 7(4): 268-276.
- Zhang Y, Zeng C, Wei J, Li H, Yang T, Yang Y, Deng Z, Ding X, Lei G. 2016. Associations of Cigarette Smoking, Betel Quid Chewing and Alcohol Consumption with High-Sensitivity C-Reactive Protein in Early Radiographic Knee Osteoarthritis: A Cross-Sectional Study. *BMJ Open*; 6: e010763. <https://doi.org/10.1136/bmjopen-2015-010763>.
- Zylka A, Dumnicka P, Kusnierz-Cabala B, Gala-Bladzinska A, Ceranowicz P, Kucharz J, Zabek-Adamska A, Maziarz B, Drozdz R, Kuzniewski M. 2018. Markers of Glomerular and Tubular Damage in the Early Stage of Kidney Disease in Type 2 Diabetic Patients. *Mediators of Inflammation*; 1-12. <https://doi.org/10.1155/2018/7659243>.