

**DAFTAR PUSTAKA**

- Ade El Satar H, Mahfouz M, Rashed L, Ahmed D. Insulin resistance in patients with chronic hepatitis C infection. *Aust J Basic Appl Sci* 2010;4(10):4554-4558
- Afify SM., Tabll AA., Elfert AY., Eldaim MA., Elghalban S., El-Kousy SM. 2016. Serum Ferritin and Transferrin as Biomarkers for Liver Fibrosis Appreciated using TransientHepatic Elastography (TE) by Fibro Scan in Egyptian Patients with Chronic Hepatitis C Virus. *Int. J. Pharm. Sci. Rev. Res.*, 37(1). Article No. 11, Pages: 57-63
- Akalin N, Koroglu M, Harmankaya O, Akay H, Kumbasar B. Comparison of insulin resistance in the various stages of chronic kidney disease and inflammation. *Renal Failure* 2014;37(2):237-240
- Aksu HSZ, Kurtaran B, Onlen Y, Namiduru M, Inkaya AC, Kandemir O, et al. Association of insulin resistance, viral load, and adipokin levels with liver histology in patientswith chronic hepatitis C: an observational, multicenter study in Turkey. *European journal of gastroenterology & hepatology* 2012;24(12):1393-1399
- Ambachew S, Eshetie S, Demeke G, Endalamaw A, Melku M. Prevalence of Type 2 Diabetes Mellitus among Hepatitis C Virus-Infected Patients: A Systematic Review and Meta-Analysis. *International Journal of Diabetes and Metabolism* 2018;21(1-4):29-37
- American College of Cardiology (ACC)/ American Heart Association (AHA). 2017 ACC/AHA/AAPA/ABC/ACPM/AGS/APhA/ASH/ASPC/NMA/CNA Guideline for the Prevention, Detection, Evaluation, and Management of High Blood Pressure in Adults. *Hypertension* 2018;71:e13-e115
- American Diabetes Society (ADA). Classification and Diagnosis of Diabetes: Standards of Medical Care in Diabetes 2018. *Diabetes Care* 2018;41(Suppl. 1):S13-S37
- Andrade VG, Yamashiro FS, Oliveira CV, Moreira A, Winckler FC, Silva GF. Insulin resistance reduction after sustained virological response with direct acting antiviral: Not every population improves. *Arquivos de Gastroenterologia* 2018;55(3):274-278
- Arase Y, Suzuki F, Suzuki Y, Akuta N, Kobayashi M, Kawamura Y, Yatsuji H, Sezaki H, Hosaka T, Hiraoka M, Ikeda K, Kumada H. Sustained virological response reduces incidence of onset of type 2 diabetes in chronic hepatitis C. *Hepatol* 2009;49(3):739-44
- Argentini C, Genovese D, Dettori S, Rapisetta M. HCV genetic variability: from quasispecies evolution to genotype classification. *Future Microbiol* 2009.4(3)359-373

- Attvall S, Fowelin J, Lager I, Von Schenck H, Smith U. Smoking induces insulin resistance a potential link with the insulin resistance syndrome. *Journal Internal Medicine* 1993;233:327-32
- Au WS, Kung HF, Lin MC. Regulation of microsomal triglyceride transfer protein gene by insulin in HepG2 cells: roles of MAPK erk and MAPKp38. *Diabetes* 2003;52:1073-1080
- Aytug S, Reich D, Sapiro LE, Bernstein D, Begum N. Impaired IRS-1/PI3-kinase signaling in patients with HCV: a mechanism for increased prevalence of type 2 diabetes. *Hepatology* 2003;38(6):1384-92
- Bailey JL. Insulin resistance and muscle metabolism in chronic kidney disease. *Endocrinol* 2013;2013:329606
- Banerjee S, Saito K, Ait-Goughoulte M, Meyer K, Ray RB, Ray R. Hepatitis C virus core protein upregulates serine phosphorylation of insulin receptor substrate-1 and impairs the downstream Akt/Protein Kinase B signaling pathway for insulin resistance. *J Virol* 2008;82(6):2606-12
- Bartenschlager R, Lohmann V. Replication of hepatitis C virus. *Journal of General Virology*. 2000;81(7):1631-48
- Barut S., Gunal O., Erkormas U. 2012. Serum Ferritin In Chronic Hepatitis C Patients During Antiviral Therapy and Prediction Of Treatment Response. *Scandinavian Journal of Infectious Disease* 44: 761-765
- Bernsmeier C, Duong FH, Christen V, Pugnale P, Negro F, Terracciano L, Heim MH. Virus-induced over-expression of protein phosphatase 2A inhibits insulin signaling in chronic hepatitis C. *J Hepatol* 2008;49(3):429-40
- Bernsmeier C, Heim MH. Insulin resistance in chronic hepatitis C: mechanism and clinical relevance. *Swiss Medical Weekly* 2009;139(47-48):678-684
- Bonkovsky HL, Banner BF, Rothman AL. Iron and chronic viral hepatitis. *Hepatology* 1997;25:759-768
- Bonora E, Targher G, Alberiche M, Donadonna RC, Saggiani F, Zenere M. HOMA Closely Mirrors the Glucose Clamp Technique in Assessment of Insulin Sensitivity. *Diabetes Care* 2002;57-62
- Brunt EM, Tetri BA, Burt AD. Fatty liver disease: alcoholic and non-alcoholic. *MacSweens's Pathology of the Liver* 2012;6:293-359
- Buckingham L, Flaws ML. Molecular diagnostics. *Fundamentals, Methods, and Clinical applications*. 2007. FA. Davis company. Philadelphia
- Bugianesi E, McCullough AJ, Marchesini G. Insulin resistance: A metabolic pathway to chronic liver disease. *Hepatology* 2005;42:987-1000
- Bureau C, Bernard J, Chaouche N, Orfila C, Beraud M, Gonindard C, Alric L, Vinel JP, Pipy B. Nonstructural 3 protein of hepatitis C virus triggers an oxidative

- burst in human monocytes via activation of NADPH oxidase. *J Biol Chem* 2001;276(25):23077-83
- Carocho M, Ferreira ICFR. A review on antioxidants, prooxidants and related controversy: Natural and synthetic compounds, screening and analysis methodologies and future perspective. *Food and Chemical Toxicology* 2013;51:15-25
- Caronia S, Taylor K, Pagliaro L, et al. Further evidence for an association between non-insulin-dependent diabetes mellitus and chronic hepatitis C virus infection. *Hepatology* 1999;30:1059-63
- Carrero JJ, Stenvinkel P, Lindholm B. Endocrine Aspects of Chronic Kidney Disease. *Brenner and Rector's The Kidney* 2015;58:1912-1925
- Centers for Disease Control and Prevention (CDC). Smoking & Tobacco Use. Cited on November 20, 2019 from [www.cdc.gov/tobacco.htm](http://www.cdc.gov/tobacco.htm)
- Ceriello A, Da Ros R, Assaloni R. The preventive anti-oxidant action of thiazolidinediones: a new therapeutic prospect in diabetes and insulin resistance. *Diabetes Medicine* 2004;21:1249-1252
- Chen S, Chen Y, Liu X, Li M, Wu B, Li Y, Liang Y, Shao X, Holthofer H, Zoul H. Association of insulin resistance with chronic kidney disease in non-diabetic subjects with normal weight. *PLOS ONE* 2013;Vol 8:Issue 9
- Chen SL, Morgan TR. The natural history of hepatitis C virus infection. *Int J Med Sci* 2006;3(2):47-52
- Chevaliez S, Pawlotsky JM. Virology of hepatitis C virus infection. *Best Practice & Research Clin Gastroenterol* 2012;26:381-389
- Choudhury M, Qadri I, Rahman M, Knotts TA, Janssen RC, Iwahashi M, Puljak L, Simon FR, Kilic G, Fitz GJ, Friedman JE. Hepatitis C virus (HCV) associated steatosis and increased gluconeogenic gene expression in Huh8 cells: essential role of NS5A and C/EBP $\alpha$ . *FASEB J* 2010;24(1b):115
- Christen V, Treves S, Duong FH, Heim MH. Activation of endoplasmic reticulum stress response by hepatitis viruses up-regulates protein phosphatase 2A. *Hepatology* 2007;46(2):558-65
- Ciaraldi TP, Aroda V, Mudaliar S, Chang RJ, Henry RR. Polycystic ovary syndrome is associated with tissue-specific differences in insulin resistance. *Journal Clinical Endocrinology Metabolism* 2009;94:157-163
- Dany F, Handayani S. Seroprevalensi Hepatitis C pada Populasi Perkotaan dan Perdesaan di Indonesia tahun 2013: Kajian Determinan Sosiodemografi, Lingkungan, Pejamu, dan Komorbid (Analisis Lanjutan Risesdas 2013). *Media Litbangkes* Vol 27 2017;4(12):197-208

- Davis RJ, Corvera S, Czech MP. Insulin stimulates cellular iron uptake and causes the redistribution of intracellular transferrin receptors to the plasma membrane. *J Biol Chem* 1986;261:8708-8711
- De Fronzo RA, Tobin JD, Andres R. Glucose clamp technique: a method for quantifying insulin secretion and resistance. *Am J Physiol* 1979;237(3):E214-23
- Depres JP, Marette A. Obesity and insulin resistance. *Epidemiologic, Metabolic, and Molecular Aspects. Contemporary Endocrinology: Insulin Resistance.* 1999;4:51-52
- Di Bona D, Cippitelli M, Fionda C, Camma C, Licata A, Santoni A, Craxi A. Oxidative stress inhibits IFN-alpha-induced antiviral gene expression by blocking the JAK-STAT pathway. *J Hepatol* 2006;45:271-279
- Diamanti-Kandarakis E, Dunaif A. Insulin resistance and the polycystic ovary syndrome revisited: An Update on Mechanism and Implication. *Endocrine Reviews* 2012;33(6):50-1
- DiMauro S, Schon EA. Mitochondrial respiratory-chain disease. *The New England Journal of Medicine* 2003;348:2656-2668
- Direktorat Jenderal Pengendalian Penyakit dan Penyehatan Lingkungan (Dirjen P2PL). *Panduan Singkat Tatalaksana Hepatitis C.* 2012. Jakarta: Kementerian Kesehatan Republik Indonesia
- Douglas MW, George J. Molecular mechanism of insulin resistance in chronic hepatitis C. *World J Gastroenterol* 2009;15(35):4356-4364
- Duong FH, Filipowicz M, Tripodi M, La Monica N, Heim MH. Hepatitis C virus inhibits interferon signaling through up-regulation of protein phosphatase 2A. *Gastroenterol* 2004;126:263-277
- Dzurik R, Spustova V, Janekova K. The prevalence of insulin resistance in kidney disease patients before the development of renal failure. *Nephron* 1995;69:281-285
- El-Satar HA, Mahfouz M, Rashed L, Ahmed D. Insulin resistance in patients with chronic hepatitis C infection. *Australian Journal of Basic and Applied Sciences* 2010;4(10):4554-4558
- El-Zayadi AR, Anis M. Hepatitis C virus induced insulin resistance impairs response to anti viral therapy. *World J Gastroenterol* 2012;18(3):212-224
- Escobar-Morreale HF. Iron metabolism and the polycystic ovary syndrome. *Trends in Endocrinology and Metabolism* 2012;23(10):515-519
- Eslam M, Khattab MA, Harrison SA. Insulin resistance and hepatitis C: an evolving story. *British Medical Journal* 2011;60:1139-1151

- European Association for the Study of the Liver (EASL). Clinical Practice Guidelines: Management of hepatitis C virus infection. *J Hepatol* 2018;60(2):392-420
- Farese RV. Function and dysfunction of PKC isoforms for glucose transport in insulin-sensitive and insulin-resistance states. *Am J Physiol Endocrinol Metab* 2002;283:E1-E11
- Fargion S, Dongiovanni P, Guzzo A, Colombo S, Valenti L, Fracanzani AL. Iron and insulin resistance. *Aliment Pharmacol Ther* 2005;22(Suppl 2):61-63
- Fernandez-Real JM, Lopez-Bermejo A, Ricart W. Cross-talk between iron metabolism and diabetes. *Diabetes* 2002;51:2348-2354
- Fernandez-Real JM, Ricart W. Insulin resistance and chronic cardiovascular inflammatory syndrome. *Endocrinology Review* 2003;24:278-301
- Ferrannini E, Natali A, Bell P, Cavallo-Perin P, Lalic N, Mingrone G. Insulin resistance and hypersecretion in obesity. European Group for the Study of Insulin Resistance (EGIR). *J Clin Invest* 1997;100(5):1166-73
- Fliser D, Pacini G, Engelleiter R. Insulin resistance and hyperinsulinemia are already present in patients with incipient renal disease. *Kidney International* 1998;53:1343-1347
- Freeman AJ, Dore GJ, Law MG, Thorpe M, Von Overbeck J, Lyoyd AR, Marinos G, Kaldor JM. Estimating progression to cirrhosis in chronic hepatitis C virus infection. *Hepatology* 2001;34(4):809-16
- Freeman AM, Soman-Faulkner K, Pennings N. Insulin resistance. StatPearls Publishing LLC, 2019. Cited from <https://www.ncbi.nlm.nih.gov/books/NBK507839/> on October 13 2019
- Fridlyand LE, Philipson LH. Reactive species and early manifestation of insulin resistance in type 2 diabetes. *Diabetes Obesity and Metabolism* 2006;8:136-145
- Fujita N, Sugimoto R, Takeo M, Urawa N, Mifuji R, Tanaka H, Kobayashi Y, Iwasa M, Watanabe S, Adachi Y, Kaito M. Hepcidin expression in the liver: relatively low level in patients with chronic hepatitis C. *Mol Med* 2007;13:97-104
- Furukawa S, Fujita T, Shimabukuro M, Iwaki M, Yamada Y, Nakajima Y, Nakayama O, Makishima M, Matsuda M, Shimomura I. Increased oxidative stress in obesity and its impact on metabolic syndrome. *The Journal of Clinical Investigation* 2004;14:1752-1761
- Furutani M, Nakashima T, Sumida Y, Hirohama A, Yoh T, Kakisaka Y, Mitsuyoshi H, Senmaru H, Okanue T. Insulin resistance/beta-cell function and serum ferritin level in nondiabetic patients with hepatitis C virus infection. *Liver Int* 2003;23:294-299

- Gale MJ, Blakely SM, Kwieciszewski B, Tan SL, Dossett M, Tang NM, Korth MJ, Polyak SJ, Gretch DR, Katze MG. *Mol Cell Biol* 1998;18:5208-5218
- Gani RA, Hasan I, Sanityoso A, Lesmana CR, Kurniawan J, Jasirwan CO, *et al.* Konsensus Nasional Penatalaksanaan Hepatitis C di Indonesia. Jakarta. Perhimpunan Peneliti Hati Indonesia. 2017
- Gani RA, Hasan I, Sanityoso A, Lesmana CR, Waspodo A, Siregar L. Epidemiologi, virologi, dan perjalanan penyakit hepatitis C. Konsensus Nasional Penatalaksanaan Hepatitis C di Indonesia Perhimpunan Peneliti Hati Indonesia (PPHI) 2017;1-8
- Garido Serrano A, Guerrero Igea FJ, Lepe Jimenez JA, Palomo Gil S, Grilo Reina A. Hepatitis C virus infection, increased serum ferritin and hyperinsulinemia. *Rev Esp Enferm Dig* 2001;93:639-648
- Georgopoulou U, Tsitoura P, Kalamvoki M, Mavromara P. The protein phosphatase 2A represents a novel cellular target for hepatitis C virus NS5A protein. *Biochimie* 2006;88(6):651-62
- Gong G, Waris G, Tanveer R, Siddiqui A. Human hepatitis C virus NS5A protein alters intracellular calcium levels, induces oxidative stress, and activates STAT-3 and NF- $\kappa$ B. *Proc Natl Acad Sci* 2001;98(17):9599-604
- Gowans EJ. Distribution of Markers of Hepatitis C Virus Infection Throughout the Body. *Seminars in Liver Disease* 2000;20(1):85-102
- Gower E, Estes C, Blach S, Razavi-Shearer K, Razavi H. Global epidemiology and genotype distribution of the hepatitis C virus infection. *Journal of Hepatology* 2014;61:45-57
- Gretch D, Corey L, Wilson J, dela Rosa C, Willson R, Busch M, Hart J, *et al.* Assessment of Hepatitis C Virus RNA Levels by Quantitative Competitive RNA Polymerase Chain Reaction: High-Titer Viremia Correlates with Advanced Stage of Disease. *The Journal of Infectious Disease* 1994;169:1219-25
- Gualerzi A, Bellan M, Smirne C, Tran Minh M, Rigamonti C, *et al.* Improvement of insulin sensitivity in diabetic and non diabetic patients with chronic hepatitis C treated with direct antiviral agents. *PLOS ONE* 2018;13(12):e0209261
- Gumber SC, Chopra S. Hepatitis C: multifaceted disease. Review of extrahepatic manifestations. *Ann Intern Med* 1995;123:615-20
- Guo S. Insulin Signaling, Resistance, and the Metabolic Syndrome: Insights from Mouse Models to Disease Mechanisms. *The Journal of Endocrinology* 2014;220(2):1-23
- Halliwel B. Biochemistry of Oxidative Stress. *Biochemical Society Transaction* 2007;35(5):1147-50

- Harrison SA. Insulin resistance among patients with chronic hepatitis C: etiology and impact on treatment. *Clin Gastroenterology and Hepatology* 2008;6(8):864-876
- Haruta T, Uno T, Kawahara J, Takano A, Egawa K, Sharma PM, Olefsky JM, Kobayashi MA. Rapamycin-sensitive pathway downregulates insulin signaling via phosphorylation and proteasomal degradation of insulin receptor substrate-1. *Mo; Endocrinol* 2000;14:783-794
- Hotamisligil GS. The role of TNF $\alpha$  and TNF receptors in obesity and insulin resistance. *J Intern Med* 1999;245(6):621-5
- Houstis N, Rosen ED, Lander ES. Reactive oxygen species have a causal role in multiple forms of insulin resistance. *Nature* 2006;440:944-948
- Hsu CS, Liu CJ, Liu CH, Wang CC, Chen CL, Lai MY, Chen PJ, Kao JH, Chen DS. High hepatitis C viral load is associated with insulin resistance in patients with chronic hepatitis C. *Liver International* 2007;ISSN 1478-3223:271-277
- Huang H, Chuang C, Hsieh Y, Chang T, Wei K, Shen C, Wu C, Tung S. Serum HCV RNA level is not associated with insulin resistance and metabolic syndrome in chronic hepatitis C patients with genotype 1 or 2 infection. *Chang Gung Medical Journal* 2011;34(5):487-95
- Hui JM, Sud A, Farrell GC, Bandara P, Byth K, Kench JG, et al. Insulin resistance is associated with chronic hepatitis C virus infection and fibrosis progression. *Gastroenterology* 2003;125:1695-704
- Hyder MA, Hasan M, Mohieldien AH. Comparative levels of ALT, AST, ALP, and GGT in liver associated diseases. *European J of Experiment Bio.* 2013;3(2):280-4
- Inoue S, Zimmet P. The Asia-Pacific Perspective Redefining Obesity and its Treatment. *International Association for Study of Obesity* 2000;1-55
- Iroezindu MO, Isiguzo GC, Young EE. Prevalence and predictors of impaired fasting glucose among Nigerian patients with hepatitis B virus infection. *Diabetes Research and Clinical Practice* 2012;98(2):338-345
- Jafri SM, Gordon SC. Epidemiology of Hepatitis C. *Clin Hati Dis* 2018;12(5):140-142
- Jan CF, Chen CJ, Chiu YH, Chen LS, Wu HM, Huang CC, Yen MF, Chen TH. A population-based study investigating the association between metabolic syndrome and hepatitis B/C infection (Keelung Community-based Integrated Screening Study No. 10). *International Journal of Obesity* 2006;30:794-9
- Jefferies M, Rauff B, Rashid H, Lam T, Rafiq S. Update on global of viral hepatitis and preventive strategies. *World J of Clin Cases* 2018;6(13):589-599
- Kahn CR. Insulin resistance, insulin insensitivity, and insulin unresponsiveness: a necessary distinction. *Metabolism.* 1978;27:1893-902

- Kamili S, Drobeniuc J, Araujo AC, Hayden TM. Laboratory diagnostics for hepatitis C virus infection. *Clin Inf Dis* 2012;5(1):43-48
- Kanauchi M, Yamano S, Kanauchi K, Saito Y. Homeostasis model assessment of insulin resistance, quantitative insulin sensitivity check index, and oral glucose insulin sensitivity index in nonobese, nondiabetic subjects with high-normal blood pressure. *J Clin Endocrinol Metab* 2003;88(7):3444-6
- Kasprzak A, Adamek A. Role of hepatitis C virus protein (C, NS3, NS5) in hepatic oncogenesis. *Hepato Res* 2008;38(1):1-26.
- Katz A, Nambi SS, Mather K, Baron AD, Follmann DA, Sullivan G, Quon MJ. Quantitative insulin sensitivity check index: a simple, accurate method for assessing insulin sensitivity in humans. *J Clin Endocrinol Metab* 2000;86(7):2402-10
- Kawaguchi T, Yoshida T, Harada M, Hisamoto T, Nagao Y, Ide T, Taniguchi E, Kumemura H, Hanada S, Maeyama M, et al. Hepatitis C virus down-regulates insulin receptor substrate 1 and 2 through up-regulation of suppressor of cytokine signaling 3. *Am J Pathol* 2004;165(5):1499-508
- Kemenkes RI. Infodatin Diabetes 2014. Cited from <http://www.depkes.go.id/resources/download/pusdatin/infodatin/infodatin-diabetes.pdf> on October 13 2019
- Kim JA, Wei Y, Sowers JR. Role of mitochondrial dysfunction in insulin resistance. *Circulation Research* 2008;102:401-414
- Kim KH, Hong SP, Kim K, Park MJ, Kim KJ, Cheong J. HCV core protein induces hepatic lipid accumulation by activating SREBP1 and PPAR gamma. *Biochem Biophys Res Commun* 2007;355(4):883-8
- Kim SJ, Kim DJ. Alcoholism and diabetes mellitus. *Diabetes and Metabolic Journal* 2012;36:108-115
- Knobler H, Schihmanter R, Zifroni A, et al. Increased risk of type 2 diabetes in non-cirrhotic patients with chronic hepatitis C virus infection. *Mayo Clin Proc* 2000;75:355-9
- Kobayashi S, Maesato K, Moriya H, Ohtake T, Ikeda T. Insulin Resistance in Patients with Chronic Kidney Disease. *American Journal of Kidney Disease* 2005;45(2):275-280
- Kong C, Nimmo L, Elatrozy T, Anyaoku V, Hughes C, et al. Smoking is associated with increased hepatic lipase activity, insulin resistance, dyslipidaemia, and early atherosclerosis in type 2 diabetes. *Atherosclerosis* 2001;156:373-378
- Kubota N, Tobe K, Terauchi Y, Eto K, Yamauchi T, Suzuki R, Tsubamoto Y, et al. Disruption of insulin resistance substrate 2 causes type 2 diabetes because of liver insulin resistance and lack of compensatory beta-cell hyperplasia. *Diabetes* 2000;49:1880-1889



- Kukla M, Piotrowsky D, Waluga M, Hartleb M. Insulin Resistance and its Consequences in Chronic Hepatitis C. *Clinical and Experimental Hepatology* 2015;1:17-29
- Lai TS, Lee MH, Yang HI, You SL, Lu SN, Wang LY, et al. High hepatitis C viral load and genotype 2 are strong predictors of chronic kidney disease. *Kidney International* 2017;92:703-709
- Laskus T, Radkowski M, Wang LF, Vargas H, Rakela J. Search for hepatitis C virus extrahepatic replication sites in patients with acquired immunodeficiency syndrome: specific detection of negative-strand viral RNA in various tissues. *Hepatology* 1998;28(5):1398-401
- Lauer GM, Walker BD. Hepatitis C Virus Infection. *N Engl J Med*. 2001.345(1):41-52
- Lecube A, Hernandez C, Simo R. Glucose abnormalities in non-alcoholic fatty liver disease and chronic hepatitis C virus infection: the role of iron overload. *Diabetes Metab Res Rev* 2009;25:403-410
- Lee JG, Lee S, Kim YJ, Cho BM, Park JS, Kim HH, Cheong J, Jeong DW et al. Association of chronic viral hepatitis B with insulin resistance. *World Journal of Gastroenterology* 2012;18(42):6120-6126
- Li W, Hui R. Cigarette smoking induces insulin resistance: Partly via ASP-C5L2 pathway? *Bioscience Hypotheses* 2009;2:267-269
- Li Y, Wang X, Yu G, Sun H, Lv J, Chi X, Wu R, Gao X, Niu J. The association of hepatitis C virus infection status with serum glucose levels. *BMC Gastroenterology* 2019;19:86
- Liao MT, Sung CC, Hung KC, Wu CC, Lo L, Lu KC. Insulin Resistance in Patients with Chronic Kidney Disease. *Journal of Biomedicine and Biotechnology* 2012;vol 2012,Article ID 691369
- Ling M, Tropp S, Danoff A, Bini EJ. Association between chronic hepatitis B virus infection and diabetes among Asian Americans and Pacific Islanders. *Digestive Liver Disease* 2007;39(6):549-556
- Loh K, Deng H, Fukushima A, Cai X, Boivin B, Galic S, Bruce C, Shields BJ, Skiba B. Reactive oxygen species enhance insulin sensitivity. *Cell Metabolic* 2009;10(4):260-272
- Lok ASF, Gunaratman NT. Diagnosis of Hepatitis C. *Hepatology* 1997;26(3):494-502
- Lucidi RS. Polycystic Ovarian Syndrome. Cited on November 20, 2019 from <https://emedicine.medscape.com/article/256806-overview> updated: September 19, 2019
- Machado MV, Cortez-Pinto H. Insulin resistance and steatosis in chronic hepatitis C. *Annals of Hepatology* 2009;8(1):S67-S75

- Mangia A, Schiavone G, Lezzi G, et al. HCV and diabetes mellitus: Evidence for a negative association. *Am J Gastroenterol* 1998;93:2363–7
- Mankouria J, Tedburya PR, Peers C, Harris M. Enhanced hepatitis C virus genome replication and lipid accumulation mediated by inhibition of AMP-activated protein kinase. *PNAS* 2010;107(25):11549-54
- Mardiana N, Aditiawardana. Penyakit Ginjal Kronis. Dalam (Tjokroprawiro A, Setiawan PB, Effendi C, Santoso D, Soegiarto G, editor). Buku Ajar Ilmu Penyakit Dalam. FK UNAIR-RS Pendidikan Dr. Soetomo Surabaya 2015. Edisi 2. Airlangga University Press;484-492
- Mason AL, Lau JY, Hoang N, et al. Association of diabetes mellitus and chronic hepatitis C virus infection. *Hepatology* 1999;29:328–33
- Mathews DR, Hosker JP, Rudenski AS, Naylor BA, Treacher DF, Turner RC. Homeostasis model assessment: insulin resistance and beta-cell function from fasting plasma glucose and insulin concentrations in man. *Diabetologia* 1985;28(7):412-9
- Matsuda M, DeFronzo RA. Insulin sensitivity indices obtained from oral glucose tolerance testing: comparison with the euglycemic insulin clamp. *Diabetes Care* 1999;22(9):1462-70
- Maudar KK, Gandhi P, Mishra PK, Varshney S, Punde R, Bhargav A. Novel approach for quantitation of hepatitis C virus in liver cirrhosis using real-time reverse transcriptase PCR. *J Gastrointest Surg* 2012.16:142-147
- Mauvais-Jarvis F, Kahn CR. Understanding the pathogenesis and treatment of insulin resistance and type 2 diabetes mellitus: what can we learn from transgenic and knockout mice. *Diabetes & Metabolic* 2000;26:433-48
- Mehta SH, Brancati FL, Sulkowski MS, et al. Prevalence of type 2 diabetes mellitus among persons with hepatitis C virus infection in the United States. *Ann Intern Med* 2000;133:592–9
- Merril DB. Alcoholism and alcohol abuse. *Alcohol-Use Disorders: Diagnosis, Assessment and Management of Harmful Drinking and Alcohol Dependence. Alcoholism and alcohol abuse. PubMed Health* 2003;27
- Messina JP, Humphreys I, Flaxman A, Brown A, Cooke GS, Pybus OG, *et al.* Global distribution and prevalence of hepatitis C virus genotype. *Hepatology*. 2015;61(1):77-87
- Michalczuk MT, Kappel CR, Birkhan O, Braganca AC, Alvares-da-Silva MR. HOMA-AD in assessment insulin resistance in Lean Noncirrhotic HCV Outpatient. *International Journal of Hepatology* 2012 Vol 2012, Article ID 576584
- Misdraji J. Drug Induced Disease of the Liver and Metabolic Liver Disease. *Massachusetts General Hospital* 2007;1-2

- Mitsuyoshi H, Itoh Y, Sumida Y, Minami M, Yasui K, Nakashima T, Okanue T. Evidence of oxidative stress as a cofactor in the development of insulin resistance in patients with chronic hepatitis C. *Hepatol Res* 2008;38:348-353
- Miyamoto H, Moriishi K, Moriya K, Murata S, Tanaka K, Suzuki T, Miyamura T, Koike K, Matsuura Y. Involvement of the PA28 dependent pathway in insulin resistance induced by hepatitis C virus core protein. *J Virol* 2007;81(4):1727-1735
- Mohamed AA, Loutfy SA, Craik JD, Hashem AG, Siam I. Chronic hepatitis C genotype-4 infection: role of insulin resistance in hepatocellular carcinoma. *Virology Journal* 2011;8:496
- Mohamed HR, Abdel-Azziz MY, Zalata KR, Abdel-Razik AM. Relation of insulin resistance and liver fibrosis progression in patients with chronic hepatitis C virus infection. *International Journal of Health Sciences* 2009;3(2):186-187
- Mohammad Alizadeh AH, Fallahian F, Alavian SM, Ranjbar M, Hedayati M, Rahimi F, Khedmat H, Etemadi A, Zali MR, Azizi F. Insulin resistance in chronic hepatitis B and C. *Indian J Gastroenterol* 2006;25(6):286-9
- Morino K, Petersen KF, Shulman GI. Molecular mechanisms of insulin resistance in humans and their potential links with mitochondrial dysfunction. *Diabetes* 2006;55(2):S9-S15
- Moucari R, Asselah T, Cazals-Hatem D, Voitot H, Boyer N, Ripault MP, Sobesky R, Martinot-Peignoux M, Maylin S, Nicholas-Chanoine MH, et al. Insulin resistance in chronic hepatitis C: association with genotypes 1 and 4, serum HCV RNA level, and liver fibrosis. *Gastroenterology* 2008;134:416-423
- Muzzi A, Leandro G, Rubbia-Brandt L, James R, Keiser O, Malinverni R, Dufour JF, Helbling B, et al. Insulin resistance is associated with liver fibrosis in non-diabetic chronic hepatitis C patients. *J Hepatol* 2005;42(1):41-6
- Nakamura M, Yamazaki O, Shirai A, Horita S, Satoh N, Suzuki M, Hamasaki Y, Noiri E, Kume H, Enomoto Y, Homma Y, Seki G. Preserved Na/HCO<sub>3</sub> cotransporter sensitivity to insulin may promote hypertension in metabolic syndrome. *Kidney International* 2015;87(3):535-42
- Narita R, Abe S, Kihara Y, Akiyama T, Tabaru A, Otsuki M. Insulin resistance and insulin secretion in chronic hepatitis C virus infection. *Journal of Hepatology* 2004;41:132-138
- Nauck MA, Baum F, Seidensticker F, Roder M, Dinesen B, Creutzfeldt W. A hyperinsulinaemic, sequentially eu- and hypoglycaemic clamp test to characterize autonomous insulin secretion in patients with insulinoma. *Eur J Clin Invest* 1997;27(2):109-15
- Niederer C, Berger M, Stremmel W, Starke A, Strohmeyer G, Ebert R, Siegel E, Creutzfeldt W. Hyperinsulinaemia in non-cirrhotic haemochromatosis: impaired hepatic insulin degradation? *Diabetologia* 1984;26:441-444

- Niu Z, Zhang PA, Tong YQ. Age and gender distribution of Hepatitis C virus prevalence and genotypes of individuals of physical examination in WuHan, Central China. *SpringerPlus*. 2016;5:1557
- Olmedo DB, Precioso PM, Lugdero-Correia A, da Silva G, dos Santos AMG, Porto LC. Exposure source prevalence is associated with gender in hepatitis C virus patients from Rio de Janeiro, Brazil. *Mem Inst Oswaldo Cruz* 2017;112(9):632-639
- Pal S, Polyak SJ, Bano N, Qiu WC, Carithers RL, Shuhart M, Gretch DR, Das A. Hepatitis C virus induces oxidative stress, DNA damage and modulates the DNA repair enzyme NEIL1. *J Gastro Hepatol* 2010;25(3):327-634
- Papatheodoridis GV, Chrysanthos N, Savvas S, et al. Diabetes mellitus in chronic hepatitis B and C: Prevalence and potential association with the extent of liver fibrosis. *J Viral Hepatitis* 2006;13:303-10
- Parker R, Oo Y, Adams DH. Management of patients with difficult autoimmune hepatitis. *Therapeutic Advances in Gastroenterology* 2012;5(6):421-437
- Parvaiz F, Manzoor S, Tariq H, Javed F, Fatima K, Qadri I. Hepatitis C virus infection: molecular pathways to insulin resistance. *Virology Journal* 2011;8:474
- Patel S, Jinjvadia R, Patel R, Liangpunsakul S. Insulin Resistance is Associated With Significant Liver Fibrosis in Chronic Hepatitis C Patients: A Systematic Review and Meta-Analysis. *J Clin Gastroenterol* 2016;50(1):80-4
- Pazienza V, Clements S, Pugnale P, Conzelman S, Foti M, Mangia A, Negro F. The hepatitis C virus core protein of genotypes 3a and 1b downregulates insulin receptor substrate 1 through genotype-specific mechanisms. *Hepatol* 2007;45(5):1164-71
- Perhimpunan Endokrinologi Indonesia (PERKENI). *Diagnosis Pengelolaan Diabetes Melitus Tipe 2. Dalam Konsensus Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 di Indonesia 2015*; PB PERKENI: Jakarta
- Perhimpunan Peneliti Hati Indonesia (PPHI). *Diagnosis Hepatitis C dan Pengkajian Awal Pra-Terapi. Konsensus Nasional Penatalaksanaan Hepatitis C di Indonesia 2017*;2:9-17
- Perlemuter G, Sabile A, Letteron P, Vona G, Topilco A, Chretien Y, Koike K, Pessayre D, Chapman J, Barba G, Brechot C. Hepatitis C virus core protein inhibits microsomal triglyceride transfer protein activity and very low density lipoprotein secretion: a model of viral-related steatosis. *FASEB J* 2002;16(2):185-94
- Piperno A, D'Alba R, Fargion S, Roffi L, Sampietro M, Parma S, Arosio V, Fare M, Fiorelli G. Liver iron concentration in chronic viral hepatitis: a study of 98 patients. *Eur J Gastroenterol Hepatol* 1995;7:1203-1208

- Piperno A, Mariani R, Trombini P, Girelli D. Hepcidin modulation in human diseases: from research to clinic. *World J Gastroenterol* 2009;15:538-551
- Pusat Data dan Informasi Kementerian Kesehatan RI. Situasi dan Analisis Lanjut Usia 2018. Cited from <http://www.depkes.go.id/resources/download/pusdatin/infodatin-lansia.pdf> on September 18, 2019
- Qatanani M, Lazar MA. Mechanisms of obesity-associated insulin resistance: many choices on the menu. *Genes & Development*, 2007;21:1443-1455
- Rabinowich L, Shibolet O. Drug Induced Steatohepatitis: An Uncommon Culprit of Common Disease. Hindawi Publishing Corporation *BioMed Research International*. Volume 2015 Article ID 168905:1-15
- Reaven G, Tsao PS. Insulin resistance and compensatory hyperinsulinemia. The key player between cigarette smoking and cardiovascular disease. *Journal of the American College of Cardiology* 2003;41(6):1047-1054
- Riggio O, Montagnese F, Fiore P, Folino S, Giambortolomei S, Gandin C, Merli , Quinti I, Violante N, Caroli S, Senofonte O, Capocaccia L. Iron overload in patients with chronic viral hepatitis: how common is it? *Am J Gastroenterol* 1997;92:1298-1301
- Riset Kesehatan Dasar (Riskesdas) 2007. Laporan Nasional 2007. Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan Republik Indonesia. 2007. Jakarta: Kementerian Kesehatan Republik Indonesia
- Riset Kesehatan Dasar (Riskesdas) 2013. 2013. Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan Republik Indonesia. 2013. Jakarta: Kementerian Kesehatan Republik Indonesia
- Romero-Gomez M. Insulin resistance and hepatitis C. *World J Gastroenterol* 2006;12(44):7075-7080
- Rotaru I, Gaman A, Gaman G. Secondary Haemochromatosis in Patient with Thalassaemia Intermedia. *Current Health Science Journal* 2014;40(1):70-67
- Rui L, Yuan M, Frantz D, Shoelson S, White MF. SOCS-1 and SOCS-3 block insulin signaling by ubiquitin-mediated degradation of IRS1 and IRS2. *J Biol Chem* 2002;277:42394-42398
- Saad MF, Rewers M, Selby J, Howard G, Jinagouda S, Fahmi S, Zaccaro D, Berman RN, Savage PJ, Haffner SM. Insulin resistance and hypertension, The Insulin Resistance Atherosclerosis Study. *Hypertension* 2004;43:1324-1331
- Saini V. Molecular mechanisms of insulin resistance in type 2 diabetes mellitus. *World J Diabetes* 2010;1(3):68-75
- Saitoh M. Studies of histopathology of pancreas in portal hypertension. *Nippon Shokakibyo Gakkai Zasshi* 1984;81:1444-1452

- Salley KES, Wickham EP, Cheang KI, Essah PA, Karjane NW, Nestler JE. Position Statement: Glucose Intolerance in Polycystic Ovary Syndrome. *The Journal of Clinical Endocrinology & Metabolism* 2007;92(12):4546-4556
- Sampaio Peres DP, Cheinquer H, Wolf FH, Cheinquer N, Falavigna M, Sampaio Peres LD. Prevalence of insulin resistance in chronic hepatitis C genotype 1 and 3 patients. *Annals of hepatology* 2013;12(6):871-875
- Samuel VT, Liu Z, Qu X, Elder BD, Bilz S, Befroy D, Romanelli AJ, Shulman GI. Mechanism of hepatic insulin resistance in non-alcoholic fatty liver disease. *The Journal of Biological Chemistry* 2003;279(31):32345-32353
- Schuler P. Natural Antioxidant Exploited Commercially. *Food Antioxidants*. Elsevier Applied Food Science Series 1990;4:170-99
- Sedaghat AR, Sherman A, Quon MJ. A mathematical model of metabolic insulin signaling pathways. *Am J Physiol Endocrinol Metabol* 2002;283(5):E1084-101
- Setiawan PB, Thamrin H. Hepatitis B Kronis. Dalam (Tjokroprawiro A, Setiawan PB, Effendi C, Santoso D, Soegiarto G, editor). *Buku Ajar Ilmu Penyakit Dalam*. FK UNAIR-RS Pendidikan Dr. Soetomo Surabaya 2015. Edisi 2. Airlangga University Press;278-286
- Shaker O, Ahmed A, Doss W, Abdel-Hamid M. MxA expression as marker for assessing the therapeutic response in HCV genotype 4 Egyptian patients. *J Viral Hepat* 2010;17:794-799
- Sheikh MY, Choi J, Qadri I, Friedman JE, Sanyal AJ. Hepatitis C virus infection: molecular pathways to metabolic syndrome. *Hepatology* 2008;47(6):2127-33
- Shepard CW, Alter MJ. Global Epidemiology of Hepatitis C Virus Infection. 2017. *The Lancet Infectious Disease*. (9):558-67
- Shi X, Ding M, Dong Z, Chen F, Ye J, Wang S, Leonard SS, Castranova V, Vallyathan V. Antioxidants properties of aspirin: Characterization of the ability of aspirin to inhibit silica-induced lipid peroxidation, DNA damage, NF- $\kappa$ B activation, and TNF- $\alpha$  production. *Molecular and Cellular Biochemistry* 1998;199:93-102
- Shin HJ, Park YH, Kim SU, Moon HB, Park DS, Han YH. Hepatitis B virus X protein regulates hepatic glucose homeostasis via activation of inducible nitric oxide synthase. *Journal of Biology Chemistry* 2011;286:29872-81
- Shintani Y, Fujie H, Miyoshi H, Tsutsumi T, Tsukamoto K, Kimura S, Moriya K, Koike K. Hepatitis C virus infection and diabetes: direct involvement of the virus in the development of insulin resistance. *Gastroenterology* 2004;126(3):840-8
- Shulman GI. Cellular mechanism of insulin resistance. *Journal of Clinical Investigation* 2000;106(2):171

- Siegel EG, Seidenstucker A, Ga.,witz B, Schmitz F, et al. Insulin secretion defects in liver cirrhosis can be reversed by glucagon-like peptide-1. *Journal of Endocrinology* 2000;164:13-19
- Silva G, Gomis R, Bosch J, Casamitjana R, Mastai R, Navasa M. Hyperglucagonism and glucagon resistance in cirrhosis. Paradoxical effect of propranolol on plasma glucagon levels. *Journal of Hepatology* 1988;6:325-331
- Simo R, Lecube A, Genesca J, Esteban JI, Hernandez C. Sustained virological response correlates with reduction in the incidence of glucose abnormalities in patients with chronic hepatitis C infection. *Diabetes Care* 2006;29:2462-2466
- Singh BM, Goswami B, Mallika V. Association between insulin resistance and hypothyroidism in females attending a tertiary care hospital. *Indian Journal of Clinical Biochemistry* 2010;25(2):141-145
- Soegondo S., Purnamasari D. Sindroma metabolik. Dalam (Setiati S., Alwi I., Sudoyo AW., Simadibrata K., Setiyohadi B., Syam Ari F, eds). *Buku Ajar Ilmu Penyakit Dalam, Edisi Keenam, Jilid I, Bab 29*, 2015, Jakarta: Interna Publishing; 2548-2535
- Soleimani M. Insulin resistance and hypertension: new insights. *Kidney International* 2015;87(3):497-9
- Suhaema S, Masthalina H. Pola Konsumsi dengan Terjadinya Sindrom Metabolik di Indonesia. *Kesmas: Jurnal Kesehatan Masyarakat Nasional* 2015;9(4):340-344
- Sulaiman A. Konsensus Nasional Penatalaksanaan Hepatitis C di Indonesia. 2019. Perhimpunan Peneliti Hati Indonesia (PPHI)
- Taguchi K, Yamanaka-Okumura H, Mizuno A, Nakamura T, Shimada M, Doi T, Takeda E. Insulin resistance as early sign of hepatic dysfunction in liver cirrhosis. *The Journal of Medical Investigation* 2014;161:189-190
- Takeo M, Kobayashi Y, Fujita N, Urawa N, Iwasa M, Horiike S, Tanaka H, Kaito M, Adachi Y. Upregulation of transferrin receptor 2 and ferroportin 1 mRNA in the liver of patients with chronic hepatitis C. *J Gastroenterol Hepatol* 2005;20:562-569
- Tardif KD, Mori K, Siddiqui A. Hepatitis C virus subgenomic replicons induce endoplasmic reticulum stress activating an intracellular signaling pathway. *J Virol* 2002;76(15):7453-9
- Thomas DL, Seeff LB. Natural History of Hepatitis C. *Clinical of Liver Disease* 2005;9:383-98
- Thomas SS, Zhang L, Mitch WE. Molecular Mechanisms of Insulin Resistance in Chronic Kidney Disease. *Kidney Int* 2015;88(6):1233-1239

- Thoren F, Romero A, Lindh M, Dahlgren C, Hellstrand K. A hepatitis C virus-encoded, nonstructural protein (NS3) triggers dysfunction and apoptosis in lymphocytes: role of NADPH oxidase-derived oxygen radicals. *J Leukoc Biol* 2004;76(6):1180-6
- Tjokroprawiro A, Murtiwi S. Diabetes mellitus. Dalam (Tjokroprawiro A, Setiawan PB, Effendi C, eds), *Buku Ajar Ilmu Penyakit Dalam Fakultas Kedokteran Universitas Airlangga*, Airlangga University Press 2015;Edisi 2:70-71
- Torres DM, Harrison SA. Occurrence of noncirrhotic HCC in NAFLD. *Clinical Dilemmas in Non-Alcoholic Fatty Liver Disease* 2016;50-57.
- Tosi F, Bonora E, Moghetti P. Insulin resistance in a large cohort of women with polycystic ovary syndrome: a comparison between euglycaemic-hyperinsulinaemic clamp and surrogate indexes. *Hum Reprod* 2017;32(12):2515-2521
- Tseng CH, Hsu YC, Chang CY, Lin CW, Lin JT, Mo LR. Change in insulin resistance according to virological response during antiviral treatment for hepatitis C virus infection. *Digestive Medicine* 2016;3:43-48
- Umumararungu E, Ntaganda F, Kagira J, Maina N. Prevalence of Hepatitis C Virus Infection and Its Risk Factors among Patients Attending Rwanda Military Hospital, Rwanda. *BioMed Research International* Volume 2017. Article ID 5841272, 7 pages
- Unger RH, Orci L. Lipotoxic disease of nonadipose tissues in obesity. *Intern J Obesity* 2000;24(4):S28-S32
- Vagu C., Sultana C., Ruta S., 2013. Serum Iron Markers in Patients With Chronic Hepatitis C Infection. *Hepatitis Monthly*, Volume 13(10): e13136.
- Vareesangthip K, Tong P, Wilkinson R, Thomas TH. Insulin resistance in adult polycystic kidney disease. *Kidney International* 1997;52(2):503-8
- Veal EA, Day AM, Morgan BA. Hydrogen peroxide sensing and signaling. *Molecular Cell* 2007;26:1-14
- Verlag JAB. Glucose metabolism and liver cirrhosis. *Experimental of Clinical of Endocrinology and Diabetes* 1995;103(2):63-74
- Wang AG, Lee DS, Moon HB, Kim JM, Cho KH, Choi SH, Ha HL, Han YH, Kim DG, Hwang SB, Yu DY. Non-structural 5A protein of hepatitis C virus induces a range of liver pathology in transgenic mice. *J Pathol* 2009;219(2):253-62
- Wang C, Hsu C, Liu C, Kao J, Chen D. Association of chronic hepatitis B virus infection with insulin resistance and hepatic steatosis. *Journal of Gastroenterology* 2008;23:679-681
- Wedemeyer H. Hepatitis C. Dalam: *Sleisenger and Fordtran's Gastrointestinal and Liver Disease: Pathophysiology/Diagnosis/Management* 2016. Edited by:



- Mark Feldman, Lawrence S. Friedman, Lawrence J. Brandt, Tenth edition: 1352-1332
- Wen F, Brown KE, Britigan BE, Schimdt WN. Hepatitis C core protein inhibits induction of heme oxygenase-1 and sensitizes hepatocytes to cytotoxicity. *Cell Biol Toxicol* 2008;24(2):175-88
- White DL, Ratziu V, El-Serag HB. Hepatitis C infection and risk of diabetes: A systemic review and meta-analysis. *J Hepatol* 2008;49:831-844
- Wicker S, Jung J, Allwinn R, Gottschalk R, Rabenau H. Prevalence and prevention of needlestick injuries among health care workers in a German university hospital. *International Archives of Occupational and Environmental Health*. 2008; 81(3):347-54
- Wild RA, Carmina E, Diamanti-Kandarakis E, Dokras A, Escobar-Morreale HF, Futterweit W, Lobo R, et al. Assessment of cardiovascular risk and prevention of cardiovascular disease in women with the polycystic ovary syndrome: a consensus statement by the Androgen Excess. *The Journal of Clinical Endocrinology & Metabolism* 2010;95(5):2038-2049
- Wilkins T, Malcolm JK, Raina D, Schade RR. Hepatitis C: Diagnosis and Treatment. *Am Fam Physician* 2010.81(11):1351-56
- World Gastroenterology Organization Global Guidelines. Diagnosis, management and prevention of hepatitis C. *WGO Global Guidelines Hepatitis C (long version)* 2013.2:1-36
- World Health Organization (WHO). Executive Summary: Global Hepatitis Report 2017. Department of HIV/AIDS, Switzerland
- Yildiz BO, Knochenhauer ES, Azziz R. Impact of obesity on the risk for polycystic ovary syndrome. *Journal of Clinical Endocrinology Metabolic* 2008;93:168-162
- Zein NN. Clinical significance of hepatitis C virus genotypes. *Clin Microbiol Rev* 2000;13:223-235
- Zeuzem S, Rodriguez-Torres M, Rajender K, Marcellin P, Diago M, Craxi A, et al. Optimized threshold for serum HCV RNA to predict treatment outcomes in hepatitis C patients receiving peginterferon alfa-2a/ribavirin. *J Viral Hepat* 2012;19(11):766-74
- Zhang F, Lau SS, Monks TJ. The Cytoprotective Effect of N-acetyl-L-cysteine against ROS-Induced Cytotoxicity is Independent of Its Ability to Enhance Glutathione Synthesis. *Toxicology Sciences* 2011;120(1):97-87