

DAFTAR PUSTAKA

- Abelsson, A. (2017) 'Learning through simulation', *Disaster and Emergency Medicine Journal*, 2(3), pp. 125–128. doi: 10.5603/DEMJ.2017.0027.
- Altun, D., Ozkan-Seyhan, T., Orhan-Sungur, M., Sivrikoz, N. and Camci, E. (2016) 'Comparison of 4 Laryngoscopes in 2 Difficult Airway Scenarios: A Randomized Crossover Simulation-Based Study', *Simulation in Healthcare*, 11(5), pp. 304–308. doi: 10.1097/SIH.000000000000161.
- Bakshi, S. G., Vanjari, V. S. and Divatia, J. V. (2015) 'A prospective, randomised, clinical study to compare the use of McGrath®, Truview® and Macintosh laryngoscopes for endotracheal intubation by novice and experienced Anaesthesiologists', *Indian Journal of Anaesthesia*. doi: 10.4103/0019-5049.160946.
- Burdett, E., Ross-Anderson, D. J., Makepeace, J., Bassett, P. A., Clarke, S. G. and Mitchell, V. (2011) 'Randomized controlled trial of the A.P. Advance, McGrath, and Macintosh laryngoscopes in normal and difficult intubation scenarios: A manikin study', *British Journal of Anaesthesia*. British Journal of Anaesthesia. Published by Elsevier Ltd., 107(6), pp. 983–988. doi: 10.1093/bja/aer295.
- Butterworth, John F., David C. Mackey, and John D. Wasnick. (2018). *Morgan and Mikhail's clinical anesthesiology*. McGraw-Hill Education
- Cavus, E., & Dörge, V. (2014). The development of direct laryngoscopy. *Trends in Anaesthesia and Critical Care*, 4(1), 39. <https://doi.org/10.1016/j.tacc.2013.08.001>

- Cook, T. M., Woodall, N. and Frerk, C. (2011) *Major Complications of Airway management in the United Kingdom. Report and Findings, Fourth National Audit Project of the Royal College of Anaesthetists and Difficult Airway Society*. Available at: https://www.nationalauditprojects.org.uk/downloads/NAP4_Full_Report.pdf.
- Collins, S. R. (2014) 'Direct and Indirect Laryngoscopy: Equipment and Techniques', *Respiratory Care*, 59(6), pp. 850–864. doi: 10.4187/respcare.03033.
- Cormack, R.S., J. Lehane. (1984). Difficult tracheal intubation in obstetrics. *Anaesthesia*. 39: 1105-1111
- Domino, K. B., Posner, K. L., Caplan, R. A. and Cheney, F. W. (1999) 'Airway injury during anesthesia: a closed claims analysis.', *Anesthesiology*. United States, 91(6), pp. 1703–1711. doi: 10.1097/00000542-199912000-00023.
- Enomoto, Y., Asai, T., Arai, T., Kamishima, K. and Okuda, Y. (2008) 'Pentax-AWS, a new videolaryngoscope, is more effective than the Macintosh laryngoscope for tracheal intubation in patients with restricted neck movements: A randomized comparative study', *British Journal of Anaesthesia*. England, 100(4), pp. 544–548. doi: 10.1093/bja/aen002.
- Green, S. (2005) 'Systematic reviews and meta-analysis.', *Singapore medical journal*. Singapore, 46(6), pp. 270–3; quiz 274.
- GlideScope *Videolaryngoscope*, Saturn Biomedical Systems Inc. Available from <http://www.saturnbiomedical.com/glidescope.php>

- Gómez-Ríos, M. Á., Pinegger, S., de Carrillo Mantilla, M., Vizcaino, L., Barreto-Calvo, P., Paech, M. J., Gómez-Ríos, D. and López-Calviño, B. (2016) 'A randomised crossover trial comparing the Airtraq® NT, McGrath® MAC and Macintosh laryngoscopes for nasotracheal intubation of simulated easy and difficult airways in a manikin', *Brazilian Journal of Anesthesiology (English Edition)*, 66(3), pp. 289–297. doi: 10.1016/j.bjane.2014.10.009.
- Hoshijima, H., Mihara, T., Maruyama, K., Denawa, Y., Takahashi, M., Shiga, T. and Nagasaka, H. (2018) 'McGrath videolaryngoscope versus Macintosh laryngoscope for tracheal intubation: A systematic review and meta-analysis with trial sequential analysis.', *Journal of clinical anesthesia*. United States, 46, pp. 25–32. doi: 10.1016/j.jclinane.2017.12.030.
- Hodgetts, V., Danha, R. F., Mendonca, C. and Hillerman, C. (2011) 'A randomized comparison of C-MAC videolaryngoscope versus Macintosh laryngoscope for tracheal intubation', *Journal of Anesthesia and Clinical Research*, 2(9), p. 163. doi: 10.4172/2155-6148.1000163.
- Hurford, W. E. (2010) 'The video revolution: a new view of laryngoscopy.', *Respiratory care*, 55(8), pp. 1036–45. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/20667151>.
- Ruetzler, K., Roessler, B., Potura, L., Priemayr, A., Robak, O., Schuster, E. and Frass, M. (2011) 'Performance and skill retention of intubation by paramedics using seven different airway devices--a manikin study.', *Resuscitation*. Ireland, 82(5), pp. 593–597. doi: 10.1016/j.resuscitation.2011.01.008.

- Ruetzler, K., Szarpak, L., Smereka, J., Dabrowski, M., Bialka, S., Mosteller, L., Szarpak, A., Ludwin, K., Wojewodzka-Zelezniakowicz, M. and Ladny, J. R. (2020) 'Comparison of Direct and Video Laryngoscopes during Different Airway Scenarios Performed by Experienced Paramedics: A Randomized Cross-Over Manikin Study', *BioMed Research International*, 2020, pp. 18–26. doi: 10.1155/2020/5382739.
- Kaki, A. M., Almarakbi, W. A., Fawzi, H. M. and Boker, A. M. (2011) 'Use of Airtraq, C-Mac, and Glidescope laryngoscope is better than Macintosh in novice medical students' hands: A manikin study.', *Saudi journal of anaesthesia*, 5(4), pp. 376–381. doi: 10.4103/1658-354X.87266.
- Karalapillai, D., Darvall, J., Mandeville, J., Ellard, L., Graham, J. and Weinberg, L. (2014) 'A review of video laryngoscopes relevant to the intensive care unit.', *Indian journal of critical care medicine : peer-reviewed, official publication of Indian Society of Critical Care Medicine*, 18(7), pp. 442–452. doi: 10.4103/0972-5229.136073.
- Kim, W., Choi, H. J., Lim, T. and Kang, B. S. (2014) 'Can the new McGrath laryngoscope rival the GlideScope Ranger portable video laryngoscope? A randomized manikin study', *American Journal of Emergency Medicine. The Authors*, 32(10), pp. 1225–1229. doi: 10.1016/j.ajem.2014.07.034.
- Korkut, S., Szarpak, L., Evrin, T., Smereka, J., Katipoğlu, B. and Gorczyca, D. (2019) 'Comparison of the McGrath MAC EMS Videolaryngoscope with a Conventional Laryngoscope for Standard and Difficult Airway Intubation: A Randomized, Cross-

over, Simulation Trial’, *Eurasian Journal of Emergency Medicine*, 18(4), pp. 211–217. doi: 10.4274/eajem.galenos.2019.02360.

Kriege, M., Alflen, C., Tzanova, I., Schmidtman, I., Piepho, T. and Noppens, R. R. (2017) ‘Evaluation of the McGrath MAC and Macintosh laryngoscope for tracheal intubation in 2000 patients undergoing general anaesthesia: The randomised multicentre EMMA trial study protocol’, *BMJ Open*, 7(8), pp. 3–7. doi: 10.1136/bmjopen-2017-016907.

Latief, A.S., (2007), *Petunjuk Praktis Anesthesiologi Edisi Kedua, Bagian Anesthesiologi dan Terapi Intensif Fakultas Kedokteran Universitas Indonesia*. Jakarta.

Liew, L., Teo, W., Tan, B., Leong, S. and Tan, A. (2016) ‘Ease of Intubation with the McGRATH® MAC, C-MAC® or Macintosh Laryngoscopes by Novice Operators in Simulated Difficult Airways – A Manikin Study’, *British Journal of Medicine and Medical Research*, 16(8), pp. 1–6. doi: 10.9734/bjmmr/2016/27180.

Lye, S. T., Liaw, C. M., Seet, E. and Koh, K. F. (2013) ‘Comparison of results from novice and trained personnel using the Macintosh laryngoscope, pentax AWS®, C-MACTM and Bonfils intubation fibrescope: A manikin study’, *Singapore Medical Journal*, 54(2), pp. 64–68. doi: 10.11622/smedj.2013026.

Chan, H. K. W., Wong, O. F. and Kwan, G. W. M. (2015) ‘A manikin study comparing McGrath Mac® and Airtraq® with macintosh laryngoscope in tracheal intubation by intensive care unit doctors’, *Hong Kong Journal of Emergency Medicine*. doi: 10.1177/102490791502200601.

- Madziala, M., Smereka, J., Dabrowski, M., Leung, S., Ruetzler, K. and Szarpak, L. (2017) 'A comparison of McGrath MAC® and standard direct laryngoscopy in simulated immobilized cervical spine pediatric intubation: a manikin study', *European Journal of Pediatrics*, 176(6), pp. 779–786. doi: 10.1007/s00431-017-2909-9.
- McElwain, J., Malik, M. A., Harte, B. H., Flynn, N. M. and Laffey, J. G. (2010) 'Comparison of the C-MAC videolaryngoscope with the Macintosh, Glidescope, and Airtraq laryngoscopes in easy and difficult laryngoscopy scenarios in manikins.', *Anaesthesia*. England, 65(5), pp. 483–489. doi: 10.1111/j.1365-2044.2010.06307.x.
- Miller RD. (2007). Preoperative preparation and intraoperative management. Basics of Anesthesia 5th ed. Philadelphia, *Churcill livingstone elseiver*; .p.218
- Morgan GE, Mikhail MS, Murray MJ. (2006). Airway management. *Clinical Anesthesiology* 4th 10. ed; p.98-06
- Owada, G., Mihara, T., Inagawa, G., Asakura, A., Goto, T. and Ka, K. (2017) 'A comparison of the Airtraq®, McGrath®, and Macintosh laryngoscopes for difficult paediatric intubation: A manikin study', *PLoS ONE*, 12(2), pp. 1–7. doi: 10.1371/journal.pone.0171889.
- Pantano, Kayla. 2015. History of the Laryngoscope. Retrieved : April 20, 2019 from <https://www.enttoday.org/article/history-of-the-laryngoscope/>
- Physio Control. (2015). McGRATH® MAC EMS Videolaryngoscope. Retrieved : April 14, 2019. Available from :

https://www.physiocontrol.com/uploadedFiles/Physio85/Contents/Emergency_Medical_Care/Products/PreHospital/3323992_A_LR.pdf

- Rai MR, Popat MT. (2011) 'Evaluation of airway equipment: man or manikin?' *Anaesthesia* ; 66: 1–3.
- Ray, D. C., Billington, C., Kearns, P. K., Kirkbride, R., Mackintosh, K., Reeve, C. S., Robinson, N., Stewart, C. J. and Trudeau, T. (2009) 'A comparison of McGrath and Macintosh laryngoscopes in novice users : a manikin study', pp. 1207–1210. doi: 10.1111/j.1365-2044.2009.06061.x.
- Ruetzler, K., Szarpak, L., Smereka, J., Dabrowski, M., Bialka, S., Mosteller, L., Szarpak, A., Ludwin, K., Wojewodzka-Zelezniakowicz, M. and Ladny, J. R. (2020) 'Comparison of Direct and Video Laryngoscopes during Different Airway Scenarios Performed by Experienced Paramedics: A Randomized Cross-Over Manikin Study', *BioMed Research International*, 2020, pp. 18–26. doi: 10.1155/2020/5382739.
- Shin, M., Bai, S. J., Lee, K., Oh, E. and Kim, H. J. (2016) 'Laryngoscopes Operated by Medical Students : A Randomized , Crossover , Manikin Study', 2016.
- Smereka, J., Ladny, J. R., Naylor, A., Ruetzler, K. and Szarpak, L. (2017) 'C-MAC compared with direct laryngoscopy for intubation in patients with cervical spine immobilization: A manikin trial', *The American Journal of Emergency Medicine*, 35(8), p. 1142—1146. doi: 10.1016/j.ajem.2017.03.030.

- Storz, K., Laryngoscopes, V. and Laryngoscopes, R. V. (2011) 'The new generation of KARL STORZ *Videolaryngoscopes*: BOEDEKER-DÖRGES *Videolaryngoscopes*!', *Endoworld*, 9(6), p. 20. doi: AN 9-6-e/D4-2011.
- Sugiyono .(2012). *Metode Penelitian Kuantitatif Kualitatif dan R&D*. Bandung : Alfabeta
- Szarpak, L., Truszewski, Z., Czyzewski, L., Gaszynski, T. and Rodríguez-Núñez, A. (2016) 'A comparison of the McGrath-MAC and Macintosh laryngoscopes for child tracheal intubation during resuscitation by paramedics. A randomized, crossover, manikin study', *American Journal of Emergency Medicine*. doi: 10.1016/j.ajem.2015.11.060.
- Platts-Mills, T. F., Campagne, D., Chinnock, B., Snowden, B., Glickman, L. T. and Hendey, G. W. (2009) 'A comparison of GlideScope video laryngoscopy versus direct laryngoscopy intubation in the emergency department', *Academic Emergency Medicine*, 16(9), pp. 866–871. doi: 10.1111/j.1553-2712.2009.00492.x.
- Walker, L., Brampton, W., Halai, M., Hoy, C., Lee, E., Scott, I. and McLernon, D. J. (2009) 'Randomized controlled trial of intubation with the McGrath® Series 5 videolaryngoscope by inexperienced anaesthetists', *British Journal of Anaesthesia*. *British Journal of Anaesthesia*, 103(3), pp. 440–445. doi: 10.1093/bja/aep191.
- Yanık, B. G., Yolcu, S., Aydınok, G., Akay, S., Değerli, V., Tomruk, Ö., Erdur, B., Kapçı, M. and Parlak, İ. (2014) 'The quickest and easiest endotracheal intubation device in difficult airway for emergency residents: video laryngoscope, the easiest

laryngoscope for emergency residents.’, *The American journal of emergency medicine*. United States, pp. 807–809. doi: 10.1016/j.ajem.2014.02.037.