

DAFTAR PUSTAKA

- Abe, M. *et al.* (2011) 'Effects of Lipid-Lowering Therapy with Rosuvastatin on Kidney Function and Oxidative Stress in Patients with Diabetic Nephropathy', *Journal of Atherosclerosis and Thrombosis*, 18(11), pp. 1018–1028. doi: 10.5551/jat.9084.
- Agarwal, R. (2007) 'Effects of Statins on Renal Function', *Mayo Clinic Proceedings*, 82(11), pp. 1381–1390. doi: 10.4065/82.11.1381.
- Alicic, R. Z., Rooney, M. T. dan Tuttle, K. R. (2017) 'Diabetic kidney disease: Challenges, progress, and possibilities', *Clinical Journal of the American Society of Nephrology*, 12(12), pp. 2032–2045. doi: 10.2215/CJN.11491116.
- Barylski, M. *et al.* (2013) 'Statins Decrease All-Cause Mortality Only in CKD Patients Not Requiring Dialysis Therapy—A meta-analysis of 11 Randomized Controlled Trials Involving 21,295 Participants', *Pharmacological Research*. Elsevier Ltd, 72, pp. 35–44. doi: 10.1016/j.phrs.2013.03.007.
- Burmeister, J. E. *et al.* (2014) 'Prevalence of Cardiovascular Risk Factors in Hemodialysis Patients - The CORDIAL Study', *Arquivos Brasileiros de Cardiologia*, pp. 473–480. doi: 10.5935/abc.20140048.
- Cachofeiro, V. *et al.* (2008) 'Oxidative Stress and Inflammation, A Link between Chronic Kidney Disease and Cardiovascular Disease', in *Kidney International*, pp. S4–S9. doi: 10.1038/ki.2008.516.
- Cai, H. (2005) 'NAD(P)H Oxidase-Dependent Self-Propagation of Hydrogen Peroxide and Vascular Disease', *Circulation Research*, 96(8), pp. 818–822. doi: 10.1161/01.RES.0000163631.07205.fb.
- Centers for Disease Control and Prevention (2019) 'Chronic Kidney Disease in the United States, 2019'. Available at: https://www.cdc.gov/kidneydisease/pdf/2019_National-Chronic-Kidney-Disease-Fact-Sheet.pdf.
- Chen, F. *et al.* (2012) 'From Form to Function: the Role of Nox4 in the Cardiovascular System', *Frontiers in Physiology*, 3(November), pp. 1–13. doi: 10.3389/fphys.2012.00412.
- Cobo, G. *et al.* (2016) 'Sex and gender differences in chronic kidney disease: progression to end-stage renal disease and haemodialysis', *Clinical Science*, 130(14), pp. 1147–1163. doi: 10.1042/CS20160047.
- Daenen, K. *et al.* (2019) 'Oxidative stress in Chronic Kidney Disease', *Pediatric Nephrology*. *Pediatric Nephrology*, 34(6), pp. 975–991. doi: 10.1007/s00467-018-4005-4.

- Davignon, J. (2004) 'Beneficial Cardiovascular Pleiotropic Effects of Statins', *Circulation*, pp. III-39-III-43. doi: 10.1161/01.cir.0000131517.20177.5a.
- Denic, A., Glassock, R. J. dan Rule, A. D. (2016) 'Structural and Functional Changes With the Aging Kidney', *Advances in Chronic Kidney Disease*. Elsevier Ltd, pp. 19–28. doi: 10.1053/j.ackd.2015.08.004.
- Departemen Kesehatan RI (2017) 'InfoDATIN Pusat Data dan Informasi Kementerian Kesehatan RI: Situasi Penyakit Ginjal Kronis', p. 3. Tersedia di: <http://emojione.com>.
- Duni, A. *et al.* (2017) 'Chronic Kidney Disease and Disproportionally Increased Cardiovascular Damage: Does Oxidative Stress Explain the Burden?', *Oxidative Medicine and Cellular Longevity*, pp. 1–15. doi: 10.1155/2017/9036450.
- Duranton, F. *et al.* (2012) 'Normal and Pathologic Concentrations of Uremic Toxins', *Journal of the American Society of Nephrology*, 23(7), pp. 1258–1270. doi: 10.1681/ASN.2011121175.
- Fassett, R. G. *et al.* (2015) 'Effects of Atorvastatin on Oxidative Stress in Chronic Kidney Disease', *Nephrology*, 20(10), pp. 697–705. doi: 10.1111/nep.12502.
- Fraser, S. dan Blakeman, T. (2016) 'Chronic Kidney Disease: Identification and Management in Primary Care', *Pragmatic and Observational Research*. Dove Medical Press Ltd., 7, pp. 21–32. doi: 10.2147/POR.S97310.
- Frijhoff, J. *et al.* (2015) 'Clinical Relevance of Biomarkers of Oxidative Stress', *Antioxidants & Redox Signaling*, 23(14), pp. 1144–1170. doi: 10.1089/ars.2015.6317.
- Galvan, D. L., Green, N. H. dan Danesh, F. R. (2017) 'The Hallmarks of Mitochondrial Dysfunction in Chronic Kidney Disease', *Kidney International*. Elsevier Inc, 92(5), pp. 1051–1057. doi: 10.1016/j.kint.2017.05.034.
- Gansevoort, R. T. *et al.* (2013) 'Chronic kidney disease and cardiovascular risk: epidemiology, mechanisms, and prevention', *The Lancet*. Elsevier Ltd, 382(9889), pp. 339–352. doi: 10.1016/S0140-6736(13)60595-4.
- Ghiselli, A. *et al.* (2000) 'Total antioxidant capacity as a tool to assess redox status: Critical view and experimental data', *Free Radical Biology and Medicine*, 29(11), pp. 1106–1114. doi: 10.1016/S0891-5849(00)00394-4.
- Global Burden Disease (2018) 'Findings from the Global Burden of Disease Study 2017'. Available at: www.healthdata.org.
- Hill, N. R. *et al.* (2016) 'Global Prevalence of Chronic Kidney Disease – A Systematic Review and Meta-Analysis', *PLOS ONE*. Edited by G. Remuzzi, 11(7), p. e0158765. doi: 10.1371/journal.pone.0158765.

- Ho, E. *et al.* (2013) 'Biological markers of oxidative stress: Applications to cardiovascular research and practice', *Redox Biology*. Elsevier, 1(1), pp. 483–491. doi: 10.1016/j.redox.2013.07.006.
- Huang, T.-M. *et al.* (2018) 'Effects of Statin Use in Advanced Chronic Kidney Disease Patients', *Journal of Clinical Medicine*, 7(9), p. 285. doi: 10.3390/jcm7090285.
- Indonesian Renal Registry (2018) *10 th Report Of Indonesian Renal Registry 2017 10 th Report Of Indonesian Renal Registry 2017*. Tersedia di: [https://www.indonesianrenalregistry.org/data/IRR_2017 .pdf](https://www.indonesianrenalregistry.org/data/IRR_2017.pdf).
- Inker, L. A. dan Levey, A. S. (2019) *Measurement and Estimation of Kidney Function*. Fourth Edi, *Chronic Kidney Disease, Dialysis, and Transplantation*. Fourth Edi. Elsevier Inc. doi: 10.1016/b978-0-323-52978-5.00002-1.
- Jain, G. dan Jaimes, E. A. (2013) 'Nicotine signaling and progression of chronic kidney disease in smokers', *Biochemical Pharmacology*, 86(8), pp. 1215–1223. doi: 10.1016/j.bcp.2013.07.014.
- Karamouzis, I. *et al.* (2008) 'Increase in Oxidative Stress but Not in Antioxidant Capacity with Advancing Stages of Chronic Kidney Disease', *American Journal of Nephrology*, 28(3), pp. 397–404. doi: 10.1159/000112413.
- Katzung, B. G., Masters, S. B. dan Trevor, A. J. (2012) 'Farmakologi Dasar & Klinik', *The McGraw-Hill*. Elsevier, 12. Tersedia di: <https://linkinghub.elsevier.com/retrieve/pii/B9781483227702500090>.
- Kazancıoğlu, R. (2013) 'Risk Factors for Chronic Kidney Disease: An Update', in *Kidney International Supplements*, pp. 368–371. doi: 10.1038/kisup.2013.79.
- KDIGO (2013a) 'Chapter 1: Definition and Classification of CKD', *Kidney International Supplements*, 3(1), pp. 19–62. doi: 10.1038/kisup.2012.64.
- KDIGO (2013b) 'KDIGO Clinical Practice Guideline for Lipid Management in Chronic Kidney Disease', *Kidney International Supplements*, 3(3), p. 259. doi: 10.1038/kisup.2013.27.
- Kemendes RI (2017) *InfoDATIN Situasi Penyakit Ginjal Kronis, Pusat Data dan Informasi Kementerian Kesehatan RI*. Available at: http://www.depkes.go.id/download.php?file=download/pusdatin/infodatin/infodatin_ginjal_2017.pdf.
- Kemendes RI (2013) *Hasil Riset Kesehatan Dasar 2013, Expert Opinion on Investigational Drugs*. Available at: http://labdata.litbang.kemkes.go.id/images/download/laporan/RKD/2013/Laporan_riskedas_2013_final.pdf.

- Kovesdy, C. P., Furth, S. L. dan Zoccali, C. (2017) 'Obesity and kidney disease: Hidden consequences of the epidemic', *Nephrology*, 22(3), pp. 191–198. doi: 10.1111/nep.12967.
- Krata, N. *et al.* (2018) 'Oxidative Stress in Kidney Diseases: The Cause or the Consequence?', *Archivum Immunologiae et Therapiae Experimentalis*. Springer International Publishing, 66(3), pp. 211–220. doi: 10.1007/s00005-017-0496-0.
- Ku, E. *et al.* (2019) 'Hypertension in CKD: Core Curriculum 2019', *American Journal of Kidney Diseases*. Elsevier Inc, 74(1), pp. 120–131. doi: 10.1053/j.ajkd.2018.12.044.
- Kuchta, A. *et al.* (2011) 'Estimation of Oxidative Stress Markers in Chronic Kidney Disease', *Kidney and Blood Pressure Research*, 34(1), pp. 12–19. doi: 10.1159/000321508.
- Levey, A. S., Becker, C. dan Inker, L. A. (2015) 'Glomerular Filtration Rate and Albuminuria for Detection and Staging of Acute and Chronic Kidney Disease in Adults', *JAMA*, 313(8), p. 837. doi: 10.1001/jama.2015.0602.
- Liakopoulos, V. *et al.* (2017) 'Oxidative Stress in Hemodialysis Patients: A Review of the Literature', *Oxidative Medicine and Cellular Longevity*. Hindawi, (Cvd), pp. 1–22. doi: 10.1155/2017/3081856.
- Ling, X. C. dan Kuo, K. L. (2018) 'Oxidative stress in chronic kidney disease', *Renal Replacement Therapy*. Renal Replacement Therapy, pp. 1–9. doi: 10.1186/s41100-018-0195-2.
- Locatelli, F. *et al.* (2003) 'Oxidative stress in end-stage renal disease: An emerging treat to patient outcome', *Nephrology Dialysis Transplantation*, 18(7), pp. 1272–1280. doi: 10.1093/ndt/gfg074.
- Lu, J. L. *et al.* (2015) 'Association of Age and BMI with Kidney Function and Mortality: A Cohort Study', *The Lancet Diabetes and Endocrinology*. Elsevier Ltd, 3(9), pp. 704–714. doi: 10.1016/S2213-8587(15)00128-X.
- Massy, Z. A. *et al.* (1999) 'Dyslipidaemia and the progression of renal disease in chronic renal failure patients', *Nephrology Dialysis Transplantation*, 14(10), pp. 2392–2406. doi: 10.1093/ndt/14.10.2392.
- Mastalerz-Migas, A. *et al.* (2007) 'Comparison of A Statin Vs. Hypolipemic Diet on the Oxidant Status in Hemodialyzed Patients with Chronic Renal Failure.', *Journal of Physiology and Pharmacology*, 58 Suppl 5(Pt 1), pp. 363–70. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/18204148>.
- Mikolasevic, I. *et al.* (2017) 'Dyslipidemia in patients with chronic kidney disease: Etiology and management', *International Journal of Nephrology and Renovascular Disease*, 10, pp. 35–45. doi: 10.2147/IJNRD.S101808.

- Modraesi, A., Nafar, M. dan Sahraei, Z. (2015) *Oxidative Stress in Chronic Kidney Disease: diet and Exercise*, <https://clinicaltrials.gov/show/nct01150851>. Dapat diakses (online) di: <https://www.cochranelibrary.com/central/doi/10.1002/central/CN-01530232/full>.
- Mucha, K., Foronczewicz, B. dan Paćzek, L. (2016) 'How to diagnose and follow patients with glomerulonephritis without kidney biopsy?', *Polish Archives of Internal Medicine*, 126(7–8), pp. 471–473. doi: 10.20452/pamw.3510.
- Nag, S. *et al.* (2007) 'All-cause and Cardiovascular Mortality in Diabetic Subjects Increases Significantly with Reduced estimated Glomerular Filtration Rate (eGFR): 10 Year Data from the South Tees Diabetes Mortality Study', *Diabetic Medicine*, 24(1), pp. 10–17. doi: 10.1111/j.1464-5491.2007.02023.x.
- National Kidney Foundation (2002) *Clinical practice guidelines for CKD, American Journal of Kidney Diseases*. Dapat diakses (online) di: https://www.kidney.org/sites/default/files/docs/ckd_evaluation_classification_stratification.pdf.
- Neugarten, J. dan Golestaneh, L. (2019) 'Influence of Sex on the Progression of Chronic Kidney Disease', *Mayo Clinic Proceedings*. Elsevier Ltd, 94(7), pp. 1339–1356. doi: 10.1016/j.mayocp.2018.12.024.
- Nikolic, D. *et al.* (2013) 'A meta-analysis of the role of statins on renal outcomes in patients with chronic kidney disease. Is the duration of therapy important?', *International Journal of Cardiology*. Elsevier Ireland Ltd, 168(6), pp. 5437–5447. doi: 10.1016/j.ijcard.2013.08.060.
- Nistala, R., Whaley-Connell, A. dan Sowers, J. R. (2008) 'Redox Control of Renal Function and Hypertension', *Antioxidants & Redox Signaling*, 10(12), pp. 2047–2089. doi: 10.1089/ars.2008.2034.
- Nitta, K. *et al.* (2013) 'Aging and Chronic Kidney Disease', *Kidney and Blood Pressure Research*, 38(1), pp. 109–120. doi: 10.1159/000355760.
- Özkurt, S. *et al.* (2011) 'Evaluation of pleiotropic effects of statins in chronic renal failure patients', *Turkish Nephrology, Dialysis and Transplantation Journal*, 20(2), pp. 150–155. doi: 10.5262/tndt.2011.1002.06.
- Putri, A. Y. dan Thaha, M. (2014) 'Role of oxidative stress on chronic kidney disease progression.', *Acta medica Indonesiana*, 46(3), pp. 244–52.
- Ramkumar, S., Raghunath, A. dan Raghunath, S. (2016) 'Statin therapy: Review of safety and potential side effects', *Acta Cardiologica Sinica*, 32(6), pp. 631–639. doi: 10.6515/ACS20160611A.

- Risikesdas (2018) 'Hasil Utama Riskesdas Tentang Prevalensi Diabetes Mellitus di Indonesia 2018', *Hasil Utama Riskesdas Tentang Prevalensi Diabetes Melitus di Indonesia 2018*, p. 8.
- Ruiz, M. C. *et al.* (2006) 'Effect of Statin Treatment on Oxidative Stress and Renal Function in Renal Transplantation', *Transplantation Proceedings*, 38(8), pp. 2431–2433. doi: 10.1016/j.transproceed.2006.08.083.
- Samouilidou, E. dan Grapsa, E. (2003) 'Effect of Dialysis on Plasma Total Antioxidant Capacity and Lipid Peroxidation Products in Patients with End-Stage Renal Failure', *Blood Purification*, 21(3), pp. 209–212. doi: 10.1159/000070691.
- Scheffer, P. G. *et al.* (2013) 'No Effect of Atorvastatin and Simvastatin on Oxidative Stress in Patients at High Risk for Cardiovascular Disease.', *The Netherlands journal of medicine*, 71(7), pp. 359–65. Available at: <http://www.njmonline.nl/getpdf.php?id=1344>.
- Schneider, M. P. *et al.* (2011) 'Effects of statin treatment on endothelial function, oxidative stress and inflammation in patients with arterial hypertension and normal cholesterol levels', *Journal of Hypertension*, 29(9), pp. 1757–1764. doi: 10.1097/HJH.0b013e32834a509a.
- Scholze, A. *et al.* (2016) 'Editorial Oxidative Stress in Chronic Kidney Disease', *Oxidative Medicine and Cellular Longevity Article ID*, 8375186(2), pp. 2–4. doi: 10.1155/2016/8375186.
- Sibal, L. *et al.* (2010) 'The Role of Asymmetric Dimethylarginine (ADMA) in Endothelial Dysfunction and Cardiovascular Disease', *Current Cardiology Reviews*, 6(2), pp. 82–90. doi: 10.2174/157340310791162659.
- Small, D. M. *et al.* (2012) 'Oxidative Stress, Anti-oxidant Therapies and Chronic Kidney Disease', *Nephrology*, 17(4), pp. 311–321. doi: 10.1111/j.1440-1797.2012.01572.x.
- Stenvinkel, P. *et al.* (2006) 'Statin Treatment and Diabetes Affect Myeloperoxidase Activity in Maintenance Hemodialysis Patients', *Clinical Journal of the American Society of Nephrology*, 1(2), pp. 281–287. doi: 10.2215/CJN.01281005.
- Sulaiman, M. K. (2019) 'Diabetic nephropathy: recent advances in pathophysiology and challenges in dietary management', *Diabetology & Metabolic Syndrome. BioMed Central*, 11(1), p. 7. doi: 10.1186/s13098-019-0403-4.
- Sung, C. *et al.* (2013) 'Oxidative Stress and Nucleic Acid Oxidation in Patients with Chronic Kidney Disease', *Oxidative Medicine and Cellular Longevity*, pp. 1–15. doi: 10.1155/2013/301982.

- Tangri, N. *et al.* (2016) 'Multinational Assessment of Accuracy of Equations for Predicting Risk of Kidney Failure: A Meta-analysis.', *JAMA*, 315(2), pp. 164–74. doi: 10.1001/jama.2015.18202.
- Tbahriti, H. F. *et al.* (2013) 'Effect of Different Stages of Chronic Kidney Disease and Renal Replacement Therapies on Oxidant-Antioxidant Balance in Uremic Patients', *Biochemistry Research International*, pp. 1–6. doi: 10.1155/2013/358985.
- Valdivielso, J. M. *et al.* (2019) 'Arteriosclerosis, Thrombosis, and Vascular Biology BRIEF REVIEW Atherosclerosis in Chronic Kidney Disease More, Less, or Just Different?', *Arterioscler Thromb Vasc Biol*, 39, pp. 1938–1966. doi: 10.1161/ATVBAHA.119.312705.
- Vaziri, N. D., Anzalone, D. A. and Catini, J. (2016) 'Statins in Chronic Kidney Disease: When and When Not to Use Them.', *The Journal of family practice*, 65(8 Suppl).
- Verdoodt, A. *et al.* (2018) 'Do statins induce or protect from acute kidney injury and chronic kidney disease: An update review in 2018', *Journal of Translational Internal Medicine*, 6(1), pp. 21–25. doi: 10.2478/jtim-2018-0005.
- Wang, X. *et al.* (2014) 'Age, Kidney Function, and Risk Factors Associate Differently with Cortical and Medullary Volumes of the Kidney', *Kidney International*. Nature Publishing Group, 85(3), pp. 677–685. doi: 10.1038/ki.2013.359.
- Webster, A. C. *et al.* (2017) 'Chronic Kidney Disease', *The Lancet*. Lancet Publishing Group, 389(10075), pp. 1238–1252. doi: 10.1016/S0140-6736(16)32064-5.
- Xia, J. *et al.* (2017) 'Cigarette Smoking and Chronic Kidney Disease in the General Population: A Systematic Review and Meta-analysis of Prospective Cohort Studies', *Nephrology Dialysis Transplantation*, 32(3), pp. 475–487. doi: 10.1093/ndt/gfw452.
- Xie, L. *et al.* (2018) 'BMI is Associated with the Development of Chronic Kidney Diseases in Hypertensive Patients with Normal Renal Function', *Journal of Hypertension*, 36(10), pp. 2085–2091. doi: 10.1097/HJH.0000000000001817.
- Yu, M., Kim, Y. J. and Kang, D.-H. (2011) 'Indoxyl Sulfate–Induced Endothelial Dysfunction in Patients with Chronic Kidney Disease via an Induction of Oxidative Stress', *Clinical Journal of the American Society of Nephrology*, 6(1), pp. 30–39. doi: 10.2215/CJN.05340610.
- Ziech, D. *et al.* (2011) 'Reactive Oxygen Species (ROS)--Induced Genetic and Epigenetic Alterations in Human Carcinogenesis', *Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis*. Elsevier B.V., pp. 167–173. doi: 10.1016/j.mrfmmm.2011.02.015.

Zinellu, A. *et al.* (2016) 'Effect of Cholesterol Lowering Treatment on Plasma Markers of Endothelial Dysfunction in Chronic Kidney Disease', *Journal of Pharmaceutical and Biomedical Analysis*. Elsevier B.V., 129, pp. 383–388. doi: 10.1016/j.jpba.2016.07.025.