

## DAFTAR PUSTAKA

- ACEP (2016) *Stroke Destination Decisions: A Time Sensitive Matter.* doi: 10.3109/15563657508988070.
- Adelman, E. *et al.* (2014). Stroke Awareness Among Inpatient Nursing Staff at an Academic Medical Center. *Stroke*, 45(1), pp.271-273
- Adusumilli, D. and Syed, S. (2018). Community stroke awareness: Knowledge, attitude, and health-seeking behavior of adults in an urban slum of Hyderabad, India. *International Journal of Medical Science and Public Health*, 7(11), p.848
- Akinyemi, R. *et al.* (2009). Knowledge and perception of stroke amongst hospital workers in an African community. *European Journal of Neurology*, 16(9), pp.998-1003
- Albarracín *et al.* (2005) *The Handbook of Attitude.*
- ASA (2018) ‘State of the nation Stroke statistics. Available at: [https://www.stroke.org.uk/system/files/sotn\\_2018.pdf](https://www.stroke.org.uk/system/files/sotn_2018.pdf).
- ASA (2019) *Types of Stroke / American Stroke Association.* Available at: <https://www.strokeassociation.org/en/about-stroke/types-of-stroke> (Accessed: 26 April 2019).
- Ashrafian, H. (2010) ‘Familial Stroke 2700 Years Ago’, *Stroke*, 41(4), p. 573170. doi: 10.1161/strokeaha.109.573170.
- Baird, T. A. *et al.* (2003) ‘Persistent poststroke hyperglycemia is independently associated with infarct expansion and worse clinical outcome’, *Stroke*, 34(9), pp. 2208–2214. doi: 10.1161/01.STR.0000085087.41330.FF.
- Brust, J. (2019). CURRENT Diagnosis & Treatment Neurology. 3rd ed. McGraw-Hill Education
- Bustamante, A. *et al.* (2017) ‘Blood Biomarkers for the Early Diagnosis of Stroke: The Stroke-Chip Study’, *Stroke*, 48(9), pp. 2419–2425. doi: 10.1161/STROKEAHA.117.017076.
- CDC (2018) *CDC Global Health - Thailand.* Available at: <https://www.cdc.gov/globalhealth/countries/thailand/default.htm> (Accessed: 16 May 2019).
- Croquelois, A. and Bogousslavsky, J. (2006) ‘Risk awareness and knowledge of patients with stroke: Results of a questionnaire survey 3 months after stroke’, *Journal of Neurology, Neurosurgery and Psychiatry*, 77(6), pp. 726–728. doi:

- 10.1136/jnnp.2005.078618.
- Engelhardt, E. (2017) ‘Apoplexy, cerebrovascular disease, and stroke: Historical evolution of terms and definitions’, *Dementia & Neuropsychologia*, 11(4), pp. 449–453. doi: 10.1590/1980-57642016dn11-040016.
- Goldstein, L. B. *et al.* (2010) ‘Guidelines for the Primary Prevention of Stroke’, *Stroke*, 42(2), pp. 517–584. doi: 10.1161/str.0b013e3181fcb238.
- Greenberg, D. A., Aminoff, M. J. and Simon, R. P. (2012) *Clinical Neurology 8th Edition*. Mc Graw Hill / LANGE.
- Hauer, A. J. *et al.* (2017) ‘Age-specific vascular risk factor profiles according to stroke subtype’, *Journal of the American Heart Association*, 6(5). doi: 10.1161/JAHA.116.005090.
- Ikram, M. A., Wieberdink, R. G. and Koudstaal, P. J. (2012) ‘International epidemiology of intracerebral hemorrhage’, *Current Atherosclerosis Reports*, 14(4), pp. 300–306. doi: 10.1007/s11883-012-0252-1.
- Jauch, E. C. *et al.* (2013) ‘Guidelines for the early management of patients with acute ischemic stroke: A guideline for healthcare professionals from the American Heart Association/American Stroke Association’, *Stroke*, 44(3), pp. 870–947. doi: 10.1161/STR.0b013e318284056a.
- Jeon, J. P., Kim, C. and Kim, S. E. (2018) ‘Blood Pressure Variability and Outcome in Patients with Acute Nonlobar Intracerebral Hemorrhage following Intensive Antihypertensive Treatment’, *Chinese Medical Journal*, 131(6), pp. 657–664. doi: 10.4103/0366-6999.226886.
- Johnson, W. *et al.* (2016) ‘Stroke: a global response is needed’, *Bulletin of the World Health Organization*, 94(9), pp. 634-634A. doi: 10.2471/BLT.16.181636.
- Kassardjian, C. D. *et al.* (2017) ‘In-Patient Code Stroke: A Quality Improvement Strategy to Overcome Knowledge-to-Action Gaps in Response Time’, *Stroke*, 48(8), pp. 2176–2183. doi: 10.1161/STROKEAHA.117.017622.
- Kemenkes RI (2016) *Stroke - Direktorat P2PTM*. Available at: <http://www.p2ptm.kemkes.go.id/informasi-p2ptm/stroke> (Accessed: 21 May 2019).
- Kemenkes RI (2017) *Germas Cegah Stroke - Direktorat P2PTM*. Available at: <http://www.p2ptm.kemkes.go.id/artikel-sehat/germas-cegah-stroke> (Accessed: 21 May 2019).
- Kemenkes RI (2018) *Hasil Utama Rskesdas Tentang Prevalensi Diabetes Melitus di*

- Indonesia* 2018. doi: 1 Desember 2013.
- Kim, Y. *et al.* (2012). Public Awareness of Stroke in Korea. *Stroke*, 43(4), pp.1146-1149
- Konsil Kedokteran Indonesia (2012) *Standar Kompetensi Dokter Indonesia [Standards of Indonesian Physician Competency]*. Available at: [http://www.kki.go.id/assets/data/arsip/SKDI\\_Perkonsil,\\_11\\_maret\\_13.pdf](http://www.kki.go.id/assets/data/arsip/SKDI_Perkonsil,_11_maret_13.pdf).
- Madae'en, S. *et al.* (2014). Stroke Awareness in the General Population: A Study from Jordan. *Tropical Journal of Pharmaceutical Research*, 12(6), p.1071
- Mellan, L. *et al.* (2015) 'Knowledge of thrombolytic therapy amongst hospital staff: Preliminary results and treatment implications', *Stroke*, 46(12), pp. 3551–3553. doi: 10.1161/STROKEAHA.115.010327.
- Meschia, J. F. *et al.* (2014) *Guidelines for the Primary Prevention of Stroke*, *Stroke*. doi: 10.1161/str.0000000000000046.
- Müller-Nordhorn, J. *et al.* (2006). Knowledge About Risk Factors for Stroke. *Stroke*, 37(4), pp.946-950
- Notoatmodjo, S. 2007. Pendidikan dan Perilaku Kesehatan. Jakarta : PT Rineka Cipta
- Pandian, J. D. *et al.* (2005) 'Public awareness of warning symptoms, risk factors, and treatment of stroke in Northwest India', *Stroke*, 36(3), pp. 644–648. doi: 10.1161/01.STR.0000154876.08468.a0.
- PERDOSSI (2011) 'Guideline Stroke PERDOSSI'.
- Pontes-Neto, O. M. *et al.* (2008) 'Stroke awareness in Brazil: Alarming results in a community-based study', *Stroke*, 39(2), pp. 292–296. doi: 10.1161/STROKEAHA.107.493908.
- Raina, S. (2013) 'Assessment of knowledge, attitude, and practice in health care delivery.', *North American journal of medical sciences*. Wolters Kluwer -- Medknow Publications, 5(3), pp. 249–50. doi: 10.4103/1947-2714.109226.
- Roebers, S. *et al.* (2007). Attitudes and Current Practice of Primary Care Physicians in Acute Stroke Management. *Stroke*, 38(4), pp.1298-1303
- Saengsuwan, J., Suangpho, P. and Tiamkao, S. (2017). Knowledge of Stroke Risk Factors and Warning Signs in Patients with Recurrent Stroke or Recurrent Transient Ischaemic Attack in Thailand. *Neurology Research International*, 2017, pp.1-7
- Schwamm, L. H. *et al.* (2005) 'Recommendations for the establishment of stroke systems of care: Recommendations from the American Stroke Association's

- Task Force on the Development of Stroke Systems', *Circulation*, 111(8), pp. 1078–1091. doi: 10.1161/01.CIR.0000154252.62394.1E.
- Tedim Cruz, V. *et al.* (2012) 'Freeze the stroke: Public awareness program for immediate detection of first symptoms', *Stroke*, 43(9), pp. 2510–2512. doi: 10.1161/STROKEAHA.112.655050.
- Usman, Y. *et al.* (2018) 'Indonesia's Sample Registration System in 2018: A Work in Progress', *Journal of Population and Social Studies*, 27(1), pp. 39–52. doi: 10.25133/jpssv27n1.003.
- Venketasubramanian, N. *et al.* (2018) 'Stroke Epidemiology in South, East, and South-East Asia: A Review', *Journal of Stroke*, 20(1), pp. 142–142. doi: 10.5853/jos.2017.00234.e1.
- Wardiah, M. L. (2016) *Teori perilaku dan budaya organisasi*
- WHO (2015) 'WHO | Stroke, Cerebrovascular accident'. World Health Organization. Available at: [https://www.who.int/topics/cerebrovascular\\_accident/en/](https://www.who.int/topics/cerebrovascular_accident/en/) (Accessed: 21 May 2019).
- WHO (2018) *The top 10 causes of death*. Available at: <https://www.who.int/news-room/fact-sheets/detail/the-top-10-causes-of-death> (Accessed: 26 April 2019).
- Yang, J. *et al.* (2015). Knowledge of Community General Practitioners and Nurses on Pre-Hospital Stroke Prevention and Treatment in Chongqing, China. *PLOS ONE*, 10(9), p.e0138476
- Yogarajah, M. (2013) *Crash Course Neurology 4th Edition*
- .