

DAFTAR PUSTAKA

- Abioye, A., Joseph, M. and Ferreira, H. (2015). Comparative Study of 3G and 4GLTE Network. *Journal of Advances in Computer Networks*, 3(3), pp.247-250.
- Abo-Neima, S., Motaweh, H., Tourk, H. and Ragab, M. (2016). Effects of extremely low frequency electromagnetic fields on kidney functions of albino rats in vivo study. *American Journal of Biomedical Sciences*, pp.247-258.
- Al-Glaib, B. *et al.* (2008). A technical report on the effect of electromagnetic radiation from a mobile phone on mice organs, *The Libyan journal of medicine*. CoAction Publishing, 3(1), pp. 8–9. doi: 10.4176/080107.
- Ali, M., Ahmed Butt, S., & Hamid, S. (2016). Effect of Electromagnetic Field from 2G, 3G and 4G Mobile Phones on The Organization of Purkinje Cell Layer of Rat Cerebellum. *Pakistan Armed Forces Medical Journal*, 67(3), 462-66.
- Bahaodini, A., Owjifard, M., Tamadon, A. and Jafari, S. (2019). *Low frequency electromagnetic fields long-term exposure effects on testicular histology, sperm quality and testosterone levels of male rats*.
- Bello, A., Alrukhaimi, M., Ashuntantang, G., Basnet, S., Rotter, R., Douthat, W., Kazancioglu, R., Köttgen, A., Nangaku, M., Powe, N., White, S., Wheeler, D. and Moe, O. (2017). Complications of chronic kidney disease: current state, knowledge gaps, and strategy for action. *Kidney International Supplements*, 7(2), pp.122-129.
- Budijanto, D., 2013, *Populasi, Sampling dan Besar Sampel*, Jakarta : Pusat Data dan Informasi Kementrian Kesehatan RI. Tersedia dari: <http://www.risbinkes.litbang.depkes.go.id/2015/wp-content/uploads/2013/02/SAMPLING-DAN-BESAR-SAMPEL.pdf> [Diakses 9 Juni 2019]

- Burton, G. and Jauniaux, E. (2011). Oxidative stress. *Best Practice & Research Clinical Obstetrics & Gynaecology*, 25(3), pp.287-299.
- Dahlman, E., Parkvall, S. and Sköld, J. (2014). 4G. 2nd ed. Amsterdam: Elsevier.
- Duni, A. *et al.* (2019). Oxidative Stress in the Pathogenesis and Evolution of Chronic Kidney Disease: Untangling Ariadne's Thread. *International journal of molecular sciences*. MDPI, 20(15), p. 3711.
- Emre, M., Cetiner, S., Zencir, S., Unlukurt, I., Kahraman, I. and Topcu, Z. (2011). Oxidative Stress and Apoptosis in Relation to Exposure to Magnetic Field. *Cell Biochemistry and Biophysics*, 59(2), pp.71-77.
- Fitzpatrick, S. G. and Gordon, S. C. (2018). Cell Injury, Adaptation, and Necrosis, *Apoptosis and Beyond*. (Wiley Online Books), pp. 83–98.
- Frey, B. (2018). The SAGE Encyclopedia of Educational Research, Measurement, and Evaluation.
- Gwinner, W. *et al.* (1999). Role of Xanthine Oxidase in Passive Heymann Nephritis in Rats, *Journal of the American Society of Nephrology*, 10(3), pp. 538 LP – 544.
- Hanafi, N., Eid, F. and El-Dahshan, A., 2012. Radiation Emitted From Mobile Phone Induces Amyloidosis Features in Some Tissues of Infant Mice. *The Egyptian Journal of Hospital Medicine*, 47, pp.132-144.
- Hoy, W. E. *et al.* (2003). A stereological study of glomerular number and volume: Preliminary findings in a multiracial study of kidneys at autopsy. *Kidney International*, 63, pp. S31–S37.
- Ingole I. V. & Ghosh S. K., Cell phone radiation and developing tissues in chicken embryo-a light microscope study of kidneys, *J Anat Soc India*, 55 (2006) 19.
- Khan, F. (2003). The physics of radiation therapy. 3rd ed. Philadelphia: Lippincott Williams & Wilkins.

- Khayyat, L. I. (2011). The histopathological effects of an electromagnetic field on the kidney and testis of mice. *EurAsian Journal of Biosciences*, pp.103-109.
- Kitching, A. R. and Hutton, H. L. (2016). The Players: Cells Involved in Glomerular Disease. *Clinical journal of the American Society of Nephrology: CJASN*. 2016/04/12. American Society of Nephrology, 11(9), pp. 1664–1674.
- Kumar J. (2012). Pathophysiology of ischemic acute tubular necrosis. *Nephrology* 2012;1:18–26
- Kumar, V., Abbas, A., Aster, J. and Robbins, S. (2018). *Robbins basic pathology*. 10th ed. Philadelphia: Elsevier.
- Kumaravel, K. (2011). Comparative Study of 3G and 4G in Mobile Technology. *International Journal of Computer Science Issues*, 8(5), pp.256-263.
- Lidster, K. *et al.* (2019). Cage aggression in group-housed laboratory male mice: an international data crowdsourcing project, *Scientific Reports*, 9(1), p. 15211.
- Marshall, C. B. and Shankland, S. J. (2006). Cell Cycle and Glomerular Disease: A Minireview, *Nephron Experimental Nephrology*, 102(2), pp. e39–e48.
- Mescher, A. and Junqueira, L. (2016). *Junqueira's basic histology*. 14th ed.
- Miesen, L., Steenbergen, E. and Smeets, B. (2017). Parietal cells-new perspectives in glomerular disease. *Cell and tissue research*. 2017/03/30. Springer Berlin Heidelberg, 369(1), pp. 237–244.
- Mugunthan, D. (2014). Exposure of mice to 900 - 1900 MHz radiations from cell phone resulting in microscopic changes in the kidney. *International Journal of Current Research and Review*.2014,Volume 6,Issue 16; Page.44-49.
- Neale, T. J. *et al.* (1994). Proteinuria in passive Heymann nephritis is associated with lipid peroxidation and formation of adducts on type IV collagen., *The Journal of*

- Clinical Investigation*. The American Society for Clinical Investigation, 94(4), pp. 1577–1584.
- Niora.net. (2020). *Qmobile Noir X35 - Full Specification - Where To Buy?*. [online] Tersedia di : https://www.niora.net/en/p/qmobile_noir_x35 [Diakses 18 Desember 2020].
- Ongel, Kurtulus & Gumra, Nurhan & Ozguner, Fehmi. (2009). The Potential Effects of Electromagnetic Field: A Review. *Cell Membranes and Free Radical Research*; Vol 1, No 3 (2009). 1.
- Ozbek, E. (2012). Induction of Oxidative Stress in Kidney. *International Journal of Nephrology*, 2012, pp.1-9.
- Ozguner, F., Altinbas, A., Ozaydin, M., Dogan, A., Vural, H., Kisioglu, A., Cesur, G. and Yildirim, N. (2005). Mobile phone-induced myocardial oxidative stress: protection by a novel antioxidant agent caffeic acid phenethyl ester. *Toxicology and Industrial Health*, 21(7-8), pp.223-230.
- Patel, Sagar & Shah, Vatsal & Kansara, Maharshi. (2018). Comparative Study of 2G, 3G and 4G. 3. 2456-3307.
- Pfeilschifter J. and Beck KF. (2011) Oxidative Stress Injury in Glomerular Mesangium. Di: Miyata T., Eckardt KU., Nangaku M. (eds) *Studies on Renal Disorders. Oxidative Stress in Applied Basic Research and Clinical Practice*. Humana Press.
- Pizzino, G., Irrera, N., Cucinotta, M., Pallio, G., Mannino, F., Arcoraci, V., Squadrito, F., Altavilla, D. and Bitto, A. (2017). Oxidative Stress: Harms and Benefits for Human Health. *Oxidative Medicine and Cellular Longevity*, 2017, pp.1-13.
- Ragy, M. M. (2015). Effect of exposure and withdrawal of 900-MHz-electromagnetic waves on brain, kidney and liver oxidative stress and some biochemical

- parameters in male rats', *Electromagnetic Biology and Medicine*. Taylor & Francis, 34(4), pp. 279–284.
- Romagnani, P. (2011) 'Parietal Epithelial Cells: Their Role in Health and Disease', in *Contributions to Nephrology*, pp. 23–36. doi: 10.1159/000313943.
- Saikhedkar, N., Bhatnagar, M., Jain, A., Sukhwai, P., Sharma, C. and Jaiswal, N. (2014). Effects of mobile phone radiation (900 MHz radiofrequency) on structure and functions of rat brain. *Neurological Research*, 36(12), pp.1072-1079.
- Samsung.com. (2020). *SAMSUNG*. [online] Tersedia dari:
<https://www.samsung.com/sar/sarMain/> [Diakses 18 Desember 2020].
- Sasaki, T. *et al.* (2018). Bowman Capsule Volume and Related Factors in Adults With Normal Renal Function. *Kidney International Reports*. Elsevier, 3(2), pp. 314–320.
- Schilling, C. (2000). Effects of Exposure to Very High Frequency Radiofrequency Radiation on Six Antenna Engineers in Two Separate Incidents. *Occupational Medicine*, 50(1), pp.49-56.
- Sinulingga, J., Wahyudia A., Amanaf A., (2018). Analisis Perancangan LTE- A dengan Teknik *Carrier Aggregation Interband* pada Frekuensi 1800 MHz dan 2300 MHz di Kota Semarang Tengah (Study Kasus : PT. Telkomsel). *Jurnal Elektro Telekomunikasi Terapan*, pp. 634-645.
- Statista. (2011). Number of 3G mobile subscribers worldwide 2008-2020 | Forecast. [online] Tersedia dari:
<https://www.statista.com/statistics/226094/global-3g-mobile-subscriber-forecast/> [Diakses 4 Jul. 2019].
- Statista. (2011). Number of 4G mobile subscribers worldwide 2010-2020 | Forecast. [online] Tersedia dari:

<https://www.statista.com/statistics/226101/global-4g-mobile-subscriber-forecast/>
[Diakses 22 Jun. 2019].

Statista. (2016). *Number of mobile phone users worldwide 2015-2020* | Statista.

[online] Tersedia dari:

<https://www.statista.com/statistics/274774/forecast-of-mobile-phone-users-worldwide/> [Diakses 22 Jun. 2019].

Sutton, T., Fisher, C. and Molitoris, B. (2002). Microvascular endothelial injury and dysfunction during ischemic acute renal failure. *Kidney International*, 62(5), pp.1539-1549.

Tamay-Cach, F. *et al.* (2016). A review of the impact of oxidative stress and some antioxidant therapies on renal damage. *Renal Failure*. Taylor & Francis, 38(2), pp. 171–175.

Wajcman, J., Bittman, M., Johnstone, L., Brown, J. and Jones, P. (2008). The Impact of the Mobile Phone on Work/Life Balance. Final Survey Report. Australian National University.

Wessapan, T. and Rattanadecho, P. (2018). Temperature induced in human organs due to near-field and far-field electromagnetic exposure effects, *International Journal of Heat and Mass Transfer*, 119, pp. 65–76.

World Health Organisation (WHO). (2014). *Electromagnetic fields and public health: mobile phones*. [online] Tersedia dari:
<http://www.who.int/me-diacentre/factsheets/fs193/en/> [Diakses 21 Juni 2019].

Zare, S., Alivandi, S. and Ebadi, A. (2007) ‘Histological studies of the low frequency electromagnetic fields effect on liver, testes and kidney in guinea pigs’, *World Applied Sciences Journal*, 2, pp. 509–511.