

DAFTAR PUSTAKA

- Abubakar, I., Story, A., Lipman, M., Bothamley, G., van Hest, R., Andrews, N., Watson, J. and Hayward, A., 2010. ‘Diagnostic accuracy of digital chest radiography for pulmonary tuberculosis in a UK urban population’, **European Respiratory Journal**, 35(3), pp.689-692.
- Appleton, S., Connell, D., Singanayagam, A., Bradley, P., Pan, D., Sanderson, F., Cleaver, B., Rahman, A. and Kon, O., 2017. ‘Evaluation of prediagnosis emergency department presentations in patients with active tuberculosis: the role of chest radiography, risk factors and symptoms’, **BMJ Open Respiratory Research**, 4(1), p.e000154.
- Arcavi, L. and Benowitz, N., 2004. ‘Cigarette Smoking and Infection’, **Archives of Internal Medicine**, 164(20), p.2206.
- Atashi, S., Izadi, B., Jalilian, S., Madani, S., Farahani, A. and Mohajeri, P., 2017. ‘Evaluation of GeneXpert MTB/RIF for determination of rifampicin resistance among new tuberculosis cases in west and northwest Iran’, **New Microbes and New Infections**, 19, pp.117-120.
- Azab, N., Elmahallawy, I., Sharara, G. and Abdel-Atti, E. 2013. ‘The utility of the interferon gamma-inducible protein-10 (IP-10) level in bronchoalveolar lavage and blood in the diagnosis of tuberculosis’, **Egyptian Journal of Chest Diseases and Tuberculosis**, 62(4), pp.629-634.
- Azzurri, A., Sow, O., Amedei, A., Bah, B., Diallo, S., Peri, G., Benagiano, M., D’Elios, M., Mantovani, A. and Del Prete, G., 2005. ‘IFN- γ -inducible protein 10 and pentraxin 3 plasma levels are tools for monitoring inflammation and disease activity in Mycobacterium tuberculosis infection’, **Microbes and Infection**, 7(1), pp.1-8.
- Bark, C., Dietze, R., Okwera, A., Quelapio, M., Thiel, B. and Johnson, J., 2011.

‘Clinical symptoms and microbiological outcomes in tuberculosis treatment trials’, **Tuberculosis**, 91(6), pp.601-604.

Barzegari, S., Afshari, M., Movahednia, M. and Moosazadeh, M., 2019. ‘Prevalence of anemia among patients with tuberculosis: A systematic review and meta-analysis’, **Indian Journal of Tuberculosis**, 66(2), pp.299-307.

Bennett, J., Dolin, R., Blaser, M., Mandell, G. and Douglas, R. 2015. ‘Mandell, Douglas, and Bennett's principles and practice of infectious diseases’, Philadelphia: Elsevier Saunders.

Bhalla, A., Goyal, A., Guleria, R. and Gupta, A., 2015. ‘Chest tuberculosis: Radiological review and imaging recommendations’, **Indian Journal of Radiology and Imaging**, 25(3), p.213.

Blauenfeldt, T., Petrone, L., del Nonno, F., Baiocchini, A., Falasca, L., Chiacchio, T., Bondet, V., Vanini, V., Palmieri, F., Galluccio, G., Casrouge, A., Eugen-Olsen, J., Albert, M., Goletti, D., Duffy, D. and Ruhwald, M., 2018. ‘Interplay of DDP4 and IP-10 as a Potential Mechanism for Cell Recruitment to Tuberculosis Lesions’, **Frontiers in Immunology**, 9.

Bowman, A., Jain, A., Baker, B., Milano, P., Terp, S. and Desai, S., 2015. ‘Chest X Ray Findings in Emergency Department Patients Evaluated for Pulmonary Tuberculosis: The Experience of a Large Urban Academic Emergency Department’, **Annals of Emergency Medicine**, 66(4), p.S104.

Cannas, A., Calvo, L., Chiacchio, T., Cuzzi, G., Vanini, V., Lauria, F., Pucci, L., Girardi, E. and Goletti, D. 2010. ‘IP-10 detection in urine is associated with lung diseases’, **BMC Infectious Diseases**, 10(1).

Chemedo, A., Abebe, T., Ameni, G., Worku, A. and Mihret, A., 2019. ‘Utility of urine

as a clinical specimen for the diagnosis of pulmonary tuberculosis in people living with HIV in Addis Ababa, Ethiopia’, **Journal of Clinical Tuberculosis and Other Mycobacterial Diseases**, 17, p.100125.

Creswell, J., Qin, Z., Gurung, R., Lamichhane, B., Yadav, D., Prasai, M., Bista, N., Adhikari, L., Rai, B. and Sudrungrot, S., 2019. ‘The performance and yield of tuberculosis testing algorithms using microscopy, chest x-ray, and Xpert MTB/RIF’, **Journal of Clinical Tuberculosis and Other Mycobacterial Diseases**, 14, pp.1-6.

Dinas Kesehatan Provinsi Jawa Timur. 2017. ‘Profil Kesehatan Provinsi Jawa Timur Tahun 2017’, Surabaya : Dinkes Jatim.

Ejeh, E., Undiandeye, A., Akinseye, V., Okon, K., Kazeem, H., Kudi, C. and Cadmus, S., 2018. ‘Diagnostic performance of GeneXpert and Ziehl-Neelson microscopy in the detection of tuberculosis in Benue State, Nigeria’, **Alexandria Journal of Medicine**, 54(4), pp.529-533.

El-emiry, F., Attia, G., Ahmad, A. and Sakr, B. 2016. ‘Diagnostic value of inducible protein-10 in pulmonary tuberculosis’, **Egyptian Journal of Chest Diseases and Tuberculosis**, 65(1), pp.219-225.

Fachri, M., Hatta, M., Abadi, S., Santoso, S., Wikanningtyas, T., Syarifuddin, A., Dwiyanti, R. and Noviyanti, R., 2018. ‘Comparison of acid fast bacilli (AFB) smear for *Mycobacterium tuberculosis* on adult pulmonary tuberculosis (TB) patients with type 2 diabetes mellitus (DM) and without type 2 DM’, **Respiratory Medicine Case Reports**, 23, pp.158-162.

Fiske, C., Hamilton, C. and Stout, J., 2009. ‘Alcohol use and clinical manifestations of Tuberculosis’, **Journal of Infection**, 58(5), pp.395-401.

Gajalakshmi, V. and Peto, R., 2009. ‘Smoking, drinking and incident tuberculosis in

rural India: population-based case-control study', **International Journal of Epidemiology**, 38(4), pp.1018-1025.

Gopinath, K. and Singh, S., 2009. 'Urine as an adjunct specimen for the diagnosis of active pulmonary tuberculosis', **International Journal of Infectious Diseases**, 13(3), pp.374-379.

Habte, D., Melese, M., Hiruy, N., Gashu, Z., Jerene, D., Moges, F., Yifru, S., Girma, B., Kassie, Y., Haile, Y., Suarez, P. and Tessema, B., 2016. 'The additional yield of GeneXpert MTB/RIF test in the diagnosis of pulmonary tuberculosis among household contacts of smear positive TB cases', **International Journal of Infectious Diseases**, 49, pp.179-184.

Haider, B., Akhtar, S. and Hatcher, J., 2013. 'Daily contact with a patient and poor housing affordability as determinants of pulmonary tuberculosis in urban Pakistan', **International Journal of Mycobacteriology**, 2(1), pp.38-43.

Hong, J., Jung, G., Kim, H., Kim, Y., Lee, H., Cho, S., Kim, S., Chang, J. and Kang, Y., 2012. 'Efficacy of inducible protein 10 as a biomarker for the diagnosis of tuberculosis', **International Journal of Infectious Diseases**, 16(12), pp.e855-e859.

Huang, L., Nazarova, E. and Russell, D. 2019. 'Mycobacterium tuberculosis: Bacterial Fitness within the Host Macrophage', **Microbiology Spectrum**, 7(2).

Jawetz, E., Melnick, J., Adelberg, E. and Carroll, K. 2016. 'Jawetz, Melnick, & Adelberg's medical microbiology', 27th ed. New York: McGraw-Hill Education.

Johnson-Wimbley, T. and Graham, D., 2011. 'Diagnosis and management of iron deficiency anemia in the 21st century', **Therapeutic Advances in Gastroenterology**, 4(3), pp.177-184.

Kabeer, B., Raja, A., Raman, B., Thangaraj, S., Leportier, M., Ippolito, G., Girardi, E.,

Lagrange, P. and Goletti, D. 2011. ‘IP-10 response to RD1 antigens might be a useful biomarker for monitoring tuberculosis therapy’, **BMC Infectious Diseases**, 11(1).

Kementerian Kesehatan Republik Indonesia. 2015. ‘Rencana Strategis Kementerian Kesehatan Tahun 2015-2019’ Jakarta : Kementerian Kesehatan Republik Indonesia

Kementerian Kesehatan Republik Indonesia. 2016. ‘Peraturan Menteri Kesehatan Republik Indonesia Nomor 67 Tahun 2016 Tentang Penanggulangan Tuberkulosis’, Jakarta : Kementerian Kesehatan Republik Indonesia.

Kementerian Kesehatan Republik Indonesia. 2017. ‘Profil Kesehatan Indonesia Tahun 2017’, Jakarta : Kementerian Kesehatan Republik Indonesia.

Kim, S., Kim, J., Kim, D., Kang, Y., Bong, S., Lee, J., Kim, S., Lee, N., Sim, B., Cho, S., Kim, Y. and Lee, H. 2018. ‘Urine IP-10 as a biomarker of therapeutic response in patients with active pulmonary tuberculosis’, **BMC Infectious Diseases**, 18(1).

Kolappan C, Gopi PG, Subramani R, Narayanan PR. ‘Selected biological and behavioural risk factors associated with pulmonary tuberculosis’, **Int J Tuberc Lung Dis.** 2007;11(9):999–1003.

Liu, M., Guo, S., Hibbert, J., Jain, V., Singh, N., Wilson, N. and Stiles, J. 2011. ‘CXCL10/IP-10 in infectious diseases pathogenesis and potential therapeutic implications’, **Cytokine & Growth Factor Reviews.**

Lönnroth, K. and Raviglione, M., 2008. ‘Global Epidemiology of Tuberculosis: Prospects for Control’, **Seminars in Respiratory and Critical Care Medicine**, 29(05), pp.481-491.

Nonghanphithak, D., Reechaipichitkul, W., Namwat, W., Naranhai, V. and Faksri, K.,

2017. ‘Chemokines Additional To IFN- Γ Can Be Used To Differentiate Among Mycobacterium Tuberculosis Infection Possibilities And Provide Evidence Of An Early Clearance Phenotype’, **Tuberculosis**, 105, pp. 28–34.

Petrone, L., Bondet, V., Vanini, V., Cuzzi, G., Palmieri, F., Palucci, I., Delogu, G., Ciccosanti, F., Fimia, G., Blauenfeldt, T., Ruhwald, M., Duffy, D. and Goletti, D. 2019. ‘First description of agonist and antagonist IP-10 in urine of patients with active TB’, **International Journal of Infectious Diseases**, 78, pp.15-21.

Rao, V., Bhat, J., Yadav, R., Muniyandi, M., Bhondeley, M. and Wares, D., 2017. ‘Smoking and alcohol consumption: Risk factors for pulmonary tuberculosis among the tribal community in central India’, **Indian Journal of Tuberculosis**, 64(1), pp.40-43.

Rastoder, E., Shaker, S., Naqibullah, M., Wille, M., Lund, M., Wilcke, J., Seersholtz, N. and Jensen, S., 2019. ‘Chest x-ray findings in tuberculosis patients identified by passive and active case finding: A retrospective study’, **Journal of Clinical Tuberculosis and Other Mycobacterial Diseases**, 14, pp.26-30.

Riley, L. K. and Rupert, J., 2015. ‘Evaluation of Patients with Leukocytosis’, **American Family Physician**, 92(11), pp. 1004–1011.

Rohini, K., Surekha Bhat, M., Srikumar, P. and Mahesh Kumar, A., 2015. ‘Assessment of Hematological Parameters in Pulmonary Tuberculosis Patients’, **Indian Journal of Clinical Biochemistry**, 31(3), pp.332-335.

Rosha, D., 2002. ‘Prolonged Fever During The Treatment Of Pulmonary Tuberculosis’, **Medical Journal Armed Forces India**, 58(2), pp.127-129.

Ruhwald, M., Bjerregaard-Andersen, M., Rabna, P., Eugen-Olsen, J. and Ravn, P., 2009. ‘IP-10, MCP-1, MCP-2, MCP-3, and IL-1RA hold promise as biomarkers for infection with *M. tuberculosis* in a whole blood based T-cell assay’, **BMC Research Notes**, 2(1), p.19.

- Ruhwald, M., Bodmer, T., Maier, C., Jepsen, M., Haaland, M., Eugen-Olsen, J. and Ravn, P., 2008. ‘Evaluating the potential of IP-10 and MCP-2 as biomarkers for the diagnosis of tuberculosis’, **European Respiratory Journal**, 32(6), pp.1607-1615.
- Seegert, A., Rudolf, F., Wejse, C. and Neupane, D., 2017. ‘Tuberculosis and hypertension—a systematic review of the literature’, **International Journal of Infectious Diseases**, 56, pp.54-61.
- Shao, Y., Peng, H., Chen, C., Zhu, T., Ji, M., Jiang, W., Zhu, W., Zhai, X. and Lu, W., 2017. ‘Evaluation of GeneXpert MTB/RIF for detection of pulmonary tuberculosis at peripheral tuberculosis clinics’, **Microbial Pathogenesis**, 105, pp.260-263.
- Singla, R., Raghu, B., Gupta, A., Caminero, J., Sethi, P., Tayal, D., Chakraborty, A., Jain, Y. and Migliori, G., 2020. ‘Risk factors for early mortality in patients with pulmonary tuberculosis admitted to the emergency room’, **Pulmonology**
- Turner, R., 2019. ‘Cough in pulmonary tuberculosis: Existing knowledge and general Insights’, **Pulmonary Pharmacology & Therapeutics**, 55, pp.89-94.
- Wikanningtyas, T., Hatta, M., Massi, M., Pratiwi, I., Fachri, M., Bahrun, U., Djaharuddin, I. and Kadir, N., 2020. ‘Hematologic parameters in pulmonary tuberculosis patients based on the microscopic sputum examination’, **Enfermería Clínica**, 30, pp.243-246.
- World Health Organization. 2000. Guidelines For The Collection Of Clinical Specimens During Field Investigation Of Outbreaks. Dapat diunduh pada https://apps.who.int/iris/bitstream/handle/10665/66348/WHO_CDS_CSR_ED_C_2000.4.pdf?sequence=1 [Diakses pada 7 April 2019]
- World Health Organization. 2006. The WHO Manual Of Diagnostic Imaging :

Radiographic Anatomy And Interpretation Of The Chest And The Pulmonary System. Dapat diunduh pada https://apps.who.int/iris/bitstream/handle/10665/43293/9241546778_eng.pdf?sequence=1&isAllowed=y [Diakses pada 22 Mei 2019]

World Health Organization. 2011. Same-Day Diagnosis Of Tuberculosis By Microscopy .Dapat diunduh pada https://apps.who.int/iris/bitstream/handle/10665/44603/9789241501606_eng.pdf?jsessionid=5DFB71D1CBA06899E29759E547461EAE?sequence=1 [Diakses pada 18 Mei 2019]

World Health Organization. 2014. International Standards For Tuberculosis Care. Dapat diunduh pada https://www.who.int/tb/publications/ISTC_3rdEd.pdf?ua=1 [Diakses pada 22 Maret 2019]

World Health Organization. 2016. Establisment Of PCR Laboratory In Developing Countries. Dapat diunduh pada http://www.searo.who.int/entity/bloodsafety/pcr_lab_2016.pdf?ua=1 [Diakses pada 21 Mei 2019]

World Health Organization. 2018. Global Tuberculosis Report 2018. Dapat diunduh pada <http://apps.who.int/iris/bitstream/handle/10665/274453/9789241565646-eng.pdf?ua=1> [Diakses pada 22 Maret 2019]

Wu, Z., Guo, J., Huang, Y., Cai, E., Zhang, X., Pan, Q., Yuan, Z. and Shen, X., 2016. ‘Diabetes mellitus in patients with pulmonary tuberculosis in an aging population in Shanghai, China: Prevalence, clinical characteristics and outcomes’, **Journal of Diabetes and its Complications**, 30(2), pp.237-241.

Yeong, C., Byrne, A., Cho, J., Sintchenko, V., Crighton, T. and Marais, B., 2020. ‘Use of GeneXpert MTB/RIF on a single pooled sputum specimen to exclude pulmonary tuberculosis among hospital inpatients placed in respiratory isolation’, **International Journal of Infectious Diseases**, 92, pp.175-180.

Yii, A., Soh, A., Chee, C., Wang, Y., Yuan, J. and Koh, W., 2019. ‘Asthma, Sinonasal Disease, and the Risk of Active Tuberculosis’, **The Journal of Allergy and Clinical Immunology: In Practice**, 7(2), pp.641-648.e1.her, 2013)