

DAFTAR PUSTAKA

- Abildgaard, U. and Heimdal, K. (2013) 'Pathogenesis of the syndrome of hemolysis, elevated liver enzymes, and low platelet count (HELLP): A review', *European Journal of Obstetrics and Gynecology and Reproductive Biology*. Elsevier Ireland Ltd, 166(2), pp. 117–123.
- American College Obstetricians and Gynecologists (ACOG), 2013, "Clasification Hypertensive Disorders", in : *Hypertension in Pregnancy*, p: 13-14.
- Ahlsson, Fredrik, Barbro D., B. Jonsson, Solvig N., Roger Olsson, Uwe Edward, Anders Forslund, Mats Stridsberg and J. Gustafsson. (2010). 'Insulin Resistance, a Link between Maternal Overweight and Fetal Macrosomia in Nondiabetic Pregnancies'. *Horm Research Paediatric*. vol. 74: 267 - 274.
- Alberico, Salvatore, Marcella M., Valentina Barresi, Lorenzo Monasta, Caterina Businelli, Valentina Soini, Anna Erenbourg, Luca Ronfani, Gianpaolo Maso, and for the Multicentre Study Group on Mode of Delivery Friuli Venezia Giulia. (2014). ' The role of gestational diabetes, pre-pregnancy body mass index and gestational weight gain on the risk of newborn macrosomia: results from prospective multicentre study'. *BMC pregnancy and Childbirth*. vol: 14(23).
- Al-Razzak, M. ikhtiar (2016) 'Gambaran Kejadian Preeklampsia Dengan Obesitas'. *Skripsi*. Fakultas Kedokteran Universitas Airlangga. Surabaya.
- Akbar, M. I. Aldika (2018) 'Diagnosis Penyakit Jantung dalam Kehamilan'. *conference paper*. pp. 1–8.
- Amark, H., M.Westgren, and M. Persson. (2018). 'Prediction of stillbirth in women with overweight or obesity-A register-based cohort study' *PLOS ONE*. vol: November 19.
- American College of Obstetricians and Gynecologists (ACOG) (2013). 'Diagnosis and Management of Preeclampsia and Eclampsia'. *Practice Bulletin*. Number 33; January 2002.
- Anas, M. N. (2013) 'Hubungan Lila Pada Ibu Hamil Dengan Kejadian Preeeklampsia di RS PKU Muhammadiyah'. *Skripsi*. Fakultas Kedokteran Universitas Muhammadiyah Surakarta.
- Anna, W., Zembala-S, M., Babczyk, D., Kolodziejczyk-P, M., Lewaczynska, O., and Huras, H. (2019) 'Early- and Late-Onset Preeclampsia : A Comprehensive Cohort Study of Laboratory and Clinical Findings according to the New ISHHP Criteria'. *International Journal of Hypertension*.vol.2019.
- Arrowsmith S, Wray S, Quenby S. 2011.'Maternal obesity and labour complications following induction of labour in prolonged pregnancy'. *BJOG*. vol:118. p:578e88.
- Aslam, H. M., Saleem, S., Afzal, R., Iqbal, U., Saleem, S.M., Waqas-AS, M. and Shahid, N.(2014). 'Risk factors of birth asphyxia', *Italian journal of pediatrics*, vol.40, p. 94.

- Atikawati, Desilia, Diyan Ekawati, Pusparini Kusumajati, Prasenohadi, dan Menaldi Rasmin. (2017). 'Gagal napas pada preeklampsia berat disertai kardiomiopati peripartum'. *J Respir Indo*. vol 37(4): 325 - 36.
- Aune MS, Dagfinn, Ola Didrik Saugstad, MD.PhD., Tore Henriksen, MD. Phd., and Serena Tonstad, MD. PhD. (2014). 'Maternal Body Mass Index and the Risk of Fetal Death, Stillbirth, and Infant Death-A Systematic Review and Meta Analisis'. *JAMA*. vol. 311(15): 1536-1546.
- Backes, C. H., Markham, K., Moorehead, P., Cordero, L., Nankervis, C.A. and Cerannone, P.J. (2011) 'Maternal Preeclampsia and Neonatal Outcomes', *Journal of Pregnancy*. vol. 2011.
- Bailit, J. L., Schulkin, J. and Dawson, N. V. (2007) 'Risk-adjusted cesarean rates: What risk factors for cesarean delivery are important to practicing obstetricians?', *Journal of Reproductive Medicine for the Obstetrician and Gynecologist*, 52(3), pp. 194–198.
- Balaka, S. N. (2017) Hubungan Preeklampsia dengan Bayi Berat Lahir Rendah (BBLR) di Rumah Sakit Umum Bahteramas Provinsi Sulawesi Tenggara Tahun 2016. *Skripsi*. Politeknik Kesehatan Kendari. Diperoleh dari: <http://repository.poltekkes-kdi.ac.id/73/> [diakses pada 20 Desember 2019].
- Bhattacharya, Sohinee, Doris M. Campbell, William A. Liston, and Siladitya Bhattacharya. (2007). 'Effect of Body Mass Index on pregnancy outcomes in nulliparous women delivering singleton babies'. *BMC Public Health*. Vol: 7(168).
- Bird, Cheryl, RN, BSN. (1019). Low Birth Weight Baby Risks, Types, and Causes. available at: <https://www.verywellfamily.com/what-is-a-low-birth-weight-baby-2748477>.
- BKKBN (2018). 'Survei Demografi dan Kesehatan Indonesia 2017'. Jakarta: Badan Kependudukan dan Keluarga Berencana Nasional.
- BPS (2012) *Angka Kematian Ibu (AKI)*. Available at: <https://sirusa.bps.go.id/sirusa/index.php/indikator/80>.
- BPS (2020) *Metadata Indikator*, BPS. Available at: <https://sirusa.bps.go.id/sirusa/index.php/indikator/index>.
- Brown, M. A., Magee, L.A., Kenny, L.C., Karumanchi, S.A., McCharty, F.P., Saito, S., Hall, D.R., Warren, G., Adoyi, G., and Ishaku, S.(2018). 'Hypertensive disorders of pregnancy: ISSHP classification, diagnosis, and management recommendations for international practice', *Hypertension*, 72(1), pp. 24–43.
- Bryce, J. Boschi P, C., Shibuya, K., Black, R., and WHO Child Health Epidemiologi Reference Group. (2005) 'WHO estimates of the causes of death in children', *Lancet*, 365(9465), pp. 1147–1152.
- Callaghan, W. M., Chu, S. Y., Kim, S.Y., Schmid, C.H., Lau, J., England, L.J., and Dietz, P.M. (2007) 'Maternal Obesity and Risk of Gestational Diabetes

Mellitus', *Diabetes Care*, 30(8), pp. 2070–2076.

- Catalano, P. M. and Shankar, K. (2017) 'Obesity and pregnancy: Mechanisms of short term and long term adverse consequences for mother and child', *BMJ (Online)*, 356(m).
- CDC, C. for D. C. and P. (2020) *Women and Heart Disease*, 31 January 2020. Available at: <https://www.cdc.gov/heartdisease/women.htm>.
- Chang, JJ, LJ Muglia, and GA Macones. (2010) 'Association of early-onset pre-eclampsia in first pregnancy with normotensive second pregnancy outcomes: a population-based study'. *RCOG 2010 BJOG An International Journal of Obstetrics and Gynaecology*. p:946 - 953.
- Chasan-Taber, Lisa; Silveira, Marushka; Waring, E. Molly; Pekow, Penelope; Braun, Barry; E. Manson, JoAnn; G. Solomon, Caren; and Markinson, G. (2017) 'Gestational Weight Gain, Body Mass Index, and Risk of Hypertensive Disorders of Pregnancy in a Predominantly Puerto Rican Population', *Physiology & behavior*, 176(1), pp. 139–148.
- Crane, Joan M. G., Phil Murphy, Lorraine Burrage, and Donna Hutchens. (2013). 'Maternal and Perinatal Outcomes of Extreme Obesity in Pregnancy'. *JOGC Juillet*. Pp: 606 – 611.
- Cunningham, F. G., Lenevo, K.J., Bloom, S.L., Spong, C.Y., Dashe, J.S., Hoffman, B.L., Casey, B.M., and Sheffield, J.S. (2014) *Williams Obstetrics* 24th edition. United States. McGraw-Hill Education.
- Dagdeviren, H., Atilla Cankaya, Huseyin C., Tuba T., Ammar K., Sonucları. (2014). 'Maternal and Neonatal Outcomes of Women with Preeclampsia and Eclampsia at a Tertiary Care Center'. *The Medical Bulletin of Haseki Training and Research Hospital*.
- Dahlan, M.S. 2012. Seri 12: Pengantar Meta Analisis disertai Aplikasi Meta Analisis dengan Menggunakan Program Excel. Sumedang: Alqaprint Jatinangor. Jakarta.
- Davidson, M., London, M., & Ladewig, P. (2012). 'Old's maternal-newborn nursing & women's health across the lifespan' (9th ed.). Boston, MA: Pearson Education.
- Dennis, A. T. and Solnordal, C. B. (2012) 'Acute pulmonary oedema in pregnant women', *Anaesthesia*, 67(6), pp. 646–659.
- Dieti, Johannes. (2005). 'Maternal obesity and complications during pregnancy'. *J. Perinat Med.* vol. 33: 100 - 105.
- Dinas Kesehatan Propinsi JawaTimur (2017) 'Profil Kesehatan Propinsi Jawa Timur 2017', *Nucleic Acids Research*, 34(11), pp. e77–e77.

Dinas Kesehatan Propinsi JawaTimur (2018) ‘Profil Kesehatan Propinsi Jawa Timur 2017’.Surabaya:Dinas Kesehatan Provinsi Jawa Timur.diperoleh dari: http://www.depkes.go.id/resources/download/profil/PROFIL_KES_PROVINSI_2017/15_Jatim_2017.pdf [diakses pada 02 Februari 2020].

- Egbor M, Ansari T, Morris N, Green CJ, Sibbons PD. Morphometric placental villous and vascular abnormalities in early- and late-onset pre-eclampsia with and without fetal growth restriction. *BJOG* 2006;113:580–9.
- Ehrenberg, Hug M, Brian M. Mercer, and Patrick M. Catalano. (2004). 'The Influence of Obesity and Diabetes on The Prevalence of Macrosomia'. *American Journal of Obstetrics and Gynecology*. p: 191(3): 964-8.
- El-Sayed, A. A. F. (2017) 'Preeclampsia: A review of the pathogenesis and possible management strategies based on its pathophysiological derangements', *Taiwanese Journal of Obstetrics and Gynecology*. Elsevier Taiwan LLC, 56(5), pp. 593–598.
- Ernawati dan Wijayanti (2017) 'Luaran Maternal dan Neonatal pada Preeklampsia Berat Perawatan Konservatif di RSUD Dr. Soetomo Surabaya', pp. 128–136.
- Fadhila, Ilhami, Rahmatina B. Herman, and Yusrawati. (2018). 'Hubungan antara Tekanan Darah Tinggi dan Fungsi Ginjal pada Preeklamsi di RSUP DR. M. Djamil'. *Jurnal Kesehatan Andalas*. vol: 7(1).
- Flenadi, Vicki, Laura Koopmans, Philippa Middleton, J Frederik F., Gordon C. Smith, Kristen Gibbons, Michael Coory, Adrienne Gordon, David Ellwood, Harold David McIntyre, Ruth Fretts, and Majid Ezzati. (2011). 'Major risk factors for stillbirth in high-income countries: a systematic review and meta-analysis'. *Lancet*. vol: 377(9774):1331-40.
- Gaudet, Laura, Z. M. Ferraro, Shi Wu Wen, and M. Walker. (2014). 'Maternal Obesity and Occurrence of Fetal Macrosomia: A Systematic Review and Meta-Analysis'. *BioMed Research International*.
- Ghulmiyyah, Labib and Baha Sibai. (2012). 'Maternal Mortality from Preeclampsia/Eclampsia'. *Semin Perinatol Elsevier*. vol 36: 56 - 59.
- Giyanto, C. C. and Pramono, B. A. (2015) 'Perbandingan Profil Hematologi Pada Preeklampsia/ Eklampsia Dengan Kehamilan Normotensi Di Rsup Dr. Kariadi Semarang', *Media Medika Muda*, 4(4), pp. 1726–1735.
- Gotsch, Francesca, Roberto Romero, Juan Pedro Kusanovic, Tinnakorn Chaiworapongsa, Michael Dombrowski, Offer Erez, Nandor Gabor Than, Shali Mazaki-Tovi, Pooja Mittal, Jimmy Espinoza, and Sonis S. Hassan. (2008). 'Preeclampsia and small-for-gestational age are associated with decreased concentrations of a factor involved in angiogenesis: Soluble Tie-2'. *The Journal of Maternal-Fetal and Neonatal Medicine*. vol 21(16): 389-402.
- Gumilar, Erry D., TJ, H., Sulistyono, A., Wardhana, M.P., dan Gumilar, K.E., (2016). 'Preeklampsia-Eklampsia & Perdarahan Pasca Persalinan:

- Rekomendasi. Satuan Tugas Penurunan Angka Kematian Ibu (PENAKIB) Jawa Timur. 2016.
- Granger, Joey P., Barbara T. A., William A. B., and Raouf A. K. (2001). 'Pathophysiology of Pregnancy-Induced Hypertension'. *American Journal of Hypertension*. vol: 14 (1785 - 1855).
- Hamdy, O., Uwaifo, G. I. and Oral, E. A. (2020) *Obesity, Medscape*. Available at: <https://emedicine.medscape.com/article/123702-overview#a4>.
- Hariharan, N., Shoemaker, A. and Wagner, S. (2017) 'Pathophysiology of hypertension in preeclampsia', *Microvascular Research*. Elsevier B.V., 109, pp. 34–37.
- Harmon, Quaker E., Lisu Huang, Dvid M. Umbach, Kari Klungsoyr, Stephanie M. Engel, Per Magnus, Rolv Skjaerven, Jun Zhang, and Allen J. Wilcox. (2015). 'Risk of Fetal Death with Preeclampsia. *Obstet Gynecol*. vol. 125, no. 3.
- Haslinda, Y. 2016. 'Karakteristik pemeriksaan antenatal, luaran maternal, dan perinatal pasien obesitas di poli hamil RSUD Dr.Soetomo periode tahun 2013-2015'. *Laporan kasus*.
- Hung, Tai-Ho, T'sang-T'sang Hsieh, and Szu-Fu Chen. (2017). 'Risk of abnormal fetal growth in women with early- and late-onset preeclampsia'. *Pregnancy Hypertension*.
- Ijas, Hilkka, Sanna K., Tytti R., Eero K., Mika Gissler, and Marja V. (2019). 'Independent and concomitant associations of gestational diabetes and maternal obesity to perinatal outcome: A register-based study'. *PLoS ONE* 14(8): e0221549.
- Islamy, N. dan Yonata, A. (2019) 'Tatalaksana Eklampsia dengan Gagal Ginjal Akut Management of Eclampsia with Acute Kidney injury', *JK Unila*, 3(1), pp. 191–197.
- Jeyabalan, Arun. (2013) 'Epidemiology of preeclampsia: Impact of obesity', *Nutrition Reviews*, 71(SUPPL1).
- Kaculini, E. et al. (2016) 'Preeclampsia: From pathophysiology to treatment', *BANTAO Journal*, 14(2), pp. 53–59.
- Keman, K. (2014). 'Patomekanisme Preeklampsia Terkini: Mengungkapkan Teori - Teori Terbaru Tentang Patomekanisme Preeklampsia Dilengkapi dengan Deskripsi Biomolekuler. [Online]. Malang: Universitas Brawijaya Press (UB Press), <https://books.google.co.id/books?id=EqJQDwAAQBAJ>. [diakses pada 25 Desember 2019].
- Kementrian Kesehatan Republik Indonesia. 2014. Infodatin. Jakarta Selatan: Pusat Data dan Informasi, pp.1-2.
- Kementrian Kesehatan Republik Indonesia. 2019. Infodatin. Jakarta Selatan: Pusat Data dan Informasi.
- Khan MD, H. K. (2018) *HELLP Syndrome*. Available at:

<https://emedicine.medscape.com/article/1394126-overview> (Accessed: 13 February 2020).

- Khalak, R., J. Cummings, and S. Dexter. (2015). 'Maternal obesity: significance on the preterm neonate'. *International Journal of Obesity*. vol: 39 (1433 - 1436).
- Kholika, Dian. (2016). 'Wanita dan risiko kardiovaskular'. *ARKAVI (Arsip Kardiovaskular Indonesia)*. vol: 1(1).
- Kilicci, Cetin, Cigdem Yayla A., Enis Ozkaya, Evrim B. E., Ilter Yenidede, Neriman Basak B., Resul Karakus, and Seda K. (2018). 'Confounders for Neonatal Intensive Care Unit Admissions of Neonates Born to Mothers who Had Preeclampsia'. *Gynecol Obstet reprod Med.* vol. 24.
- Kinanti, H. (2018) Karakteristik Preeklampsia Tipe Dini dan Tipe Lambat di RSUD Dr. Soetomo Surabaya Pada Tahun 2016. *Skripsi*. Fakultas Kedokteran Universitas Airlangga.
- Kirkpatrick, Erin. (2013). 'Effects of Obesity in Pregnancy'. Senior Honors Theses. 68. available at: <http://digitalcommons.brockport.edu/honors/68> (Accessed : 20 October 2020).
- Kobayashi, Namiko and Boon H. Lim. (2014). 'Induction of labour and intrapartum care in obese women'. *Best Practice & Research Clinical Obstetrics and Gynaecology*. p: 1 - 12.
- Lamont, R. F. (2000) 'The pathophysiology of pulmonary oedema with the use of beta-agonists', *BJOG: An International Journal of Obstetrics and Gynaecology*, 107(4), pp. 439–444.
- Lasiaprillianty, I. W. and Ernawati, E. (2015) 'Hubungan IL-10 dengan Serum Kreatinin dan Terjadinya Komplikasi pada Preeklampsia Perawatan Konservatif', *Majalah Obstetri & Ginekologi*, 23(2), p. 82.
- Leeman, L., Dresang, L. T. and Fontaine, P. (2016) 'Hypertensive Disorders of Pregnancy', *American Family Physician*, 93(2), pp. 121–127.
- Leung, TY, Leung T., Sahota D., Chan O., Chan L., Fung T., and Lau T. (2008). 'Trends in maternal obesity and associated risks of adverse pregnancy outcomes in a population of Chinese Women'. *BJOG*. 115:1529 – 1537.
- Lim MD, K.-H. and Steinberg, G. (2018) *Preeclampsia, Medscape*. Available at: <https://emedicine.medscape.com/article/1476919-overview#a3> (Accessed: 14 February 2020).
- Lisonkova, Sarka, and K. S. Joseph. (2013). 'Incidence of preeclampsia: risk factors and outcomes associated with early- versus late-onset disease'. *AJOG*. Vol. e1.
- Lisonkova, Sarka, Yasser Sabr, Chantal Mayer, Carmen Young, Amanda Skoll, and K. S. Joseph. (2014). 'Maternal Morbidity Associated With Early-Onset and Late-Onset Preeclampsia'. *American College of Obstetricians and Gynecologists*. Vol. 124, no. 4.

- Macdonald, S. and Magil-Cuerden, J. (2011) *Mayes' Midwifery 14th Edition*. 14th edn. Edited by S. Macdonald and J. Magil-Cuerden. China.
- Majumdar, A. and Satwik, R. (2011) 'The pathophysiology of pulmonary edema caused by inflammation', *International Journal of Tuberculosis and Lung Disease*, 15(8), pp. 1134–1135.
- Marchi, J., M. Berg, A. Dencker, E. K. Olander, and C. Begley. (2015). 'Risks associated with obesity in pregnancy, for the mother and baby: a systematic review of reviews. *Obesity Reviews* vol: 16(8), pp. 621 - 638.
- Martin, J. N., Brewer, J.M., Wallace, K., Sunesara, I., Camizano, A., Blake, P.G., LaMarca, B., and Owens, M.Y. (2013) 'HELLP Syndrome and Composite Major Maternal Morbidity: Importance of Mississippi classification system', *Journal of Maternal-Fetal and Neonatal Medicine*, 26(12), pp. 1201–1206.
- Martin, A, I. Krishna, J. Ellis, R. Paccione and M. badell. (2014). 'Super obesity in pregnancy: difficulties in clinical management'. *Journal of Perinatology*. vol. 34: 495 - 502.
- Mathiesen, E.R., Ringholm, L., and Feldt-Rasmussen, B., (2012): Obstetric nephrology: pregnancy in women with diabetic nephropathy—the role of antihypertensive treatment. *Clin J Am Soc Nephrol* 7:2081, 2012.
- McCall SJ, Li Z., Kurinczuk JJ., Sullivan E., and Knight M. (2019). 'Maternal and perinatal outcomes in pregnant women with BMI >50: An international collaborative study. *PLoS ONE*. Vol:14(2): e0211278.
- McDonald, Sarah D., Zhen Han, Sohail Mulla, Joseph Beyene, and on behalf of the Knowledge Synthesis Group. 'Overweight and obesity in mothers and risk of preterm birth and low birth weight infants: systematic review and meta-analyses'. *BMJ*. p: 1-20.
- Melchor, Inigo, Jorge Burgos, Ana del Campo, Amaia Aiartzaguena, Julieta Gutierrez, and Juan Carlos Melchor. (2019). 'Effect of maternal obesity on pregnancy outcomes in women delivering singleton babies: a historical cohort study'. *J. Perinat. Med.* Vol: 47(6): 625 – 630.
- Mission, John F. MD, Marshall, Nicole E. MD. MCR., and Caughey, Aaron B. MD., Phd. (2013). 'Obesity in Pregnancy: a Big Problem and Getting Bigger'. *Obstetrical & Gynecological Survey*. vol: 68(5). p: 389 - 399.
- Mohamad, N.T. and Sahlieh MD, A. (2017) *Cardiovascular Disease and Pregnancy*, 10 January. Available at: <https://emedicine.medscape.com/article/162004-overview#a1>.
- Mulder, EG., C. Ghossein-Doha, JRW Crutsen, SMJ Van Kuijk, B. Thilaganathan, and MEA Spaanderman. (2020). 'Effect of pregnancy prolongation in early-onset pre-eclampsia on postpartum maternal cardiovascular, renal and metabolic function in primiparous women: an observational study. *BJOG*. p: 1 - 9.
- Ndayisenga, T. and Mukanyandwi, A. (2017) 'Factors Contributing to Birth

- Asphyxia as the Major Complication among Newborns Delivered at Gitwe District Hospital, Southern Province, Rwanda.', *International journal of public health and clinical sciences*, 4(3), pp. 142–151.
- NICE guideline (2019)'Hypertension in pregnancy: Diagnosis and Management', *Am J Obstetric Gynecol*, 77(1) pp.S1-S22.
- Pevzner L, Powers BL, Rayburn WF, et al. Effects of maternal obesity on duration and outcomes of prostaglandin cervical ripening and labor induction. *Obstet Gynecol* 2009;114(6):1315e21.
- Phipps, E. et al. (2016) 'Preeclampsia: Updates in pathogenesis, definitions, and guidelines', *Clinical Journal of the American Society of Nephrology*, 11(6), pp. 1102–1113.
- Rainaldi, M. A. (2016) 'Pathophysiology of Birth Asphyxia', *Clinics in Perinatology*. Elsevier Inc, 43(3), pp. 409–422.
- Rampengan, S. H. (2014) 'Edema Paru Kardiogenik Akut', *Jurnal Biomedik (Jbm)*, 6(3), pp. 149–156.
- Ramoniene, Gitana, Laima Maleckiene, Ruta Jolanta Nadisauskiene, Egle Bartuseviciene, Dalia Regina Railaite, Regina Maciuleviciene, and Almantas Maleckas. (2017). 'Maternal obesity and obstetric outcomes in a tertiary referral center'. *Medicina*. Vol: 53(109 – 113).
- Rasmussen, K., Yaktine, A.L., and Committee to Reexamine IOM Pregnancy Weight Guidelines. (2009) *Weight Gain during Pregnancy, Journal of Obstetric, Gynecologic, & Neonatal Nursing*. The National Academies Press. Washington D.C.
- Rasmussens, S., LM Irgens, and J Espinoza. (2014). 'Maternal obesity and excess of feta growth in pre-eclampsia'. *Royal College of Obstetricians and Gynaecologists*.
- Raymond, D. and Peterson, E. (2011). 'A Critical Review of Early-Onset and', 66(8).
- Razaz, N., Sven Cnattingius, and KS. Joseph. (2019). 'Association between Apgar scores of 7 to 9 and neonatal mortality and morbidity: population based cohort study of them infants in Sweden. *BJM*. 365:1656.
- Regitz-Zagrosek, V., Roos-Hesselink, J.W., Bauersachc, J., Lundqvist, C.B., Cifkova, R., DeBonis, M., Lung, B., Johnson, M.B., et al. (2018) *2018 ESC Guidelines for the management of cardiovascular diseases during pregnancy, European Heart Journal*.
- Rimaitis, K., Grauslyte, L., Zavackiene, A., Balivliene, V., Nadisauskiene, R., and Macas, A. (2019) 'Diagnosis of HELLP syndrome: A 10-year survey in a perinatology centre', *International Journal of Environmental Research and Public Health*, 16(1), pp. 1–9.
- Roberts, I. and Murray, N. A. (2003) 'Neonatal thrombocytopenia : causes and management', pp. 359–365.

- Roberts, C. L., MBBS, Cameron, C.A., Bell, J.C., Algert, C.S., and Morris, J.M. (2008) 'Measuring Maternal Morbidity in Routinely Collected Health Data', *Medical Care*, 46(8), pp. 786–794.
- Roberts, Christine L., Jane B. Ford, Charles S. Algert, Jane C. Bell, Judy M. Simpson, and Jonathan M. Morris. (2009) 'Trends in adverse maternal outcomes during childbirth: a population based study of severe maternal morbidity'. *BMC Pregnancy and Childbirth*. 9(7): 1 - 10.
- Roberts, J. M., Bodnar, L.M., Patrick, T.E., and Powers, R.W. (2011) 'The role of obesity in preeclampsia', *Pregnancy Hypertension*, 1(1), pp. 6–16.
- Robillard, Piere-Yves, Gustaaf Dekker, Marco Scioscia, Fransesco Bonsante, Silvia Iacobelli, Malik Boukerrou, and Thomas C. Hulsey. (2019). 'Increased BI has a linear association with late-onset preeclampsia: A population-based study'. *PLOS ONE*. Vol: 14(10).
- Saini, Aditi, Syed Masuma Rizvi, and Anumodan Gupta. (2020). ' Hostile Turf: Higher Maternal Body Mass Index and Neonatal Intensive Care Unit Admission Risk. *Journal of Clinical Neonatology*. vol : 7, p: 213-6.
- Sarwono Prawiroharjo. (2009). Ilmu Kebidanan, Edisi 4 Cetakan II. Jakarta : Yayasan Bina Pustaka
- Sebire, NJ, m. Jolly, JP. Harris, J. Wadsworth, M. Joffe, RW. Beard, L. Regan, and S. Robinson. (2001). 'Maternal obesity and pregnancy outcome: a study of 287 213 pregnancies in London'. *International Journal of Obesity*. Vol: 25(1175 – 1182).
- Setiawan, A. H., Airlangga, P. S. dan Rahardjo, E. (2019) 'Komplikasi Edema Paru pada Kasus Preeklampsia Berat dan Eklampsia', *JAI (Jurnal Anestesiologi Indonesia)*, 11(3), p. 136.
- Schneider, Sven, Nele Freerksen, Holger Maul, Silke Roehrig, Burkhard Fischer, and Birgit Hoeft. (2011). 'Risk groups and maternal-neonatal complications of preeclampsia – Current results from the national German Perinatal Quality Registry'. *J. Perinatal Med.* Vol: 39 (257 – 265).
- Schummers, L., Jennifer, A. HutcheonLisa M. Bodnar, Ellice Lieberman and Katherine P. Himes. (2015). "Risk of adverse pregnancy outcomes by prepregnancy Body Mass Index", *Obstet Gynecol*, 125:133–43.
- Shannon, Allison, Myla Ebeling, Thomas Hulsey, and Eugene Chang. (2015). 'The impact of maternal obesity upon admission to neonatal intensive care'. *American Journal of Obstetric*. vol: 4(602).
- Sharma, D., Shastri, S. and Sharma, P. (2016) 'Intrauterine Growth Restriction : Antenatal and Postnatal Aspects', pp. 67–83.
- Shao, Yawen, Jie Qiu, Huang Huang, Baohong Mao, Wei Dai, Xiaochun He, Hongmei Cui, et al. (2017). 'Pre-pregnancy BMI, gestational weight gain and risk of preeclampsia: a birth cohort study in Lanzhou, China'. *BMC Pregnancy and Childbirth*. vol: 17(400).

- Simko, Martin, Adrian Totka, Diana Vondrova, Martin Samohyl, Jana Jurkovicova, Michal Trnka, Anna Cibulkova, Juraj Stofko, and Lubica Argalasova. (2019) 'Maternal Body Mass Index and Gestational Weight Gain and Their Association with Pregnancy Complications and Perinatal Conditions'. *Int. J. Environ. Res. Public Health.* Vol: 16(1751).
- Siswanto, S. (2012) 'Systematic Review Sebagai Metode Penelitian Untuk Mensintesis Hasil-Hasil Penelitian (Sebuah Pengantar)', *Buletin Penelitian Sistem Kesehatan*, 13(4 Okt).
- Soto, Eleazar, Roberto Romero, Karina Richani, Jimmy Espinoza, Tinnakorn Chaiworapongsa, Jyh Kae Nien, Sam S. Edwin, Yeon Mee Kim, Joon Seok Hong, Luis F. Goncalves, Lami Yeo, Moshe Mazor, Sonia S. Hassan, and Juan Pedro Kusanivic. (2009). 'Preeclampsia and pregnancies with small-for-gestational age neonates have different profiles of complement split products'. *The Journal of Maternal-Fetal & Neonatal Medicine*. p: 1476-4954.
- Spradley, F. T., Palei, A. C. and Granger, J. P. (2015) 'Immune mechanisms linking obesity and preeclampsia', *Biomolecules*, 5(4), pp. 3142–3176.
- Stavis, Robert L., PhD, MD. (2019). 'Large-for-Gestational-Age (LGA) Infant'. *MSD Manual Professional Version*. available at: <https://www.msdmanuals.com/professional/pediatrics/perinatal-problems/large-for-gestational-age-lga-infant> (accessed: 31 November 2020).
- Steegers, E. A. P., Von Dadelszen, P., Duvekot, J.J., and Pijnenborg, R. (2010) 'Pre-eclampsia', *The Lancet*, 376(9741), pp. 631–644.
- Stubert, Johannes, Frank Reister, Steffi Hartmann, and Wolfgang Janni. (2018). *MEDICINE*. vol: 115 (276 - 283).
- Stuebe, Alison M., Mark B. Landon, Yinglei Lai, Catherine Y. Spong, Marshal W. Carpenter, Susan M. Ramin, Brian Casey, Ronald J. Wapner, Michael W. Varner, Dwight J. Rouse, et al. (2012). 'Maternal BMI, Glucose tolerance, and adverse pregnancy outcomes'. *American Journal of Obstetrics and Gynecology*. vol: 207. p: 61.e1 - 62.e7.
- Suk, Debbie, Taehee Kwak, Nayaab Khawar, Samantha VanHorn, Carolyn M. S, and Pramod Narula. (2016). 'Increasing Maternal Body Mass Index During Pregnancy Increases Neonatal Intensive Care Unit Admission in Near and Full-term Infants'. *The Journal of Maternal-Fetal & Neonatal Medicine*.
- Sullivan, Elizabeth A., Jan E. Dickinson, Geraldine A. Vaughan, Michael J. Peek, David Ellwood, Caroline SE Homer, Marian Knight, Claire McLintock, Alex Wang, Wendy Pollock, Lisa Jackson Pulver, Zhuoyang Li, Nasrin Javid, Elizabeth Denney-Wilson, Leonie Callaway, and on behalf of the Australasian Maternity Outcomes Surveillance System (AMOSS). (20015). 'Maternal super-obesity and perinatal outcomes in Australia: a national population-based cohort study'. *BMC Pregnancy and childbirth*. Vol: 15(322).

- Susilo, Sulaeman A., Karina N. Pratiwi, Adly N. A. Fattah, Rima Irwinda, and Noroyono W. (2015). 'Determinants of low APGAR score among preeclamptic deliveries in Cipto Mangunkusumo Hospital: a retrospective cohort study in 2014'. *Medical Journal of Indonesia*. vol: 24(183 - 189)
- Svenvik, Maria, Lars Brudin, and Marie Blomberg. (2015). 'Preterm Birth: A Prominent Risk Factor for Low Apgar Scores'. BioMed Research International. vol: 2015(1 - 8).
- Syngelaki, Argyro, Teodora Chelemen, Themistoklis Dagklis, Lindsey Allan, and Kypros H. Nicolaides. (2011). 'Challenges in the diagnosis of fetal non-chromosomal abnormalities at 11 - 13 weeks'. *Prenatal Diagn*. vol: 31(90 - 102).
- Torloni, M. R., A. P. Betran, B.L. Horta, M. U. Nakamura, A. N. Atallah, A. F. Moron, and O. Valente. (2009). 'Prepregnancy BMI and the Risk of Gestational Diabetes: a systematic review of the line literature with meta-analysis. *obesity review*'. vol: 10, p: 194-203.
- Valensise, H., Vasapollo, B., Gagliardi, G., and Novelli, G.P.(2008) 'Early and Late Preeclampsia Two Different Maternal Hemodynamic States in the Latent Phase of the Disease'. *HypertensionAHA*. vol: 52 (873-880).
- Varner, Michael W., Robert M. Silver, Carol J. Rowland Hogue, Marian Willinger, et al. (2014). ' Association Between Stillbirth and Illicit Drug Use and Smoking During Pregnancy'. *Obstet Gynecol*. edisi 123(1) p: 113-125.
- Virdayanti, Dian P. and Khanisyah Erza Gumilar. (2020). 'Maternal and Neonatal Outcome in Pregnant Women with Obesity in a single Tertiary Refferal Hospital in January - December 2017'. International Islamic Medical Journal. vol: 1 no. 2 (59 - 67).
- Wafiyatunisa, Z. and Rodiani (2016) 'Hubungan Obesitas dengan Terjadinya Preeklampsia', *Majority*, 5(5), pp. 184–190. Available at: <http://juke.kedokteran.unila.ac.id/index.php/majority/article/view/907/815>.
- Watterberg, K. L. et al. (2015) 'The apgar score', *Pediatrics*, 136(4), pp. 819–822.
- Macdonald-Wallis C, Tilling K, Fraser A, Nelson SM, Lawlor DA. Gestational weight gain as a risk factor for hypertensive disorders of pregnancy. *Am J Obstet Gynecol*. 2013;209(4):327 e1–317.
- WHO (2004) *Maternal Mortality Ratio, Health statistics and information systems*. Available at: <https://www.who.int/healthinfo/statistics/indmaternalmortality/en/>.
- WHO (2005). 'The world Health Report 2005: Make Every Mother and Child Count. Geneva, Switzerlans: World Health Organization; 2005.
- WHO (2017). 'Maternal and Newborn Mortality Causes of Death'. Geneva, Switzerland: World Health Organization;2017.
- WHO (2018) *Obesity and Overweight*. Available at: <https://www.who.int/news-room/fact-sheets/detail/obesity-and-overweight> (Accessed: 5 February

2020).

- WHO (2020). 'World Health Statistic 2020; Monitoring Health for The SDGs, Sustainable Development Goals. Geneva; World Health Organization; 2020.
- Wibowo, N., Irwinda, R., Frisdiantiny, E., Karkata, M.K., Mose, C.J., Chalid, M.T., Siswihanto, R., Purwaka, B.T., Tobing, C.L., Wardhana, M.P., Akbar, M.I.A., Ernawati, Aditiawarman, dan Gumilar, E.(2016) 'Diagnosis dan Tatalaksana Pre-Eklamsia', *Perkumpulan Obstetri dan Ginekologi*.
- Wilmsink, Freke A., Herman T. den Dekker, Johan C. de Jongste, Irwin K. M. R., Vincent W. V. J., Eric A. Steegers, and Liesbeth D. (2018). 'Maternal Blood pressure and hypertensive disorders during pregnancy and childhood respiratory morbidity: The Generation R study. *Eur Respir J.* vol: 52.
- Wolfw, Heather, Julia Timofeev, Eshetu Tefera, Sameer Desale, and Rita W. Driggers. (2014). 'Risk of cesarean in obese nulliparous women with unfavorable cervix: elective induction vs expectant management at term'. *AJOG.* vol: 210.
- World Health Organization (2011) 'The WHO near-miss approach for maternal health', *Who*, pp. 1–34.
- Yao, Ruofan MD. MPH, Cande V. Ananth, PhD. MPH, Bo Y. Park, MPH, Leanne Pereira, MPH., and Lauren A. Plante MD. MPH. (2014). 'Obesity and the risk of stillbirth: a population-based cohort study' *Am J Obstet Gynecol.* vol. 210: 457.e1-9.
- Zhou A, Xiong C, Hu R, Zhang Y, Bassig BA, Triche E, Yang S, Qiu L, Zhang Y, Yao C, et al. Pre-Pregnancy BMI, Gestational Weight Gain, and the Risk of Hypertensive Disorders of Pregnancy: A Cohort Study in Wuhan, China. *PLoS One.* 2015;10(8):e0136291.