

## DAFTAR PUSTAKA

- Abraham, C. dan Kusheleva, N. (2019) “*Management of Pre-eclampsia and Eclampsia: A Simulation,*” *MedEdPORTAL : the journal of teaching and learning resources*, 15, hal. 10832. doi: 10.15766/mep\_2374-8265.10832.
- Amalia, A. (2019) “*Penelitian Tentang Preeklamsia (Pengertian, Etiologi, Bahaya, Faktor Resiko, Skrining, Dan Pencegahan),*” hal. 1–20.
- Ambarwati, W. N. dan Irdrawati (2009) “*Hubungan Preeklamsia Dengan Kondisi Bayi Yang Dilahirkan Secara Sectio Caesarea Di Rsud Dr. Moewardi Surakarta,*” *Berita Ilmu Keperawatan*, 2, hal. 1–6. doi: 10.1016/j.otsr.2013.02.002.
- Ammon, F. J. et al. (2018) “*Liver stiffness reversibly increases during pregnancy and independently predicts preeclampsia,*” *World Journal of Gastroenterology*, 24(38), hal. 4393–4402. doi: 10.3748/wjg.v24.i38.4393.
- Amorim, M. M. R., Souza, A. S. R. dan Katz, L. (2017) “*Planned caesarean section versus planned vaginal birth for severe pre-eclampsia,*” *Cochrane Database of Systematic Reviews*, 2017(10). doi: 10.1002/14651858.CD009430.pub2.
- Andini, O. (2018) “*Gambaran Jumlah Trombosit Pada Ibu Hamil Di RS Bhayangkara Kota Palembang Tahun 2018,*” *POLITEKNIK KESEHATAN PALEMBANG*, 2, hal. 227–249.
- Ayuningtyas, D. dan Oktariana, R. (2018) “*Etika Kesehatan pada Persalinan Melalui Sectio Caesarea Tanpa Indikasi Medis,*” *JURNAL MKMI*, 16(1), hal. 16. doi: 10.1080/14017430510009078.
- Badan Pusat Statistik et al. (2017) “*Survei Demografi dan Kesehatan Indonesia 2012,*” Sdki, hal. 16. doi: 10.1111/j.1471-0528.2007.01580.x.
- Cassia, M. A. et al. (2018) “*Proteinuria in pregnancy: Clinically driven considerations,*” *Nephrology @ Point of Care*, 4, hal. 205930071875562. doi: 10.1177/2059300718755622.
- Coviello, E. M. et al. (2019) “*Early preterm preeclampsia outcomes by intended mode of delivery,*” *American Journal of Obstetrics and Gynecology*. Elsevier Inc., 220(1), hal. 100.e1-100.e9. doi: 10.1016/j.ajog.2018.09.027.
- Dhariwal, N. K. dan Lynde, G. C. (2017) “*Update in the Management of Patients with Preeclampsia,*” *Anesthesiology Clinics*. Elsevier Inc, 35(1), hal. 95–106. doi: 10.1016/j.anclin.2016.09.009.
- Esteves, A. P., Deneux, C. dan Nakamura, M. (2016) “*Caesarean delivery and postpartum maternal mortality: A population-based case control study in Brazil,*” *PLoS ONE*, 11(4), hal. 1–13. doi: 10.1371/journal.pone.0153396.

- Frizki Amalya Putri, Hendriati, A. (2020) “*Artikel Penelitian Gambaran Fundus Okuli pada Pasien Preeklampsia*” 9(Supplement 1), hal. 119–127.
- Hapsari, D. I. dan Hendraningsih, T. (2018) “*Determinants of Sectio Caesarea Actions in Maternity at Ade Muhammad Djoen Hospital, Sintang District,*” jumantik Universitas Muhammadiyah Pontianak.
- Jim, B. dan Karumanchi, S. A. (2017) “*Preeclampsia: Pathogenesis, Prevention, and Long-Term Complications,*” *Seminars in Nephrology*. Elsevier Inc., 37(4), hal. 386–397. doi: 10.1016/j.semnephrol.2017.05.011.
- Kaltim, D. (2017) “*Rencana Kerja Anggaran Dinkes Kaltim,*” (16). Tersedia pada: <http://papuasatu.com>.
- Kawakita, T. dan Bowers, K. (2018) “*Maternal and Neonatal Outcomes of Induction of Labor Compared with Planned Cesarean Delivery in Women with Preeclampsia at 34 Weeks’ Gestation or Longer,*” *American Journal of Perinatology*, 35(1), hal. 95–102. doi: 10.1055/s-0037-1606185.
- Kinasih, B. A. S., S, P. R. A. dan Nasution, S. H. (2019) “*Korelasi Ureum dan Kreatinin Serum terhadap Derajat Preeklampsia di RSUD Dr. H . Abdul Moeloek Provinsi Lampung Correlation Between Ratio Urea and Creatinine Serum in Levels of,*” 8, hal. 131–135.
- Kurniarum, A. (2016) *Asuhan Kebidanan Persalinan Dan Bayi Baru Lahir “Asuhan Kebidanan Persalinan Dan Bayi Baru Lahir,”* Hal. 169.
- Lindayani, I. K. (2018) “*Skrining pre eklampsia,*” *jurnal Ilmiah Kebidanan*, 6(1), hal. 1–6. Tersedia pada: <https://www.ejournal.poltekkes-denpasar.ac.id/index.php/JIK/article/download/1056/372>.
- Lumbanraja, S. N. (2018) “*Pencegahan dan manajemen pada pre-eklamsia,*” Department of Obstetrics and Gynecology, Faculty of Medicine University of Sumatera Utara Medan, hal. 16–19.
- Magee, L. A. et al. (2014) “*Diagnosis, Evaluation, and Management of the Hypertensive Disorders of Pregnancy: Executive Summary,*” *Journal of Obstetrics and Gynaecology Canada*, 36(5), hal. 416–438. doi: 10.1016/S1701-2163(15)30588-0.
- Mirkovic, L., Nejkovic, L. dan Micic, J. (2018) “*A new pathophysiological concept and new classification of pre-eclampsia,*” *Vojnosanitetski pregled Military Medical and Pharmaceutical Journal of Serbia*, 75(1), hal. 83–94. doi: 10.2298/vsp1604212301m.
- NICE guideline (2019) “*Hypertension in pregnancy : diagnosis and management,*” *Am J Obstet Gynecol*, 77(1), hal. S1-s22. doi: 10.1111/j.1479-828X.2009.01003.x.
- Novotny, S. et al. (2020) “*Acute kidney injury associated with preeclampsia or hemolysis, elevated liver enzymes, and low platelets syndrome,*” *Pregnancy*

- Hypertension, 19(July 2019), hal. 94–99. doi: 10.1016/j.preghy.2019.11.010.
- O'brien, L. et al. (2018) “*Management of Hypertension on the Labor and Delivery Unit: Delivering Care in the Era of Protocols and Algorithms,*” The Permanente journal, 22, hal. 17–170. doi: 10.7812/TPP/17-170.
- Ozkara, A. et al. (2018) “*Proteinuria in preeclampsia: Is it important?*” Ginekologia polska, 89. doi: 10.5603/GP.a2018.0044.
- Pangulimang, A. P., Kaligis, S. H. M. dan Paruntu, M. E. (2018) “*Gambaran Kadar Protein Urin pada Ibu Hamil Trimester III di Rumah Sakit Robert Wolter Mongisidi Manado,*” Jurnal e-Biomedik, 6(2), hal. 2–6. doi: 10.35790/ebm.6.2.2018.22159.
- Parker, S. E. et al. (2015) “*Placental Abruption and Subsequent Risk of Preeclampsia: A Population-Based Case–Control Study,*” Paediatric and Perinatal Epidemiology, hal. 211–219. doi: 10.1111/ppe.12184.
- POGI (2016) “*PNPK Diagnosis dan Tatalaksana Preeklampsia,*” (Ketua: dr. Nurdadi Saleh SpOG). Jakarta: Persatuan Obstetri dan Ginekologi Indonesia Himpunan Kedokteran Feto Maternal.
- Pribadi, A. (2019) “*Preeklamsi ‘Stoppable.’*” Jakarta: CV.Sagung Seto.
- Profil Kesehatan Kaltim (2018) “*Profil Kesehatan Tahun 2017,*” Profil, Profil\_Kes kaltim 2018, hal. 182. doi: 10.1017/CBO9781107415324.004.
- Radha Bai Prabhu, T. (2017) “*Serious Visual (Ocular) Complications in Preeclampsia and Eclampsia,*” Journal of Obstetrics and Gynecology of India. Springer India, 67(5), hal. 343–348. doi: 10.1007/s13224-017-0975-6.
- Saputra, B. A., Rodiani dan Puspita, R. D. (2018) “*Kehamilan dengan Trombositopenia,*” Medula, 8(1), hal. 94–82.
- Setiawan, A. H., Airlangga, P. S. dan Rahardjo, E. (2019) “*Komplikasi Edema Paru pada Kasus Preeklampsia Berat dan Eklampsia,*” JAI (Jurnal Anestesiologi Indonesia), 11(3), hal. 136. doi: 10.14710/jai.v11i3.23911.
- Sihombing, N., Saptarini, I. dan Putri, D. S. K. (2017) “*The Determinants of Sectio Caesarea Labor in Indonesia (Further Analysis of Riskesdas 2013),*” Jurnal Kesehatan Reproduksi, 8(1), hal. 63–75. doi: 10.22435/kespro.v8i1.6641.63-75.
- Utami, N. (2018) “*Indeks Trombosit Pada Penderita Preeklampsia di RSUD DR. H. Abdul Moeloek Provinsi Lampung*” Platelet Index in Preeclampsia Patients in RSUD DR. H. Abdul Moeloek Lampung,” 2, hal. 102–106.
- Utami, N. A., Jasa, Z. K. dan Kuala, U. S. (2019) “*L-Arginine, Suatu Peluang Neuroproteksi terhadap Pasien Preeklampsia yang mendapat Problem Neurologis L-Arginine, a Neuroprotection Chance for Preeclampsia*

- Patients with Neurological Problem,*” Jurnal Neuroanestesi Indonesia, 8(2), hal. 144–152.
- Varnier, N. et al. (2018) “*Indications for delivery in pre-eclampsia,*” *Pregnancy Hypertension*. Elsevier, 11(November 2017), hal. 12–17. doi: 10.1016/j.preghy.2017.11.004.
- Wardhana, M. P., Dachlan, E. G. dan Dekker, G. (2018) “*Pulmonary edema in preeclampsia: an Indonesian case–control study,*” *Journal of Maternal-Fetal and Neonatal Medicine*. Informa UK Ltd., 31(6), hal. 689–695. doi: 10.1080/14767058.2017.1295442.
- WHO (2016) “WHO | World Health Statistics 2015,” WHO, hal. 175. Tersedia pada: [https://www.who.int/gho/publications/world\\_health\\_statistics/2015/en/](https://www.who.int/gho/publications/world_health_statistics/2015/en/) (Diakses: 4 Maret 2020).
- Wisner, K. (2019) “*Gestational Hypertension and Preeclampsia,*” *MCN The American Journal of Maternal/Child Nursing*, 44(3), hal. 170. doi: 10.1097/NMC.0000000000000523.
- Youssef, L. et al. (2020) “*Fetal cardiac remodeling and dysfunction is associated with both preeclampsia and fetal growth restriction,*” *American Journal of Obstetrics and Gynecology*. Elsevier Inc., 222(1), hal. 79.e1-79.e9. doi: 10.1016/j.ajog.2019.07.025.
- Zunita, S. (2017) “*Gambaran Proteinuria pada Penderita Hipertensi.*” Karya Tulis Ilmiah. Sekolah Tinggi Ilmu Kesehatan Insan Cendekia Medika Jombang.
- Prihandini, S. R., Pujiastuti, W., & Hastuti, T. P. (2016). *Usia Reproduksi Tidak Sehat dan Jarak Kehamilan Yang Terlalu Dekat Meningkatkan Kejadian Abortus di Rumah Sakit Tentara Dokter Soedjono Magelang*. *Jurnal Kebidanan* , 9
- Rinata, E., & Andayani, G. A. (2018). *Karakteristik Ibu (Usia, Paritas, Pendidikan) Dan Dukungan Keluarga Dengan Kecemasan Ibu Hamil Trimester III*. *Medisains*, 16, 14.
- Soviyati, E. (2016). *Faktor-Faktor Yang Berhubungan Dengan Lama Persalinan di RSUD'45 Kuningan Jawa Barat Tahun 2015*. *Midwife Journal*, 11.
- Amalia, H., & Evicienna. (2017). *Komparasi Metode Data Mining Untuk Penentuan Proses Persalinan Ibu Melahirkan* . *Sistem Informasi*, 103-109.
- Wijayanti, W. (2015). *Faktor-faktor yang mempengaruhi terjadinya persalinan lama di RSPAD gatot soebroto*. *Jurnal Imiah Kesehatan*, 11.