

DAFTAR PUSTAKA

- Atmaja, Theresia C. J. 2019. Studi Perbandingan Stabilitas Fisik dan Penetrasi APMS dalam Sistem Penghantaran NLC, SLN, dan Nanoemulsi. *Skripsi*. Universitas Airlangga
- Attama, *et al.* 2006. Further characterization of theobroma oil-beeswax admixtures as lipid matrices for improved drug delivery systems. *European Journal of Pharmaceutics and Biopharmaceutics*, 64(3), 294–306. <https://doi.org/10.1016/j.ejpb.2006.06.010>
- Bahari, L. A. S., & Hamishehkar, H. 2016. The impact of variables on particle size of solid lipid nanoparticles and nanostructured lipid carriers; A comparative literature review. *Advanced Pharmaceutical Bulletin*, 6(2), 143–151. <https://doi.org/10.15171/apb.2016.021>
- Bajaj, S., Singla, D., & Sakhuja, N. 2012. Stability testing of pharmaceutical products. *Journal of Applied Pharmaceutical Science*, 2(3), 129–138. <https://doi.org/10.7324/JAPS.2012.2322>
- Bentinger, M., Brismar, K., & Dallner, G. 2007. The antioxidant role of coenzyme Q. *Mitochondrion*, 7(SUPPL.). <https://doi.org/10.1016/j.mito.2007.02.006>
- Bentinger, M., Tekle, M., & Dallner, G. 2010. Coenzyme Q - Biosynthesis and functions. *Biochemical and Biophysical Research Communications*, 396(1), 74–79. <https://doi.org/10.1016/j.bbrc.2010.02.147>
- Bhosale, *et al.* 2014. Nanoemulsion: A Review on Novel Profusion in Advanced Drug Delivery. *Indian Journal of Pharmaceutical and Biological Research*, 2(01), 122–127. <https://doi.org/10.30750/ijpbr.2.1.19>
- Chang *et al.* 2013. Generic development of topical dermatologic products:

- Formulation development, process development, and testing of topical dermatologic products. *AAPS Journal*, 15(1), 41–52. <https://doi.org/10.1208/s12248-012-9411-0>
- Chime, *et al.* 2014. Nanoemulsions — Advances in Formulation, Characterization and Applications in Drug Delivery. *Application of Nanotechnology in Drug Delivery*. <https://doi.org/10.5772/58673>
- D'Souza, S. 2014. A Review of In Vitro Drug Release Test Methods for Nano-Sized Dosage Forms . *Advances in Pharmaceutics, 2014*, 1–12. <https://doi.org/10.1155/2014/304757>
- Danaei, *et al.* 2018. Impact of particle size and polydispersity index on the clinical applications of lipidic nanocarrier systems. *Pharmaceutics*, 10(2), 1–17. <https://doi.org/10.3390/pharmaceutics10020057>
- Dantas, *et al.* 2016. Development and Evaluation of Stability of a Gel Formulation Containing the Monoterpene Borneol. *Scientific World Journal, 2016*. <https://doi.org/10.1155/2016/7394685>
- Das, A., & Ahmed, A. B. 2017. Natural permeation enhancer for transdermal drug delivery system and permeation evaluation: A review. *Asian Journal of Pharmaceutical and Clinical Research*, 10(9), 5–9. <https://doi.org/10.22159/ajpcr.2017.v10i9.19389>
- El-nakhlawy, *et al.* 2013. *Response of Essential Oil and Terpene Contents of Two Mint Genotypes to Different Drying Temperatures before Distillation*. 5(12), 126–131. <https://doi.org/10.5539/jas.v5n12p126>
- Elaimi, *et al.* 2017. Skin Penetration of Coenzyme Q10 in Nanostructure Lipid Carriers Using Olive Oil and Cetyl Palmitate. *International Journal of Pharmaceutical and Clinical Research*, 9(2). <https://doi.org/10.25258/ijpcr.v9i2.8297>
- Erawati, *et al.* 2014. Praformulation study of P-Methoxycinnamic Acid (PMCA) nanoemulsion using vegetable oils (soybean oil, corn oil,

- VCO). *International Journal of Pharmacy and Pharmaceutical Sciences*, 6(2), 99–101.
- Erawati, *et al.* 2019. Characteristics and stability of nanostructured lipid carrier (Nlc) aleurites moluccana seed oil (ams oil) using various combinations of beeswax and oleum cacao. *International Journal of Drug Delivery Technology*, 9(1), 94–97.
<https://doi.org/10.25258/ijddt.9.1.15>
- Feng, L., & Mumper, R. J. 2013. A critical review of lipid-based nanoparticles for taxane delivery. *Cancer Letters*, 334(2), 157–175.
<https://doi.org/10.1016/j.canlet.2012.07.006>
- Ghodrati, *et al.* 2019. Encapsulation of Peppermint essential oil in nanostructured lipid carriers: In-vitro antibacterial activity and accelerative effect on infected wound healing. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 564, 161–169.
<https://doi.org/10.1016/j.colsurfa.2018.12.043>
- Handayani, *et al.* 2019. *Optimasi Formulasi Nanoemulsi Minyak Biji Anggur Energi Rendah dengan D-Optimal Mixture Design (DMD)*.
<https://doi.org/10.20885/jif.vol14.iss1.art3>
- Herman, A., & Herman, A. P. 2015. Essential oils and their constituents as skin penetration enhancer for transdermal drug delivery: A review. *Journal of Pharmacy and Pharmacology*, 67(4), 473–485.
<https://doi.org/10.1111/jphp.12334>
- Hoi, *et al.* 2010. *Relative Bioavailability of Coenzyme Q10 in Emulsion and Liposome Formulations*. 18(1), 99–105.
<https://doi.org/10.4062/biomolther.2010.18.1.099>
- <http://www.hmdb.ca/metabolites/HMDB0001072> diakses pada tanggal 16 November 2019
- <https://pubchem.ncbi.nlm.nih.gov/compound/ubiquinon-10> diakses pada

tanggal 16 November 2019

- Hua, Susan. 2015. Lipid-base nano-delivery system for skin delivery of drugs and bioactive. *Front Pharmacol Volume 6*, 219.
- Iman, N. 2018. Pengaruh Perbandingan Lipid Padat Oleum Cacao-Beeswax dan Lipid Cair Minyak Zaitun terhadap Karakteristik NLC-APMS. *Skripsi*. Fakultas Farmasi. Universitas Airlangga:Surabaya
- Kalepu, *et al.* 2013. Oral lipid-based drug delivery systems – an overview. *Acta Pharmaceutica Sinica B*, 3(6), 361–372. <https://doi.org/10.1016/j.apsb.2013.10.001>
- Kathe, *et al.* 2014. Physicochemical characterization techniques for solid lipid nanoparticles: Principles and limitations. *Drug Development and Industrial Pharmacy*, 40(12), 1565–1575. <https://doi.org/10.3109/03639045.2014.909840>
- Keifer, *et al.* 2007. Peppermint (*Mentha ×piperita*): An evidence-based systematic review by the Natural Standard Research Collaboration. *Journal of Herbal Pharmacotherapy*, 7(2), 91–143. https://doi.org/10.1300/J157v07n02_07
- Khames, A. 2019. Formulation and characterization of eplerenone nanoemulsion liquisolid, an oral delivery system with higher release rate and improved bioavailability. *Pharmaceutics*, 11(1). <https://doi.org/10.3390/pharmaceutics11010040>
- Khurana, *et al.* 2012. Development of nanostructured lipid carriers for controlled delivery of mefenamic acid. *International Journal of Biomedical Nanoscience and Nanotechnology*, 2(3–4), 232–250. <https://doi.org/10.1504/IJBNN.2012.051218>
- Khurana, *et al.* 2013. Development and characterization of a novel controlled release drug delivery system based on nanostructured lipid carriers gel for meloxicam. *Life Sciences*, 93(21), 763–772.

- <https://doi.org/10.1016/j.lfs.2013.09.027>
- Knott, *et al.* 2015. Topical treatment with coenzyme Q10-containing formulas improves skin's Q10 level and provides antioxidative effects. *BioFactors*, 41(6), 383–390. <https://doi.org/10.1002/biof.1239>
- Ma, *et al.* 2013. Intravenous microemulsion of docetaxel containing an anti-tumor synergistic ingredient (*Brucea javanica* oil): Formulation and pharmacokinetics. *International Journal of Nanomedicine*, 8, 4045–4052. <https://doi.org/10.2147/IJN.S47956>
- Maffei, M., & Scannerini, S. 1992. *Seasonal Variations In Fatty Acids From Non-Polar Developing Peppermint Leaves Lipids Of.* 31(2).
- Moghddam, *et al.* 2017. Optimization of nanostructured lipid carriers for topical delivery of nimesulide using Box–Behnken design approach. *Artificial Cells, Nanomedicine and Biotechnology*, 45(3), 617–624. <https://doi.org/10.3109/21691401.2016.1167699>
- Montenegro, *et al.* 2017. Rosemary essential oil-loaded lipid nanoparticles: In vivo topical activity from gel vehicles. *Pharmaceutics*, 9(4), 1–12. <https://doi.org/10.3390/pharmaceutics9040048>
- Mukherjee, S., Ray, S., & Thakur, R. S. 2009. Advantages and Problems of Slns and Other Nanoparticles. *Indian Journal of Pharmaceutical Sciences*, 71(4), 349–358. Retrieved from www.ijpsonline.com
- Muller, R.H., Mader, K., Gohla, S. 2000. Solid lipid nanoparticles (SLN) for controlled drug delivery ± a review of the state of the art. *Eur. J. Pharm. Biopharm.* 50, 161–177.
- Musbah, M., & Heri Suseno, S. 2017. Combination of Sardine and Shark Oil High Content of Omega-3 and Squalene. *Jphpi*, 20(1), 16–21.
- Naseri, *et al.* 2015. Solid lipid nanoparticles and nanostructured lipid carriers: Structure preparation and application. *Advanced Pharmaceutical Bulletin*, 5(3), 305–313. <https://doi.org/10.15171/apb.2015.043>

- P K, L., K, S., D, P., B, V., & Chennuri, A. 2017. Oils As Penetration Enhancers for Improved Transdermal Drug Delivery: a Review. *International Research Journal of Pharmacy*, 8(4), 9–17. <https://doi.org/10.7897/2230-8407.080440>
- Pamudji, *et al.* 2016. Development of nanostructured lipid carrier formulation containing of retinyl palmitate. *International Journal of Pharmacy and Pharmaceutical Sciences*, 8(2), 256–260.
- Pardeshi, *et al.* 2012. Solid lipid based nanocarriers: An overview. *Acta Pharmaceutica*, 62(4), 433–472. <https://doi.org/10.2478/v10007-012-0040-z>
- Pavia, Donald L., *et al.* 2009. *Introduction to Spectroscopy, Fourth edition*. Belmont: Brooks Cole, p.31
- Pezeshki, A., Ghanbarzadeh, B., Mohammadi, M., Fathollahi, I., & Hamishehkar, H. 2014. Encapsulation of vitamin A palmitate in nanostructured lipid carrier (NLC)-effect of surfactant concentration on the formulation properties. *Advanced Pharmaceutical Bulletin*, 4(Suppl 2), 563–568. <https://doi.org/10.5681/apb.2014.083>
- Purbowati, Ghina Dyah. 2017. Penetrasi *In Vivo* Tretinon dalam Sistem Nanoemulsi dibandingkan Sistem Emulsi Konvensional pada Kosmetika Anti aging. *Skripsi*. Universitas Airlangga
- Putranti, A. R., Primaharinastiti, R., & Hendradi, E. 2017. Effectivity and physicochemical stability of nanostructured lipid carrier coenzyme Q10 in different ratio of lipid cetyl palmitate and alpha tocopheryl acetate as carrier. *Asian Journal of Pharmaceutical and Clinical Research*, 10(2), 146–152. <https://doi.org/10.22159/ajpcr.2017.v10i2.14835>
- Rachmawati, B. R. 2019. Studi Perbandingan Pelepasan dan Stabilitas Fisik APMS dalam Sistem *Nanostructured Lipid Carriers* (NLC), *Solid Lipid Nanoparticles* (SLN), dan Nanoemulsi (NE). *Skripsi*. Universitas Airlangga

- Ratnasari, D., & Puspitasari, R. N. 2018. Optimasi Formula Sediaan Krim Anti-Aging Dari Ekstrak Terong Ungu (*Solanum melongena* L.) Dan Tomat (*Solanum lycopersicum* L.). *Jurnal Riset Kesehatan*, 7(2), 66. <https://doi.org/10.31983/jrk.v7i2.3703>
- Rawal, S. U., & Patel, M. M. 2018. Chapter 2. Lipid nanoparticulate systems: Modern versatile drug carriers. In *Lipid Nanocarriers for Drug Targeting*. Elsevier Inc. <https://doi.org/10.1016/B978-0-12-813687-4.00002-5>
- Rosita, Noorma. 2015. Sistem Penghantaran Obat Solid Lipid Nanoparticle (SLN) Asam Para metoksi Sinamat (APMS) dengan Lipid Binner Beeswax-Gliseril Monostearat. *Disertasi*. Universitas Airlangga
- Rowe, R. C., Sheskey, P. J., and Quinn, M. R. 2009. *Handbook of Pharmaceutical Exipients 6th Edition*. London:Pharmaceutical Press
- Sakinah, A. 2018. Uji Oklusifitas dan Aktivitas Antiinflamasi Topikal Sistem *Nanostructured Lipid Carriers* (NLC) APMS dengan Kombinasi Oleum Cacao-Beeswax (75:25) dan Minyak Zaitun. *Skripsi*. Fakultas Farmasi. Universitas Airlangga:Surabaya
- Sakthi, M. 2017. *Investigating the Impact of Essential Oil Preservation System in the Development of Lipid Based Niacinamide Cosmeceuticals*. *Disertasi*. PSG Collage of Pharmacy Peelamedu Coimbatore
- Salavkar, S. M., Tamanekar, R. A., & Athawale, R. B. 2011. Antioxidants in skin ageing - Future of dermatology. *International Journal of Green Pharmacy*, 5(3), 161–168. <https://doi.org/10.4103/0973-8258.91221>
- Sel, M., Franz, D., Anggraini, W., & Sagita, E. 2016. *Pengaruh Hidrofilisitas Surfaktan terhadap Karakteristik dan Daya Penetrasi In Vitro Transfersom Kapsaisin dalam Sediaan Gel*.
- Shah, R. et al. 2015. *Lipid Nanoparticles: Production, Characterization, and Stability*. Melbourne: Springer Cham Heidelberg New York Dordrecht

London

- Sharma, A., & Baldi, A. 2018. Nanostructured Lipid Carriers: A Review. *Journal of Developing Drugs*, 7(1), 1–12. <https://doi.org/10.4172/2329-6631.1000191>
- Sharma, S., & Sarangdevot, K. 2012. *Nanoemulsions For Cosmetics*. 2(3), 408–415.
- Shoviantari, Fenita. 2017. Efektivitas, Iritabilitas, dan Stabilitas Fisik Coenzym Q10 dalam Sistem Penghantaran Nanoemulsi dan *Nanostructured Lipid Carriers* sebagai Kosmetika Antiaging. Tesis. Universitas Airlangga
- Silalahi, *et al.* 2018. Composition of Fatty Acid and Identification of Lauric Acid Position in Coconut and Palm Kernel Oils. *Indonesian Journal of Pharmaceutical and Clinical Research*, 1(2), 1–8. <https://doi.org/10.32734/idjpcr.v1i2.605>
- Sinko, P. J., & Singh, Y. 2011. *Martin's Physical Pharmacy and Pharmaceutical Science- Physical Chemical and Biopharmaceutical Principle in The Pharmaceutical Science 6th Edition*. Philadelphia: Lippincott Williams & Wilkins, a Wolters Kluwer Business
- Soeratri, *et al.* 2019. *Effect Of Combination Soy Bean Oil And Oleic Acid To Characteristic , Penetration , Physical Stability Of Nanostructure Lipid Carrier Resveratrol*. 55(3), 213–222.
- Sweetman, Sean C. 2009. *Martindale: The Complete Drug Reference 36th edition*. London:Pharmaceutical Press.
- Thakur, A., Walia, M. K., & Kumar, S. L. H. 2013. Nanoemulsion in enhancement of bioavailability of poorly soluble drugs: a review. *Pharmacophore*, 4(1), 15–25.
- Thatipamula, *et al.* 2011. Formulation and in vitro characterization of domperidone loaded solid lipid nanoparticles and nanostructured lipid

- carriers. *DARU, Journal of Pharmaceutical Sciences*, 19(1), 23–32.
- Tian, Y., Chen, L., & Zhang, W. 2015. *Influence of Ionic Surfactants on the Properties of Nanoemulsions Emulsified by Nonionic Surfactants Span 80/Tween 80*. 2691(December). <https://doi.org/10.1080/01932691.2015.1048806>
- Turek, C., & Stintzing, F. C. 2013. *Stability of Essential Oils : A Review*. 12, 40–53. <https://doi.org/10.1111/1541-4337.12006>
- Vashisth, *et al.* 2014. Investigating the potential of essential oils as penetration enhancer for transdermal losartan delivery: Effectiveness and mechanism of action. *Asian Journal of Pharmaceutical Sciences*, 9(5), 260–267. <https://doi.org/10.1016/j.ajps.2014.06.007>
- Witayaudom, P., & Klinkesorn, U. 2017. Journal of Colloid and Interface Science Effect of surfactant concentration and solidification temperature on the characteristics and stability of nanostructured lipid carrier (NLC) prepared from rambutan (*Nephelium lappaceum L .*) kernel fat. *Journal of Colloid And Interface Science*, 505, 1082–1092. <https://doi.org/10.1016/j.jcis.2017.07.008>
- Wu, *et al.* 2011. Physical and Chemical Stability of Drug Nanoparticle. *Adv Drug Delivery* .63,456 doi 10.1016/j. addr.2011.02.001
- Yang, *et al.* 2018. *Mode of Action : Synergistic Interaction of Peppermint (Mentha x piperita L . Carl) Essential Oil and Meropenem Against Plasmid-Mediated Resistant E . coli*. 6, 582–594.
- Z, R., Y, S., & A, N. 2017. Transdermal Delivery of Lavandula angustifolia and Valencia Orange Essential Oils Using Gum-karaya Patches. *Medicinal & Aromatic Plants*, 06(03). <https://doi.org/10.4172/2167-0412.1000291>
- Zaki, N. M. 2016. Strategies for oral delivery and mitochondrial targeting of CoQ10. *Drug Delivery*, 23(6), 1868–1881. <https://doi.org/10.3109/10717544.2014.993747>

- Zhang, *et al.* 2010. Formulation optimization of dihydroartemisinin nanostructured lipid carrier using response surface methodology. *Powder Technology*, 197(1–2), 120–128. <https://doi.org/10.1016/j.powtec.2009.09.004>
- Zirak, M. B., & Pezeshki, A. 2015. Effect of Surfactant Concentration on the Particle Size, Stability and Potential Zeta of Beta carotene Nano Lipid Carrier. *International Journal of Current Microbiology and Applied Sciences*, 4(9), 924–932. Retrieved from <http://www.ijcmas.com>