

DAFTAR PUSTAKA

- Adams, D. C. and Otarola-Castillo, E. (2013) 'geomorph : an R package for the collection and analysis of geometric morphometric shape data', *Methods in Ecology and Evolution*, 4, pp. 393–399. doi: 10.1111/2041-210X.12035.
- Adamu, L. H., Ojo, S. A., Danborno, B., Adebisi, S. S., Taura, M. G. (2016) 'Sex determination using facial linear dimensions and angles among Hausa population of Kano State, Nigeria', *Egyptian Journal of Forensic Sciences. The International Association of Law and Forensic Sciences (IALFS)*, 6(4), pp. 459–467. doi: 10.1016/j.ejfs.2016.11.006.
- Agbolade, O., Nazri, A., Yaakob, R., Ghani, A. A., Cheah, Y. K. (2019a) '3D Homologous Multi-Points Warping Application to Sexual Dimorphism in Human Face', *International Conference on Imaging, Signal Processing and Communication, ICISPC 2019. IEEE*, 3, pp. 166–171. doi: 10.1109/ICISPC.2019.8935694.
- Agbolade, O., Nazri, A., Yaakob, R., Ghani, A. A., Cheah, Y. K. (2019b) 'Landmark-based multi-points warping approach to 3D facial expression recognition in human', *Proceedings - 2019 1st International Conference on Artificial Intelligence and Data Sciences, AiDAS 2019*, pp. 180–185. doi: 10.1109/AiDAS47888.2019.8970972.
- Agbolade, O., Nazri, A., Yaakob, R., Ghani, A. A., Cheah, Y. K. (2020a) 'Morphometric Analysis of 3D Soft-Tissue for Sexual Dimorphism in Human Face', *International Journal of Morphology* •, 38(2), pp. 367–373. doi: 10.4067/S0717-95022020000200367.
- Agbolade, O., Nazri, A., Yaakob, R., Ghani, A. A., Cheah, Y. K. (2020b) 'Morphometric approach to 3D soft-tissue craniofacial analysis and classification of ethnicity , sex , and age', *PLoS ONE*, 15(4), pp. 1–24. doi: 10.1371/journal.pone.0228402.
- Almeida, N. H. D., Michel-crosato, E., Paiva, L. A. S. D., Biazevic, M. G. H. (2013) 'Facial soft tissue thickness in the Brazilian population : New reference data and anatomical landmarks', *Forensic Science International. Elsevier Ireland Ltd*, 231(1–3), pp. 404.e1-404.e7. doi: 10.1016/j.forsciint.2013.05.024.
- Anas, I. Y., Bamgbose, B. O. and Nuhu, S. (2019) 'Heliyon A comparison between 2D and 3D methods of quantifying facial morphology', *Heliyon. Elsevier Ltd*, 5(December 2018), pp. 1–6. doi: 10.1016/j.heliyon.2019.e01880.
- Bigoni, L., Velemínská, J. and Brůžek, J. (2010) 'Three-dimensional geometric morphometric analysis of cranio-facial sexual dimorphism in a Central European sample of known sex', *HOMO- Journal of Comparative Human Biology*, 61(1), pp. 16–32. doi: 10.1016/j.jchb.2009.09.004.

- Bookstein FL. (1997) 'Landmark methods for forms without landmarks: morphometrics of group differences in outline shape', *Med Image Anal.* 1(3):225–43.
- Bruwier, A., Poirrier, R., Albert, A., Maes, N., Limme, M., Charavet, C., Milicevic, M., Raskin, S., Poirrier, A. (2016) 'Three-dimensional analysis of craniofacial bones and soft tissues in obstructive sleep apnea using cone beam computed tomography', *International Orthodontics*. Elsevier Masson SAS, 14(4), pp. 449–461. doi: 10.1016/j.ortho.2016.10.003.
- Bugaighis, I., Mattick, C. R., Tiddeman, B., Hobson, R. (2011) 'Three-dimensional gender differences in facial form of children in the North East of England', *European Journal of Orthodontics*, 35(3), pp. 295–304. doi: 10.1093/ejo/cjr033.
- Chovalopoulou, M., Valakos, E. D. and Manolis, S. K. (2016) 'Sex determination by three-dimensional geometric morphometrics of craniofacial form', *J. Biol. Clin. Anthropol.*, 3(August), pp. 195–206. doi: 10.1127/anthranz/2016/0470.
- Cole, J. B., Manyama, M., Larson, J. R., Liberton, D. K., Ferrara, T. M., Riccardi, S. L., Li, M., Mio, W., Klein, O. D., Santorico, S. A., Hallgrímsson, B., Spritz, R. A. (2017) 'Human facial shape and size heritability and genetic correlations', *Genetics*, 205(2), pp. 967–978. doi: 10.1534/genetics.116.193185.
- Cummaudo, M., Guerzoni, M., Marasciuolo, L., Gibelli, D., Cigada, A., Obertova, Z., Ratnayake, M., Poppa, P., Gabriel, P., Ritz-Timme, S., Cattaneo, C. (2013) 'Pitfalls at the root of facial assessment on photographs: a quantitative study of accuracy in positioning facial landmarks', *Int J Legal Med*, 127, pp. 699–706. doi: 10.1007/s00414-013-0850-7.
- Darkwah, W. K., Kadri, A., Adormaa, B. B., Aidoo, G. (2018) 'Cephalometric study of the relationship between facial morphology and ethnicity: Review article', *Translational Research in Anatomy*. Elsevier, 12(July), pp. 20–24. doi: 10.1016/j.tria.2018.07.001.
- Deli, R., Gioia, E. D., Galantucci, L. M., Percoco, G. (2011) 'Accurate Facial Morphologic Measurements Using a 3-Camera Photogrammetric Method', *The Journal of Craniofacial Surgery*, 22(1), pp. 54–59. doi: 10.1097/SCS.0b013e3181f6c4a1.
- Farrera, A., Garcia-Velasco, M. and Villanueva, M. (2016) 'Quantitative assessment of the facial features of a Mexican population dataset', *Forensic Science International jou*, pp. 1–9. doi: 10.1016/j.forsciint.2016.02.046.
- Ghislanzoni, L. H., Lione, R., Cozza, P., Franchi, L. (2017) 'Measuring 3D shape in orthodontics through geometric morphometrics', *Progress in*

- Orthodontics. *Progress in Orthodontics*, 18(38), pp. 1–6. doi: 10.1186/s40510-017-0194-9.
- Gibelli, D., Pucciarelli, V., Poppa, P., Cummaudo, M., Dolci, C., Cattaneo, C., & Sforza, C. (2018). ‘Three-dimensional facial anatomy evaluation: Reliability of laser scanner consecutive scans procedure in comparison with stereophotogrammetry’. *Journal of Cranio-Maxillofacial Surgery*. doi:10.1016/j.jcms.2018.07.008
- Gomes, C. F. D. S., Libdy, M. R. and Normando, D. (2019) ‘Scan time , reliability and accuracy of craniofacial measurements using a 3D’, *Journal of Oral Biology and Craniofacial Research*. Elsevier, 9(4), pp. 331–335. doi: 10.1016/j.jobcr.2019.07.001.
- Gonzalez, P. N., Bernal, V. and Perez, S. I. (2011) ‘Analysis of Sexual Dimorphism of Craniofacial Traits Using Geometric Morphometric Techniques’, *International Journal of Osteoarchaeology*, 21, pp. 82–91. doi: 10.1002/oa.1109.
- Guyomarc, P., Dutailly, B., Charton, J., Santos, F., Desbarats, P., Coqueugniot, H. (2014) ‘Anthropological Facial Approximation in Three Dimensions (AFA3D): Computer-Assisted Estimation of the Facial Morphology Using Geometric Morphometrics’, *Journal of Forensic Sciences*, pp. 1–15. doi: 10.1111/1556-4029.12547.
- Hou, S. Y., Zhou, W., Dai, H., Wong, H. M., Wen, Y. F., Zhou, J. (2020) ‘Soft Tissue Facial Changes Among Adult Females Receiving Orthodontic Treatment: A Spatially Dense 3D Geometric Morphometric Study’. doi: 10.21203/rs.3.rs-35933/v1.
- Humphries, A. L., Maxwell, A. B., Ross, A. H., Ubelaker, D. H. (2013) ‘A Geometric Morphometric Study of Regional Craniofacial Variation in Mexico’, *International Journal of Osteoarchaeology*, 25(6), pp. 795–804. doi: 10.1002/oa.2345.
- Jurda, M. and Urbanová, P. (2016) ‘Sex and ancestry assessment of Brazilian crania using semi-automatic mesh processing tools’, *Legal Medicine journal*, 23, pp. 34–43. doi: 10.1016/j.legalmed.2016.09.004.
- Kawulur, E. I. J. J., Suryobroto, B., Budiarti, S., Hartana, A. (2018) ‘Craniofacial Shape of Arfak People Based on Geometric Morphometric Features’, *Makara Journal of Science*, 22(1), pp. 7–16. doi: 10.7454/mss.v22i1.7422.
- Kesterke, M. J., Raffensperger, Z. D., Heike, C. L., Cunningham, M. L., Hecht, J. T., Kau, C. H., Nidey, N. L., Moreno, L. M., Wehby, G. L., Marazita, M. L., Weinberg, S. M. (2016) ‘Using the 3D Facial Norms Database to investigate craniofacial sexual dimorphism in healthy children , adolescents , and adults’, *Biology of Sex Differences*. *Biology of Sex Differences*, 7(23), pp. 1–14. doi: 10.1186/s13293-016-0076-8.

- Klingenberg, C. P. (2011) 'M ORPHO J: an integrated software package for geometric morphometrics', pp. 353–357. doi: 10.1111/j.1755-0998.2010.02924.x.
- Komalawati, Indriaty, E. and Supartinah, A. (2013) 'Profil Jaringan Lunak dan Keras Wajah Lelaki dan Perempuan Dewasa Etnis Aceh Berdasarkan Keturunan Campuran Arab, Cina, Eropa dan Hindia', *Cakradonya Dent Journal*, 5(2), pp. 542–618.
- Koudelova, J., Bruzek, J., Caganova, V., Krajicek, V., Velemínská, J. (2015) 'Development of facial sexual dimorphism in children aged between 12 and 15 years: a three-dimensional longitudinal study', *Orthodontic and Craniofacial Research*, (18), pp. 175–184. doi: 10.1111/ocr.12096.
- Koudelová, J., Hoffmannová, E., Dupej, J., Velemínská, J. (2019) 'Simulation of facial growth based on longitudinal data: Age progression and age regression between 7 and 17 years of age using 3D surface data', *PLoS ONE*, 14(2), pp. 1–16. doi: 10.1371/journal.pone.0212618.
- Larson, J. R., Manyama, M. F., Cole, J. B., Gonzalez, P. N., Percival, C. J., Liberton, D. K., Ferrara, T. M., Riccardi, S. L., Kimwaga, E. A., Mathayo, J., Spitzmacher, J. A., Rolian, C., Jamniczky, H. A., Weinberg, S. M., Roseman, C. C., Klein, O., Lukowiak, K., Spritz, R. A., Hallgrímsson, B. (2017) 'Body size and allometric variation in facial shape in children', *American Journal of Physical Anthropology*, 165(2), pp. 327–342. doi: 10.1002/ajpa.23356.
- Matthews, H., Penington, T., Saey, I., Halliday, J., Muggli, E., Claes, P. (2016) 'Journal of', *Journal of Anatomy*, 11, pp. 1–11. doi: 10.1111/joa.12507.
- Mckeown, A. H. and Schmidt, R. W. (2013) Chapter 12 - Geometric Morphometrics, *Research Methods in Human Skeletal Biology*. Elsevier Inc. doi: 10.1016/B978-0-12-385189-5.00012-1.
- Musilová, B., Dupej, J., Velemínská, J., Chaumoitte, K., Bruzek, J. (2016) 'Exocranial surfaces for sex assessment of the human cranium', *Forensic Science International*. Elsevier Ireland Ltd, 269. doi: 10.1016/j.forsciint.2016.11.006.
- Mydlova, M., Dupej, J., Koudelova, J., Velemínska, J. (2015) 'Sexual dimorphism of facial appearance in ageing human adults: A cross-sectional study', *Forensic Science International xxx*, pp. 1–9. doi: 10.1016/j.forsciint.2015.09.008.
- Naikmasur, V. G., Shrivastava, R. and Mutalik, S. (2010) 'Determination of sex in South Indians and immigrant Tibetans from cephalometric analysis and discriminant functions', *Forensic Science International*. Elsevier Ireland Ltd, 197(1–3), p. 122. doi: 10.1016/j.forsciint.2009.12.052.

- Pitoyo, A. J. and Triwahyudi, H. (2018) 'Dinamika Perkembangan Etnis di Indonesia dalam Konteks Persatuan Negara', *Populasi*, 25(1), p. 64. doi: 10.22146/jp.32416.
- Ridel, A., Demeter, F., Galland, M., L'abbé, E., Vandermeulen, D., & Oettlé, A. (2019). 'Automatic landmarking as a convenient prerequisite for geometric morphometrics. Validation on cone beam computed tomography (CBCT)-based shape analysis of the nasal complex'. *Forensic Science International*, 110095.
- Ritz-Timme, S., Gibelli, P., Tutkuvienė, J., Poppa, P., Obertova, Z., Angelis, D. D., Ratnayake, M., Rizgeliene, R., Barkus, A., Cattaneo, C. (2011) 'Metric and morphological assessment of facial features: A study on three European populations', *Forensic Science International journal*, 207, pp. 239.e1–239.e8 Contents. doi: 10.1016/j.forsciint.2011.01.035.
- Velemínská, J., Bigoni, L., Krajíček, V., Borsky, J., Cagá, V., Peterka, M. (2012) 'Surface facial modelling and allometry in relation to sexual dimorphism', *HOMO - Journal of Comparative Human Biology journal*, 63(November 2011), pp. 81–93. doi: 10.1016/j.jchb.2012.02.002.
- Velemínská, J., Danková, S., Brizova, M., Černkova, L., Krajíček, V. (2018) 'Variability of facial movements in relation to sexual dimorphism and age: three-dimensional geometric morphometric study', *HOMO - Journal of Comparative Human Biology journal*, 69(March 2017), pp. 110–117. doi: 10.1016/j.jchb.2018.06.004.
- Weinberg, S. M., Parsons, T. E., Marazita, M. L., Maher, B. S., (2014) 'Heritability of face shape in twins: a preliminary study using 3D stereophotogrammetry and geometric morphometrics', *Dentistry 3000*, 1(1), pp. 1-5. doi: 10.5195/d3000.2013.14.
- Weinberg, S. M., Parsons, T. E., Raffensperger, Z. D., Marazita, M. L. (2014) 'Prenatal sex hormones, digit ratio, and face shape in adult males', *Orthodontic and Craniofacial Research*, 18, pp. 21–26. doi: 10.1111/ocr.12055.
- Weisensee, K. E. and Jantz, R. L. (2011) 'Secular Changes in Craniofacial Morphology of the Portuguese Using Geometric Morphometrics', *AMERICAN JOURNAL OF PHYSICAL ANTHROPOLOGY*, 145, pp. 548–559. doi: 10.1002/ajpa.21531.
- Wen, Y. F., Ming, H., Mcgrath, C. P. (2019) 'Developmental shape changes in facial morphology: Geometric morphometric analyses based on a prospective, population-based, Chinese cohort in Hong Kong', *PLoS ONE*, 14(6), pp. 1–24. doi: 10.1371/journal.pone.0218542.
- White, S. and Pharoah, M. (2014) 'Oral radiology', 7th ed. St Louis: Elsevier, pp.154, 156.

- Windhager, S., Mitteroecker, P., Rupić, I., Lauc, T., Polašek, O., Schaefer, K. (2019) 'Facial aging trajectories: A common shape pattern in male and female faces is disrupted after menopause', *American Journal of Physical Anthropology*, 169(4), pp. 678–688. doi: 10.1002/ajpa.23878.
- Windhager, S., Schaefer, K. and Fink, B. (2011) 'Geometric Morphometrics of Male Facial Shape in Relation to Physical Strength and Perceived Attractiveness , Dominance , and Masculinity', *AMERICAN JOURNAL OF HUMAN BIOLOGY*, 23, pp. 805–814. doi: 10.1002/ajhb.21219.