

DAFTAR PUSTAKA

- Abou Neel, E. A., Chrzanowski, W., Salih, V. M., Kim, H. W. and Knowles, J. C. (2014) ‘Tissue engineering in dentistry’, *Journal of Dentistry*. Elsevier Ltd, 42(8), pp. 915–928. DOI: 10.1016/j.jdent.2014.05.008.
- Araújo, M. G., Silva, C. O., Misawa, M. and Sukekava, F. (2015) ‘Alveolar socket healing: What can we learn?’, *Periodontology 2000*, 68(1), pp. 122–134. DOI: 10.1111/prd.12082.
- Ariani, M. D., Matsuura, A., Hirata, I., Kubo, T., Kato, K. and Akagawa, Y. (2013) ‘New development of carbonate apatite-chitosan scaffold based on lyophilization technique for bone tissue engineering’, *Dental Materials Journal*, 32(2), pp. 317–325. DOI: 10.4012/dmj.2012-257.
- Barone, A., Ricci, M., Tonelli, P., Santini, S. and Covani, U. (2013) ‘Tissue changes of extraction sockets in humans: A comparison of spontaneous healing vs. ridge preservation with secondary soft tissue healing’, *Clinical Oral Implants Research*, 24(11), pp. 1231–1237. DOI: 10.1111/j.1600-0501.2012.02535.x.
- Bose, S., Roy, M. and Bandyopadhyay, A. (2012) ‘Recent advances in bone tissue engineering scaffolds’, *Trends in Biotechnology*. Elsevier Ltd, 30(10), pp. 546–554. DOI: 10.1016/j.tibtech.2012.07.005.
- Brun, V., Guillaume, C., Mechiche Alami, S., Josse, J., Jing, J., Draux, F., Bouthors, S., Laurent-Maquin, D., Gangloff, S. C., Kerdjoudj, H. and Velard, F. (2014) ‘Chitosan/hydroxyapatite hybrid scaffold for bone tissue engineering’, *Bio-medical materials and engineering*, 24(1), pp. 63–73. DOI: 10.3233/BME-140975.

- Castells-sala, C., Alemany-ribes, M., Fernández-muiños, T., Recha-sancho, L., López-chicón, P., Aloy-reverté, C., Caballero-camino, J., Márquez-gil, A. and Semino, C. E. (2015) 'Current Applications of Tissue Engineering in Biomedicine', *Journal of Biochips & Tissue Chips*, s2, pp. 0–14. DOI: 10.4172/2153-0777.s2-004.
- Chocholata, P., Kulda, V. and Babuska, V. (2019) 'Fabrication of scaffolds for bone-tissue regeneration', *Materials*, 12(4). DOI: 10.3390/ma12040568.
- Collins, M. N. and Birkinshaw, C. (2013) 'Hyaluronic acid based scaffolds for tissue engineering — A review', *Carbohydrate Polymers*. Elsevier Ltd., 92(2), pp. 1262–1279. DOI: 10.1016/j.carbpol.2012.10.028.
- Covani, U., Ricci, M., Bozzolo, G., Mangano, F., Zini, A. and Barone, A. (2011) 'Analysis of the pattern of the alveolar ridge remodelling following single tooth extraction', *Clinical Oral Implants Research*, 22(8), pp. 820–825. DOI: 10.1111/j.1600-0501.2010.02060.x.
- Damayanti, M. M. and Yuniarti (2016) 'Review Jurnal : Pengaruh Pemberian Platelet-Rich Fibrin Dalam Mempercepat Proses Penyembuhan Luka Pascaekstraksi Gigi', *Fakultas Kedokteran Universitas Padjadjaran Bandung*, 6(1), pp. 34–38. DOI: 10.1109/TDEI.2009.5211872.
- Danilchenko, S. N., Kalinkevich, O. V., Pogorelov, M. V., Kalinkevich, A. N., Sklyar, A. M., Kalinichenko, T. G., Ilyashenko, V. Y., Starikov, V. V., Bumeyster, V. I., Sikora, V. Z. and Sukhodub, L. F. (2011) 'Characterization and in vivo evaluation of chitosan-hydroxyapatite bone scaffolds made by one step coprecipitation method', *Journal of Biomedical Materials Research - Part A*, 96 A(4), pp. 639–647. DOI:

10.1002/jbm.a.33017.

Depan, D., Shah, J. S. and Misra, R. D. K. (2013) 'Degradation mechanism and increased stability of chitosan-based hybrid scaffolds cross-linked with nanostructured carbon: Process-structure-functional property relationship', *Polymer Degradation and Stability*. Elsevier Ltd, 98(11), pp. 2331–2339. DOI: 10.1016/j.polymdegradstab.2013.08.007.

Dhandayuthapani, B., Yoshida, Y., Maekawa, T. and Kumar, D. S. (2011) 'Polymeric scaffolds in tissue engineering application: A review', *International Journal of Polymer Science*, 2011(ii). DOI: 10.1155/2011/290602.

Discepoli, N., Vignoletti, F., Laino, L., De Sanctis, M., Muñoz, F. and Sanz, M. (2013) 'Early healing of the alveolar process after tooth extraction: An experimental study in the beagle dog', *Journal of Clinical Periodontology*, 40(6), pp. 638–644. DOI: 10.1111/jcpe.12074.

Effendy, A. H. (2014) 'Perbedaan Efektifitas Manajemen Nyeri Pasca Ekstraksi Gigi di RSUD dr. Soehadi Prijonegoro Sragen dan Puskesmas Sidoharjo Sragen', *Eprints.Undip.Ac.Is*, p. 7. Available at: http://eprints.undip.ac.id/44458/3/ANGGANISA_H_E_22010110110080_BAB2KTI.pdf.

Eliaz, N. (2012) *Degradation of Implant Materials, Degradation of Implant Materials*. DOI: 10.1007/978-1-4614-3942-4_2.

Emam, H. and Stevens, M. (2013) 'Concepts in Bone Reconstruction for Implant Rehabilitation', *A Textbook of Advanced Oral and Maxillofacial Surgery*. DOI: 10.5772/53401.

- Farina, R. and Trombelli, L. (2012) ‘Wound Healing of Extraction Sockets’
- Ghassemi, T., Shahroodi, A., Ebrahimzadeh, M. H., Mousavian, A., Movaffagh, J. and Moradi, A. (2018) ‘Current concepts in scaffolding for bone tissue engineering’, *Archives of Bone and Joint Surgery*, 6(2), pp. 90–99. DOI: 10.22038/abjs.2018.26340.1713.
- Ghomi, H., Fathi, M. H. and Edris, H. (2011) ‘Preparation of nanostructure hydroxyapatite scaffold for tissue engineering applications’, *Journal of Sol-Gel Science and Technology*, 58(3), pp. 642–650. DOI: 10.1007/s10971-011-2439-2.
- Hardhani, P. R., Lastianny, S. P. and Herawati, D. (2013) ‘Cangkok Tulang Terhadap Kadar Osteocalcin Cairan Sulkus Gingiva Pada Terapi Poket Infraboni’, *Jurnal PDGI*, 62(3), pp. 75–82. Available at: <http://journal.pbpdgi.or.id/index.php/jpdgi/article/view/48>.
- Haycock, J. W. (2011) ‘Chapter 1 and Techniques’, *3D Cell Culture: Methods and Protocols, Methods in Molecular Biology*, 695(2), pp. 1–15. DOI: 10.1007/978-1-60761-984-0.
- He, Y., Dong, Y., Cui, F., Chen, X. and Lin, R. (2015) ‘Ectopic osteogenesis and scaffold biodegradation of nano-hydroxyapatite-Chitosan in a rat model’, *PLoS ONE*, 10(8), pp. 1–15. DOI: 10.1371/journal.pone.0135366.
- Hengky, A. (2011) ‘Peran hidroksiapatit sebagai bone graft dalam proses penyembuhan tulang’, *stomatognatik Jurnal Kedokteran Gigi*, 8(2), pp. 6–9
- Herda, E. and Puspitasari, D. (2016) ‘Tinjauan Peran Dan Sifat Material Yang Digunakan Sebagai Scaffold Dalam Rekayasa Jaringan Review Of Material

- Properties And Roles Used As Scaffold In Tissue Engineering’, *Jurnal Material Kedokteran Gigi*, 1(5), pp. 56–63
- Holzappel, B. M., Reichert, J. C., Schantz, J. T., Gbureck, U., Rackwitz, L., Nöth, U., Jakob, F., Rudert, M., Groll, J. and Hutmacher, D. W. (2013) ‘How smart do biomaterials need to be? A translational science and clinical point of view’, *Advanced Drug Delivery Reviews*. Elsevier B.V., 65(4), pp. 581–603. DOI: 10.1016/j.addr.2012.07.009.
- Horowitz, R., Holtzclaw, D. and Rosen, P. S. (2012) ‘A review on alveolar ridge preservation following tooth extraction’, *Journal of Evidence-Based Dental Practice*. Elsevier Inc., 12(3 SUPPL.), pp. 149–160. DOI: 10.1016/S1532-3382(12)70029-5.
- Horváth, A., Mardas, N., Mezzomo, L. A., Needleman, I. G. and Donos, N. (2013) ‘Alveolar ridge preservation. A systematic review’, *Clinical Oral Investigations*, 17(2), pp. 341–363. DOI: 10.1007/s00784-012-0758-5.
- Jafari, M., Paknejad, Z., Rad, M. R., Motamedian, S. R., Eghbal, M. J., Nadjmi, N. and Khojasteh, A. (2017) ‘Polymeric scaffolds in tissue engineering: a literature review’, *Journal of Biomedical Materials Research - Part B Applied Biomaterials*, 105(2), pp. 431–459. DOI: 10.1002/jbm.b.33547.
- Jeffcoat, M. K. (2013) *Oral Bone Loss and Systemic Osteoporosis. Weighing the Risk Benefit Ratio of Treatment*. Fourth Edi, *Osteoporosis: Fourth Edition*. Fourth Edi. Elsevier. DOI: 10.1016/B978-0-12-415853-5.00059-5.
- Kamadajaja, M. J. K., Abraham, J. F. and Laksono, H. (2019) ‘Biocompatibility of *Portunus Pelagicus* Hydroxyapatite Graft on Human Gingival Fibroblast Cell Culture’, *Medical archives (Sarajevo, Bosnia and Herzegovina)*,

73(6), pp. 378–381. DOI: 10.5455/medarh.2019.73.378-381.

Kartikasari, N., Yuliati, A., Listiana, I., Setijanto, D., Suardita, K., Ariani, M. D. and Sosiawan, A. (2016) ‘Characteristic of bovine hydroxyapatite-gelatin-chitosan scaffolds as biomaterial candidate for bone tissue engineering’, *IECBES 2016 - IEEE-EMBS Conference on Biomedical Engineering and Sciences*, pp. 623–626. DOI: 10.1109/IECBES.2016.7843524.

Khullar, S. and Datta, P. (2012) ‘Healing of Tooth Extraction Socket’, 04(05), pp. 37–39

Kramschuster, A. and Turng, L. S. (2013) *Fabrication of Tissue Engineering Scaffolds, Handbook of Biopolymers and Biodegradable Plastics: Properties, Processing and Applications*. Elsevier. DOI: 10.1016/B978-1-4557-2834-3.00017-3.

Laurencin, C. T. and Nair, L. S. (2008) *Nanotechnology and tissue engineering: The scaffold, Nanotechnology and Tissue Engineering: The Scaffold*

Mezzomo, L. A., Shinkai, R. S., Mardas, N. and Donos, N. (2011) ‘Alveolar ridge preservation after dental extraction and before implant placement: A literature review’, *Revista Odonto Ciencia*, 26(1), pp. 77–83. DOI: 10.1590/S1980-65232011000100017.

Michael, B., Christian, J., Schantz, J., Gbureck, U., Rackwitz, L., Nöth, U., Jakob, F., Rudert, M., Groll, J. and Werner, D. (2012) ‘How smart do biomaterials need to be? A translational science and clinical point of view ☆’, *Advanced Drug Delivery Reviews*. Elsevier B.V. DOI: 10.1016/j.addr.2012.07.009.

Nazeer, M. A., Yilgör, E. and Yilgör, I. (2017) ‘Intercalated

- chitosan/hydroxyapatite nanocomposites: Promising materials for bone tissue engineering applications’, *Carbohydrate Polymers*. Elsevier Ltd., 175, pp. 38–46. DOI: 10.1016/j.carbpol.2017.07.054.
- O’Brien, F. J. (2011) ‘Biomaterials & scaffolds for tissue engineering’, *Materials Today*. Elsevier Ltd, 14(3), pp. 88–95. DOI: 10.1016/S1369-7021(11)70058-X.
- Pagni, G., Pellegrini, G., Giannobile, W. V. and Rasperini, G. (2012) ‘Postextraction alveolar ridge preservation: Biological basis and treatments’, *International Journal of Dentistry*, 2012. DOI: 10.1155/2012/151030.
- Palazzo, B., Gallo, A., Nitti, P., Ambrosio, L. I., Piconf, C., Ghimas, S. A., Ricerca, C., Mesagne, S. S., Tecchio, P., Ghimas, S. A., Cattolica, U., Cuore, S., Di, D., Ortopediche, S. and San, L. F. (2011) ‘CHITOSAN-NANO-HYDROXYAPATITE SCAFFOLD’, 24(I), pp. 73–78
- Pratiwi, A. R., Yuliati, A., Soepribadi, I. and Ariani, M. D. (2015) ‘Application of chitosan scaffolds on vascular endothelial growth factor and fibroblast growth factor 2 expressions in tissue engineering principles’, *Dental Journal (Majalah Kedokteran Gigi)*, 48(4), p. 213. DOI: 10.20473/j.djmk.v48.i4.p213-216.
- Preethi Soundarya, S., Haritha Menon, A., Viji Chandran, S. and Selvamurugan, N. (2018) ‘Bone tissue engineering: Scaffold preparation using chitosan and other biomaterials with different design and fabrication techniques’, *International Journal of Biological Macromolecules*. Elsevier B.V, 119, pp. 1228–1239. DOI: 10.1016/j.ijbiomac.2018.08.056.

- Qasim, S. B., Husain, S., Huang, Y., Pogorielov, M., Deineka, V., Lyndin, M., Rawlinson, A. and Rehman, I. U. (2017) 'In-vitro and in-vivo degradation studies of freeze gelated porous chitosan composite scaffolds for tissue engineering applications', *Polymer Degradation and Stability*. Elsevier Ltd, 136, pp. 31–38. DOI: 10.1016/j.polymdegradstab.2016.11.018.
- Ramesh, N., Ratnayake, J. T. B., Moratti, S. C. and Dias, G. J. (2020) 'Effect of chitosan infiltration on hydroxyapatite scaffolds derived from New Zealand bovine cancellous bones for bone regeneration', *International Journal of Biological Macromolecules*. Elsevier B.V., 160, pp. 1009–1020. DOI: 10.1016/j.ijbiomac.2020.05.269.
- Ramesh, N., Moratti, S. C. and Dias, G. J. (2018) 'Hydroxyapatite–polymer biocomposites for bone regeneration: A review of current trends', *Journal of Biomedical Materials Research - Part B Applied Biomaterials*, 106(5), pp. 2046–2057. DOI: 10.1002/jbm.b.33950.
- Reves, B. T., Jennings, J. A., Bumgardner, J. D. and Haggard, W. O. (2012) 'Preparation and Functional Assessment of Composite Chitosan-Nano-Hydroxyapatite Scaffolds for Bone Regeneration', *Journal of Functional Biomaterials*, 3(1), pp. 114–130. DOI: 10.3390/jfb3010114.
- Ruixin, L., Cheng, X., Yingjie, L., Hao, L., Caihong, S., Weihua, S., Weining, A., Yinghai, Y., Xiaoli, Q., Yunqiang, X., Xizheng, Z. and Hui, L. (2017) 'Degradation behavior and compatibility of micro, nanoHA/chitosan scaffolds with interconnected spherical macropores', *International Journal of Biological Macromolecules*. Elsevier B.V., 103, pp. 385–394. DOI: 10.1016/j.ijbiomac.2017.03.175.

- Sheikh, Z., Najeeb, S., Khurshid, Z., Verma, V., Rashid, H. and Glogauer, M. (2015) 'Biodegradable materials for bone repair and tissue engineering applications', *Materials*, 8(9), pp. 5744–5794. DOI: 10.3390/ma8095273.
- Sularsih (2018) 'Penggunaan terhadap proliferasi sel fibroblas pada penyembuhan luka pasca pencabutan gigi cavia cobaya', *Jurnal Material Kedokteran Gigi*
- Sun, T., Khan, T. H. and Sultana, N. (2014) 'Fabrication and in vitro evaluation of nanosized hydroxyapatite/chitosan- based tissue engineering scaffolds', *Journal of Nanomaterials*, 2014. DOI: 10.1155/2014/194680.
- Swain, S. K. (2009) 'Processing of Porous Hydroxyapatite Scaffold Processing of Porous Hydroxyapatite Scaffold', *Engineering*
- Swain, S. K., Bhattacharyya, S. and Sarkar, D. (2011) 'Preparation of porous scaffold from hydroxyapatite powders', *Materials Science and Engineering C. Elsevier B.V.*, 31(6), pp. 1240–1244. DOI: 10.1016/j.msec.2010.11.014.
- Tan, W. L., Wong, T. L. T., Wong, M. C. M. and Lang, N. P. (2012) 'A systematic review of post-extractional alveolar hard and soft tissue dimensional changes in humans', *Clinical Oral Implants Research*, 23(SUPPL. 5), pp. 1–21. DOI: 10.1111/j.1600-0501.2011.02375.x.
- Thein-Han, W. W. and Misra, R. D. K. (2009) 'Biomimetic chitosan-nanohydroxyapatite composite scaffolds for bone tissue engineering', *Acta Biomaterialia. Acta Materialia Inc.*, 5(4), pp. 1182–1197. DOI: 10.1016/j.actbio.2008.11.025.

- Ulery, B. D., Nair, L. S. and Laurencin, C. T. (2011) 'Biomedical applications of biodegradable polymers', *Journal of Polymer Science, Part B: Polymer Physics*, 49(12), pp. 832–864. DOI: 10.1002/polb.22259.
- Venkatesan, J. and Kim, S. K. (2010) 'Chitosan composites for bone tissue engineering - An overview', *Marine Drugs*, 8(8), pp. 2252–2266. DOI: 10.3390/md8082252.
- Vieira, A. E., Repeke, C. E., De Barros Ferreira, S., Colavite, P. M., Bigueti, C. C., Oliveira, R. C., Assis, G. F., Taga, R., Trombone, A. P. F. and Garlet, G. P. (2015) 'Intramembranous bone healing process subsequent to tooth extraction in mice: Micro-computed tomography, histomorphometric and molecular characterization', *PLoS ONE*, 10(5), pp. 1–22. DOI: 10.1371/journal.pone.0128021.
- Wang, R. E. and Lang, N. P. (2012) 'Ridge preservation after tooth extraction', *Clinical Oral Implants Research*, 23(SUPPL.6), pp. 147–156. DOI: 10.1111/j.1600-0501.2012.02560.x.
- Zeng, L., Deng, X. and Yang, J. (2016) 'Constrained hierarchical modeling of degradation data in tissue-engineered scaffold fabrication', *IIE Transactions (Institute of Industrial Engineers)*, 48(1), pp. 16–33. DOI: 10.1080/0740817X.2015.1019164.
- Zhang, H., Zhou, L. and Zhang, W. (2014) 'Control of scaffold degradation in tissue engineering: A review', *Tissue Engineering - Part B: Reviews*, 20(5), pp. 492–502. DOI: 10.1089/ten.teb.2013.0452.
- Zhang, L., Morsi, Y., Wang, Y., Li, Y. and Ramakrishna, S. (2013) 'Review scaffold design and stem cells for tooth regeneration', *Japanese Dental*

Science Review. Japanese Association for Dental Science, 49(1), pp. 14–26. DOI: 10.1016/j.jdsr.2012.09.001.