

DAFTAR PUSTAKA

- Ali, W., Williams, A. C., & Rawlinson, C. F. 2010. Stochiometrically Governed Molecular Interactions in Drug: Poloxamer Solid Dispersions. **Elsevier**, pp. 162-168.
- Amrullah, M. Z. 2015. Karakterisasi Sistem Dispersi Padat Quercetin-PEG 8000. **Fakultas Farmasi Universitas Airlangga**, p. 34.
- Ankit, M., Manish, Y., & Dinesh, C. 2014. Solid Dispersion: A Technique to Improve Solubility of Poorly Water Soluble Drug. **Indo Am J Pharm Res**, pp. 2855-66.
- Ansari, M. T., Karim, S., Ranjha, N. M., Shah, N. H., & Muhammad, S. 2010. Physicochemical Characterization of Artemether Solid Dispersions with Hydrophilic Carriers by Freeze Dried and Melt Methods. **Archives of Pharmacal Research**, Volume 33, pp. 901-910.
- Barzegar-Jalali, M., Ghanbarzadeh, S., Adibkia, K., Valizadeh, H., Bibak, S., Mohammadi, G., & Siahi-Shadbad, M. R. 2014. Development and Characterization of Solid Dispersion of Piroxicam for Improvement of Dissolution Rate Using Hydrophilic Carriers. **Biolmpacts**, pp. 141-148.
- Beringer, P., DerMarderosian, A., Feton, L., Gelone, S., Gennaro, A. R., Gupta, P. K., Hoover, J. E., Popovick, N. G., Jr, W. J. R., & Chair, R. H. 2005. *Remington The Science and Practice of Pharmacy*. 21st ed. Philadelphia: Lippincott Williams & Wilkins.
- Bolourchian, N., Mahboobian, M. M., & Dadashzadeh, S. 2013. The Effect of PEG Molecular Weights on Dissolution Behavior of Simvastatin in Solid Dispersions. **Iranian Journal of Pharmaceutical Research**, pp. 11-20.

- Chauhan, A. & Chauhan, P. 2014. Powder XRD Technique and its Applications in Science and Technology. **Journal of Analytical & Bioanalytical Techniques**.
- Chaves, L. L., Vieira, A. C. C., Reis, S., Sarmiento, B., & Ferreira, D. C. 2014. Quality by Design: Discussing and Assessing the Solid Dispersions Risk. **Curr. Drug Delivery**, pp. 253-269.
- Choudhary, O. P. & Priyanka, 2017. Scanning Electron Microscope: Advantages and Disadvantages in Imaging Components. **International Journal of Current Microbiology and Applied Sciences**, pp. 1877-1882.
- Chutimaworapan, S., Ritthidej, G. C., Yonemochi, E., Oguchi, T., & Yamamoto, K. 2000. Effect of Water Soluble Carriers on Dissolution Characteristics of Nifedipine Solid Dispersions. **Drug Dev. Ind. Pharm**, pp. 1141-1150.
- Colombo, M., Melchiades, G. d. L., Michels, L. R., Figueiro, F., Bassani, V. L., Teixeira, H. F., & Koester, L. S. 2019. Solid Dispersion of Kaempferol: Formulation Development, Characterization, and Oral Bioavailability Assessment. **AAPS PharmSciTech**, Volume 20, p. 106.
- Das, R., Ali, M. E. & Hamid, S. B. A. 2014. Current Applications of X-Ray Powder Diffraction - A Review. **Rev. Adv. Mater. Sci**, pp. 95-109.
- Devi, D. R., Sandhya, P. & Hari, B. N. V. 2013. Poloxamer: A Novel Functional Molecule for Drug Delivery and Gene Therapy. **Journal of Pharmaceutical Sciences and Research**, pp. 159-165.
- DI, L., Fish, P. V. & Mano, T. 2012. Bridging Solubility Between Drug Discovery and Development. **Elsevier**, pp. 486-495.
- Edward, K. & Li, D. 2008. Drug Like Properties: Concept, Structure, Design and Methods, from ADME to Toxicity Optimization. **Elsevier**, pp. 56-65.

- Fernando, V. 2009. Analisa Proses Pengeringan Beku Vakum Aloe Vera dengan Pemanfaatan Panas Buang Kondenser.
- Gaidhani, K. A., Harwalkar, M., Bhambere, D. & Nirgude, P. S. 2015. Lyophilization/Freeze Drying - A Review. **World Journal of Pharmaceutical Research**, pp. 516-543.
- Ghebremeskel, A., Vemavarapu, C. & Lodaya, M. 2006. Use of Surfactants as Plasticizers in Preparing Solid Dispersions of Poorly Soluble API: Stability Testing of Selected Solid Dispersions. **Pharm. Res**, pp. 1928-1936.
- Ghosh, P. K., Sharma, H. K. & Boruah, N. 2018. Different Methods Used In Solid Dispersion. **IOSR Journal Of Pharmacy**, pp. 28-38.
- Gowthamarajan, K. & Singh, S. K. 2010. Dissolution Testing for Poorly Soluble Drugs: A Continuing Perspective. **Dissolution Technologies**, pp. 24-32.
- Harborne, J. B. 1987. *Metode Fitokimia*. Bandung: ITB Bandung.
- Heldman, D. & Singh, R. 2001. **Introduction to Food Engineering**. London: Academic Press.
- Herdianto, R. S. 2018. Karakterisasi Kompleks Inklusi Asam p-metoksisinamat (APMS)-hidroksipropil beta-siklodekstrin (HPbCD). **Fakultas Farmasi Universitas Airlangga**, p. 32.
- He, X., Pei, L., Tong, H. H. Y. & Zheng, Y. 2010. Comparison of Spray Freeze Drying and the Solvent Evaporation Method for Preparing Solid Dispersions of Baicalein with Pluronic F68 to Improve Dissolution and Oral Bioavailability. **AAPS PharmSciTech**, Volume 12, pp. 104-113.
- Huang, Y. & Dai, W.-G. 2013. Fundamental Aspects of Solid Dispersion Technology for Poorly Soluble Drugs. **Acta Pharmaceutica Sinica B**.

- Jaskirat, S., Manpreet, W. & L, H. S. 2013. Solubility Enhancement By Solid Dispersion Method: A **Review. Journal of Drug Delivery & Therapeutics**, pp. 148-155.
- Jenkins, G. L. & Hartung, W. H. 1942. **The Chemistry of Organic Medicinal Products**. 4th Ed. New York: Champman and Hall, LTD.
- Karekar, P., Vyas, V., Shah, M., Sancheti, P., & Pore, Y. 2009. Physicochemical Investigation of The Solid Dispersion Systems of Etoricoxib with Poloxamer 188. **Informa Healthcare**.
- Khadka, P., Jieun, R., Hyeongmin, K., Iksoo, K., Tae, K. J., Hyunil, K., & Min, C. J. 2014. Pharmaceutical Particle Technologies: An approach to Improve Drug Solubility, Dissolution and Bioavailability. **Elsevier**, pp. 304-316.
- Klancnik, G., Medved, J. & Mrvar, P. 2010. Differential Thermal Analysis (DTA) and Differential Scanning calorimetry (DSC) as A Method of Material Investigation. **RMZ-Materials and Geoenvironment**, pp. 127-142.
- Kumar, A., Sahoo, S. K., Padhee, K., Kochar, P. P. S., Satapathy, A., & Pathak, N. 2011. Review On Solubility Enhancement Techniques For Hydrophobic Drugs. **Pharmacie Globe (IJCP)**, pp. 1-7.
- Lipinski, C. A., Lombardo, F., Dominy, B. W. & Feeney, P. J. 2012. Experimental and Computational Approaches to Estimate Solubility and Permeability in Drug Discovery and Development Settings. **Elsevier**, pp. 4-17.
- Magalingam, K. B., Radhakrishnan, A. & Haleagrahara, N. 2016. Protective Effects of Quercetin Glycosides, Rutin, and Isoquercetin Against 6-hydroxydopamine (6-OHDA)-induced Neurotoxicity in Rat Pheochromocytoma (PC-12) Cells. **International Journal of Immunopathology and Pharmacology**, pp. 30-39.

- Mahajan, H. S. & Bhalkar, K. G. 2017. Development and Evaluation of Rutin-HPBetaCD Inclusion Complex Based Mouth Dissolving Tablets. **Peertechz**.
- Mauludin, R. & Muller, R. H. 2013. Preparation and Storage Stability of Rutin Nanosuspensions. **Springer**.
- Mauludin, R., Muller, R. H. & Keck, C. M. 2009. Development of an oral rutin nanocrystal formulation. **Elsevier**.
- Maulvi, F. A., Dalwadi, S. J., Thakkar, V. T., Soni, T. G., Gohel, M. C., & Gandhi, T. R. 2011. Improvement of Dissolution Rate of Aceclofenac by Solid Dispersion Technique. **Elsevier**, pp. 47-54.
- Moes, J., Koolen, S., Huitema, A., Schellens, J., Beijnen, J., & Nuijen, B. 2011. Pharmaceutical Development and Preliminary Clinical Testing of An Oral Solid Dispersion Formulation of Docetaxel (ModraDoc001). **International Journal Pharm**, pp. 244-250.
- Mohapatra, S., Samanta, S., Kothari, K., Mistry, P., & Suryanarayanan, R. 2017. Effect of Polymer Molecular Wight on The Crystallization Behavior of Indometachin Amorphous Solid Dispersions. **Crystal Growth and Design**, pp. 3142-3150.
- Nail, S. L., Jiang, S., Chongprasert, S. & Knopp, S. A. 2002. Fundamentals of Freeze-Drying. In: **Development and Manufacture of Protein Pharmaceuticals**. New York: **Plenum Plubishers**, pp. 281-360.
- Nema, S. & Ludwig, J. D. 2010. Dosage Forms: Parenteran Medications. London: **Informa Healthcare**.
- Nireesha, G., Divya, L., Sowmya, C., Venkateshan, N., Babu, M. N., & Lavakumar, V. 2013. Lyophilization/Freeze Drying - An Review. **International Journal of Novel Trends in Pharmaceutical Sciences**, pp. 87-98.

- Noviza, D., Fitriani, L. & Fauzi, R. Z. 2018. Dispersi Padat Asam Usnat dengan Teknik Freeze Drying menggunakan Poloxamer 188 sebagai Polimer. **Jurnal Sains Farmasi & Klinis**, pp. 41-48.
- Park, S. H., Song, I.-S. & Choi, M.-K. 2016. Preparation and Characterization of Quercetin-Loaded Solid Dispersion by Solvent Evaporation and Freeze-Drying Method. **Mass Spectrometry Letters**, Vol. 3, pp. 79-83.
- Patel, H. R., Patel, R. P. & Patel, M. M. 2009. Poloxamers: A Pharmaceutical Excipients with Therapeutic Behaviors. **PharmTech**.
- Pratiwi, R. 2018. Pengaruh Jumlah Polimer Terhadap Karakteristik Fisik dan Laju Disolusi Sistem Dispersi Padat Andrografolida-Kitosan. **Fakultas Farmasi Universitas Airlangga**, p. 32.
- Ramadan, D. & Mun'im, A. 2016. Pemanfaatan Nanoteknologi dalam Sistem Penghantaran. **Jurnal Ilmu Kefarmasian Indonesia**, pp. 118-127.
- Rojikin, 2015. Pengembangan Sistem Dispersi Padat Ezetimibe dengan Matriks Poloxamer 407 (Dibuat dengan Metode Peleburan). **Fakultas Farmasi Universitas Airlangga, Departemen Farmasetika**.
- Rowe, R. C., Sheskey, P. J. & Quinn, M. E. 2009. *Handbook of Pharmaceutical Excipients*. London: RPS Publishing.
- Sanjula, B., Shah, F. M., Javed, A. & Alka, A. 2009. Effect of Poloxamer 188 on Lymphatic Uptake of Carvedilol-Loaded Solid Lipid Nanoparticles for Bioavailability Enhancement. **Informa Healthcare**, pp. 249-256.
- Sapkal, S., Narkhede, M., Babhulkar, M., Mahetre, G., & Rathi, A. 2013. Natural Polymers: Best Carriers for Improving Bioavailability of Poorly Water Soluble Drugs in Solid Dispersions. **Marmara Pharmaceutical Journal**, pp. 1-7.

- Sathigari, S., Chadha, G., Lee, Y-H. P., Wright, N., Parsons, D. L., Rangari, V. K., Fasina, O., & Babu, R. J. 2009. Physicochemical Characterization of Efavirenz-Cyclodextrin Inclusion Complexes. **AAPS Pharmaceutical Science Technology**, pp. 81-87.
- Savic, R., Eisenberg, A. & Maysinger, D. 2006. Block Copolymer Micelles as Delivery Vehicles of Hydrophobic Drugs: Micelle-Cell Interactions. **J. Drug Target**, pp. 343-355.
- Savjani, K. T., Gajjar, A. K. & Savjani, J. K. 2012. Drug Solubility: Importance and Enhancement Techniques. **ISRN Pharmaceutics**, pp. 1-10.
- Setyawan, D., Fadhil, A. A., Juwita, D., Yusuf, H., & Sari, R. 2017. Enhancement of Solubility and Dissolution Rate of Quercetin with Solid Dispersion System Formation Using Hydroxypropyl Methyl Cellulose Matrix. **Thai Journal of Pharmaceutical Sciences**, pp. 112-116.
- Shahrin, N. 2013. Solubility and Dissolution of Drug Product: A Review. **International Journal of Pharmaceutical and Life Sciences**, pp. 33-41.
- Shah, T. J., Amin, A. F., Parikh, J. R. & Parikh, R. H. 2007. Process Optimization and Characterization of Poloxamer Solid Dispersions of a Poorly Water-soluble Drug. **AAPS PharmSciTech**, pp. 1-7.
- Sharma, A., Jain, C. P. & Tanwar, Y. S. 2012. Preparation and Characterization of Solid Dispersions of Carvedilol with Poloxamer 188.
- Sharma, D. K. & Joshi, S. B. 2007. Solubility Enhancement Strategies for Poorly Water-Soluble Drugs in Solid Dispersions: A Review. **Asian Journal of Pharmaceutics**, pp. 9-19.

- Sharma, S., Ali, A., Ali, J., Shani, J. K., & Baboota, S. 2013. Rutin: Therapeutic Potential and Recent Advances in Drug Delivery. **Informa Healthcare**.
- Singh, D., Rawat, M., Semalty, A. & Semalty, M. 2012. Rutin-Phospholipid Complex: An Innovative Technique in Novel Drug Delivery System-NDDS. **Bentham Science Publishers**, pp. 305-314.
- Sinko, P. J. 2011. *Martin's Physical Pharmacy and Pharmaceutical Sciences*. Philadelphia: Lippincott Williams&Wilkins.
- Sruti, J., Patra, C. N., Swain, S., Panigrahi, K. C., Patro, A. P., Beg, S., Dinda, S. C., & Rao, M. E. B. 2013. Improvement in the Dissolution Rate and Tableting Properties of Cefuroxime Axetil by Melt-Granulated Dispersion and Surface Adsorption. **ScienceDirect**, pp. 113-122.
- Szafraniec, J., Antosik, A., Knapik-Kowalczyk, J., Chmiel, K., Kurek, M., Gawlak, K., Odrobinska, J., Paluch, M., & Jachowicz, R. 2019. The Self-Assembly Phenomenon of Poloxamers and Its Effect on the Dissolution of a Poorly Soluble Drug from Solid Dispersions Obtained by Solvent Methods. **MDPI**.
- Tjay, T. H. & Rahardja, K. 2007. *Obat-Obat Penting: Khasiat, Penggunaan dan Efek-efek sampingnya*. Jakarta: PT. Elex Media Komputindo Kelompok Kompas-Gramedia.
- Tran, P., Yong-Chul, P., Dong-Hyun, K., Sang-Eun, L., Jin-Ki, K., & Jeong-Sook, P. 2019. Overview of the Manufacturing Methods of Solid Dispersion Technology for Improving the Solubility of Poorly Water-Soluble Drugs and Application to Anticancer Drugs. **MDPI**.
- Uddin, R., Saffoon, N. & Sutradhar, B. K. 2011. Dissolution and Dissolution Apparatus: A Review. **International Journal of Current Biomedical and Pharmaceutical Research**, pp. 201-207.

- Urban-Morlan, Z., Castro-Rios, R., Chavez-Montes, A., Melgoza-Contreras, L. M., Pinon-Segundo, E., Ganem-Quintanar, A., & Quintanar-Guerrero, D. 2007. Determination of Poloxamer 188 and Poloxamer 407 Using High-Performance Thin-Layer Chromatography in Pharmaceutical Formulations. **Journal of Pharmaceutical and Biomedical Analysis**, pp. 799-803.
- Vasconcelos, T., Sarmiento, B. & Costa, P. 2007. Solid Dispersions as Strategy to Improve Oral Bioavailability of Poor Water Soluble Drugs. **Elsevier**, pp. 1069-1075.
- Verma, U., Naik, J. B. & Mokale, V. J. 2014. Preparation of Freeze-dried Solid Dispersion Powder using Mannitol to Enhance Solubility of Lovastatin and Development of Sustained Release Tablet Dosage Form. **American Journal of Pharmaceutical Sciences and Nanotechnology**, pp. 11-26.
- Vieth, M., Siegel, M. G., Higgs, R. E., Watson, I. A., Robertson, D. H., Savin, K. A., Durst, G. L., & Hipskind, P. A. 2004. Characteristic Physical Properties and Structural Fragments of Marketed Oral Durgs. **Jurnal Medical Chem**, pp. 224-232.
- Visser, M. R. et al., 2010. Inulin Solid Dispersion Technology to Improve the Absorption of the BCS Class IV Drug TMC240. **Elsevier**, pp. 233-238.
- Waard, H. d., Hinrichs, W. L. J., Visser, M. R., Bologna, C., & Frijlink, H. W. 2007. Unexpected Differences in Dissolution Behavior of Tablets Prepared from Solid Dispersions with a Surfactant Physically Mixed or Incorporated. **ScienceDirect**.
- Wang, Q., Ma, D. & Higgins, J. P. 2006. Analytical Method Selection for Drug Product Dissolution Testing. **Dissolution Technologies**, pp. 6-13.

- Wardiyah, W., Asyarie, S. & Wikarsa, S. 2012. Pembuatan dan Karakterisasi Dispersi Padat Sistem Biner dan Terner dari Gliklazid. **Acta Pharmaceutica Indonesia**, pp. 95-101.
- Webb, J. & Holgate, J. H. 2003. Scanning Electron Microscopy. **Reading Scientific Services Ltd**, pp. 3922-3928.
- Xu, W. J., Xie, H. J, Cao, Q. R., Shi, L. L., Cao, Y., Zhu, X. Y., & Cui, J. H. 2016. Enhanced Dissolution and Oral Bioavailability of Valsartan Solid Dispersions Prepared by a Freeze-drying Technique Using Hydrophilic Polymers. **Drug Delivery**, pp. 41-48.
- Yang, C., Xu, X., Wang, J. & An, Z. 2012. Use of The Co-grinding Method to Enhance the Dissolution Behavior of a Poorly Water-Soluble Drug: Generation of Solvent-Free Drug-Polymer Solid Dispersions. **Chem. Pharm. Bull**, pp. 837-845.
- Yang, J., Guo, J. & Yuan, J. 2007. In Vitro Antioxidant Properties of Rutin. **Science Direct**.
- Yusuf, S. & Untari, B. 2005. Kuersetin-3-O-Glikosida (Rutin) Dari Daun Ubi Karet (*Manihot Glaziovii.M.A*). **Jurnal Penelitian Sains**, pp. 1-8.
- Zi, J., Peng, B. & Yan, W. 2007. Solubilities of Rutin in Eight Solvents at T = 283.15, 298.15, 313.15, 323.15, and 333.15K. **Elsevier**, pp. 111-114.