

DAFTAR PUSTAKA

- Agustin, R., Lestari, F.I., Halim, A., 2015 Pembentukan dan Karakterisasi Inklusi Fenilbutazon dan β -Siklodekstrin dengan Metoda Co-grinding. *Kartika-Jurnal Ilmiah Farmasi*. Vol. 3, No.1, hal. 14-19
- Aigner, Z., Berkesi, O., Farkas, G., Szabo-Revesz, P., 2012. DSC, X-ray and FTIR studies of a gembfibrozil/dimethyl- β -cylcodextrin inclusion complex produced by co-grinding. *Journal of Pharmaceutical and Biomedical Analysis*. Vol. 57, p. 62-67.
- Alshehri, S., Shakeel, F., Ibrahim, M., Elzayat, E., Altamimi, M., Shazly, G., *et al.*, 2017. Influence of the microwave technology on solid dispersion of mefenamic acid and flufenemic acid. *PloS ONE*. Vol. 12, No.7, p. 1-18.
- Amalia, N.R., 2016. Karakterisasi Kompleks Inklusi Asam *para* Metoksisinamat (APMS)- β -Siklodekstrin (Dibuat dengan Metode Microwave Irradiation). *Skripsi*. Universitas Airlangga.
- Ardianto, C., Soemartina, S., Isadiartuti, D., 2009. Characterization of Carbamazepine-Hydroxylpropyl- β -Cyclodextrin Inclusion Complex in Solid State Obtained by Freeze Drying Process. *Majalah Farmasi Airlangga*. Vol.7, No.1, hal. 13-17
- Bekers, O., Uijtendaal, E.V., Beijnen, J.H., Bult, A., Undenberg, W.J.M., 1991. Cyclodextrin in Pharmaceutical Field. *Drug Dev. Ind. Pharm.*, 17(11), p. 1503-1549.
- Beloshe, S.P., Chougule, D.D., Shah, R.R., Ghodke, D.S., Pawar, N.D., Ghaste, R.P., 2010. Effect of method of preparation on pioglitazone HCl- β -cyclodextrin inclusion complex. *Asian Journal of Pharmaceutics*. P. 168-172.
- Bestari, A.N., 2004. Penggunaan Siklodekstrin dalam Bidang Farmasi. *Majalah Farmaseutik*. Vol. 10 No.1, p. 197-201.
- Carneiro, S.B., Duarte, F.I.C., Heimfartha, L., Quintanns, J.D.S.S., Quintanns-Junior, L.J., Junior, V.F.D.V., Lima, A.A.N.D., 2019. Cyclodextrin-Drug Complexes: In Vivo and In Vitro Approaches. *Int. J. Mol. Sci*. Vol. 20 (642) p. 1-23.

- Challa, R., Ahuja, A., Ali, J., and Khar, R.K., 2005. Cyclodextrins in Drug Delivery: An Updated Review. **APPS PharmSciTech**. Vol. 6(2), p 320-357.
- Conceicao, J., Adeoye, O., Cabral-Marques, H.M., Lobo, J.M.S., 2018. Cyclodextrin as Excipients in Tablet Formulation. **Drug Discov. Today**. Vol. 0, p 1-10.
- Connors, K., 2000. Complex Formulation. In Remington: **The Science and Practice of Pharmacy**, 20th ed. Philadelphia: Lippincott Williams & Wilkins, pp. 183-191.
- Cravotto, G., Caporaso, M., Jicsinszky, L., Martina, K., 2016. Enabling technologies and green processes in cyclodextrin chemistry. **Beilstein J. Org. Chem.** Vol. 12, p 278-294.
- Das, S., Maharana, J., Mohanty, S., Subuddhi, U., 2018. Spectroscopic and Computational Insights into Theophylline/ β -Cyclodextrin Complexation: Inclusion Accomplished by Diverse Methods. **Journal of Microencapsulation**. Vol. 1, p. 1-31.
- Das, S., Mohanty, S., Maharana, J., Jena, S.R., Nayak, J., Subuddhi, U., 2020. Microwave-assisted β -cyclodextrin/chrysin inclusion complexation: An economical and green strategy for enhanced hemocompatibility and chemosensitivity in vitro. **Journal of Molecular Liquids**. p. 1-34
- Das, S., dan Subuddhi, U., 2015. Studies on the Complexation of Diclofenac Sodium with β -Cyclodextrin : Influence of Method of Preparation. **Journal of Molecular Structure**. p.1-24.
- Departemen Kesehatan RI. 2014. **Farmakope Indonesia**. 5th edn. Jakarta.
- Ekowati, J., Diyah, N.W., 2013. Aktivitas Antinociceptiv dan Uji In Silico Terhadap Cyclooxygenase dari Asam p-Metoksisinamat dan Asam m-Metoksisinamat. Berkala **Ilmiah Kimia Farmasi**, 2(1), pp. 33-40.
- Ekowati, J., Tejo, B.A., Sasaki, S., Highasiyama, K., Sukardimana, Siswando, Budiati, T., 2012. Structure modification of ethyl p-methoxycinamate and their bioassay as chemopreventive agent against mices fibrosarcoma. **Int. J. Pharm. Pharm. Sci.**, Vol.4 No. 3, p 528-532.

- Florence, A.T., Attwood, D., 2016. *Physicochemical Principles of Pharmacy : In Manufacture, Formulation and Clinical Use*. 6th Edition. United Kingdom: Pharmaceutics Press, p. 174-177, 459-460.
- Frank, S. G., 1975. Inclusion compound. *Journal of Pharmaceutical Sciences*. 64(1), p-585-601.
- Gao, S., Bie, C., Ji, Q., Ling, H., Li, C., Fu, Y., Zhao, L., Ye, F., 2019. Preparation and characterization of cyanazine-hydroxypropyl-beta-cyclodextrin inclusion complex. *RSC Adv*. Vol. 9, p. 26109-26115.
- George, S.J., dan Vasudevan, D.T., 2011 Studies on the Preparation, Characterization and Solubility 2-HP- β -Cyclodextrin-Meclizine HCl Inclusion Complexes. *Journal of Young Pharmacists*. Vol. 4, No.4, p. 220-227.
- Ghosh, A., Biswas, S., Ghosh, T., 2010. Preparation and Evaluation of Silymarin β -Cyclodextrin Molecular Inclusion Complexes. *Journal of Young Pharmacist*. Vol.3, No. 3, p. 205-210.
- Giliyar, C., Fickstad, D.T., Tyavanagimatt, S., 2006. Challenges and opportunities in oral delivery of poorly-soluble drugs. *Drug Deliv Technol*. Vol. 6, p. 57-63.
- HMDB, 2006. *4-Methoxycinamic Acid [Online] HMDB*. Diakses dari <http://www.hmdb.ca/metabolites/HMDB0002040> pada tanggal 3 Januari 2020
- HMDB, 2010. *1,1-Dimethylbiguanide [Online] HMDB*. Diakses dari <https://hmdb.ca/metabolites/HMDB0001921> pada tanggal 26 Mei 2020.
- HMDB, 2010. *Carvedilol [Online] HMDB*. Diakses dari <https://hmdb.ca/metabolites/HMDB0015267> pada tanggal 26 Mei 2020.
- HMDB, 2010. *Diclofenac [Online] HMDB*. Diakses dari <https://hmdb.ca/metabolites/HMDB0014724> pada tanggal 26 Mei 2020.
- HMDB, 2010. *Meclizine [Online] HMDB*. Diakses dari <https://hmdb.ca/metabolites/HMDB0014875> pada tanggal 26 Mei 2020.
- HMDB, 2010. *Pioglitazone [Online] HMDB*. Diakses dari <https://hmdb.ca/metabolites/HMDB0015264> pada tanggal 26 Mei 2020.
- HMDB, 2010. *Theophylline [Online] HMDB*. Diakses dari <https://hmdb.ca/metabolites/HMDB0001889> pada tanggal 26 Mei 2020.

- Isadiartuti, D., Martodihardjo, S., 2007. Termodinamika Pembentukan Kompleks Inklusi Fenobarbital-Hidroksipropil- β -siklodekstrin. *Majalah Farmasi Indonesia*. Vol. 18(2), hal. 57-62
- Isadiartuti, D., Suwaldi., 2005. Pembentukan Kompleks Inklusi Fenobarbital dengan Hidroksipropil- β -siklodekstrin. *Majalah Farmasi Indonesia*. Vol. 16(1), hal. 28-37
- Jambhekar, S.S., Breen, P., 2015. Cyclodextrin in Pharmaceutical Formulation II : Solubilization, Binding Constant, and Complexation Efficiency. *Drug Discov. Today*. p. 1-6.
- Jansook, O., Ogawa, N., Loftsson, T., 2018. Cyclodextrin : Structure, Physicochemical properties and Pharmaceutical Applications. *Int. J. Pharm.* Vol. 535, p 272-284.
- Jauhari, S., Surati, M.A., Desai, K.R., 2012. A brief review : Microwave assisted organic reaction. *Archives of Applied Science Research*. Vol. 4, No. 1, p. 645-661.
- Jiang, L., Yang, J., Wang, Q., Ren, L., Zhou, J., 2019. Physicochemical properties of catechin/ β -cyclodextrin complex obtained via coprecipitation. *CyTA-Journal of Food*. Vol. 17, No.1, p. 544-551.
- Jug, M., Mura, P.A., 2018. Grinding as Solvent-Free Green Chemistry Approach for Cyclodextrin Inclusion Complex Preparation in Solid State. *Pharmaceutics*. Vol. 10, No.189, p. 1-22.
- Kalepu, S., dan Nekkanti, V., 2015. Insoluble drug delivery strategies: review of recent advances and business prospects. *Acta Pharmaceutica Sinica B*. Vol. 5, N0. 5, p. 442-453.
- Kappe, C.O., dan Dallinger, D., 2006. The impact of microwave synthesis on drug discovery. *Drug Discovery*. Vol. 5, p. 51-64.
- Kappe, C.O., dan Stader, A., 2005. *Microwave in Organic and Medicinal Chemistry*, WILEY-VCH Verlag GmbH & Co.KgaA, Weinhein, p.9-10.
- Kaur, K., Jindal, R., Jindal, D., 2019. Synthesis, characterization and studies on host-guest interactions of inclusion complexes of metformin hydrochloride with β -cyclodextrin. *Journal of Molecular Liquids*. Vol. 282, p. 162-168.

- Krishnaiah, Y.S.R., 2010. Pharmaceutical Technologies for Enhancing Oral Bioavailability of Poorly Soluble Drugs. *Journal of Bioequivalence and Bioavailability*. Vol. 2, No. 2, p. 28-36.
- Kumar, V., Hiremath, P., 2012. Dissolution. In: Felton, L, eds. *Remington Essential of Pharmaceutics*. London: Pharmaceutical Press.
- Lipinski, C.A., Lombardo, F., Dominy, B.W., Feeney, P.J., 2001. Experimental and computational approaches to estimate solubility and permeability in drug discovery and development settings. *Adv Drug Deliv Rev*. Vol. 46, p.3-26.
- Loftsson, T., Jarho, O., Masson, M., dan Jarvinen, T., 2005. Cyclodextrins in drug delivery, expert opinion drug delivery, *J. Pharm. Sci*. Vol.2, p.335-351.
- Mangolim, C.S., Moriwaki, C., Nogueira, A.C., Sato, F., Baesso, M.L., Neto, A.M., Matioli, G., 2014. Curcumin- β -cyclodextrin inclusion complex: Stability, solubility, characterization by FT-IR, FT-Raman, X-ray diffraction and photoacoustic spectroscopy, and food application. *Food Chemistry*. Vol. 153, p. 361-370.
- Mann, A.K.P., Schenck, L., Koynov, A., Rumondor, A.C.F., Jin, X., Marota, M., Dalton, C., 2018. Producing Amorphous Solid Dispersions via Co-precipitation and Spray Drying : Impact to Physicochemical and Biopharmaceutical Properties. *Journal of Pharmaceutical Sciences*. Vol. 107, p.183-191.
- McEvoy, G.K., 2011. **AHFS Drug Information Essential**. American Society of Health-System Pharmacist.
- Mura, P., 2015. Analytical techniques for characterization of cyclodextrin complexes in the solid state: A review. *Journal of Pharmaceutical and Biomedical Analysis*. P. 1-48.
- Nacsa, A., Ambrus, R., Berkesi, O., Szabo-Revesz, P., Aigner, Z., 2008. Water-soluble loratadine inclusion complex: Analytical control of the preparation by microwave irradiation. *Journal of Pharmaceutical and Biomedical Analysis*. Vol. 48, p. 1020-1023.
- Nirmalasari, 2017. Karakterisasi Kompleks Inklusi Asam p-metoksisinamat (APMS)-Hidroksipropil- β -siklodekstrin yang dipreparasi dengan metode microwvae irradiation. *Skripsi*. Universitas Airlangga.
- Octavia, M.D., Halim, A., Afrinda, M., 2015. Karakterisasi Kompleks Inklusi Simvastatin- β -Siklodekstrin Metoda Co-grinding dengan

- Variasi Waktu Penggilingan. *Jurnal Farmasi Higea*. Vol.7, No.1, hal. 3-43.
- Ogawa, N., Takahashi, C., Yamamoto, H., 2014. Physicochemical Characterization of Cyclodextrin-Drug Interactions in the Solid State and the Effect of Water on These Interactions. *Journal of Pharmaceutical Sciences*. p. 1-13.
- Patel, V.P., Patel, N.M., 2009. Evaluation of Some Methods for Preparation Glipizide- β -Cyclodextrin Inclusion Complexes. *Iranian Journal of Pharmaceutical Sciences*. Vol. 5, No.4, p. 191-198.
- Patil, J.S., Kadam, D.V., Marapur, S.C., Kamalapur, M.V., 2010. Inclusion Complex System; A Novel Technique to Improve The Solubility and Bioavailability of Poorly Soluble Drugs : A Review. *Int. J. Pharm. Sci. Rev. Res.* Vol. 2, p. 29-34.
- Preetha, T.S., Hemanthakumar, A.S., Krishnan, P.N., 2016. A Comprehensive Review of Kaempferia galanga L. (Zingiberaceae): A High Sought Medicinal Plant in South Asia. *Journal of Medicinal Plant Studies*. Vol. 4 (3), p 270-276.
- Rachmawati, H., Edityaningrum, C.A., dan Mauludin, R., 2013. Molecular Inclusion Complex of Curcumin- β -Cyclodextrin Nanoparticle to Enhance Curcumin Skin Permeability form Hydrophilic Matrix Gel. *AAPS PharmSciTech*. Vol. 14, No.4, p.1303-1313.
- Ranpise, N.S., Kulkarni, N.S., Mair, P.D., Ranade, A.R., 2010. Improvement of Water Solubility and In-vitro Dissolution Rate of Aceclofenac by Complexation with β -Cyclodextrin and Hydroxypropyl- β -Cyclodextrin. *Pharmaceutical Development and Technology*. Vol. 15, No. 1, p. 64-70
- Riditid, W., Sae-wong, C., Reanmongkol, W., Wongnawa, M., 2008. Antinociceptive Activity of The Methanolic Extract of Kaempferia galanga Linn. in Experimental Animals. *Journals of Ethnopharmacology*. Vol. 118, p. 225-230.
- Riela, S., Lazzara, G., Meo, P.L., Guernelli, S., D'Anna, F., Milioto, S., Noto, R., 2011. Microwave-assisted synthesis of novel cyclodextrin-curcubituril complexes. *Supramolecular Chemistry*. Vol. 23, No. 12, p. 819-828.
- Sakaeda, T., Okamura, N., Nagata, S., Yagami, T., Horinouchi, M., et. al. 2011. Molecular and pharmacokinetic properties of 222 commercially

- available oral drugs in human. *Biol Pharm Bull.* Vol. 24, p. 935-940.
- Santos, C.L.A.V., Ribeiro, A.C.E., Estes, M.A., 2019. Drug Delivery Systems: Study Of Inclusion Complex Formation between Methylxanthines and Cyclodextrins and Their Thermodynamic and Transport Properties. *Biomolecules.* Vol. 9, NO. 196, p. 2-21.
- Saokham, P., Muankaew, C, Jansook, O, Loftsson, T., 2018. Solubility Cyclodextrins and Drug/Cyclodextrins Complexes. *Molecules.* Vol. 23 (1161), p 1-15.
- Sapana, B., dan Shashikant, D., 2015. Preparation and characterization of β -cyclodextrin nebivolol inclusion complex. *IJPSR.* Vol.6, No. 5, p. 2205-2213.
- Savjani, K.T., Gajjar, A.K., Savjani, J.K., 2012. Drug Solubility: Importance and Enhancement Techniques. *ISRN Pharmaceutics.* P. 1-10.
- Sertsou, G., Butler, J., Scott, A., Hempenstall, J., Rades, T., 2002. Factors affecting incorporation of drug into solid solution with HPMCP during solvent change co-precipitation. *International Journal of Pharmaceutics.* Vol. 245, p. 99-108.
- Setyawan, D., Isadiartuti, D., 2009. Karakterisasi Kompleks Inklusi Asam Mefenamat- β -Siklodekstrin yang Dibuat dengan Metodee Freeze Drying. *Jur. Kefarmasian Indo.* Vol. 1, hal. 1-9.
- Sinko, P.J., Singh, Y., 2017. *Martin's Physical Pharmacy and Pharmaceutical Science: Physical Chemical and Biopharmaceutival Principles in the Pharmaceutical Sciences.* 7th Edition. Philadelphia: Lippincott William & Wilkins, p.17-53, 197-221.
- Sweetman, S.C., 2009. *Martindale The Complete Drug Reference.* 36th Edition. London: Pharmaceutical Press.
- Tewtrakul, S., Yuenyongsawad, S., Kumme, S., Atsawajaruwan, L., 2005. Chemical Components and Biological Activities of Volatile Oil of *Kaempferia galanga* Linn. *J. Sci. Technol.* Vol. 27, p. 503-507.
- Umar, M.I., Asmawi, M.Z., Sadikun, A., Atangwho, I.J., Yam, M.F., Altaf, R., Ahmed, A., 2012. Bioactivity-guided isolation of ethyl-p-methoxycinnamate, an anti-inflammatory constituent, from *Kaempferia galanga* L. extract. *Molecules,* Vol. 17, p 8720-8734.

- Venkatesh, Kumar, A., Setty, C.M., 2018. Preparation and Evaluation of Nateglinid-Cyclodextrin Inclusion complex. *Research J.Pharm and Tech.* Vol. 11, Vo.3, p. 1017-1022.
- Vieth, M., Siegel, M.G., Higgs, R.E., Watson, I.A., Robertson, D.H., et al, 2004. Characteristic physical properties and structural fragment of marketed oral drugs. *J Med Chem.* Vol. 47, p. 499-516.
- Vogt, M.,Kunath, K., Dressman, J.B., 2007. Dissolution Improvement of Four Poorly Water Soluble Drugs by Cogrinding with Commonly Used Excipients. *European Journal of Pharmaceutics and Biopharmaceutics.* Vol. 68, p 330-337.
- Vyas., A., Saraf, S., & Saraf, S., 2008. Cyclodextrin Based Novel Drug Delivery System. *Journal of Inclusion Phenomena and Macrocyclic Chemistry*, Vol. 6, p. 23-42.
- Wenlock, M.C., Austin, R.P., Barton, P., Davis, A.M., Lesson, PD., 2003. A comparison of physiochemical property profiles of development and marketed oral drugs. *J Med Chem.* Vol. 46, p. 1250-1256.
- Yergey, A.L., Blank, P.S., Cologna, S.M., Backlund, P.S., Porter, F.D., Darling, A.J., 2017. Characterization of hydroxypropyl-beta-cyclodextrin used in treatment of Niemann-Pick Disease Type 1. *PLOS.* Vol. 12(4), p 1-13.
- Wen, X., Tan, F., Jing, Z., Liu, X., 2004. Preparation and study the 1:2 inclusion complex of carvedilol with β -cyclodextrin. *Journal of Pharmaceutical and Biomedical Analysis.* Vol. 34, p. 517-523.