

DAFTAR PUSTAKA

1. Global Initiative for Chronic Obstructive Lung Disease. Pocket Guide to COPD Diagnosis, Management, and Prevention : A guide for health care professionals. GOLD. 2018 update
2. Gea J, Pascual S, Casadevall C, Orozco-Levi M, Barreiro E. Muscle dysfunction in chronic obstructive pulmonary disease: update on causes and biological findings. *J Thorac Disease* 2015;7(10):418-438
3. Kim HC, Mofarrahi M, Hussain SNA. Skeletal muscle dysfunction in patients with chronic obstructive pulmonary disease. *International journal of COPD* 2008
4. Wust RCI, Degens H. Factors contributing to muscle wasting and dysfunction in COPD patients. *International journal of COPD* 2007;2(3):289-300
5. Maltais F, Decramer M, Casaburi R, Barreiro E, Burelle Y, Debigeon R et al. An Official American Thoracic Society/European Respiratory Society Statement:Update on Limb Muscle Dysfunction in Chronic Obstructive Pulmonary Disease.*Am J Respir Crit Med.* 2014;189:15-62
6. Abdulai RM, Jensen TJ, Patel NR, Polkey MI, Jansson P, Celli BR et al. Deterioration of Limb Muscle Function during Acute Exacerbation of Chronic Obstructive Pulmonary Disease. *Am J Respir Crit Care Med* 2018; 97:433–449
7. Miravittles M, Cantoni J, Naberan K. Factors Associated with a Low Level of Physical Activity in Patients with Chronic Obstructive Pulmonary Disease.*Lung* 2014;192:259-265
8. Bosy-Westphal WA and Müller MJ. Identification of skeletal muscle mass depletion across age and BMI groups in health and disease—there is need for a unified definition. *International Journal of Obesity* 2015; 39:379–386
9. Mador MJ, Bozkanat E. Skeletal muscle dysfunction in chronic obstructive pulmonary disease.*Respir Res.*2001;2:216-224
10. Nyberg A, Saey D, Maltais F. Why and How Limb muscle and Function Should be measured in Patients with Chronic Obstructive Pulmonary disease.*Ann Am Thorac Soc* 2015;12 :1269-1277

11. Franssen FME, Broekhuizen R, Janssen PP, Wouters EFM, J.Schols AMW. Limb Muscle Dysfuction in COPD:effect of Muscle Wasting and Exercise.Medicine & science in sport & Exercise 2004.
12. Perhimpunan Dokter Paru Indonesia (PDPI). Diagnosis dan Penataksanaan.Edisi 2016
13. Robinovich RA, Vilaro J. Structural and functional of peripheral muscles in chronic obstructive pulmonary disease patients. Current Opinion in pulmonary Medicine 2010;16:123-133
14. Van Eeden SF, D.Shin DD. Chronic Obstructive Pulmonary Disease:A Chronic Systemic Inflammatory Disease.Respiration 2008;75:224-238
15. MacIntyre NR. Muscle Dysfuction Associated with Chronic Obstructive Pulmonary Disease.Respir Care 2006;51(8):840-848
16. Binhaser Al Ghamsi NN. Peripheral Muscle Dysfuction in Chronic Obstructive Pulmonary Disease.JKAU:Med Sci 2009;16:77-90
17. Van der Vlist J, Janssen TWJ.The Potential Anti-Inflammatory Effect of Exercise in Chronic Obstructive Pulmonary Disease.Respiration 2010;79:160-174
18. Gosselink R, Trosstes T, Decramer M. Exercise training in COPD: the basic question.Eur Respir J 1997;10(12):2884-2891
19. Wouters EFM. Chronic obstructive pulmonary disease 5.Systemic effect of COPD.Thorax 2002;57:1067-1070
20. Jaitovich A, Barreiro E. Skeletal muscle dysfunction in chronic obstructive pulmonary disease ,what we know and can do for our patients. Am J Respir Crit Care Med 2018;198 :175–186
21. Emtner M, Hallin R, Arnardottir RH, Janson C. Effect of physical training on fat-free mass in patients with chronic obstructive pulmonary disease (COPD). Upsala Journal of Medical Sciences 2015; 120: 52–58
22. Curtis JR, Deyo RA, Hudson LD. Health-related quality of life among patients with chronic obstructive pulmonary disease. Thorax.1994;49:162-170
23. Perwitasari DY. Validasi St. George's Respiratory Questionnaire (SGRQ) pada pasien Penyakit Paru Obstruktif Kronik (PPOK) di Rumah Sakit

Respira Yogyakarta.Fakultas Farmasi Universitas Ahmad Dahlan Yogyakarta. 2017

24. Vestbo J, Precott E, Aimdal T, Dahl M, Nordestgaard BG, Sorensen TIA, et al. Body mass, Fat-Free Body Mass, and prognosis in patients with chronic obstructive pulmonary disease from a random population sample. Am J Respir Crit Care Med.2006.173:79-83
25. Oh YM, Arvind BB, Boonsawat W, Gunasekera KD, Madegedara D, Idolor R, et al. Characteristic of stable chronic obstructive pulmonary in pulmonology clinic of seven asian cities. International Journal of COPD.2013.8:31-39
26. Travassus A, Rodrigues A, Furlanetto KC, Donaria L, Bisca GW, Nellessen AG, et al. Fat-free mass depletion in patients with COPD in Brazil:development of a new cut off point and its relation with mortality and extrapulmonary manifestation. European Journal of clinical Nutrition.2017.17:1285-1290
27. Strugnell C, Dunstan DW, Magliano DJ, Zimmet PZ, Shaw JE, Daly RM. Influence of age and gender on fat mass, fat-free mass and skeletal muscle mass among Australian adults:the austalian diabetes, obesity and life style study (auSDab). The journal of nutrition , health and aging.2014
28. Global Initiative for Chronic Obstructive Lung Disease. Pocket Guide to COPD Diagnosis, Management, and Prevention : A guide for health care professionals. GOLD. 2020 update
29. Dogra S, GGood J, Buman MD, Gardiner PA, Copeland JL, Stickland M. Physical activity and sedentary time are related to clinically relevant health outcomes among adults with obstructive lung disease. BMC pulmonary medicine.2018.18:98
30. PP No 45 tahun 2015 tentang Penyelenggaraan Program Jaminan Pensiun
31. Mahmoud S and El-Kader A. Aerobic exercise training and incentive spirometry can control ade-related respiratory muscles performance changes in eldery. Bull Foc Ph.Th cairo univ.2003.8(2):1-6

32. Ikalius, Yunus F, Suradi, Rachma N. Perubahan kualitas hidup dan kapasitas fungsional penderita penyakit paru obstruktif kronik setelah reabilitasi paru. Majalah Kedoteran Indonesia.2007.7(12):447
33. Curtis JR, Deyo RA, Hudson LD. Health-related quality of life among patients with chronic obstructive pulmonary disease. Thorax.1994.49:162-170
34. Alyami MM, Jenkins SC, Hill K. Walking-based activity and sedentary behavior in Saudi males with chronic obstructive pulmonary disease.2018
35. Troosters T, Casaburi R, Gosselink R and Decramer M. Pulmonary rehabilitation in chronic obstructive pulmonary disease. Am J Respir Crit Care Med.2005
36. Blasio FD, Santaniello MG, Mazzarella G, et al. Raw BIA variables are predictors of muscle strength in patients with chronic obstructive pulmonary disease. Eur J Clin Nutr.2017.71(11):1336-1340
37. Hartman JE, Boeen HM, De Greef MHG et al. Consequences of physical inactivity in chronic obstructive pulmonary disease.*Expert Rev.Resp.Med.* 2010.4(6):735-745
38. Abidin A, Yunus F, Wiyono WH, Ratnawati A. Manfaat rehabilitasi paru dalam meningkatkan kapasitas fungsional dan kualitas hidup pasien penyakit paru obstruktif kronik di RSUP Per sahabatan.J Respir Indones.2009.29(2)
39. Kue N , Vang A , McCullough DJ , Mancini T, Clements RT , Choudhary G. Pulmonary Hypertension-Induced Exercise Intolerance Is Improved With Exercise And Correlates With Expression Of Skeletal Muscle Respiratory Chain Proteins.*Am J Respir Crit Care Med.*2017.195:A6768
40. Bolton CE, Broekhuizen R, Ionescu AA, Nixon LS, Wouters EFM, Shale DJ and Schols AMWJ. Cellular protein breakdown and systemic inflammation are unaffected by pulmonary rehabilitation in COPD. Thorax.2007.62:109–114
41. Schols A. Nutritional modulation as part of the integrated management of chronic obstructive pulmonary disease. *Proc Nutr Soc.,* 2003.62:783–91.

42. Gea J, Barreiro E. Update on the mechanism of muscle dysfunction in COPD. Arch Bronconeumol.2008;44:328-337