

DAFTAR PUSTAKA

- 3SHAPE TRIOS ® *User Manual*. (2013).
- Adamek, A., Minch, L., & Kawala, B. (2015). Intercanine width – review of the literature. *Dental and Medical Problems*, 52(3), 336–340.
- Adriana, A., Endah, M., & Ida Ayu, E. (2019). Dental Journal A gender-based comparison of intermolar width conducted at Padjajaran University Dental Hospital, Bandung, Indonesia Adriana. *Smile Dental Journal*, 52(4), 168–171. <https://doi.org/10.20473/j.djmk.v52.i4.p168>
- Akkoç, B., Arslan, A., & Kök, H. (2017). Automatic gender determination from 3D digital maxillary tooth plaster models based on the random forest algorithm and discrete cosine transform. *Computer Methods and Programs in Biomedicine*, 143, 59–65. <https://doi.org/10.1016/j.cmpb.2017.03.001>
- Al-Dwairi, Z. N., Al-Daqaq, A. N. F., Kielbassa, A. M., & Lynch, E. (2017). Association between oral tori, occlusal force, and mandibular cortical index. *Quintessence International*, 48(10), 841–849. <https://doi.org/10.3290/j.qi.a38856>
- Al-Zoubi, H., Alharbi, A. A., Ferguson, D. J., & Zafar, M. S. (2017). Frequency of impacted teeth and categorization of impacted canines: A retrospective radiographic study using orthopantomograms. *European Journal of Dentistry*, 11(1), 117–121. https://doi.org/10.4103/ejd.ejd_308_16
- Alpiah, D, R, A., Anindita, P, S., & Juliatri. (2015). *Ukuran dan bentuk lengkung gigi rahang bawah pada suku minahasa 1. 3*.
- Arriola-Guillén, L. E., Rodríguez-Cárdenas, Y. A., Aliaga-Del Castillo, A., Ruíz-Mora, G. A., & Dias-Da Silveira, H. L. (2020). Inter-premolar width changes related to the orthodontic traction of maxillary impacted canines in adolescents and young adults: A retrospective CBCT study. *International Orthodontics*, 18(3), 480–489. <https://doi.org/10.1016/j.ortho.2020.03.006>
- Bedoya, A. R., Osorio, J. C., & Tamayo, J. A. (2015). Dental Arch Size, Biting

Force, Bizygomatic Width and Face Height in Three Colombian Ethnic Groups. *International Journal of Morphology*, 33(1), 55–61.

<https://doi.org/10.4067/S0717-95022015000100009>

Bhandari, V., Singla, A., Mahajan, V., Singh Jaj, H., & Seth, V. (2012).

Evaluation of Distances between the Mandibular Teeth and the Alveolar Process in Himachali Population with Normal Occlusion. *The Journal of Indian Orthodontic Society*, 46, 300–303. <https://doi.org/10.5005/jp-journals-10021-1110>

Celebi, A. A., Keklik, H., Tan, E., & Ucar, F. I. (2016). Comparison of arch forms between Turkish and North American. *Dental Press Journal of Orthodontics*, 21(2), 51–58. <https://doi.org/10.1590/2177-6709.21.2.051-058.oar>

Chinagorom P, I., Chidozie, A. V., & Aperepikiya Tom, A. (2018). Sex

Estimation by Odontometric Study of the Maxillary Canine Teeth using Discriminant Function Analysis. *Dentistry*, 08(06), 6–10.

<https://doi.org/10.4172/2161-1122.1000493>

Conti, M. de F., Filho, M. V., Vedovello, S. A. S., Valdrighi, H. C., & Kuramae, M. (2011). Longitudinal Evaluation of Dental Arches Individualized by the WALA Ridge Method. *Dental Press Journal of Orthodontics*, 16(2), 665–674. <https://doi.org/10.1590/S2176-94512011000200009>

Devi, T. B., Singh, T. N., Singh, S. J., & Tamang, B. K. (2016). Facial

Morphology and Facial Index: a Study on Secular Trend of Meitei Male Population of Bishnupur District, Manipur, India. *International Journal of Anatomy and Research*, 4(4.3), 3279–3283.

<https://doi.org/10.16965/ijar.2016.461>

Dilpreet Singh, G., rajbir kaur, K., Keya, S., kriShan kumar, T., Gurkirat, K., & Simon, D. (2017). *Morphometric Analysis of Odontometric Parameters for Gender Determination*. 11(8), 9–13.

<https://doi.org/10.7860/JCDR/2017/26680.10341>

Dinakaran, J., Dineshkumar, T., Nandhini, G., Priyadharshini, N., & Rajkumar, K.

- (2015). Gender determination using dentition. *SRM Journal of Research in Dental Sciences*, 6(1), 29. <https://doi.org/10.4103/0976-433x.149587>
- Dindaroglu, F., Duran, G. S., Tekeli, A., Gorgulu, S., & Dogan, S. (2017). Evaluation of the Relationship between Curve of Spee, WALA-FA Distance and Curve of Wilson in Normal Occlusion. *Turkish Journal of Orthodontics*, 29(4), 91–97. <https://doi.org/10.5152/turkjorthod.2016.1614>
- Disaster Victim Identification. (2011). *Disaster Victim Identification*. <https://doi.org/10.1201/b10926>
- Doggalli, D. N. (2020). *Commonly used different dental age estimation methods in children and adolescents. January 2018*. <https://doi.org/10.4103/ijfo.ijfo>
- dos Santos, L. F., Galo, R., & da Silva, R. H. A. (2015). Gender evaluation in human beings by occlusal radiographs. *Brazilian Journal of Oral Sciences*, 14(1), 23–26. <https://doi.org/10.1590/1677-3225v14n1a05>
- Duangto, P., Janhom, A., Prasitwattanaseree, S., Mahakkanukrauh, P., & Iamaroon, A. (2016). Age Estimation Methods in Forensic Odontology. *Journal of Dentistry Indonesia*, 23(3), 74–80. <https://doi.org/10.14693/jdi.v23i3.1023>
- Esteves, T., Freitas, K, M, S., Lima, D, V., Concado, R, H., Valarelli, F, P., Freitas, M, R., & Oliveira, R, C, G. (2019). Original Research Comparison of WALA Ridge and Dental Arch Dimensions Changes after Orthodontic Treatment Using a Passive Self-Ligating System or Conventional Fixed Appliance. *Indian Journal of Dental Research*, 30(1), 386–392. <https://doi.org/10.4103/ijdr.IJDR>
- Franco, F. C. M., de Araujo, T. M., Vogel, C. J., & Quintão, C. C. A. (2013). Brachycephalic, dolichocephalic and mesocephalic: Is it appropriate to describe the face using skull patterns? *Dental Press Journal of Orthodontics*, 18(3), 159–163. <https://doi.org/10.1590/S2176-94512013000300025>
- Ganbold, O., Reading, R. P., Wingard, G. J., Paek, W. K., Tsolmonjav, P.,

- Jargalsaikhan, A., Khuderchuluun, O., & Azua, J. (2019). Reversed sexual size dimorphism: body size patterns in sexes of lesser kestrels (*Falco naumanni*) in the Ikh Nart Nature Reserve, Mongolia. *Journal of Asia-Pacific Biodiversity*, 12(3), 363–368. <https://doi.org/10.1016/j.japb.2019.04.003>
- Garg, R., & Acharya, J. (2016). A Key Role of Inter Canine Distance in Sex Determination. 2(5), 251–253. <https://doi.org/10.21276/ijmrp.2016.2.5.054>
- Gupta, J., & Daniel, Mj. (2016). Crown size and arch width dimension as an indicator in gender determination for a Puducherry population. *Journal of Forensic Dental Sciences*, 8(3), 120. <https://doi.org/10.4103/0975-1475.195105>
- Harchandani, N., Marathe, S., Rochani, R., & Nisa, S. (2015). Palatal Rugoscopy: A new era for forensic identification. *Journal of Indian Academy of Oral Medicine and Radiology*, 27(3), 393. <https://doi.org/10.4103/0972-1363.170469>
- Hollenbeck, K., Allin, T., & Poel, M. Van Der. (2012). Dental Lab 3D Scanners. *3Shape Technology Research*, 76(4), 133–137.
- Irfan, M., Wai Leng, C., RanikaMalissa Perera, L., Kumar Palaniappan, K., & Fatima, Z. (2016). Facial Index Among the Ethnic Races of Malaysian Population - An Anthropometric Study. *IOSR Journal of Dental and Medical Sciences*, 15(December 2016), 2279–2861. <https://doi.org/10.9790/0853-15120897101>
- Islam, R., Alam, M, K., Shahid, F., & Khamis, M, F. (2019). Global Dental Arch Dimension Norms and Sexual Disparities : An Overview. *Banglades Journal of Medical Science*, 18(01), 30–35.
- Jiménez-Gayosso, S. I., Lara-Carrillo, E., López-González, S., Medina-Solís, C. E., Scougall-Vilchis, R. J., Hernández-Martínez, C. T., Colomé-Ruiz, G. E., & Escoffié-Ramirez, M. (2018). Difference between manual and digital measurements of dental arches of orthodontic patients. *Medicine (United States)*, 97(22). <https://doi.org/10.1097/MD.0000000000010887>

- Kalistu, S. N., & Doggalli, N. (2016). Gender Determination by Forensic Odontologist: A Review of various methods. *IOSR Journal of Dental and Medical Sciences (IOSR-JDMS) e-ISSN*, 15(11), 78–85.
<https://doi.org/10.9790/0853-1511017885>
- Karthikeyan, H., Yuvaraj Babu, K., & Ganesh, K. (2017). Comparative analysis of sexual dimorphism using intercanine distances of the maxilla and mandible. *International Journal of Current Advanced Research*, 6(3), 2859–2860. <https://doi.org/10.24327/ijcar.2017.2860.0125>
- Kazzazi, S. M., & Kranioti, E. F. (2018). Sex estimation using cervical dental measurements in an archaeological population from Iran. *Archaeological and Anthropological Sciences*, 10(2), 439–448. <https://doi.org/10.1007/s12520-016-0363-7>
- Kim, W. H., Nam, S. E., Park, Y. S., & Lee, S. P. (2018). Maxillary first molar wear: A longitudinal study of children. *Anatomy and Cell Biology*, 51(4), 251–259. <https://doi.org/10.5115/acb.2018.51.4.251>
- Kirchengast, S. (2017). *Human sexual dimorphism - A sex and gender perspective*. *Human sexual dimorphism – a sex and gender perspective*. April, 123–133. <https://doi.org/10.1127/0003-5548/2014/0376>
- Kohli, A. (2019). *A Study On Correlation Of Intercanine Width With Craniofacial Landmarks*. 9(1), 276–287.
- Kong-Zárate, C. Y., Carruitero, M. J., & Andrews, W. A. (2017). Distances between mandibular posterior teeth and the WALA ridge in Peruvians with normal occlusion. *Dental Press Journal of Orthodontics*, 22(6), 56–60. <https://doi.org/10.1590/2177-6709.22.6.056-060.oar>
- Kumar, S, S., & Nandlal, B. (2012). *Effects of Asthma and Inhalation corticosteroids on the dental arch morphology in children*. 30(3), 243–249. <https://doi.org/10.4103/0970-4388.105018>
- Ling, J. Y. K., & Wong, R. W. K. (2009). *Dental Arch Widths of Southern*

Chinese. December 2007. <https://doi.org/10.2319/092007-452.1>

- Lione, R., Buongiorno, M., Franchi, L., & Cozza, P. (2014). Evaluation of maxillary arch dimensions and palatal morphology in mouth-breathing children by using digital dental casts. *International Journal of Pediatric Otorhinolaryngology*, 78(1), 91–95.
<https://doi.org/10.1016/j.ijporl.2013.09.028>
- Litha, H., Girish, C., Murgod, S., & Savita, J. K. (2017). Gender Determination by Odontometric Method. *Journal of Forensic Dental Sciences*, 9(1), 44–51.
<https://doi.org/10.4103/jfo.jfds>
- Makki, L., Ferguson, D. J., & Stapelberg, R. (2017). Measuring irregularity index: Comparing study cast caliper method with 2D dimensional ImageJ photogrammetry and 3D STL image measurement. *APOS Trends in Orthodontics*, 7(6), 260–266. <https://doi.org/10.4103/apos.apos>
- Mangano, F., Gandolfi, A., Luongo, G., & Logozzo, S. (2017). *Intraoral scanners in dentistry : a review of the current literature*. 17(1), 149–160.
<https://doi.org/10.1186/s12903-017-0442-x>
- Mangano, Francesco G., Veronesi, G., Hauschild, U., Mijiritsk, E., & Mangano, C. (2016). Trueness and precision of four intraoral scanners in oral implantology: A comparative in vitro study. *PLoS ONE*, 11(9).
<https://doi.org/10.1371/journal.pone.0163107>
- Mangano, Francesco Guido, Hauschild, U., Veronesi, G., Imburgia, M., & Mangano, C. (2019). *Trueness and precision of 5 intraoral scanners in the impressions of single and multiple implants : a comparative in vitro study*. 1–14.
- Manisha, J., Vaishali, S., Raj Kumar, M., Narinder, K., Mamta, M., & Sanjeev, L. (2017). Morphometric significance of maxillary arch in sexual dimorphism in North Indian population. *Journal of Forensic Dental Sciences*, 9(1), 125–129. <https://doi.org/10.4103/jfo.jfds>

- Manisha, S., Sameer, G., Avdesh, S., Vandana, B., Pooja, S., & Pradeep, K. (2015). *Dental JOURNAL*. 3(2321), 135–139.
- Martínez-Hernández, R. M. (2018). Gender determination according to the anthropometric measurements of the lower jaw. *Revista Mexicana De ...*, 3(2). <http://revmedforense.uv.mx/index.php/RevINMEFO/article/view/2572>
- Mori, E., National, I., Mazza, G., & Lovari, S. (2017). *Sexual Dimorphism*. *August*, 1–7. <https://doi.org/10.1007/978-3-319-47829-6>
- Motamedi, A. K., Dadgar, S., Teimouri, F., & Aslani, F. (2015). Stability of changes in mandibular intermolar and intercuspid distances following orthodontic treatment. *Dental Research Journal*, 12(1), 71–75. <https://doi.org/10.4103/1735-3327.150336>
- Mythri, S., Arunkumar, S., Hegde, S., Rajesh, S., Munaz, M., & Ashwin, D. (2015). Etiology and occurrence of gingival recession - An epidemiological study. *Journal of Indian Society of Periodontology*, 19(6), 671–675. <https://doi.org/10.4103/0972-124X.156881>
- Nowak, A. J., Christensen, J. R., Mabry, T. R., Townsend, J. A., & Wells, M. H. (2019). *Pediatric Dentistry Infancy Trough Adolescence*.
- Okori, H., Apolot, P. S., Mwaka, E., Tumusiime, G., Buwembo, W., & Munabi, I. G. (2015). A secondary analysis to determine variations of dental arch measurements with age and gender among Ugandans. *BMC Research Notes*, November. <https://doi.org/10.1186/s13104-015-1411-6>
- Oliva, B., Sferra, S., Greco, A. L., Valente, F., & Grippaudo, C. (2018). Three-dimensional analysis of dental arch forms in Italian population. *Progress in Orthodontics*, 19(1), 1–8. <https://doi.org/10.1186/s40510-018-0233-1>
- Omar, H., Alhajrasi, M., Felemban, N., & Hassan, A. (2018). Dental arch dimensions, form and tooth size ratio among a Saudi sample. *Saudi Medical Journal*, 39(1), 86–91. <https://doi.org/10.15537/smj.2018.1.21035>
- Orish, C. N. (2018). Cephalic Index in Sexual Dimorphism and Racial Diversity:

A Mini Review. *MOJ Anatomy & Physiology*, 5(1), 23–26.
<https://doi.org/10.15406/mojap.2018.05.00159>

- Rafidah, H. (2017). *Perbandingan Dimensi Lengkung Berbagai Kelompok Maloklusi pada Suku Tionghoa di SMA Methodist LubukPakam*.
- Ramesh, M., & Balakrishnan, S. (2018). *Palatal rugae pattern-a tool in gender determination*. July.
- Rani, S. T. (2017). Applicability of odontometric dimensions and indices in sexual dimorphism among Nalgonda population. *Journal of Forensic Dental Sciences*, 9(3), 175–175. https://doi.org/10.4103/jfo.jfds_42_16
- Rawlani, S. M., Rawlani, S. S., Bhowate, R. R., Chandak, R. M., & Khubchandani, M. (2017). *Racial Characteristics of Human Teeth Shivlal*. 2(1), 38–42. <https://doi.org/10.4103/ijfo.ijfo>
- Richert, R., Goujat, A., Venet, L., Viguie, G., Viennot, S., Robinson, P., Farges, J., Fages, M., Ducret, M., Odontologie, F., Lyon, U., Lyon, U. De, Biologie, L. De, Thérapeutique, I., Cnrs, U. M. R., Lyon, U., Gerland, U. M. S. B., & Sud, L. (2017). *Review Article Intraoral Scanner Technologies : A Review to Make a Successful Impression*. 2017.
- S, N., N, G., & Sherke, A. R. (2017). Study of Mandibular Ramus By Metric Parameters. *International Journal of Anatomy and Research*, 5(1.1), 3358–3361. <https://doi.org/10.16965/ijar.2016.476>
- Saeed, H. K., & Mageet, A. O. (2018). Dental arch dimensions and form in a Sudanese sample. *Journal of Contemporary Dental Practice*, 19(10), 1235–1241. <https://doi.org/10.5005/jp-journals-10024-2410>
- Sagar P, N., Rohan Shrinivas, C., Rajendra S, B., & Praktik C, P. (2018). Sex determination in forensic identification, a review. *Journal of Forensic Dental Sciences*, 10(2), 61–66. <https://doi.org/10.4103/jfo.jfds>
- Seetharaman, D., Marak, F., Daniel, J. M., & Subramanian, S. (2016). *Accuracy of canine , premolar and molar indices in sex determination*. 3(December),

245–250. <https://doi.org/10.18231/2394-6776.2016.0004>

- Shivhare, P., Shankarnarayan, L., Vasani, V., Jambunath, U., Basavaraju, S., & Gupta, A. (2015). Intercanine width as a tool in two dimensional reconstruction of face: An aid in forensic dentistry. *Journal of Forensic Dental Sciences*, 7(1), 1. <https://doi.org/10.4103/0975-1475.150290>
- Sofyanti, E., Boel, T., Satria, D., Ritonga, Z. F., & Hasibuan, I. H. (2020). Evaluation of dental arches in orthodontic patients with condylar hyperplasia in a North Sumatra subpopulation: a cross-sectional study. *F1000Research*, 9, 263. <https://doi.org/10.12688/f1000research.22780.2>
- Syed, M., Selarka, B., & Tarsariya, V. (2015). Sexual dimorphism in permanent maxillary and mandibular canines and intermolar arch width: Endemic study. *Journal of Indian Academy of Oral Medicine and Radiology*, 27(3), 405. <https://doi.org/10.4103/0972-1363.170473>
- Sylvia, M., & Amiatun, M. (2008). *Pengertian ortodonsi holistik: suatu arah baru dalam ilmu ortodonsia* ,.
- Thiyagarajan, R. (2008). *A longitudinal study of dental arch dimensions in Australian Aborigines using 2D and 3D digital imaging methods A thesis submitted in partial fulfilment of the requirements for the degree of Doctor of Clinical Dentistry (Orthodontics)*. 1–159.
- Trivedi, H., Azam, A., Tandon, R., Chandra, P., Kulshrestha, R., & Gupta, A. (2017). *Dental Research and Management Correlation between Morphological Facial Index and Canine Relationship in Adults - An Anthropometric Study*. 2(1), 2–6.
- Yogita, K., Amit, Z., Shobhit, S., & Kunal, S. (2019). Lost and Found...Tracking a Swallowed Denture: Role of Radiology. *Journal of Indian Academy of Oral Medicine and Radiology*, 31(1), 36–39. <https://doi.org/10.4103/jiaomr.jiaomr>
- Yunani. (2016). *Tinjauan Sejarah Terhadap Penetapan Pulau-Pulau di Indonesia*.

Jurnal Criksetra, 5(10), 125–129.

Zorba, E., Moraitis, K., & Manolis, S. K. (2011). Sexual dimorphism in permanent teeth of modern Greeks. *Forensic Science International*, 210(1–3), 74–81. <https://doi.org/10.1016/j.forsciint.2011.02.001>

