

DAFTAR PUSTAKA

- Adrion, C., Fischer, C. S., Wagner, J., Gürkov, R., Mansmann, U., dan Strupp, M. 2016. Efficacy and safety of betahistine treatment in patients with Meniere's disease primary results of a long term, multicentre, double blind, randomized, placebo controlled, dose defining trial (BEMED trial). *British Medical Journal*, Vol. 352, p. 6816.
- Agus. S, H. Benecke, C. Thum, dan M. Strupp., 2013. Clinical and demographic features of vertigo: findings from the REVERT registry. *Frontiers in Neurology*, Vol. 4 No. 48.
- Ankar A., dan Kumar A. 2020. Vitamin B12 Deficiency (Cobalamin). *StatPearls*. Diakses dari <https://www.ncbi.nlm.nih.gov/books/NBK441923>, pada tanggal 17 Agustus 2020.
- Atrache Al Attrache, N., Krstulovic, C., Perez Guillen, V., Morera Perez, C., dan Perez Garrigues, H., 2016. Response over time of vertigo spells to intratympanic dexamethasone treatment in Meniere's disease patients. *The Journal of International Otology*, Vol. 12 No. 1, p. 92-97.
- Alexandraki KI, Kaltsas GA, Chrousos GP., 2018. Adrenal Suppression dalam Feingold KR, Anawalt B, dan Boyce A. Endotext [Internet]. Diakses dari <https://www.ncbi.nlm.nih.gov/books/NBK279047/> pada tanggal 12 Agustus 2010.
- Barrett Kim E., Barman Susan M., Brooks Heddwen L., Yuan Jason., 2019. *Ganong's Review of Medical Physiology*. Edisi ke-26. McGraw-Hill Education. p. 487
- Bernaerts, A. dan De Foer, B. 2019. Imaging of Ménière Disease. *Neuroimaging Clinics of North America*, Vol. 29 No. 1.

- Bovo, R., Ciorba, A., dan Martini, A., 2010. Vertigo and autoimmunity. *European Archives of Oto-Rhino-Laryngology*, Vol. 267 No. 1, p. 13–19.
- Botta L, Mira E, Valli S, Zucca G, Perin P, Benvenuti C, Fossati A, dan Valli P., 2001. Effects of betahistine and of its metabolites on vestibular sensory organs. *Acta Otorhinolaryngologica Italic*, Vol. 21 No. 3, p. 24–30.
- Bowe, S. N., dan Jacob, A., 2010. Round window perfusion dynamics implications for intracochlear therapy. *Current Opinion in Otolaryngology & Head and Neck Surgery*, Vol. 18 No. 5, p. 377–385.
- Burgess, A. dan Kundu, S., 2006. Diuretics for Ménière's disease or syndrome. *Cochrane Database of Systematic Reviews*, Vol. 3
- Cao, Z., Yue, F., Huang, W., Rajenderkumar, D., dan Zhao, F., 2019. Different medications for the treatment of Ménière's disease by intratympanic injection: A systematic review and network meta-analysis. *Clinical Otolaryngology*, Vol. 44., p. 619-627.
- Casani, A. P., Piaggi, P., Cerchiai, N., Seccia, V., Sellari Franceschini, S., dan Dallan, I., 2011. Intratympanic Treatment of Intractable Unilateral Ménière Disease. *Otolaryngology-Head and Neck Surgery*, Vol. 146 No. 3. p. 430–437.
- Cass, S. P., Machala, M. C., dan Ambrose, E. C., 2019. Medical Management of Meniere's Disease. *Diagnosis and Treatment of Vestibular Disorders*, No. 14., p. 189–198.
- Cha, Y.-H., Kane, M. J., dan Baloh, R. W., 2008. Familial Clustering of Migraine, Episodic Vertigo, and Ménière's Disease. *Otology & Neurotology*, Vol. 29 No. 1, p. 93–96.
- Chabbert, C., 2016. Principles of vestibular pharmacotherapy. *Neuro-Otology*, Vol. 135 No. 3, p. 207–218.

- Claes J, Van de Heyning PH., 2000. A review of medical treatment for Ménière's disease. *Acta of Otolaryngology*, Vol. 544, p. 34–99.
- Committee on Hearing and Equilibrium. 1972. Report of subcommittee on equilibrium and its measurement. Meniere's disease: criteria for diagnosis and evaluation of therapy for reporting. *American Academy of Ophthalmology and Otolaryngology*, Vol. 76., p. 1462–1464.
- Committee on Hearing and Equilibrium. 1995. Guidelines for the Diagnosis and Evaluation of Therapy in Meniere's Disease. *Otolaryngology-Head and Neck Surgery*, Vol. 113 No. 3, p. 181–185.
- Conlon BJ, Gibson WP., 2000. Electrocochleography in the diagnosis of Meniere's disease. *Acta of Otolaryngology*, Vol. 120, p. 480–483.
- Cortes C, Galindo F, Galicia S, Cebada J, Flores A., 2013. Excitatory actions of GABA in developing chick vestibular afferents: effects on resting electrical activity. *The Synapse*, Vol. 67, p. 374-381.
- Crowson, M. G., Patki, A., dan Tucci, D. L., 2016. A Systematic Review of Diuretics in the Medical Management of Ménière's Disease. *Otolaryngology-Head and Neck Surgery*. Vol. 154 No. 5, p. 824–834.
- Cruz, Da Melville., 2014. Ménière Disease: A Stepwise Approach. *MedicineToday*, Vol. 15 No. 3, p. 18-26.
- Da Costa, S. S., de Sousa, L. C. A., dan de Toledo Piza, M. R., 2002. Meniere's disease: overview, epidemiology, and natural history. *Otolaryngologic Clinics of North America*, Vol. 35 No. 3, p. 455–495.
- Demarco, R. C., Rossato, M., de Oliveira, J. A. A., dan Hyppolito, M. A., 2010. Histological effects of intratympanic gentamicin on the vestibular organ of guinea pigs. *The Journal of Laryngology & Otology*, Vol. 125 No. 04 p. 357–362.

- den Heijer T, Vermeer SE, dan Clarke R., 2003. Homocysteine and brain atrophy on MRI of non-demented elderly. *Brain*, Vol. 126, p. 170-175
- Derebery, M. J., 2011. Allergic and Immunologic Features of Ménière's Disease. *Otolaryngologic Clinics of North America*, Vol. 44 No. 3, p. 655–666.
- Derebery, M. J., dan Berliner, K. I., 2000. Prevalence of Allergy in Meniere's Disease. *Otolaryngology-Head and Neck Surgery*, Vol. 123 No. 1, p. 69–75.
- Dhingra, P L dan Shruti Dhingra., 2017. *Diseases of Ear, Nose and Throat & Head and Neck Surgery*, P L Dhingra
- Drake Richard., Vogl A Wayne., da Adam W M Mitchell., 2019. *Gray's Anatomy for Students*. Edisi ke-4. Philadelphia: Elsevier.
- DjelilovicVranic, J., Alajbegovic, A., Tiric-Campara, M., Volic, A., Osmanagic, E., Todorovic, L., dan Beslagic O., 2012. Betahistine or Cinnarizine for Treatment of Meniere's Disease. *Medical Archives*, Vol. 66 No. 6, p. 396-398
- Dyhrfeld-Johnsen, J., & Attali, P., 2019. Management of peripheral vertigo with antihistamines new options on the horizon. *British Journal of Clinical Pharmacology*, Vol. 85, p. 2255-2263.
- Eckhard, A., Gleiser, C., Arnold, H., Rask-Andersen, H., Kumagami, H., Müller, M., Löwenheim, H., 2012. Water channel proteins in the inner ear and their link to hearing impairment and deafness. *Molecular Aspects of Medicine*., Vol. 33 No. 5-6, p. 612–637.
- Enache, R., dan Sarafoleanu, C., 2008. Prognostic factors in sudden hearing loss. *Journal of Medicine and Life*, Vol. 1 No. 3, p. 343–347.
- Foster, C. A., dan Breeze, R. E., 2013. The Meniere attack An ischemiareperfusion disorder of inner ear sensory tissues. *Medical Hypotheses*, Vol. 81 No. 6, p. 1108–1115.

- Foster CA, Breeze RE., 2013. Endolymphatic hydrops in Ménière's disease: cause, consequence, or epiphenomenon? *Otology Neurotology*, Vol. 34 No. 7, p. 1210–1214.
- Frejo, L., Soto-Varela, A., Santos-Perez, S., Aran, I., Batuecas-Caletrio, A., Perez-Guillen, V., dan Lopez-Escamez, J. A., 2016. Clinical Subgroups in Bilateral Meniere Disease. *Frontiers in Neurology*, Vol. 7 No. 182.
- Fukushima M, Kitahara T, Fuse Y, Uno Y, Doi K, Kubo T., 2004. Changes in aquaporin expression in the inner ear of the rat after i.p. injection of steroids. *Acta of Otolaryngology*, Vol. 553, p. 13-18.
- Gacek, R. R., 2009. Ménière's Disease Is a Viral Neuropathy. *Journal of Otolaryngology*, Vol. 71 No. 2, p. 78–86.
- Gacek, Richard D., 2014. Recovery of Hearing in Mniere Disease after Antivirasl Treatment. *American Journal of Otolaringology*.
- García-Purrinños FJ, Ferri E, Rosell A., Calvo J., 2005. Dexametasona vi'a combinada intratimpa'tica-intravenosa para el control del ve'rtigo en la enfermedad de Me'nie`re. *Acta Otorrinolaringology*, Vol. 56, p. 74-77.
- Gazquez I, Soto-Varela A, Aran I, Santos S, batuecas Angel, Trinidad Gabriel, Perez-Garrigues H, Gonzallez-Oller C, Acosta L, dan Lopez-Escamez., 2011. High prevalence of systemic autoimmune diseases in patients with Ménière's disease. *PLoS One*, Vol. 6, No. 10.
- Ghavami, Y., Haidar, Y. M., Moshtaghi, O., Lin, H. W., dan Djalilian, H. R., 2018. Evaluating Quality of Life in Patients With Meniere's Disease Treated as Migraine. *Annals of Otology, Rhinology & Laryngology*.
- Gibson, W. P. R., 2010. Hypothetical Mechanism for Vertigo in Meniere's Disease. *Otolaryngologic Clinics of North America*, Vol. 43 No. 5, p. 1019–1027.

- Gibson WP., 1991. The use of electrocochleography in the diagnosis of Menière's disease. *Acta of Otolaryngology*, Vol. 485, p. 46–52.
- Gürkov, R., Kantner, C., Strupp, M., Flatz, W., Krause, E., dan Ertl-Wagner, B., 2013. Endolymphatic hydrops in patients with vestibular migraine and auditory symptoms. *European Archives of Otorhinolaryngology*, Vol. 271 No. 10, p. 2661–2667.
- Hain, T.C., Uddin, M., 2003. Pharmacological treatment of vertigo. *CNS Drugs*, Vol. 17, p. 85-100.
- Hameed, H. M., Eleue, A. H., dan Al Mosawi, A. M. T., 2018. The use of Distortion Product Otoacoustic emissions (DPOAE) records to estimate effect of vitamin B complex on changing severity of Tinnitus. *Annals of Medicine and Surgery*, Vol. 36, p. 203-211.
- Harcourt, Jonny., Barraclough, Kevin., Bronstein, A. M., 2014. Meniere's Disease. *British Medical Journal*, Vol. 349, p. 6544.
- Hazra. A dan Maroo N., 2003. Betahistine Dihydrochloride or Betahistine Mesilate: Two Side of the Same Coin or Two Different Coins. *International Journal of Basic and Clinical Pharmacology*, Vol. 6 No. 8, p. 1833-1840.
- Herraiz, C., J. Miguel Aparicio, dan G. Plaza., 2010. Intratympanic drug delivery for the treatment of inner ear diseases. *Acta Otorrinolaringologica*, Vol. 61 No. 3, p. 225-232.
- Hoffmann J, Akerman S, dan Goadsby PJ., 2014. Efficacy and mechanism of anticonvulsant drugs in migraine. *Expert Review of Clinical Pharmacology*, Vol. 7 No, 2, p. 191-201.
- Holgers K-M, Finizia C., 2001. Health profile for patients with Ménière's disease. *Noise Health*, Vol. 4, p. 71–80.
- Holstein, G.R., Martinelli, G.P., Boyle, R., Rabbitt, R.D., Highstein, S.M., 2004. Ultrastructural observations of efferent terminals in the crista

- Ampullaris of the toadfish. *opsanus tau*. ***Experimental Brain Research***, Vol. 155, p. 265-273.
- Holt JC, Kewin K, Jordan PM, Cameron P, Klapczynski M, McIntosh JM., 2015. Pharmacologically distinct nicotinic acetylcholine receptors drive efferent-mediated excitation in calyx-bearing vestibular afferents. ***Journal of Neuroscience***, Vol. 35, p. 3625-3643.
- Holt JC, Lysakowski A, Goldberg JM., 2011. ***The efferent vestibular system***. In: Ryugo DK, Fay RR, Popper AN, editors. Auditory and vestibular efferents. New York, NY: Springer, p.135-86.
- Hornibrook J, George P, Spellerberg M., 2011. HSP70 antibodies in 80 patients with “clinically certain” Meniere’s disease. ***Annal Otology Rhinology Laryngology***, Vol. 120, p. 651-5.
- Hornibrook J., 2017. Tone burst electrocochleography for the diagnosis of clinically certain Meniere’s disease. ***Frontier Neuroscience***, Vol. 11, p. 301.
- Ishiyama, G., Lopez, I. A., Sepahdari, A. R., dan Ishiyama, A., 2015. Meniere’s disease: histopathology, cytochemistry, and imaging. ***Annals of the New York Academy of Sciences***, Vol. 1343 No. 1, p. 49–57.
- Jablonka-Strom A, Pospiech L, Zatonski M, Bochnia M., 2013. Dynamics of pure tone audiometry and DPOAE changes induced by glycerol in Meniere’s disease. ***European Archive of Otorhinolaryngology***, Vol. 270 No. 5, p. 1751-1756.
- Jian, H., Yu, G., Chen, G., Lin, N., dan Wang, H., 2019. Correlation between auditory-vestibular functions and estrogen levels in postmenopausal patients with Meniere's disease. ***Journal of clinical laboratory analysis***, Vol. 33, No. 1.

- Kakigi A, Takeda T., 2009. Antidiuretic hormone and osmolality in patients with Meniere's disease. *ORL Journal of Otorhinolaryngology*, Vol. 71, p. 11–13.
- Katayama N, Yamamoto M, Teranishi M, Naganawa S, Nakata S, Sone M., 2010. Relationship between endolymphatic hydrops and vestibular-evoked myogenic potential. *Acta of Otolaryngology*, Vol. 130, p. 917–923.
- Khan Barbar H., Ahmed Zubair., Khan Rizwan A., 2011. Effects of diuretics and vasodilators therapy in Meniere's disease. *Biomedica*, Vol. 27, p.114-118.
- Kim HH, Kumar A, Battista RA, Wiet RJ., 2005. Electrocochleography in patients with Meniere's disease. *American Journal of Otolaryngology*, Vol. 26., p. 128–131.
- Kim, S. H. dan Marcus, D. C., 2011. Regulation of sodium transport in the inner ear. *Hearing Research*. Vol. 280 No. 1-2 p. 21–29.
- Kitahara, T., Fukushima, M., Uno, A., Imai, T., Ohta, Y., Morihana, T., dan Inohara, H., 2013. Long-term results of endolymphatic sac drainage with local steroids for intractable Meniere's disease. *Auris Nasus Larynx*, Vol. 40 No. 5 p. 425–430.
- Lackner, J. R., 2014. Motion sickness: more than nausea and vomiting. *Experimental Brain Research*, Vol. 232 No. 8, p. 2493–2510.
- Lang F, Hoerr R, Noeldner M, dan Koch E., 2013. Ginkgo biloba extract EGb 761®: from an ancient Asian plant to a modern European herbal medicinal product dalam: Wagner H, Ulrich-Merzenich G, editors. Evidence and Rational Based Research on Chinese Drugs. Wien: *Springer*; p. 431–470.
- Laurence L. Brunton, Randa Hilal-Dandan, dan Björn C. Knollmann., 2017. *Goodman & Gilman's The Pharmacological Basis of Therapeutics*. Edisi 13. McGraw Hill Education.

- Lee C., 2016. *Effects of pharmacological agents on mammalian vestibular function* Lincoln (NE): University of Nebraska-Lincoln.
- Levo, H., Kentala, E., Rasku, J., dan Pyykko, I., 2014. Aural Fullness in Meniere's Disease. *Audiology and Neurotology*, Vol. 19 No. 6, p. 395–399.
- Lezius, F., Adrion, C., Mansmann, U., Jahn, K., dan Strupp, M., 2011. High-dosage betahistine dihydrochloride between 288 and 480 mg/day in patients with severe Ménière's disease: a case series. *European Archives of Otorhinolaryngology*, Vol. 268 No. 8, p. 1237–1240.
- Liu, H., Zhang, T., Wu, Q., Zhang, Y., dan Dai, C., 2016. End-point indicators of low-dose intra-tympanic gentamicin in management of Ménière's disease. *Acta Oto-Laryngologica*, Vol. 137 No. 2, p. 136–143.
- Liu, X., Li, M., Smyth, H., dan Zhang, F., 2018. Otic drug delivery systems formulation principles and recent developments. *Drug Development and Industrial Pharmacy*, Vol. 44 No. 9, p. 1395–1408.
- Lopez-Escamez JA, Carey J, Chung WH, Goebel JA, Magnusson, Mans., Mandala, Marco., Newman-Toker, David E., Strupp, Michael., Suzuki, Mamoru., Trabalzini, Franco., Bisdoff, Alexandre., 2015. Diagnostic Criteria for Ménière's Disease. *Journal of Vestibular Research*, Vol. 25, p. 251–7.
- Luryi, A. L., Morse, E., dan Michaelides, E., 2019. Pathophysiology and Diagnosis of Meniere's Disease. *Diagnosis and Treatment of Vestibular Disorders*. Chapter 13, p. 165–188.
- Makary CA, Shin J, Kujawa SG, Liberman MC, Merchant SN., 2011. Age-related primary cochlear neuronal degeneration in human temporal bones. *Journal of the Association for Research in Otolaryngology*, Vol. 12, p. 711–717.

- Mammarella F, Zelli M, Varakliotis T, Eibenstein A, Pianura CM, Bellocchi G., 2017. Is electrocochleography still helpful in early diagnosis of Meniere disease?. *Journal of Audiology dan Otology*, Vol. 21, p. 72–6.
- Manzari, L., Burgess, A. M., dan Curthoys, I. S., 2011. Vestibular function in Lermoyez syndrome at attack. *European Archives of Otorhinolaryngology*, Vol. 269 No. 2, p. 685–691.
- McEvoy, G. K., 2011. *AHFS Drug Information Essential*. Bethesda: American Society of Health-System Pharmacists.
- Merchant, S. N., Adams, J. C., dan Nadol, J. B., 2005. Pathophysiology of Meniere's Syndrome: Are Symptoms Caused by Endolymphatic Hydrops?. *Otology & Neurotology*, Vol. 26 No. 1, p. 74–81.
- Meyer, T., 2013. Intratympanic treatment for telinga berdenging: A review. *Noise and Health*, Vol. 15 No. 63, p. 83-90.
- Meza G., 2008. Modalities of GABA and glutamate neurotransmission in the vertebrate inner ear vestibule. *Neurochemical Research*, Vol. 33, p. 1634-1642.
- Mikulec, A. A., Hartsock, J. J., dan Salt, A. N., 2008. Permeability of the Round Window Membrane Is Influenced by the Composition of Applied Drug Solutions and by Common Surgical Procedures. *Otology & Neurotology*, Vol. 29 No. 7 p.1020–1026.
- Miller ME, Makary C, Lopez IA, dan Ishiyama A., 2010. Endolymphatic hydrops in otologic syphilis: a temporal bone study. *Otology Neurotology*, Vol. 31 No. 4, p. 681–686.
- Mirza, Shazia., dan Gokhale, Sankalp., 2017. Pathophysiology of Meniere's Disease. *Up to Date on Meniere's Disease*, Chapter 5, p. 53-68.

- Mom T, Chazal J, Gabrillargues J, Gilain L, Avan P., 2005. Cochlear blood supply: an update on anatomy and function. *Otorhinolaryngology*, Vol. 88, p. 81–8.
- Murofushi, T., Ozeki, H., Inoue, A., dan Sakata, A., 2009. Does Migraine-Associated Vertigo Share a Common Pathophysiology With Meniere's Disease? Study With Vestibular-Evoked Myogenic Potential. *Cephalalgia.*, Vol. 29 No. 12, p. 1259–1266.
- Musazzi, U. M., Franzé, S., dan Cilurzo, F., 2017. Innovative pharmaceutical approaches for the management of inner ear disorders. *Drug Delivery and Translational Research*, Vol. 8 No. 2, p. 436–449.
- Nakashima T., Pyykkö I., Arroll MA., Casselbrant M.L., Foster C.A., Manzoor N.F., Megerian C.A., Naganawa S., dan Young Y.H., 2016. Meniere's disease [review]. *Nature Review Disease Primers*, Vol. 2 No. 216028.
- Naples, J. G., Henry, L., Brant, J. A., Eliades, S. J., dan Ruckenstein, M. J., 2018. Intratympanic Therapies in Ménière Disease Evaluation of Outcomes and Early Vertigo Control. *The Laryngoscope*, p. 1-6
- Negm Ahmed A dan Furst Daniel E., 2018. Nonsteroidal Anti-Inflammatory Drugs, Disease-Modifying Antirheumatics Drugs, Nonopioid Analgesics, and Drugs Used in Gout dalam *Basic Clinical Pharmacology*. 14th edition. London: McGraw-Hill Education.
- Nevoux, J., Barbara, M., Dornhoffer, J., Gibson, W., Kitahara, T., Darrouzet, V. 2017. International Consensus (ICON) on Treatment of Meniere's Disease. *European Annals of Otorhinolaryngology*, p. 1-4.
- Nicolaides NC, Pavlaki AN, dan Maria Alexandra MA., 2018. Glucocorticoid Therapy and Adrenal Suppression. Diakses dari <https://www.ncbi.nlm.nih.gov/books/NBK279156/> pada 07 Agustus 2020.

- Nomura Y., 2013. Morphological aspects of inner ear disease. Tokyo: *Springer Science & Business Media*.
- Oberman, B. S., Patel, V. A., Cureoglu, S., dan Isildak, H., 2017. The aetiopathologies of Ménière's disease: a contemporary review. *Acta otorhinolaryngologica Italica*, Vol. 37 No. 4, p. 250–263.
- Ocejo A dan Correa R. 2020. Methylprednisolone. StatPearls Diakses dari <https://www.ncbi.nlm.nih.gov/books/NBK544340/> pada 07 Agustus 2020.
- Okazaki, Y., Yoshida, T., Sugimoto, S., Teranishi, M., Kato, K., Naganawa, S., Sone, M., 2017. Significance of Endolymphatic Hydrops in Ears With Unilateral Sensorineural Hearing Loss. *Otology & Neurotology*, Vol. 38 No. 8, p. 1076–1080.
- Kathleen Pagana, Timothy Pagana, dan Theresa Pagana., 2018. *Mosby's Diagnostic and Laboratory Test Reference*. Edisi ke-14. Elsevier
- Paolino M, Ghulyan-Bedikian V., 2011. *Ménière's Disease and Tinnitus*. Textbook of Tinnitus. New York: Springer p. 477–86.
- Patel M, Agarwal K, Arshad Q, Hariri M., 2016 Intratympanic methylprednisolone versus gentamicin in patients with unilateral Ménière's disease: arandomised, double-blind, comparative effectiveness trial. *Lancet*, Vol. 388, p. 2753–62.
- Pérez C, Limón A, Vega R, Soto E., 2009. The muscarinic inhibition of the potassium M-current modulates the action-potential discharge in the vestibular primary-afferent neurons of the rat. *Neuroscience*, Vol. 158, p. 1662-1674.
- Phillips, J. S., dan Westerberg, B., 2011. *Intratympanic steroids for Ménière's disease or syndrome*. *Cochrane Database of Systematic Reviews*. Issue 7. No. CD008514.

- Pullens, B., dan van Benthem, P., 2011. Intratympanic gentamicin for Ménière's disease or syndrome. *Cochrane Database of Systematic Reviews*. Issue 3. No. CD008234.
- Pyykkö, I., Manchaiah, V., Färkkilä, M., Kentala, E., dan Zou, J., 2019. Association between Ménière's disease and vestibular migraine. *Auris Nasus Larynx*, Vol. 46 No. 5, p. 724–733.
- Pyykkö, I., Nakashima, T., Yoshida, T., Zou, J., dan Naganawa, S., 2013. Ménière's disease: a reappraisal supported by a variable latency of symptoms and the MRI visualisation of endolymphatic hydrops. *British Medical Journal*, Vol. 3 No. 2.
- Quagliari S, Gatti O, Rebecchi E, Manfrin M., 2014. Intratympanic gentamicin treatment “as needed” for Ménière's disease. Long-term analysis using the Kaplan-Meier method. *European Archive of Otorhinolaryngology*, Vol. 271, p. 1443–1439.
- Rah, Y. C., Han, J. J., Park, J., Choi, B. Y., dan Koo, J.-W., 2014. Management of intractable Ménière's disease after intratympanic injection of Gentamicin. *The Laryngoscope*, Vol. 125 No. 4 p. 972–978.
- Ramadan NM., 2004. Prophylactic migraine therapy: mechanisms and evidence. *Current Pain and Headache Report*. Vol. 8 No. 2, p. 91-95.
- Rathbun KM, Nguyen M, dan Singhal M. 2020. Addisonian Crisis. StatPearls Diakses dari <httpswww.ncbi.nlm.nih.govbooksNBK441933> pada 21 Agustus 2020.
- Rauch SD., 2010. Clinical hints and precipitating factors in patients suffering from Meniere's disease. *Otolaryngology Clinic*, Vol. 43 p. 1011–1017.
- Rauch, Steven D., 2016. Meniere's Disease: Damage Hearing but Reduce Vertigo. *Elsevier*, p. 2753.

- Sajjadi, H., dan Paparella, M. M., 2008. Meniere's disease. *The Lancet*, Vol. 372 No. 9636, p. 406–414.
- Salt, A. N., dan Plontke, S. K., 2010. Endolymphatic Hydrops: Pathophysiology and Experimental Models. *Otolaryngologic Clinics of North America*, Vol. 43 No. 5, p. 971–983.
- Salt, A. N., dan Plontke, S. K. 2018. Pharmacokinetic principles in the inner ear Influence of drug properties on intratympanic applications. *Hearing Research*, p. 1-13.
- Seidman. RE dan Keate B., 2002. Myths in neurotology, revisited: smoke and mirrors in tinnitus therapy. *Journal of Otolaryngology and Neurotology*, Vol. 23, p. 1013-1016.
- Sharma, D. K., 2017. Audiological Assessment in Meniere's Disease. *Up to Date on Meniere's Disease*.
- Sharon, J. D., Trevino, C., Schubert, M. C., dan Carey, J. P., 2015. Treatment of Menière's Disease. *Neurologic Ophthalmology and Otology*, Vol. 17 No. 14 p. 1-16.
- Shea, P. F., Richey, P. A., Wan, J. Y., dan Stevens, S. R., 2011. Hearing results and quality of life after streptomycin/dexamethasone perfusion for meniere's disease. *The Laryngoscope*. Vol. 122 No. 1 p. 204–211.
- Siswandono., 2016. *Kimia Medisinal 2*. Edisi 2. Surabaya: Airlangga University Press
- Smith. J.P., Weller S., Johnson B., Nicotera J., Luther J.M., dan Haas D.W., 2009. Pharmacokinetics of Acyclovir and Its Metabolites in Cerebrospinal Fluid and Systemic Circulation afer Administrstion of High-dose Valacyclovir in Subjects with Normal and Impaired Renal Function. *Antimicrobial Agents and Chemotherapy*, Vol. 54 No. 3, p. 1146

- Singh, C., Kawatra, R., Gupta, J., Awasthi, V., dan Dungana, H., 2016. Therapeutic role of Vitamin B12 in patients of chronic tinnitus: A pilot study. *Noise & health*, Vol. 18 No. 81, p. 93–97.
- Sokolova, L., Hoerr, R., dan Mishchenko, T., 2014. Treatment of Vertigo: A Randomized, Double-Blind Trial Comparing Efficacy and Safety of Ginkgo biloba Extract EGb 761 and Betahistine. *International journal of otolaryngology*, Vol. 2014, No. 682439.
- Sonbay Yılmaz, N. D., Saka, C., Oktay Arslan, B., Aygener Yeşilyurt, N., Saka, D., Ardiç, S., dan Akin, İ., 2019. The effect of hypoxia on hearing function. *Turkish Journal Of Medical Sciences*, Vol. 49 No. 5, p. 1450–1454.
- Soto, E. dan Vega, R., 2010. Neuropharmacology of Vestibular System Disorders. *Current Neuropharmacology*, Vol. 8 No. 1, p. 26–40.
- Spiegel, R., Kalla, R., Mantokoudis, G., Maire, R., Mueller, H., Hoerr, R., dan Ihl, R., 2018. *Ginkgo biloba* extract EGb 761[®] alleviates neurosensory symptoms in patients with dementia: a meta-analysis of treatment effects on tinnitus and dizziness in randomized, placebo-controlled trials. *Clinical interventions in aging*, Vol. 13, p. 1121–1127.
- Stach B., 2003. *Comprehensive dictionary of audiology illustrated*. Edisi ke-2. New York: Thomson Delmar Learning.
- Stjernerchantz, J., Wentzel, P., dan Rask-Andersen, H., 2004. Localization of prostanoid receptors and cyclo-oxygenase enzymes in Guinea pig and human cochlea. *Hearing Research*, Vol. 197 No. 1-2, p. 65–73.
- Strupp M, Huppert D, Frenzel C, Wagner J, Hahn A, Jahn K., 2008. Long-term prophylactic treatment of attacks of vertigo in Ménière's disease – comparison of a high with a low dosage of betahistine in an open trial. *Acta Otolaryngology*, Vol. 128, p. 620–4.

- Taguchi D, Kakigi A, Takeda T, Sawada S, Nakatani H., 2010. Diagnostic value of plasma antidiuretic hormone, electrocochleography, and glycerol test in patients with endolymphatic hydrops. *ORL Journal of Otorhinolaryngology*, Vol. 71., p. 26–29.
- Teixeira, L. S., dan Cavalcante, A. M. G., 2017. Ménière's Disease Epidemiology. *Up to Date on Meniere's Disease*, Chapter 3.
- Thirlwall AS, Kundu S., 2006. Diuretics for Ménière's disease or syndrome. *Cochrane Database Systematic Review*, Vol. 3: CD003599.
- Toledo JB, Arnold SE, dan Raible K., 2013. Contribution of cerebrovascular disease in autopsy confirmed neurodegenerative disease cases in the National Alzheimer's Coordinating Centre. *Brain*, Vol. 136, p. 2697–2706.
- Ueberfuhr, M. A., Wiegrebe, L., Krause, E., Gürkov, R., dan Drexler, M., 2017. Tinnitus in Normal-Hearing Participants after Exposure to Intense Low-Frequency Sound and in Ménière's Disease Patients. *Frontiers in Neurology*, Vol. 7 No. 239.
- Van Esch, B. F., Van der Zaag-Loonen, H. J., Bruintjes, T. D., Van Benthem, P. P. G., 2016. Interventions for Ménière's disease: protocol for an umbrella systematic review and a network meta-analysis. *British Medical Journal*, Vol. 6 No. 6.
- Valente, F., Astolfi, L., Simoni, E., Danti, S., Franceschini, V., Chicca, M., dan Martini, A., 2017. Nanoparticle drug delivery systems for inner ear therapy: An overview. *Journal of Drug Delivery Science and Technology*, Vol. 39, p. 28–35.
- Varoli, L., Andreani, A., Burnelli, S., Granaiola, M., Leoni, A., Locatelli, A., Morigi, R., Rambaldi, M., Bedini, A., Fazio, N., Spampinato, S. 2008. Diphenidol-related diamines as novel muscarinic M4 receptor antagonists. *Bioorg. Medica Chem. Lett*, Vol. 18, p. 2972-2976.

- Vassiliou, A., Vlastarakos, P. V., Maragoudakis, P., Candiloros, D., dan Nikolopoulos, T. P., 2011. Meniere's disease: Still a mystery disease with difficult differential diagnosis. *Annals of Indian Academy of Neurology*, Vol. 14, No. 1, p. 12–18.
- Williams C., 2013. Hearing restoration: Graeme Clark, Ingeborg Hochmair, and Blake Wilson receive the 2013 Lasker~DeBakey Clinical Medical Research Award. *Journal of Clinical Investigation*, Vol. 123 No. 10, p. 4102–6.
- Winkler, N. S., dan Fautsch, M. P. 2014. Effects of Prostaglandin Analogues on Aqueous Humor Outflow Pathways. *Journal of Ocular Pharmacology and Therapeutics*, Vol. 30, p. 2-3.
- Winsor, Alana M dan Ruckenstein Michael J., 2018. Anti-inflammatory Therapies for Sensorineural Hearing Loss dalam Inflammatory Mechanism in Mediating Hearing Loss. Editor Vickram Ramkumar. Chapter 10th. United States of America: Springer.
- Wu, Q., Dai, C., Zhao, M., dan Sha, Y., 2015. The correlation between symptoms of definite Meniere's disease and endolymphatic hydrops visualized by magnetic resonance imaging. *The Laryngoscope*, Vol. 126 No. 4, p. 974–979.
- Yamane, H., Takayama, M., Sunami, K., Sakamoto, H., Imoto, T., dan Anniko, M., 2010. Blockage of reuniting duct in Meniere's disease. *Acta Oto-Laryngologica*, Vol. 130 No. 2, p. 233–239.
- Yaz F, Ziylan F, Smeeing DPJ, Thomeer HGXM., 2020. Intratympanic Treatment in Menière's Disease, Efficacy of Aminoglycosides Versus Corticosteroids in Comparison Studies: A Systematic Review. *Otology and Neurotology*, Vol. 41, No. 1, p. 1-10.
- Yoo, T., Stuart, J., Kang, A., Townes, A., Tomoda, K., dan Dixit, S., 1982. Type II collagen autoimmunity in otosclerosis and Meniere's Disease. *Science*, Vol. 217 No. 4565, p. 1153–1155.

- Yoon, T. H., Paparella, M. M., dan Schachern, P. A., 1990. Otosclerosis Involving the Vestibular Aqueduct and Meniere's Disease. *Otolaryngology-Head and Neck Surgery*, Vol. 103 No. 1, p. 107–112.
- Young Y-H, Huang T-W, Cheng P-W., 2003. Assessing the stage of Ménière's disease using vestibular evoked myogenic potentials. *Archive of Otolaryngology Head and Neck Surgery*, Vol. 129., p. 815.
- Zajonc, T.P., Roland, P.S., 2005. Vertigo and motion sickness. Part II: Pharmacologic treatment. *Ear Nose Throat Journal*, Vol. 85, p. 25-35.
- Zdebik, A. A., Wangemann, P., dan Jentsch, T. J., 2009. Potassium Ion Movement in the Inner Ear: Insights from Genetic Disease and Mouse Models. *Physiology*, Vol. 24 No. 5, p. 307–316.