ABOUT JOURNAL (ABOUTJOURNAL.ASPX) CONTACT US (CONTACTUS.ASPX)



(Home.aspx)

Research Journal of Pharmacy and Technology

(Home.aspx)

ISSN

0974-360X (Online) 0974-3618 (Print)

HOME → (HOME.ASPX)

PAST ISSUES (PASTISSUES.ASPX)

EDTROROHD CHIEFLE BUILD IL SPUNITO IL SPUNIT

NEWS (NEWS.ASPX) search Q



DR. MRS. MONIKA S. DAHARWAL ()

EDITOR IN CHIEF A & V PUBLICATIONS, RJPT HOUSE, LOKMANYA GRIHNIRMAN SOCIETY, ROHANIPURAM, IN-FRONT OF SECTOR- 1, PT. DEENDAYAL UPADHYAY NAGAR, RAIPUR 492 010. (CG) INDIA

ASSOCIATE EDITOR



MARWAN MAHMOOD SALEH ()
ASSOCIATE EDITOR
ANBAR-RAMADI- HABBANIYA- 4-4-17

DHANANJAY BABANRAO DESHMUKH ()



ASSOCIATE EDITOR
ASHVIN COLLEGE OF PHARMACY MANCHI HILL ASHVI BK SANGAMNER AHMEDNAGAR



DR.RER.NAT ARLI ADITYA PARIKES ()

ASSOCIATE EDITOR
DEPARTMENT OF BIOINFORMATICS SCHOOL OF LIFE SCIENCES INDONESIA INTERNATIONAL
INSTITUTE FOR LIFE SCIENCES JL. PULOMAS BARAT KAV.88 JAKARTA 13210



DR G KUMARASWAMY ()

ASSOCIATE EDITOR
DR.KUMARA SWAMY. GANDLA PROF.& HEADDEPT.OF PHARMACEUTICAL ANALYSISCARE COLLEGE
OF PHARMACY, WARANGAL, TELANGANA.MOBILE: +91-9000973789



HARDIK PATHAK ()
ASSOCIATE EDITOR
222 PASHUPATINATH NAGAR, JAIPUR



MARIIA SHANAIDA () ASSOCIATE EDITOR 46001, TERNOPIL, VOLI STR., 1. UKRAINE



DR. G. MANIKANDAN ()
ASSOCIATE EDITOR
DR. G.MANIKANDAN ASSISTANT PROFESSOR DEPARTMENT OF BOTANY SRI KALISWARI COLLEGE (AUTONOMOUS) SIVAKASI - 626130 TAMIL NADU INDIA



DR.S.MOHANASUNDARAM ()

ASSOCIATE EDITOR
DEPARTMENT OF BIOCHEMISTRY, SRI SANKARA ARTS AND SCIENCE COLLEGE (AUTONOMOUS),
KANCHIPURAM - 631561, TAMILNADU, INDIA



DR SHAEESTA K. BHAVIKATTI ()

ASSOCIATE EDITOR
COLLEGE OF DENTISTRY, KING KHALID UNIVERSITY, ABHA, SAUDI ARABIA



DR KARTEEK ESWARA ()

ASSOCIATE EDITOR
T2,STAFF QUARTERS, KSR INSTITUTIONS, KSR KALVI NAGAR, TIRUCHENGODE-637215,
TAMII NADU



DR. CHUKWUEBUKA EMMANUEL UMEYO ()

ASSOCIATE EDITOR
DEPARTMENT OF PHARMACEUTICS AND PHARMACEUTICAL TECHNOLOGY, FACULTY OF
PHARMACEUTICAL SCIENCES, NNAMDI AZIKIWE UNIVERSITY, AWKA, ANAMBRA STATE, NIGERIA



DR. PRANAV KUMAR PRABHAKAR ()

ASSOCIATE EDITOR
DEPARTMENT OF TRANSDISCIPLINARY RESEARCH, DIVISION OF RESEARCH &
DEVELOPMENT,LOVELYPROFESSIONAL UNIVERSITY, PHAGWARA, PUNJAB, INDIA-144402



EBAA ADNAN AZOOZ () ASSOCIATE EDITOR

IRAQ, NAJAF



PROF. VIJAY D. MENDHULKAR ()

ASSOCIATE EDITOR
PROF. AND HEAD, DEPARTMENT OF BOTANY THE INSTITUTE OF SCIENCE 15- MADAME CAMA
ROAD FORT, MUMBAI



DR. A.K. JHA ()
ASSOCIATE EDITOR
PRINCIPAL, SHRI SHAKARACHARYA COLLEGE OF PHARMA. SCIENCES, BHILAI CG INDIA



DR. NAGHAM MAHMOOD ALJAMALI ()ASSOCIATE EDITOR
COLLEGE EDUCATION, DEPARTMENT, IRAQ.



DR. R. B. KAKADE ()
ASSOCIATE EDITOR
PROFESSOR, UNI. DEPT. OF PHARMACEUTICAL SCI., RTM NAGPUR UNIVERSITY, NAGPUR INDIA



WISSAM ZAM ()
ASSOCIATE EDITOR
AL-ANDALUS UNIVERSITY OF MEDICAL SCIENCES/FACULTY OF PHARMACY-TAROUS, SYRIA



DR. VIBHA YADAV ()ASSOCIATE EDITOR
COVINGTON, LA, USA



DR. S. ASHUTOSH KUMAR ()

ASSOCIATE EDITOR
DEPARTMENT OF PHARMACY, TRIPURA UNIVERSITY (A CENTRAL UNIVERSITY)
SURYAMANINAGAR, WEST TRIPURA, TRIPURA- 799022.



DR. U.S. MAHADEVA RAO ()ASSOCIATE EDITOR
KUALA TERENGGANU, MALAYSIA



CHANDRASEKARAN V M ()
ASSOCIATE EDITOR
124 TECHNOLOGY TOWER VIT UNIVERSITY VELLORE 632014 (TN)



NAEEM HASAN KHAN ()
ASSOCIATE EDITOR
FACULTY OF PHARMACY, AIMST UNIVERSITY, 08100 BEDONG, KEDAH D.A., MALAYSIA.



DR. DEEPANSH SHARMA ()ASSOCIATE EDITOR
BLOCK 28, ROOM NO. 202 DEPARTMENT OF BIOSCIENCES, LOVELY PROFESSIONAL UNIVERSITY



DR. S. SARAF ()
ASSOCIATE EDITOR
PROFESSOR, UNIVERSITY INSTITUTE OF PHARMACY, PT. RAVISHANKAR SHUKLA UNIVERSITY,
RAIPUR-492010 CG INDIA VICE- PRESIDENT, PHARMACY COUNCIL OF INDIA, NEW DELHI



DR. DEEPENDRA SINGH ()
ASSOCIATE EDITOR
UNIVERSITY INSTITUTE OF PHARMACY PT. RAVISHANKAR SHUKLA UNIVERSITY RAIPUR(C.G.)



DR S RAJESHKUMAR ()
ASSOCIATE EDITOR
NANOTHERAPY LAB SCHOOL OF BIOSCIENCES AND TECHNOLOGY, VIT, VELLORE



VASUNDHRA KASHYAP PHD, MBA, MS ()
ASSOCIATE EDITOR
66 LOWDEN AVENUE, SOMERVILLE, MA 02144 USA



ROMAN LYSIUK ()
ASSOCIATE EDITOR
DEPARTMENT OF PHARMACOGNOSY AND BOTANY, DANYLO HALYTSKY LVIV NATIONAL MEDICAL
UNIVERSITY, PEKARSKA,69., LVIV, UKRAINE, 79010



BEHZAD FOROUTAN ()
ASSOCIATE EDITOR
DEPARTMENT OF PHARMACOLOGY, SCHOOL OF MEDICINE, SHAHROUD UNIVERSITY OF MEDICAL SCIENCES, SHAHROUD, IRAN

ACADAMIC EDITOR

DR. BHARTI AHIRWAR ()



ASSOCIATE PROFESSOR, SLT INSTITUTE OF PHARM. SCIENCES, GURU GHASIDAS UNIVERSITY, BILASPUR CG INDIA



SUDHISH A. RAI ()
RJPT HOUSE, LOKMANYA GRIHNIRMAN SOCIETY, ROHANIPURAM, IN-FRONT OF SECTOR- 1, PT.
DEENDAYAL UPADHYAY NAGAR, RAIPUR 492 010. (CG) INDIA



DR. ASHOK A. HAJARE ()
PROFESSOR AND HEAD, DEPARTMENT OF PHARM. TECH., BHARATI VIDYAPEETH COLLEGE OF PHARMACY, KOLHAPUR (M. S.), INDIA PIN - 416013



SANYAM GANDHI ()
INTERNATIONAL REGULATORY STRATEGY LEAD TAKEDA PHARMACEUTICAL COMPANY LTD., 1
KINGDON ST., PADDINTON, LONDON, W2 6BD ENGLAND



DR. AJAY KUMAR MEENA ()CAPTAIN SRINIVASA MURTHY REGIONAL AYURVEDA DRUG DEVELOPMENT INSTITUTE,ARUMBAKKAM, CHENNAI – 600 106

EDITORS



DR AVINASH B DAREKAR ()KVNNSPS, INSTITUTE OF PHARMACEUTICAL EDUCATION AND RESEARCH, CANADA CORNER, NASHIK, MAHARASHTRA-422002.

RJPT - Editorial Board



1/23/2021

PRAVEEN KUMAR SHARMA ()

DEPARTMENT OF CHEMISTRY, LOVELY PROFESSIONAL UNIVERSITY, PHAGWARA, PUNJAB, INDIA-144411



DR SUDIP KUMAR MANDAL ()

DR. B. C. ROY COLLEGE OF PHARMACY & ALLIED HEALTH SCIENCES, DURGAPUR, WEST BENGAL, INDIA



DR K MANIKANDAN ()

DR.K.MANIKANDAN, M.PHARM., PH.D., ASSOCIATE PROFESSOR, SRM COLLEGE OF PHARMACY, SRM UNIVERSITY, KATTANKULATHUR, KANCHEEPURAM - 603203 MOBILE NUMBER - 0 9444708710



DR SHAIK HARUN RASHEED ()

PROFESSOR & HEAD SRIKRUPA INSTITUTE OF PHARMACEUTICAL SCIENCES VELIKATTA, SIDDIPET -502277 TELANGANA.



DR. ASHISH KUMAR ()

PROFESSOR AND HOD, DEPARTMENT OF CHEMISTRY, LOVELY PROFESSIONAL UNIVERSITY, JALLANDHAR ROAD PHAGWARA



DR. SHAKTA MANI SATYAM ()

DEPARTMENT OF PHARMACOLOGY, MELAKA MANIPAL MEDICAL COLLEGE (MANIPAL CAMPUS), MANIPAL ACADEMY OF HIGHER EDUCATION, MANIPAL- 576104, DISTRICT- UDUPI, STATE-KARNATAKA (INDIA)



ABDULRAHMAN R.MAHMOOD ()

*DEPARTMENT OF CHEMISTRY, COLLEGE OF EDUCATION FOR PURE SCIENCES/(IBN-AL-HAITHAM), UNIVERSITY OF BAGHDAD, BAGHDAD, IRAQ.



DR. SUSHIL KUMAR MIDDHA ()
MAHARANI LAKSHMI AMMANNI COLLEGE FOR WOMEN, 18TH CROSS, MALLESWARAM,
BANGALORE-12



MUNIM R. ALI ()
AL-MUSTANSIRIYAH UNIVERSITY BIOLOGY DEPART./COLLEGE OF SCIENCE IRAQ/BAGHDAD



DR. GAURAV TIWARI ()G-23, DEPARTMENT OF PHARMACY, PSIT, NH-2, KALPI ROAD, BHAUNTI KANPUR 209305



DR.ZEYAD KADHIM OLEIWI () NAJAF-IRAQ



ASSIST. PROF. DR. AMAL TALIB A ()
DEPT. CLINICAL LABORATORY SCIENCES/ FACULTY OF PHARMACY/ UNIVERSITY OF BABYLON, IRAQ.



YAHIA MOHAMMAD MOUALLA () ALSHAM PRIVATE UNIVERSITY, LATAKIA



MOHANAD MOUSA KAREEM ()
BABYLON UNIVERSITY



BEHZAD FOROUTAN ()

DEPARTMENT OF PHARMACOLOGY SCHOOL OF MEDICINE SHAHROUD UNIVERSITY OF MEDICAL SCIENCES SHAHROUD, IRAN



DR. AMIT ROY ()PRINCIPAL, COLUMBIA INSTITUTE OF PHARMACY, RAIPUR CG INDIA



P. PARTHIBAN ()
CENTRE FOR R&D, PRIST UNIVERSITY, THANJAVUR-613403, INDIA



PROF. D. K. TRIPATHI ()
PRINCIPAL, RUNGTA INSTITUTE OF PHARMACEUTICAL SCI. AND RESEARCH, BHILAI CG INDIA



DR. P. KUMARAVEL ()ASSISTANT PROFESSOR, DEPARTMENT OF BIOTECHNOLOGY, VYSYA COLLEGE, MASINAICKENPATTY, SALEM- 636103. TAMIL NADU, INDIA.



DR GIRISH PAI K ()
FACULTY - DEPT OF PHARMACEUTICS MANIPAL COLLEGE OF PHARMACEUTICAL SCIENCES
MANIPAL UNIVERSITY, MADHAV NAGAR MANIPAL - 576104, KARNATAKA STATE, INDIA



DR. AJAY V. PATHAK ()
HOUSE NO.33 RAVINDRA NAGAR NAGPUR-440022 MAHARASHTRA, INDIA



AYUSH DOGRA ()
DEPARTMENT OF ELECTRONICS AND COMMUNICATIONS, PANJAB UNIVERSITY CHANDIGARH



DR. PRATIBHA VYAS ()DEPARTMENT OF MICROBIOLOGY, COLLEGE OF BASIC SCIENCES AND HUMANITIES, PUNJAB AGRICULTURAL UNIVERSITY, LUDHIANA-141004, PUNJAB, INDIA.



IHSAN HABIB DAKHIL ()
ENGINEERING COLLEGE, AL-MUTHANNA UNIVERSITY, IRAQ



DR.JAYASSHREE SEN ()J.N.M.C.&A.V.B.R.H.,SAWANGI,WARDHA,MAHARASHTRA 442007



IMAD () UNIVERSITY OF BABYLON

RIM M. HARFOUCH ()
AL ANDALUS UNIVERSITY, QADMUS, TARTOUS, SYRIA





MOHAMMAD JAWAD AL-JASSANI ()

DEPARTMENT OF MICROBIOLOGY, COLLEGE OF SCIENCE, AL-KARKH UNIVERSITY OF SCIENCE, IRAO.

REVIEWERS



DR. SUBHASHIS DEBNATH ()

SEVEN HILLS COLLEGE OF PHARMACY VENKATRAMAPURAM, TIRUPATI- 517561



GAURAV KUMAR ()

DEPARTMENT OF MICROBIOLOGY SCHOOL OF BIOENGINEERING AND BIOSCIENCES LOVELY PROFESSIONAL UNIVERSITY PHAGWARA, 144411, PUNJAB, INDIA



RUCHI VERMA ()

MANIPAL COLLEGE OF PHARMACEUTICAL SCIENCES, MANIPAL UNIVERSITY, KARNATAKA, INDIA.



DR. KETAN VINODLAL SHAH ()

201, RUDRAX APPARTMENT, GURUPRASAD SOCIETY, NEHIND TELEPHONE EXCHANGE, KRISHNANAGAR MAIN ROAD, RAJKOT

K SUJANA ()



UNIVERSITY COLLEGE OF PHARMACEUTICAL SCIENCES ACHARYA NAGARJUNA UNIVERSITY



DR.P.BRINDHA DEVI ()VELS UNIVERSITY, VELAN NAGAR, PV VAITHIYALINGAM ROAD, PALLAVARAM



DR VAMSHI KRISHNA TIPPAVAJHALA ()
ASSISTANT PROFESSOR-SENIOR SCALE DEPARTMENT OF PHARMACEUTICS MANIPAL COLLEGE OF PHARMACEUTICAL SCIENCES MANIPAL UNIVERSITY MANIPAL, KARNATAKA, INDIA



ZAIN BAAITY () SYRIA, LATAKIA



LAITH AHMED NAJAM ()MOSUL UNIVERSITY, COLLEGE OF SCIENCE, PHYSICS DEPT., MOSUL



VEEREN DEWOOLKAR ()4824 WASHTENAW AVE, APT C1, ANN ARBOR, MI 48108



NEERAN OBIED JASIM ()UNIVERSITY OF AL-QADISIYAH COLLEGE OF PHARMACY IRAQ

RJPT - Editorial Board



1/23/2021

MAHMOUD NAJIM ABID ()

MUSTANSIRIYAH UNIVERSITY, COLLEGE OF SCIENCE, DEPARTMENT OF CHEMISTRY



NILESH PATEL ()B/103,SNEHKUNJ ELEGANCE,BEHIND SHIVALAY PARISAR KUDASAN,GANDHINAGAR-382421,GUJARAT



NEERAN OBIED JASIM ()UNIVERSITY OF AL-QADISIYAH -COLLEGE OF SCIENCE-IRAQ



MARWAN MAHMOOD SALEH () ANBAR-RAMADI- HABBANIYA- 4-4-17



PALLAVI LAXMAN PHALKE ()PARUL UNIVERSITY, LIMDA, WAGHODIYA. VADODARA-391760, GUJARAT INDIA.



DR. ANUP S. HENDRE ()BIOCHEMISTRY DEPARTMENT KRISHNA INSTITUTE OF MEDICAL SCIENCES, MALKAPUR KARAD. DIST-SATARA.



SURENDRA KUMAR GAUTAM ()

KAMLA NEHRU INSTITUE OF MANAGEMENT & TECHNOLOGY, NH96 FAIZABAD BYPASS ROAD FARIDIPUR CAMPUS



DR UR RAKSHITH ()

DR U R RAKSHITH LECTURER JSS COLLEGE OF PHARMACY, JSS ACADEMY OF HIGHER EDUCATION AND RESEARCH SHIVARATHREESWARA NAGAR, MYSURU-570015 KARNATAKA , INDIA



RAMU SAMINENI ()

H.NO-1-123-A; C/O SIVARAMAKRISHNA SAMINENI MANDEPUDI, AMARAVATHI



DHAVAL PATEL ()A-104, MARUTI AAMRAKUNJ, SARGASAN, GANDHINAGAR-382421



AKHIL NAGAR ()R C PATEL INSTITUTE OF PHARMACEUTICAL EDUCATION AND RESEARCH



SUNANDAR IHSAN ()

KAMPUS HIJAU BUMI TRIDHARMA UNIVERSITAS HALU OLEO FAKULTAS FARMASI, JL. H.E.A MOKODOMPIT ANDUONUHU, KENDARI, INDONESIA



ANAS TARIK NAFEI ()
BAGHDAD, QADISSIYAH EXPRESS WAY

DR.KUMARASWAMY GULLAPELLI ()



STREET NUMBER 4 , BHAVANI NAGAR , NACHARAM, HYDERABAD NACHARAM, HYDERABAD, TELANGANA, PINCODE: 500076



RADHWAN AL-ZIDAN () ALMOTHANA DISTRICT, MOSUL, IRAQ



YAHIA M. MOUALLA ()
FACULTY OF PHARMACY, TISHREEN UNIVERSITY, LATAKIA, SYRIA



SUHAS SURESH AWATI ()
ASSISTANT PROFESSOR, DR. SHIVAJIRAO KADAM COLLEGE OF PHARMACY, KASABE DIGRAJ,
BAGANVAT, TAL- MIRAJ, DIST- SANGLI, MAHARASHTRA. 416301



SHAIK FIROZ ()ASSISTANT PROFESSOR, DEPARTMENT OF PHARMACEUTICS, SREE VIDYANIKETHAN COLLEGE OF PHARMACY, SREE SAINATH NAGAR, A.RANGAMPET-517102.



DR NASEEF PP ()VICE PRINCIPAL, MOULANA COLLEGE OF PHARMACY, NEAR ANGADIPPURAM RAILWAY STATION, MALAPPURAM, KERALA, INDIA 679321



DR. ARINDAM CHATTERJEE ()
SCHOOL OF PHARMACEUTICAL SCIENCES JAIPUR NATIONAL UNIVERSITY (SADTM CAMPUS) NEAR
RTO OFFICE, JAIPUR AGRA BYPASSJAGATPURA, JAIPUR, RAJASTHAN INDIA-302017



S RAJARAJAN ()

DEPARTMENT OF PHARMACEUTICS, KARNATAKA COLLEGE OF PHARMACY 33/2, THIRUMENA HALLI, HEGDE NAGAR MAIN ROAD,BANGALORE-560064



DR . RAHUL RADHAKRISHNAN ()
MANASAM, EDAVATTOM, CHIRAKKARA (PO) ,KOLLAM, KERALA



RIM M. HARFOUCH ()
0624 ALBAATH STREET, LATAKIA, SYRIA



ARUN A ()
3/31 PERIYAR STREET, RAMAPURAM CHENNAI 600089



ABDUL SALEEM MOHAMMAD ()

DEPARTMENT OF PHARMACEUTICAL ANALYSIS AND QUALITY ASSURANCE, NIZAM INSTITUTE OF PHARMACY, DESHMUKHI (V), POCHAMPALLY (M), BEHIND MOUNT OPERA, NALGONDA (DIST)-508284, TELANGANA, INDIA.

Research Journal of Pharmacy and Technology



Volume 13, Issue 05, May 2020

ISSN 0974-3618 (PRINT)

ISSN 0974-360X (ONLINE)

CONTENT

•	Effect of Thysiotherapy Intervention after Tracelet Rich Trasma Trocedure in Subjects with Grade 5
	Osteoarthritis Knee
	Sowmya M. V, Mangayarkarasi. M
	Preclinical Evaluation of Antihypertensive Activity of Combination of Herbs Extract in Wistar Rats
	Bhavika D. Satone, Atul A. Deshmukh, Vaishali R. Undale
	Stability indicating LC Method Development and Validation for the Simultaneous analysis of Cystic
	Fibrosis Drugs - Ivacaftor and Tezacaftor in Pharmaceutical Formulations
	Ramanjaneyulu K. V, Venkata Ramana K [,] M. Prasada Rao
	Isolation of Potential Extracellular Hydrolytic Enzymes producing Fungi from Western Ghats, Karnataka
	Shruthi, N. B. Thippeswamy
	Evaluation of Quantitative and GC-MS Analysis of Bioactive Compounds in Aqueous and Ethanolic
	extracts of Apium leptophyllum Pers
	M. Siva Ganesh, J. Radhika
	Physicochemical, Phytochemical screening and HPTLC Fingerprinting Analysis of Ethanolic extract of
	Mimusops elengi Linn. Leaves
	Yuvarani Sampathkumar, Siva Ganesh Mahadevan, Radhika Jayaraman
	Lipid based solid dispersions of Olmesartan medoxomil with Improved oral Bioavailability: In vitro and ex
	Vivo Evaluation
	Dhiraj Kumar Chopra, Durga Madhab Kar, Pratap Kumar Sahu
	Effect of Linagliptin and Niclosamide on Streptozotocin Induced Diabetic Neuropathy in Rats
	G. B. Jadhav, A. C. Deshmukh, K. N. Mundlod
	Synthesis, Characterization and Evaluation of Ulcerogenic potential for NSAIDs-Alendronate based
	prodrug
	Ashish Srivastava, Ashutosh Mishra, A. K. Rai
	Effect of Delaying tooth brushing on Enamel surface roughness during bleaching with different
	concentrations of carbamide peroxide: An In vitro study
	Arjun Hegde, Preethesh Shetty, Raksha Bhat
	Development and Validation of Highly Sensitive HPLC-Ms/Ms Method for the Determination of Duloxetine
	in Human Plasma and its Application to Clinical Pharmacokinetic Study by Assessing Multiple
	Bioequivalence Approaches
	Francis Micheal, Balamurali MM, Mohanlal Sayana, Rajendra Prasad M
	Cleaning Method Development and Validation for the Simultaneous Estimation of Olmesartan and
	Atorvastatin by HPLC
	Anisha Naik , Celina Nazareth , Sarvada Naik Gaonkar
	Assessment of Protective Role of Quinoa against Sodium Fluoride Induced Skeletal Deformities in Mice
	Fetuses
	Shilpa Choudhary, Priyanka Mathur

Nanoparticle as a powerful tool to penetrate the Blood-brain barrier in the treatment of Neurodegenerative	
disease: Focus on recent advances	
Kalaiselvi S, Manimaran V, Damodharan N	2135
Antioxidant, Antibacterial activities, GCMS and FTIR Analysis of Ethanol bark extract of Capparis sepiaria L.	
Saraswathi. K, Sivaraj. C, Jenifer. A, Dhivya. M, Arumugam. P	2144
Synthesis of Zinc Oxide Nanoparticle using Cocos nucifera male Flower Extract and Analysis their	
Antimicrobial Activity	
P. Indra Priyatharesini, R. Ganesamoorthy, R. Sudha	2151
Cytotoxic and Antiradical Activities of Extracts of Rhizopora apiculata (L)	
B. Vijayakumar, Banurekha J, G. Swarnalatha, D. Jothieswari	2155
A Prospective Study of Propranolol and Flunarizine in the Prophylactic Therapy of Migraine in a Tertiary	
Care Hospital	
Merin. T. Koshy, Lincy Joseph	2159
Method Development and Validation for the Analysis of Perindopril Erbumine and Amlodipine Besylate	
by RP-HPLC in Pure and Pharmaceutical Dosage Form	
Humera Badar, Dr. Ruheena Yasmeen, Fathima Qurratul Ayeen, Juveria Badar	2163
Preliminary Phytochemical and Antioxidant Studies of Leaf extracts of one Medicinal plant, Vitex negundo	
Vijayalakshmi N, Mudiganti Ram Krishna Rao	2167
Design, Optimization and Evaluation of Irbesartan Fast Dissolving Tablets Emplyoing Novel Synthetic	
Superdisintegrants	
Dr A. Bharathi, K. Tanvija, D. Chandra Sekhar Naik	2174
Molecular Docking Studies of Phytochemicals from Piper Species as Potential Dual Inhibitor of Group X	
Secreted Phospholipase A2 (SPLA ₂ -X) and Cyclooxygenase-2 (COX-2)	
Muhammad Helmi Nadri, Wan Mohd Nuzul Hakimi Wan Salleh	2181
Evaluation of Anti-inflammatory activites of Isorhamnetin 3-O-α-L- (6"-E-p-coumaroyl)-rhamnoside	
isolated from Indigofera tinctorial	
K. Prabakaran, M. Sathiyaseelan	2187
Macronutrients, Polyphenols and Antioxidant capacity of the Peel and Pulp of the fruit Oenocarpus bataua	
Mart. "Ungurahui"	
María Rosario Calixto Cotos, Imad Hadi Hameed, Sofia Belinda Espinoza Escajadillo, Eva Ramos Llica,	2192
Mónica Guadalupe Retuerto Figueroa, José E. Olivera Garcia	
Classification of Boredom and Anxiety in Wrist Pulse Signals using Statistical Features	
Himani Jerath, Amandeep Bisht, Harleen Kour	2199
Quantitative determination of albendazole forced degradation percentages by densitometric thin layer	
chromatographic method	
Mohammed Khanji, Ghoufran Kawas, Mohammad Haroun, Mouhammad Abu Rasheed, Amir Alhaj Sakur	2207
A Comprehensive Physical Therapy Approach in Late Infantile Form of Metachromatic Leukodystrophy	
- A Case Study	
R. Lakshmanan, Dr. V. Rajalaxmi	2214
Enhancement of Dissolution Rate of Telmisartan by Solid Dispersion Technique	
M. Chinna Eswaraiah, S. Jaya	2217
Design and Development of Novel 1,3-Thiazin-4-one compounds derived from Pyrazine-2,3-Dicarboxylic	
Acid: Synthesis and Bioactivity Screening	
Ahmed N. Ayyash, Hadeel Q. Abdalrazzaq Habeeb, Entesar J. Fadel	2221

Diaphonization of the Ovariectomized Laboratory Animal
Dr. V. Chitra , Evelyn Sharon. S
Validated UV Spectroscopic Method for the Quantitative Determination of Ubidecarenone
K. Anandakumar, V. P. Sangeetha, V. Sindhuja, S. Sree Iswarya, J. Ramesh, NT. Arun, M. Raja
Eae A gene Detection in E. coli from Toddler diarrhea cases in Center of Babylon province
Ali Kadhim Aljarah, Ali Malik Saad, Raad A. Kadhim
Formulation and Evaluation of Sustained Release Colon Targeted Mesalamine Tablet
Sagar D. Kadam, Shashikant Dhole, Sohan Chitlange
Immunomodulatory and Antioxidant Activities of Phyllanthus niruri L. Extract against the Laying Hens
Infected by Escherichia coli
Emy Koestanti Sabdoningrum, Sri Hidanah, Arif N. M. Ansori, Amaq Fadholly
A Study to compare the effects of three types of exercise programme for Pelvic girdle pain during Pregnancy
Jenifer Augustina S, Sasmitha R, Pooja Babulalji, Rahul Dev
Post-coital Anti-implantation and Antifertility activity of Transdermal Drug Delivery of Ethinylestradiol
and Medroxy Progesterone Acetate
Shikha Baghel Chauhan
Biological Active Fluorobenzoates of Piperidine Range
A. M. Maksatova, G. S. Akhmetova, U. M. Datkhayev, M. T. Omyrzakov, K. D. Praliyev, S. A. Ross,
T. M. Seilkhanov, O. T. Seilkhanov
Phytochemical screening and GC-MS Analysis of Rhizome of Drynaria quercifolia
Mr. MK. Nithin, Dr. G. Veeramani, Dr. S. Sivakrishnan
In Vitro and In Silico Studies of Secang Wood (Caesalpinia sappan L.) Extracts and Brazilin as Natural
Phosphodiesterase-1 (PDE1) Inhibitor for Herbal Cognitive Enhancer Development
Helmi, Nanang Fakhrudin, Arief Nurrochmad, B. S. Arie Sudarmanto, Zullies Ikawati
Evaluation of the Antioxidant and Potential binding affinity of Cyamopsis tetragonoloba seed against the
receptor responsible for Gouty Arthritis
Jerine Peter S, Ram Kumar K, Arun Raj N, Sangeetha N, Manisha P, Usha Kumari, Sabina Evan Prince
Spectroscopic Estimation of Tramadol using Multilinear Regression Analysis
Naveen Kumar R, Manikandan K, Kathiravan M K
Evaluation of Analgesic Activity of Polyherbal Formulation in Albino Wistar Rats
Syed Safiullah Ghori, Mohammed Idrees Hussain, Fouzia Tehseen, Sheema Mustafa, Abdul Samad
Synthesis and Characterization of a Lemongrass Oil Emulsion Formulation incorporating Alumina
Nanoparticles for activity against Streptococcus mutans Isolated from Dental Caries
Kaushita Banerjee, Gourav Saha, Pitambar Sahoo, Sourav Chattaraj, Dhamodhar P., Padma Thiagarajan
Antigenotoxicity, Cytogenetic Assay measuring Chromosomal Aberration and Antimicrobial Activity of
Methanolic Extract of Microalgae: Nannochloropsis oculate
P. Sangeetha, V. Anuradha
Characteristics, Stability and Activity of Epigallocatechin Gallate (EGCG)-Chitosan Microspheres: Effect
of Polymer Concentration
Noorma Rosita, Yuyun Nailufa, Dewi Melani Hariyadi
Teneligliptin as an add on Therapy to Oral Anti diabetic agents in type 2 Diabetes Mellitus
Leena Varghese, K. Murthi, K. Pandey
Design and Development of Pulsatile drug delivery of Diltiazem Hydrochloride
B. Vamsi Krishan, CH. Babu Rao, V. Sai Kishore


In vitro and In vivo Evaluation of Anticancer Properties of Clerodendrum indicum (L.) Kuntze in Colon
Cancer
Keerthi Priya, M Manjunath Setty, K Sreedhara Ranganath Pai
The Effect of Metformin on Mean Platelet Volume
Sherin Dib, Rana Makhous
Radical scavenging assay and determination Flavonoid and Phenolic total of extract and Fractions of Raghu
bark (Dracontomelon dao (Blanco) Merr)
Yamin, Ruslin, Ari Sartinah, Sunandar Ihsan, Henny Kasmawati, Suryani, Rina Andriyani, Asma, Andi Nafisah Tendri Adjeng, Muhammad Arba
Kinetic and Equilibrium Study on Biosorption of Chromium using Tamarind Fruit Shell
Pagala Bangaraiah
Comparative Study of Fatty acids profile in some Mediterranean Virgin Olive Oils using Gas
Chromatography
Rania Matar, Mayssam Salami, Zaid Al Assaf.
Assessing the Impact of Formulation Variables on Dissolution Profile of Sustained Release Tablet of
Metformin Hydrochloride by Quality by Design Approach
Amit Kaushal, Sandeep Arora, Sukhbir Singh, Neelam Sharma
Formulation and Pharmacodynamic Evaluation of Quetiapine Solid Dispersions using Plasdone K-29/32 as
Carrier
Doppalapudi Sandeep, Suryadevara Vidyadhara, Yallam Sailaja, Pamulapati Bhavana, Cherukuru Haritha,
Devarakonda Kalyana Teja
Design of Experiment Based Validated HPTLC Method for Analysis of Deflazacort in Tablet Formulation
Lata Kothapalli, Harshali Lunkad, Asha Thomas, Rahul Tupe
An Apparatus for the determination of rat paw Edema during In vivo Evaluation of Anti-inflammatory
agents
U. S. Jijith, S. Jayakumari
Development and Validation of a Stability indicating RP-HPLC Method for the Estimation of
Chlorthalidone and Cilnidipine in Combined Pharmaceutical Dosage Form
Leena Sawaikar, Pankaj Kapupara
In silico Molecular docking of Luteolin from Momordica charantia for dementia in Alzheimer's disease
Tamilanban T, Naveen Kumar V, Narayanan J, Prathusa S, Dhivya N, Manasa K
Synthesis of Citosan Nanocarrier Systems for Improving SSRI-Fluoxetine Efficacy in MDD
Noopur Dixit, Aditya Trivedi, Dheeraj Ahirwar
Vaccine hesitancy among parents in Yogyakarta Province, Indonesia: A cross sectional study
Kadek Hendra Darmawan, Susi Ari Kristina
Expression of Drug-metabolizing genes and Acetaminophen drug toxicity studies on 3D scaffold culture of
Huh-7 cell line
Suma M S, Jamuna K S, Ramesh C. K, Riaz Mahmood
The Effect of <i>Eleutherine americana</i> Merr. Extract on Expression Changes of MMP-8 and Type 1 Collagen
in Periodontitis Rat Models
Sinar Yani, Setyawati Soeharto, Sumarno, Handono Kalim
Design Parameters for Diesel Hydro Desulfurization (DHDS)
Ashok Kumar Popuri

$Assessment\ of\ medication\ adherence\ patterns\ and\ various\ causes\ of\ non-adherence\ in\ long\ term\ the rapies$
in a tertiary care hospital
Abel C. Mathew, Aneesa M. V, Ashitha Rehman, Dhanush Suresh, T.N.K. Suriyaprakash, Sineesh P. Joy
Formulation and Evaluation of Clopidogrel Bisulphate Tablets by Liquisolid Compact Technique
Nawaz Mahammed, Harshini Yadav, Ashok Thulluru, Narahari Narayana, Saravanakumar, Anna Balaji,
S. Mounika
Membrane serotonin transporter as a Biomarker of Pulmonary arterial hypertension in children with
Congenital Heart Defect
Mindubayeva F., Niyazova Y., Nigmatullina R., Sadykova D., Akhmaltdinova L., Salikhova Y., Kadyrova I.,
Akhmetova M., Sabirova D.
Incision Wound healing, Anti-inflammatory and Analgesic activity of Amaranthus spinosus in Wistar rats
Shravan Kumar Paswan, Sajal Srivastava, Chandana Venkateswara Rao
Antimicrobial Action of isolated Probiotic Lactobacillus plantarum from Different Fermented Dairy
Products from Trabzon City
Samanje. Jaleel, Ali Osman Kiliç
A Systematic Review on Neuro-Psychopharmacological effects of <i>Celastrus paniculatus</i> (Malkangani) Oil
Bharat Mishra, Elezabeth John
Role of Nitrogen Fixers as Biofertilizers in Future Perspective: A Review
S. A. Moniish Kumaar, R. Prasanth Babu, P. Vivek, D. Saravanan
Expension in the field of Freeze-drying: An Advanced Review
Mishra Sandhya, Kesharwani Disha
Xanthium indicum Koenig - A Review
Rohil S S, P R Kumar
Cardiotoxicity associated with Cancer Chemotherapy
Jishala MI, Venkateswaramurthy N, Sambathkumar R
New Biotechnological Routes for Greener Bio-plastics from Seaweeds
Thiruchelvi. R, K. Kavitha, K. Shankari
Transfersomes: A Novel Vesicular Drug Delivery System for Enhanced Permeation through Skin
Madhumitha. V, Dr. S. Sangeetha
Gingival Mesenchymal Stem Cells and Chitosan Scaffold to Accelerate Alveolar Bone Remodelling in
Periodontitis: A Narrative Review
Alexander Patera Nugraha ⁻ , Fianza Rezkita, Martining Shoffa Puspitaningrum, Mahela Sefrian Luthfimaidah,
Ida Bagus Narmada, Chiquita Prahasanti, Diah Savitri Ernawati, Fedik Abdul Rantam
$Naring in: \ Sources, \ Chemistry, \ Toxicity, \ Pharmacokinetics, \ Pharmacological \ Evidences, \ Molecular$
Docking and Cell line Study
Firoj Alam, Badruddeen, Anil Kumar Kharya, Akhtar Juber, Mohammad Irfan Khan
$Self\ Nano\ Emulsifying\ Drug\ Delivery\ System:\ A\ Novel\ Technique\ for\ Enhancement\ of\ Oral\ Bioavailability$
Jagdish Kumar Arun, Rajeshwar V, Birendra Shrivastava, Vasudha Bakshi
Orodispersible Tablets: A Review
Vishali T, Damodharan N.
Worldwide spread of COVID-19 Pandemic and risk factors among Co-morbid conditions especially
Diabetes Mellitus in India
Sonia Mor, Dr. Prem Saini, Dr. Subhash Kumar Wangnoo, Dr. Tarunika Bawa
Instruction to author







Enter Journal Title, ISSN or Publisher Name



Research Journal of Pharmacy and Technology





ISSN 0974-3618 (Print) 0974-360X (Online)

www.rjptonline.org



RESEARCH ARTICLE

Characteristics, Stability and Activity of Epigallocatechin Gallate (EGCG)-Chitosan Microspheres: Effect of Polymer Concentration

Noorma Rosita, Yuyun Nailufa, Dewi Melani Hariyadi

Pharmaceutics Department, Faculty Pharmacy, Universitas Airlangga, Surabaya, Indonesia *Corresponding Author E-mail: itanr@yahoo.com

ABSTRACT:

Epigallocatechin gallate (EGCG) is a natural product compound which has known to have anticancer activity. However, its bioavailability was low of 0.1% limited by poor stability. This study was aimed to produce microspheres as drug delivery system to improve the stability of drug. EGCG-Chitosan microspheres were formed by ionotropic gelation-aerosolization technique and were produced from chitosan and sodium tripolyphosphate. This study evaluated effect of 1, 2 and 3% of chitosan concentration on physical characteristics, stability and activity of EGCG-Chitosan microspheres. Physical characteristics were evaluated in terms of particle size, morphology, moisture content, entrapment efficiency, drug loading, yield, swelling index, physical stability and activity. Stability was evaluated by measuring size, entrapment efficiency and drug loading at 25°C and 50°C temperature for storage period of 7, 14, 21 and 30 days. Activity test was evaluated with MTT (3-(4, 5-dimethylthiazol-2-yl)-2, 5-diphenyltetrazolium bromide) assay using HeLa cells. Particle sizes of formula were 2.29, 2.68, and 3.11 µm respectively with entrapment efficiency of 33.94, 52.27, 62.14% and drug loading of 23.25, 29.36, and 32.24 % correspondingly. Morphology was spherical with smooth surface. Yields were 78.25, 79.36, and 79.77% respectively. No significant differences between all formulas indicated that microspheres were stable during storage. Activity results showed that formula with chitosan 3% was the most active as anti-cervical cancer showing by IC50 was 83.58 µg/mL. EGCG-chitosan microspheres demonstrated potential as drug delivery system and as anti-cervical cancer.

KEYWORDS: Chitosan, EGCG, Microspheres, Characteristics, Stability, Activity.

INTRODUCTION:

Cervical cancer is a malignancy that occurs in cervical (cervix) which is the lowest part of the uterus that protrudes into the peak of the rut of the vagina. Cervical cancer are normally caused by infected of HPV (Human Papillomavirus Human)¹. The development of cancer drugs currently leads to the development of drugs from natural products because it is believed to be safer and do not cause adverse effects on normal cells². One of the compounds of natural product that have been researched effective as chemotherapy in cancer epigallocatechin gallate (EGCG)3. Epigallocatechin gallate (EGCG) is a compound of natural product that are known to have anti-cancer activity, EGCG can inhibit the proliferation and growth of cervical cancer⁴. However, bioavailability of EGCG were categorized as low of 0.1% due to the low stability of EGCG⁵. To

Received on 25.08.2019 Modified on 01.10.2019
Accepted on 14.11.2019 © RJPT All right reserved
Research J. Pharm. and Tech 2020; 13(5): 2303-2309.

DOI: 10.5958/0974-360X.2020.00415.1

improve stability of EGCG, microspheres are one alternative of selected drug delivery system.

Microspheres can act as drug delivery systems by entrapping drug molecules in their interior structures, adsorbing drug molecules on the surface or covalently bonded. Microspheres provide advantages such as increasing solubilization of hydrophobic drug active agents, improving bioavailability, improving pharmacokinetics of drugs, protecting drug from physical, chemical or biological degradation⁶.

Common methods used in the manufacture of microspheres include spray drying (atomization), ionotropic gelation, and supercritical fluid precipitation, single and double emulsification⁷.

The ionotropic gelation method with aerosolization techniques involving two-phase aqueous mixture in generating second-phase ionic interactions has the advantage of encapsulating the drug to protect from the environment, the process is easy, fast and relatively inexpensive^{7,8}. The preferred method is ionotropic gelation with aerosolization technique because this can be done at room temperature considering EGCG is not stable at high temperature. In this study the polymer used is chitosan which suitable with stability pH of EGCG. Chitosan is soluble in pH <6, biodegradable, biocompatible, nontoxic and capable of regulating drug release⁹. Chitosan can also precipitate with the addition of polyanion solution as crosslinking and forming the gel at low pH¹⁰.

The polyanion solution which can be used as crosslinking in chitosan polymer is tripolyphosphate (TPP). TPP is a non-toxic polyanion that can interact with the electrostatic forces between NH³⁺ from chitosan and $-P_3O_{10}^{5-}$. The bond intensity between NH³⁺ and $-P_3O_{10}^{5-}$ will affect the physicochemical characteristic such as chemical physics interaction, matrix density, morphological structure, particle size and drug entrapment ability which will influence the drug release, bioavailability and activity¹¹⁻¹³.

Physical characteristics of chitosan microspheres with ionotropic gelation method are influenced by several factors such as amount of drugs, concentration of drug and chitosan, pH of chitosan solution, chitosan solution temperature, acetic acid concentration and stirring speed⁷. In this research we will study the effect of chitosan polymer concentration on physical characteristic and stability of EGCG-Chitosan microspheres.

Cytotoxic activity of EGCG-Chitosan microspheres was measured using MTT assay. The aim of this study is to evaluate the cytotoxicity of EGCG-Chitosan

microspheres against cervical cancer (HeLa) cell line in vitro.

MTT assay showed that EGCG treatment resulted in a time- and concentration- dependent inhibition of cell proliferation, and 50% inhibition concentration (IC50) at 24 h appeared to be 27.3 μ M for CaSki, and 47.9 μ M for HeLa cells¹⁴.

MATERIALS AND METHODS:

Materials:

EGCG with 98% purity from Xi'an, Shaanxi, China; Chitosan (20 cps) with deacetylation degree 95,2% from CV. Bio Chitosan Indonesia; (sodium tripoliphosphate p.a.; sodium citrate p.a; citric acid p.a; and acetic acid p.a.) from Bratachem.

Methods:

Experimental design for optimization:

Microspheres were made by ionotropic gelation method with aerosolization technique with different chitosan concentrations of 1%, 2% and 3%. EGCG 3% as topical intravaginal dosage dose was dissolved into chitosan solution. Ratio of Sodium tripolyphosphate and chitosan were: Na TPP 10:1. Sodium TPP solution was sprayed using a spray nozzle with a pressure 40 psi into EGCG-Chitosan solution at distance 8 cm and continued stirring for 3 hours at 1000rpm followed by centrifugation at 3000rpm for 10 min and the sediment was washed twice with demineralized water and dried with a freeze dryer at -80°C for 30 hours. The freeze dried microspheres were then evaluated for physical characteristics, stability and activity tests. Ratio of Sodium tripolyphosphate and chitosan were: Na TPP 10:1. Formula can be seen in Table 1.

Table 1 EGCG-Chitosan Microspheres Formula:

Material	Function	Form	Formula (% w/v)		
		F1	F2	F3	
EGCG	Active Agent	3	3	3	
Chitosan	Polymer	1	2	3	
Na TPP	Crosslinker	0.1	0.2	0.3	

Chitosan in 2% acetic solution

EGCG-chitosan microspheres characteristics:

Evaluation of physical characteristics of EGCG-Chitosan microspheres include:

Spectroscopy FTIR:

This evaluation was performed to identify the materials used and to identify whether or not the interaction was formed due to the interaction between chitosan and TPP. Measurements were done using FTIR from Agilent Cary 630 FTIR Spectrometer with ATR sampling technology and PLS DA method from Agilent Technologies, Inc.

Morphology and Particle size Determination:

To observe morphology of microspheres, Scanning Electron Microscopy (SEM) CarlZeiss type EVO MA 10, Germany was used and to measure the particle size used Novel OptiLab, LLC.

Swelling index:

The swelling test was performed by weighing the microspheres (W₀) using an analytical scale and placed separately on the pH 4.0 citrate buffer and incubated at 37±1°C. At intervals of 15 minutes, 30 minutes, 1 hour, 2 hours, and 4 hours, the microspheres were removed from the cup and the excess water was removed using filter paper, the expanded microsphere was weighed again (Wt) and the swelling index was calculated using the following formula:

Swelling Index = $(Wt-W0)/W0 \times 100\%$

Yield:

Yield is a determined recovery factor by comparing the total weight of the microspheres obtained to the weight of the microspheres-formed. Thoroughly microspheres were weighed and chitosan, sodium tripolyphosphate and EGCG as microsphere-forming materials were recorded.

The dry microsphere were weighed and were recorded as the total weight of the microspheres. The yield was then put into below equation¹⁵:

$$\label{eq:Weight of Dry Microspheres} \begin{tabular}{ll} Weight of Drug and Polymer) \end{tabular} \begin{tabular}{ll} Weight of Drug and Polymer) \end{tabular}$$

Entrapment efficiency and Drug Loading:

Entrapment efficiency was measured using spectrophotometer because EGCG has chromophore and conjugated group¹⁶. The EGCG entrapment efficiency was calculated from the determination of EGCG content in microspheres by using below equation¹⁵:

	Weight of drug in the Microspheres
Entrapment =	x100%
Efficiency(%)	Weight of drug used in Formulation

While to know the percentage of EGCG content or drug loading each formula, below equation was used (Zhang et al., 2013):

$$\label{eq:weight of drug in the Microspheres} \begin{tabular}{ll} \begin{tabular}{ll} Weight of drug in the Microspheres \\ \begin{tabular}{ll} \$$

Physical Stability Test:

Stability evaluation were performed at 25°C and 50°C for 30 days and observed on organoleptic, entrapment efficiency and drug loading compared to initial day (Day 0).

Observations were made after 7, 14, 21 and 30 days of storage. Physical stability evaluation of microspheres was done at cool temperature 4°C ± 1 °C, at room temperature 25°C \pm 1°C and at high temperature 50°C for 1 month.

Activity Test:

Cell and cell culture conditions:

Human cervical cancer cell lines with HeLa obtained from CCRC were cultured in RPMI 1640 and were supplemented with 10% fetal bovine serum and 1% penicillin-streptomycin at 37°C in humidified atmosphere of 5% CO₂.

Microspheres were dissolved in DMSO (dimethylsulfoxide) and were stored at -20°C before used. In all experiment control cultures were made of medium, DMSO and cells.

MTT cell viability assay:

The effect of microsphere on cell proliferation was examined by MTT (3-(4, 5-dimethylthiazol-2-yl)-2, 5-diphenyltetrazolium bromide) assay. HeLa cells (10^4 per well) were seeded in 96-well plates and allowed to grow 24 h. Then microspheres or DMSO (vehicle control) was added at specified concentrations. Each treatment was in triplicates. After 24 h, $20\mu L$ of MTT solution (5 mg/mL) was added to each well and was incubated for 4 h at $37^{\circ}C$. The MTT formazan crystal was then dissolved in DMSO, and the absorbance was measured by ELISA reader at a wavelength of 495 nm.

Data analysis:

Physical characteristics data were analyzed using statistical method of one-way ANNOVA with 95% (α = 0.05) degree of confidence to know whether there was significant difference between formulas while the stability data was analyzed using Factorial Design ANNOVA method with degree of confidence of 95% α = 0.05).

RESULTS AND DISCUSSION:

Interaction of drug and polymer:

From the result of FTIR evaluation of EGCG and all microspheres formulas, same absorption peaks were observed, this indicated the presence of EGCG on the microspheres confirming that EGCG was stable and did not degrade during formulation process using ionotropic gelation using aerosolization technique. For result of FTIR evaluation of microspheres, a confirmed peak at wavelength 3348.256nm were shown shifts at wavelength 3345.946nm and looked more gentle peak, this can be interpreted the microspheres were formed after crosslinking bond interaction occurred between chitosan polymer and TPP cross linker encapsulated EGCG.

Particle Size:

The average of particle size of formula F1, F2 and F3 with 1, 2 and 3% chitosan concentrations were 2.29, 2.68, and 3.11µm respectively. From the results of statistical tests one-way ANNOVA obtained sig value. 0.000 < 0.05 it showed that chitosan concentration had significant effect on particle size, the higher the chitosan concentration the larger the particle size. This was in accordance with research which stated the higher polymer concentration caused larger particles and greater entrapment efficiency.

Particles larger than 1 micron cannot diffuse through the mucus layer. However, for micron-sized particles it can interact with the mucus layer when it contains a mucoadhesive polymer. Chitosan is one of

mucoadhesive polymer therefore EGCG-Chitosan microspheres can be used for topical therapy intravaginal preparations for cervical cancer because in the vagina there was cervico vaginal mucus that can help penetration of EGCG-Chitosan microspheres.

According to statistical analysis of entrapment efficiency and drug loading with one way ANNOVA with 95% confidence degree ($\alpha = 0,05$) the obtained sig value of entrapment efficiency was 0.000 while at drug loading was 0,005. The sig value of drug loading, entrapment efficiency <0.05 then there is a significant difference in drug loading and entrapment efficiency, meaning that chitosan concentration had a significant effect on drug loading and entrapment efficiency (Table 2).

Table 2 Yield, drug loading, entrapment efficiency, swelling index, moisture content and particle size of microspheres formulas

Formulation	Yield (%±SD)	Drug Loading (%±SD)	Entrapmet Efficiency (%±SD)	Swelling Index (%±SD)	Moisture Content (%±SD)	Particle Size (µm±SD)
F1	78.25±5.61	23.25±0.54	33.94±1.73	0.33±0.24	1.44±0.16	2.29±0.03
F2	79.36±1.60	29.36±3.44	52.27±6.52	0.69±0.27	1.55±0.28	2.68±0.06
F3	79.77±5.67	32.24±0.74	62.14±1.22	0.85±0.21	1.68±0.21	3.11±0.02

From the table, it shown the yield percentage obtained of F1 was 78.25%, F2 was 79.36% and F3 was 79.77%. Yield is a value that describes the effectiveness of the method of manufacture used. High percentage values can be interpreted as encapsulation methods were effective and efficient. The entrapment efficiency F1, F2 and F3 were 33.94%, 52.27% and F3 62.14% respectively. For drug loading of all formulas were 23.35%, 29.36% and F3 32.24% respectively. This described that the greater concentration of chitosan, greater entrapment efficiency and drug loading were resulted. The higher the chitosan concentration, the higher the viscosity and the greater entrapment of drug¹⁷.

In addition to increasing the viscosity, to improve the entrapment efficiency and drug loading can be done by enhancing more effectively formation of encapsulated particles by adding surfactants. Surfactants can improve entrapment efficiency and decrease particle size^{18,19}.

From the statistical evaluation, sig value of yield, moisture content and swelling index on three formulas were > 0.05, with yield sig value 0.921, moisture content sig value. = 0.487 and swelling index 0.089 therefore in conclusion the three formulas did not significantly different in moisture content and swelling index. This means chitosan concentration did not give significant effect on moisture content and swelling index. The swelling test of this index is to understand profile drug release. Drug release system in the body is divided into 3 ie swelling system, floating system and bio adhesive system. To obtain the desired drug release rate can be done by modifying the drug delivery system

by regulating solubility, drug penetration with biological fluid or by adjusting the rate of drug diffusion²⁰. The rate of drug release also depends on the process of water migration into the matrix and the diffusion of the drug from the expanding matrix²¹.

Morphology of microspheres:

From the result of entrapment efficiency evaluation it was seen that the formula F3 had the highest entrapment efficiency. Therefore, this physical characteristics will then continue to observe morphology of microspheres by using Scanning Electron Microscopy (SEM) and the spherical microspheres of particles were appear as smooth surface microspheres of F3 (Figure 1 A and Figure 1 B).




Fig 1.Microspheres morphology of F3 microspheres formula using Scanning Electron Microscopy (SEM) at magnification $5000x\ (A)\ 10000x\ (B)$

Stability test results can be seen in (Figure 2-5). According to statistical analysis in term of stability test using ANNOVA Factorial Design method, EGCG stability evaluation at 25°C and 50°C temperature during storage period, 7 days, 14 days, 21 days and 30 days, it was obtained sig value 0.000 < 0.05, it means that the temperature and duration of the storage period give a

significant effect on EGCG concentration. In the EGCG stability test at 50°C, it was shown that EGCG concentration decreased with increasing days of storage (Figure 2). Stability test at extreme 50°C showed the

reduced of EGCG, but not in room temperature. This was because EGCG is one compound that were auto oxidative and easily degraded at high temperature²².





Fig 2. Stability test of EGCG at 25°C and 50°C Period 0, 7, 14, 21, 30 days







Fig 3. Stability test of Particle size EGCG-Chitosan microspheres at Period 0, 7, 14, 21, 30 days at 25°C (A) and 50°C (B)






Fig 4. Stability test in terms of Entrapment efficiency of EGCG-Chitosan microspheres at Period 0, 7, 14, 21, 30 days at 25° C (A) and 50° C (B)




Fig 5.Stability test of Drug loading of EGCG-Chitosan microspheres at Period 0, 7, 14, 21, 30 days at 25°C (A) and 50°C (B)

From statistic test result using ANNOVA Factorial Design method on particle size stability evaluation at 25°C and 50°C and during storage period at day 7, 14, 21, 30, it was obtained sig value of F1, F2, F3 was 0.979, 0.437 and 0.065. On the entrapment efficiency sig value of F1 was 0.928, F2 was 0.562, and F3 was 0.285. For drug loading, sig value of F1, F2 and F3 were 0.417, 0.456, and 0.284 respectively. Because the values of all sig were > 0.05, it means that the temperature and duration of the storage period did not give a significant effect on the particle size, entrapment efficiency and drug loading. It can be concluded microspheres drug

delivery system in this study proved able to maintain stability of EGCG. Result of physical stability test in this EGCG-Chitosan microspheres had been in accordance with the results of stability evaluation conducted by Dashora at room temperature 25°C \pm 1°C and at high temperatures 50°C for 1 month. They obtained results that microspheres remain stable either at room temperature or high temperatures²³.

For activity test, according statistical analysis using one way ANNOVA method, it was obtained that sig value was 0.000<0.05. This means that the chitosan

concentration gave a significant effect on activity of microspheres as anti-cervical cancer. Formula 3 had the highest anti cervical cancer with MTT assay. The anticancer activity of a compound can be seen in IC_{50} values. According Kamuhabwa et al., extract had to assess $IC_{50} = 100 \mu g/ml$ to be categorized having antiproliferation potency²⁴. In the formulas 1,2 and 3, IC_{50} values was respectively of 95.51, 86.44 and 83.58 $\mu g/mL$.

CONCLUSIONS:

The ionotropic gelation method using aerosolization technique for encapsulation of EGCG produced successfully EGCG-chitosan microspheres with particle size between 2.29 - 3.11μm, entrapment efficiency of 33.9 - 62.14% and drug loading of 23.25 - 32.24%. Further research to improve entrapment efficiency and drug loading were recommended. Formula F3 with the highest concentration of chitosan polymer was the optimized formula with entrapment efficiency and drug loading. Formula 3 with chitosan 3% produced IC₅₀ 83.58μg/ml. This means that this EGCG-Chitosan microspheres drug delivery system was potential for cancer treatment.

ACKNOWLEDGEMENTS:

The authors would like to thank to DRPM DIKTI who have funded this research and Faculty of Pharmacy Universitas Airlangga who provides access and facilities.

CONFLICT OF INTEREST:

The authors declared no conflict of interest.

REFERENCES:

- Saito N, Kiyono T. Basic mechanisms of high-risk human papilomavirus-induced carcinogenesis Sa: roles of E6 and E7 protein, Cancer Sci. 2007; 98: 1505-1511.
- Koch MA, Schuffenhauer A, Scheck M, Wetzel S, Casaulta M, Odermatt A, Ertl P, Waldmamm H. Charting biologically relevant chemical space: Structural classification of natural products (SCONP). U.S.A. 2005.
- Shukla R, Chanda N, Zambre A, Upendran A, Katti K, Kulkarni RR, Nune SK, Casteel SW, Smith CJ, Vimal JR, Cutler CS, Caldwell C, Kannan R. Luminin reseptor specific therapeutic gold nanoparticles EGCG shows efficacy in treating prostate cancer. U.S.A. 2012.
- Zou C, Liu H, Feugang JM, Hou Z, Chow H-S, Garcia F. Green TEA compound in chemoprevention of cervical cancer. Int J Gynecol Cancer. 2010; 20(4): 617-624.
- Wang R, Zhou, Jiang X. Reaction kinetics of degradation and epimerization of epigallocatechin gallate (EGCG): in aqueous system over a wide temperatur range. J Agric Food Chem. 2008; 56: 2694-2701.
- Gupta, S. Kumar, P. Drug delivery using nanocarriers: Indian Perspective. Proc. Natl. Acad. Sci., India, Sect. B Biol. Sci. 2012; 82(Suppl 1): 167.
- Yeo Y, Namjin B, and Kinam P. Microencapsulation methode for delivery of protein drug. Biothecnol. Bioproces Eng. 2001; 6: 213-230.

- Dube A, Nicolazzo JA, Larson L. Chitosan nanoparticles enhance the intestinal absorption of the green tea catechins (+)-catechin and (-)-epigallocatechin gallate. Eur J Pharm Sci. 2010; 41(2): 25-219.
- Fan W, Wei Y, Hong ZN. Formation mechanism of monodisperse low molecular weight chitosan nanoparticle by ionic gelation technique. Colloids Surf B Biointerfaces. 2012; 90: 21-27.
- Sinha VR, Singla AK, Wadhawan S, Kaushi R, Kumria R, Bansal K, Dhawan S. Chitosan microspheres as a potential carrier for drug. Int J Pharm. 2004; 274(1-2): 1-33.
- Kumar BP, Chandiran IS, Bhavya B, Sindhuri M. Microparticulate Drug Delivery System: Review. Indian J Pharm Sci. 2011: 1: 19-37.
- Shu XZ, Zhu KJ. The influence of multivalent phosphate structure on the properties of ionically crosslinked chitosan films for cotrolling drug release. Eur J Pharm Biopharm. 2002; 54: 235-243
- Ko JA, Park HJ, Hwang SJ, Park JB, Lee JS. Preparation and characterization of chitosan microparticles intended for controlled drug delivery. Int J Pharm. 2002; 249: 165-174.
- Qiao Y, Cao J, Xie L, Shi X. Cell growth inhibition and gene expression regulation by (-)-epigalocatechin-3-gallate in human cervical cancer cells. Arch Pharm Res. 2009; 32: 1309-1315.
- Zhang T, Zhang C, Agrahari V, Murowchick JB, Oyler NA, Youan Bi-BC. Spray drying tenofair loaded mucoadhesive and pH-sensitive microsphere intended for HIV prevention. Antiviral Res. 2013; 97: 334-346
- Atomssa T and Gholap AV. Characterization and determination of catechins in green tea leaves using UV-visible spectrometer. J Eng Technol Res. 2015; 7: 22-31.
- Agnihotri SA, Mallikarjuna NN, Aminabhavi TM. Recent advances on chitosan based micro and nanoparticles in drug delivery. J. Controlled Rel. 2004; 100: 5-28.
- Yan F, Zhang C, Zheng Y, Mei L, Tang L, Song C, Sun H, Huang L. The effect of poloxamer 188 on nanoparticle morphology, size, cancer cell uptake, and cytotoxicity. Nanomedicine. 2010; 6: 170-178
- Sugita P, Ambarsari L, Lidiniyah. Optimization of ketoprofen loaded chitosan nanoparticle ultrasonication process. International Symposium on Applied Chemistry. Procedia Chem. 2015; 16: 673-680.
- Ansel HC, Allen LVA, and Popovich NG. Pharmaceutical dosage forms and drug delivery system. Lippincott Williams and Wilkins, Philadelphia.1999.
- Gold M, VePuri M, H. Block L. Suppository development and production. Pharmaceutical dosage form disperse systems. Second Edition, Revised and Expanded. 1996; 456.
- Hagerman AE, Dean RT, Davies MJ. Radical chemistry of epigallocatechin gallate and its relevance to protein damage. Arch Biochem Biophys. 2003; 414: 115 – 120.
- Dashora A, CP Jain. Development and Characterization of Pectin prednisolone Microspheres for Colon Targeted Delivery. Int. J.ChemTech Res. 2009; 1(3): 751-757.
- Kamuhabwa A, Nshimo C, and de Witte, P. Cytotoxicity of Some Medicinal Plant Extracts Used in Tanzanian Tradisional Medicine. J Ethnopharmacol. 2000; 70: 143-149.