

DAFTAR PUSTAKA

- Ali, S. H., Madhana, R. M., Athira, K. V., Kasala, E. R., Bodduluru, L. N., Pitta, S., Mahareddy, J. R., Lahkar, M., 2015. Resveratrol ameliorates depressive-like behavior in repeated corticosterone-induced depression in mice. *Steroids*, 101, p. 37–42.
- Arborelius, L., Owens, M. J., Plotsky, P. M., Nemeroff, C. B. 1999. The role of corticotropin-releasing factor in depression and anxiety disorders. *Journal of Endocrinology*, 160(1), p. 1–12.
- Brunton, L. L., Dandan, R. H., Knollmann, B. C., 2018. Goodman and gillman's the pharmacological basis of therapeutics 13 th edition. New York: *Mc Graw Hill Education*, p. 267-277.
- Campos, A. C., Fogaça, M. V., Aguiar, D. C., Guimarães, F. S., 2013. Animal models of anxiety disorders and stress. *Brazilian Journal of Psychiatry*, 35, p. 101–111.
- Cardenas-Aguayo, M. del C., Kazim, S. F., Grundke-Iqbal, I., Iqbal, K., 2013. Neurogenic and Neurotrophic Effects of BDNF Peptides in Mouse Hippocampal Primary Neuronal Cell Cultures. *Public library of Science One*, 8(1), p. 1-18.
- Delmas, D., Aires, V., Limagne, E., Dutartre, P., Mazué, F., Ghiringhelli, F., Latruffe, N., 2011. Transport, stability, and biological activity of resveratrol. *Annals of the New York Academy of Sciences*, 1215(1), p. 48–59.
- Endo, Y., & Shiraki, K., 2000. Behavior and body temperature in rats following chronic foot shock or psychological stress exposure. *Physiology & behavior*, 71(3–4), p. 263–268.
- Finnell, J.E., Lombard, C.M., Melson, M.N., Singh, N.P., Nagarkatti, M., Nagarkatti, P., Fadel, J.R., Wood, C.S. and Wood, S.K., 2017. The protective effects of resveratrol on social stress-induced cytokine release and depressive-like behavior. *Brain, behavior, and immunity*, 59, p. 147-157.
- Flandreau, E. I., Ressler, K. J., Owens, M. J., Nemeroff, C. B., 2012. Chronic overexpression of corticotropin-releasing factor from the central amygdala produces HPA axis hyperactivity and behavioral anxiety associated with gene-expression changes in the hippocampus and

- paraventricular nucleus of the hypothalamus. *Psychoneuroendocrinology*, 37(1), p. 27–38.
- Gambini, J., Inglés, M., Olaso, G., Lopez-Grueso, R., Bonet-Costa, V., Gimeno-Mallench, L., Mas-Bargues, C., Abdelaziz, K. M., Gomez-Cabreea, M. C., Vina, J., Borrás, C., 2015. Properties of Resveratrol: In Vitro and In Vivo Studies about Metabolism, Bioavailability, and Biological Effects in Animal Models and Humans. *Oxidative Medicine and Cellular Longevity*, p. 1-13.
- Gariyban, L., & Avashia, N., 2013. Research Techniques Made Simple: Polymerase Chain Reaction (PCR). *The Journal Investigative dermatology*, 133(3), p. 1-8.
- Ge, J.F., Peng, L., Cheng, J.Q., Pan, C.X., Tang, J., Chen, F.H. and Li, J., 2013. Antidepressant-like effect of resveratrol: involvement of antioxidant effect and peripheral regulation on HPA axis. *Pharmacology Biochemistry and Behavior*, 114, p. 64-69.
- Ge, J. F., Xu, Y. Y., Qin, G., Cheng, J. Q., Chen, F. H., 2016. Resveratrol ameliorates the anxiety- and depression-like behavior of subclinical hypothyroidism rat: Possible involvement of the HPT axis, HPA axis, and Wnt/ β -catenin pathway. *Frontiers in endocrinology*, 7(44), p. 1-11.
- Giacobbo, B. L., Doorduyn, J., Klein, H. C., Dierckx, R. A. J. O., Bromberg, E., Vries, E. F. J., 2019. Brain-Derived Neurotrophic Factor in Brain Disorders: Focus on Neuroinflammation. *Molecular neurobiology*, 56(5), p. 3295–3312.
- Gomita, Y., Yamori, M., Furuno, K., & Araki, Y., 1989. Influences of psychological stress produced by intraspecies emotional communication on nicorandil plasma levels in rats. *Pharmacology*, 38(6), p. 388–396.
- Gordon, M., & Melvin, G., 2013. Selective serotonin re-uptake inhibitors: A review of the side effects in adolescents. *Australian family physician*, 42(9), p. 620–623.
- Harten, J V., 1995. Overview of the pharmacokinetics of fluvoxamine. *Clinical pharmacokinetics*, 29(1), p. 1-9.
- Hayek, L. E., Khalifeh, M., Zibara, V., Assaad, R. A., Emmanuel, N., Karnib, N., El-Ghandour, R., Nasrallah, P., Bilen, M., Ibrahim, P., Younes, J., Haidar, E. A., Barmo, N., Jabre, V., Stephan, J. S., Sleiman, S. F., 2019. Lactate mediates the effects of exercise on learning and memory through sirt1-dependent activation of hippocampal brain-

- derived neurotrophic factor (BDNF). *Journal of Neuroscience*, 39(13), p. 2369–2382.
- Herman, J.P. & Morrison, D.G., 1996. Immunoautoradiographic and in situ hybridization analysis of corticotropin-releasing hormone biosynthesis in the hypothalamic paraventricular nucleus. *Journal of chemical neuroanatomy*, 11(1), p.49-56.
- Hurley, L. L., Akinfiresoye, L., Kalejaiye, O., Tizabi, Y., 2014. Antidepressant Effects of Resveratrol in an Animal Model of Depression. *Behavioral brain research*, 268(1), p. 1–17.
- Ishikawa, M., Hara, C., Ohdo, S., & Ogawa, N., 1992. Plasma corticosterone response of rats with sociopsychological stress in the communication box. *Physiology & behavior*, 52(3), p. 475–480.
- Jesulola, E., Micalos, P., & Baguley, I. J., 2018. Understanding the pathophysiology of depression: From monoamines to the neurogenesis hypothesis model - are we there yet?. *Behavioural brain research*, 34, p. 79–90.
- Jung, H. Y., Yoo, D. Y., Kim, W., Nam, S. M., Kim, J. W., Choi, J. H., Kwak, Y. G., Yoon, Y. S., Hwang, I. K., 2014. Valeriana officinalis root extract suppresses physical stress by electric shock and psychological stress by nociceptive stimulation-evoked responses by decreasing the ratio of monoamine neurotransmitters to their metabolites. *BMC complementary and alternative medicine*, 14(1), p. 1–8.
- Kamo, T., Horikawa, N., Tsuruta, Y., Miyasita, M., Hatakeyama, H. and Maebashi, Y., 2004. Efficacy and pharmacokinetics of fluvoxamine maleate in patients with mild depression undergoing hemodialysis. *Psychiatry and clinical neurosciences*, 58(2), p. 133-137.
- Kavushansky, A., Ben-Shachar, D., Richter-Levin, G. and Klein, E., 2009. Physical stress differs from psychosocial stress in the pattern and time-course of behavioral responses, serum corticosterone and expression of plasticity-related genes in the rat. *Stress*, 12(5), p. 412-425.
- Khan, S., & Khan, R. A., 2017. Chronic stress leads to anxiety and depression. *Ann Psychiatry Ment Health*, 5(1), p. 1-4.
- Keen-Rhinehart, E., Michopoulos, V., Toufexis, D.J., Martin, E.I., Nair, H., Ressler, K.J., Davis, M., Owens, M.J., Nemeroff, C.B. and Wilson, M.E., 2009. Continuous expression of corticotropin-releasing factor in

- the central nucleus of the amygdala emulates the dysregulation of the stress and reproductive axes. *Molecular psychiatry*, 14(1), p. 37-50.
- Lalaoui, N., Morlé, A., Mérino, D., Jacquemin, G., Iessi, E., Morizot, A., Shirley, S., Robert, B., Solary, E., Garrido, C., Micheau, O., 2011. TRAIL-R4 Promotes Tumor Growth and Resistance to Apoptosis in Cervical Carcinoma HeLa Cells through AKT. *Public library of Science One*, 6(5), p. 1-8.
- Li, G., Jing, P., Liu, Z., Li, Z., Ma, H., Tu, W., Zhang, W., Zhuo, C., 2017. Beneficial effect of fluoxetine treatment against psychological stress is mediated by increasing BDNF expression in selected brain areas. *Oncotarget*, 8(41), p. 69527–69537.
- Li, G., Wang, G., Shi, J., Xie, X., Fei, N., Chen, L., Liu, N., Yang, M., Pan, J., Huang, W., Xu, Y., 2018. Trans-Resveratrol ameliorates anxiety-like behaviors and fear memory deficits in a rat model of post-traumatic stress disorder. *Neuropharmacology*, 133, p. 181-188.
- Li, G., Wang, Y., Yan, M., Ma, H., Gao, Y., Li, Z., Li, C., Tian, H., Zhuo, C., 2016. Time-dependent co-relation of BDNF and CREB mRNAs in adult rat brains following acute psychological stress in the communication box paradigm. *Neuroscience letters*, 624, p. 34–41.
- Liu, D., Xie, K., Yang, X., Gu, J., Ge, L., Wang, X., Wang, Z., 2014. Resveratrol reverses the effects of chronic unpredictable mild stress on behavior, serum corticosterone levels and BDNF expression in rats. *Behavioural brain research*, 264. P. 9–16.
- Liu, L., Zhang, Q., Cai, Y., Sun, D., He, X., Wang, L., Yu, D., Li, X., Xiong, X., Xu, H., Yang, Q., Fan, X., 2016. Resveratrol counteracts lipopolysaccharide-induced depressivelike behaviors via enhanced hippocampal neurogenesis. *Oncotarget*, 7(35), p. 56045–56059.
- Liu, L., Zhou, X., Zhang, Y., Pu, J., Yang, L., Yuan, S., Zhao, L., Zhou, C., Zhang, H. and Xie, P., 2018. Hippocampal metabolic differences implicate distinctions between physical and psychological stress in four rat models of depression. *Translational psychiatry*, 8(1), p. 1-11.
- Lu, G., Li, J., Zhang, H., Zhao, X., Yan, L., Yang, X., 2018. Role and Possible Mechanisms of Sirt1 in Depression. *Oxidative medicine and cellular longevity*, p. 1-6.
- Makino, S., Shibasaki, T., Yamauchi, N., Nishioka, T., Mimoto, T., Wakabayashi, I., Gold, P.W. and Hashimoto, K., 1999. Psychological

- stress increased corticotropin-releasing hormone mRNA and content in the central nucleus of the amygdala but not in the hypothalamic paraventricular nucleus in the rat. *Brain Research*, 850(1-2), p. 136-143.
- Moore, A., Beidler, J., & Hong, M. Y., 2018. Resveratrol and depression in animal models: A systematic review of the biological mechanisms. *Molecules*, 23(9), p. 1-25.
- Nestler, E. J., Barrot, M., Dileone, R. J., Eisch, A. J., Gold, S. J., Monteggia, L. M., 2002. Neurobiology of Depression. *Neuron*, 34, p. 13–25.
- Neto, F. L., Borges, G., Sanchez, S. T., Mico, J. A., Berrocoso, E., 2011. Neurotrophins Role in Depression Neurobiology: A Review of Basic and Clinical Evidence. *Current neuropharmacology*, 9(4), p. 530–552.
- Neves, A. R., Lucio, M., Lima, J. L. C., Reis, S., 2012. Resveratrol in Medicinal Chemistry: A Critical Review of its Pharmacokinetics, Drug-Delivery, and Membrane Interactions. *Current medicinal chemistry*, 19(11), p. 1663-1681.
- Ng, F., Wijaya, L., & Tang, B. L., 2015. SIRT1 in the brain-connections with aging-associated disorders and lifespan. *Frontiers in cellular neuroscience*, 9(64), p. 1-13.
- Odaka, H., Adachi, N., & Numakawa, T., 2017. Impact of glucocorticoid on neurogenesis. *Neural regeneration research*, 12(7), p. 1028–1035.
- Pang, C., Cao, L., Wu, F., Wang, L., Wang, G., Yu, Y., Zhang, M., Chen, L., Wang, W., Chen, L., Zhu, J., Pan, J., Zhang, H., Xu, Y., Ding, L., 2015. The effect of trans-resveratrol on post-stroke depression via regulation of hypothalamus-pituitary-adrenal axis. *Neuropharmacology*, 97, p. 447-456.
- Planchez, B., Surget, A. and Belzung, C., 2019. Animal models of major depression: drawbacks and challenges. *Journal of Neural Transmission*, 126(11), p. 1383-1408.
- Pomrenze, M.B., Millan, E.Z., Hopf, F.W., Keiflin, R., Maiya, R., Blasio, A., Dadgar, J., Kharazia, V., De Guglielmo, G., Crawford, E. and Janak, P.H., 2015. A transgenic rat for investigating the anatomy and function of corticotrophin releasing factor circuits. *Frontiers in neuroscience*, 9, p. 487.
- Saaltink, D. J., & Vreugdenhil, E., 2014. Stress, glucocorticoid receptors, and adult neurogenesis: A balance between excitation and inhibition?.

- Cellular and Molecular Life Sciences*, 71(13), p. 2499–2515.
- Schofield, D., Cunich, M., Shrestha, R., Tanton, R., Veerman, L., Kelly, S., Passey, M., 2019. Indirect costs of depression and other mental and behavioural disorders for Australia from 2015 to 2030. *BJPsych open*, 5(3), p. 1–7.
- Seki, M., Zha, X. M., Inamura, S., Taga, M., Matsuta, Y., Aoki, Y., Ito, H., Yokoyama, O., 2019. Role of corticotropin-releasing factor on bladder function in rats with psychological stress. *Scientific reports*, 9(1), p. 1–7.
- Stacchiotti, A., Favero, G., Rezzani, R., 2019. Resveratrol and SIRT1 Activators for the Treatment of Aging and Age-Related Diseases. In *Resveratrol - Adding Life to Years, Not Adding Years to Life*. *IntechOpen*, p. 117-135.
- Tejani-Butt, S., Kluczynski, J., & Paré, W. P., 2003. Strain-dependent modification of behavior following antidepressant treatment. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, 27(1), p. 7-14.
- Torres-Pérez, M., Tellez-Ballesteros, R. I., Ortiz-López, L., Ichwan, M., Vega-Rivera, N. M., Castro-García, M., Gomez-Sanchez, A., Kempermann, G., Ramirez-Rodriguez, G. B., 2015. Resveratrol enhances neuroplastic changes, including hippocampal neurogenesis, and memory in Balb/C mice at six months of age. *Public library of Science One*, 10(12), p. 1–21.
- Valvassori, S. S., Varela, R. B., Quevedo, J., 2017. Animal models of mood Disorders: focus on bipolar disorder and depression. In *Animal Models for the Study of Human Disease*, p. 991-1001.
- Wang, Q., Timberlake II, M.A., Prall, K. and Dwivedi, Y., 2017. The recent progress in animal models of depression. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, 77, p. 99-109.
- World Health Organization, 2017. Depression and other common mental disorders: **global health estimates**. P. 1–24.
- World Health Organization, 2018. *Depression*. Retrieved from World Health Organization: <https://www.who.int/news-room/factsheets/detail/depression>. [diakses tanggal 10 Oktober 2019].
- Xu, D., Wang, C., Zhu, X., Zhao, W., Jiang, B., Cui, S., Sun, Y. and Cui, Z., 2019. The antidepressant-like effects of fluvoxamine in mice involve the

- mTOR signaling in the hippocampus and prefrontal cortex. *Psychiatry research*, p. 112708.
- Xu, Y., Wang, Z., You, W., Zhang, X., Li, S., Barish, P. A., Vernon, M. M., Du, X., Li, G., Pan, J., Ogle, W. O., 2010. Antidepressant-like effect of trans-resveratrol: involvement of serotonin and noradrenaline system. *European neuropsychopharmacology*, 20(6), p. 405–413.
- Yu, B., Cui, S. Y., Zhang, X. Q., Cui, X. Y., Li, S. J., Sheng, Z. F., Cao, Q., Huang, Y. L., Xu, Y. P., Lin, Z. G., Yang, G., Song, J. Z., Ding, H., Zhang, Y. H., 2015. Different neural circuitry is involved in physiological and psychological stress-induced PTSD-like “nightmares” in rats. *Scientific reports*, 5(1), p. 1–14.
- Zhao, Z. L., Jin, X., Wu, Y., Yang, X., Xu, Y., Jiang, J. Z., Kim, S. C., Lee, B. H., Yang, C. H., Zhao, R., 2013. Amygdaloid corticotropin-releasing factor is involved in the anxiolytic effect of acupuncture during ethanol withdrawal in rats. *Journal of acupuncture and meridian studies*, 6(5), p. 234–240.
- Zocchi, L., & Sassone-Corsi, P., 2012. SIRT1-mediated deacetylation of MeCP2 contributes to BDNF expression. *Epigenetics*, 7(7), p. 695–700.