

DAFTAR PUSTAKA

- Abood, R.M., Talegaonkar, S., Tariq, M. and Ahmad, F.J., 2013. Microemulsion as a tool for the transdermal delivery of ondansetron for the treatment of chemotherapy induced nausea and vomiting. *Colloids and Surfaces B: Biointerfaces*, 101, pp.143-151.
- Akbari, J., Saeedi, M., Farzin, D., Morteza-Semnani, K. and Esmaili, Z., 2015. Transdermal absorption enhancing effect of the essential oil of *Rosmarinus officinalis* on percutaneous absorption of Na diclofenac from topical gel. *Pharmaceutical biology*, 53(10), pp.1442-1447.
- Anderson, G. and Scott, M., 1991. Determination of product shelf life and activation energy for five drugs of abuse. *Clinical chemistry*, 37(3), pp.398-402.
- Annisa, R., Hendradi, E. and Melani, D., 2016. Pengembangan sistem nanostructured lipid carriers (NLC) meloxicam dengan lipid monostearin dan miglyol 808 menggunakan metode emulsifikasi. *Journal of Tropical Pharmacy and Chemistry*, 3(3), pp.156-169.
- Bank, G., Kagan, D. and Madhavi, D., 2011. Coenzyme Q10: clinical update and bioavailability. *Journal of Evidence-Based Complementary & Alternative Medicine*, 16(2), pp.129-137.
- Barcelos, I.P.D. and Haas, R.H., 2019. Coq10 and aging. *Biology*, 8(2), p.28.
- Baumann, L., 2007. Skin ageing and its treatment. *The Journal of Pathology: A Journal of the Pathological Society of Great Britain and Ireland*, 211(2), pp.241-251.
- Benson, H.A., 2005. Transdermal drug delivery: penetration enhancement techniques. *Current drug delivery*, 2(1), pp.23-33.
- Bilia, A.R., Guccione, C., Isacchi, B., Righeschi, C., Firenzuoli, F. and Bergonzi, M.C., 2014. Essential oils loaded in nanosystems: a developing strategy for a successful therapeutic approach. *Evidence-Based Complementary and Alternative Medicine*, 2014.
- Castro, G.R., Larson, B.K., Panilaitis, B. and Kaplan, D.L., 2005. Emulsan quantitation by Nile red quenching fluorescence assay. *Applied microbiology and biotechnology*, 67(6), pp.767-770.

- Chen, P.C., Huang, J.W. and Pang, J., 2013. An investigation of optimum NLC-sunscreen formulation using taguchi analysis. *Journal of Nanomaterials*, 2013, p.9.
- Das, A.S.H.A. and Ahmed, A.B., 2017. Natural permeation enhancer for transdermal drug delivery system and permeation evaluation: A review. *Asian J. Pharm. Clin. Res*, 10, pp.5-7.
- Dewi, R., Anwar, E. and Yunita, K.S., 2016. Uji stabilitas fisik formula krim yang mengandung ekstrak kacang kedelai (*Glycine max*). *Pharmaceutical Sciences and Research (PSR)*, 1(3), pp.194-208.
- Djuwita, I., Widyaputri, T., Efendi, A. and Kaiin, E.M., 2010. Tingkat pertumbuhan dan analisa protein sel-sel fibroblas fetal tikus hasil kultur in vitro. *Hemera Zoa*, 1(2).
- Ebtavanny, T.G., Soeratri, W. and Rosita, N., 2018. Effect of Lipid Composition on Nanostructured Lipid Carrier (NLC) on Ubiquinone Effectiveness as an Anti-aging Cosmetics. *International Journal of Drug Delivery Technology*, 8(03), pp.144-152.
- Erawati, T., Hendradi, E. and Soeratri, W., 2014. Praformulation study of P-Methoxycinnamic Acid (PMCA) nanoemulsion using vegetable oils (soybean oil, corn oil, VCO). *International Journal of Pharmacy and Pharmaceutical Sciences*, 6(2), pp.99-101.
- Erawati, T., Putri, D.A., Maharani, A.S., Rosita, N. and Soeratri, W., 2019. Characteristics and Stability of Nanostructured Lipid Carrier (NLC) Aleurites Moluccana Seed Oil (AMS oil) Using Various Combinations of Beeswax and Oleum Cacao. *International Journal of Drug Delivery Technology*, 9(1), pp.94-97.
- Erawati, T., Hariyadi, D.M., Rosita, N. and Purwanti, T., 2019. The Anti-inflammatory Activity of p-methoxycinnamic acid (PMCA) in the Nanostructured lipid carrier (NLC) system using combinations of solid lipid, beeswax-oleum cacao and liquid lipid, Virgin Coconut oil (VCO). *Research Journal of Pharmacy and Technology*, 12(8), pp.3619-3625.
- Ganesan, P. and Narayanasamy, D., 2017. Lipid nanoparticles: Different preparation techniques, characterization, hurdles, and strategies for the production of solid lipid nanoparticles and nanostructured lipid carriers for oral drug delivery. *Sustainable Chemistry and Pharmacy*, 6, pp.37-56.

- Gartner, L.P. and Hiatt, J.L., 2007. Colour textbook of histology. 3 [sup] rd ed. *Philadelphia: Sanders Elsevier*, pp.49-69.
- Gräf, R., Rietdorf, J. and Zimmermann, T., 2005. Live cell spinning disk microscopy. In *Microscopy techniques* (pp. 57-75). Springer, Berlin, Heidelberg.
- Guimarães, K.L. and Ré, M.I., 2011. Lipid nanoparticles as carriers for cosmetic ingredients: The first (SLN) and the second generation (NLC). In *Nanocosmetics and nanomedicines* (pp. 101-122). Springer, Berlin, Heidelberg.
- Hao, J., Fang, X., Zhou, Y., Wang, J., Guo, F., Li, F. and Peng, X., 2011. Development and optimization of solid lipid nanoparticle formulation for ophthalmic delivery of chloramphenicol using a Box-Behnken design. *International Journal of Nanomedicine*, 6, p.683.
- Igarashi, T., Nishino, K. and Nayar, S.K., 2007. The appearance of human skin: A survey. *Foundations and Trends® in Computer Graphics and Vision*, 3(1), pp.1-95.
- Iman, N. 2018. Pengaruh Perbandingan Lipid Padat Oleum Cacao-Beeswax dan Lipid Cair Minyak Zaitun terhadap Karakteristik NLC-APMS. *Skripsi*. Fakultas Farmasi. Universitas Airlangga : Surabaya.
- Kishore, R.S., Kiese, S., Fischer, S., Pappenberger, A., Grauschopf, U. and Mahler, H.C., 2011. The degradation of polysorbates 20 and 80 and its potential impact on the stability of biotherapeutics. *Pharmaceutical research*, 28(5), pp.1194-1210.
- Kolarsick, P.A., Kolarsick, M.A. and Goodwin, C., 2011. Anatomy and physiology of the skin. *Journal of the Dermatology Nurses' Association*, 3(4), pp.203-213.
- Korkm, E., Gokce, E.H. and Ozer, O., 2013. Development and evaluation of coenzyme Q10 loaded solid lipid nanoparticle hydrogel for enhanced dermal delivery. *Acta Pharmaceutica*, 63(4), pp.517-529.
- Latif, F.M., Teo, Y.Y., Misran, M., Suk, V.R.E. and Low, K.H., 2020. Formulation and Physicochemical Properties of Nanostructured Lipid Carriers from Beeswax and Rosemary Oil as a Drug Carrier. *CHIANG MAI JOURNAL OF SCIENCE*, 47(1), pp.114-126.
- Lim, J.S., Gang, H.J., Yoon, S.W., Kim, H.M., Suk, J.W., Kim, D.U. and Lim, J.K., 2010. Preparation and its stability of a coenzyme Q10 nanoemulsion by high pressure homogenization with different valve

- type conditions. *Korean Journal of Food Science and Technology*, 42(5), pp.565-570.
- Liu, Y., Wang, L., Zhao, Y., He, M., Zhang, X., Niu, M. and Feng, N., 2014. Nanostructured lipid carriers versus microemulsions for delivery of the poorly water-soluble drug luteolin. *International Journal of Pharmaceutics*, 476(1-2), pp.169-177.
- Loo, C.H., Basri, M., Ismail, R., Lau, H.L.N., Tejo, B.A., Kanthimathi, M.S., Hassan, H.A. and Choo, Y.M., 2013. Effect of compositions in nanostructured lipid carriers (NLC) on skin hydration and occlusion. *International Journal of Nanomedicine*, 8, p.13.
- Loolaie, M., Moasefi, N., Rasouli, H. and Adibi, H., 2017. Peppermint and its functionality: A review. *Arch. Clin. Microbiol*, 8(4), p.54.
- Martien, R., Adhyatmika, A., Irianto, I.D., Farida, V. and Sari, D.P., 2012. Perkembangan teknologi nanopartikel sebagai sistem penghantaran obat. *Majalah Farmaseutik*, 8(1), pp.133-144.
- McClements, D.J. and Rao, J., 2011. Food-grade nanoemulsions: formulation, fabrication, properties, performance, biological fate, and potential toxicity. *Critical Reviews In Food Science and Nutrition*, 51(4), pp.285-330.
- Miranda, M., Cruz, M.T., Vitorino, C. and Cabral, C., 2019. Nanostructuring lipid carriers using *Ridolfia segetum* (L.) Moris essential oil. *Materials Science and Engineering: C*, 103, p.109804.
- Müller, R.H., Mäder, K. and Gohla, S., 2000. Solid lipid nanoparticles (SLN) for controlled drug delivery—a review of the state of the art. *European Journal of Pharmaceutics and Biopharmaceutics*, 50(1), pp.161-177.
- Müller, R.H., Petersen, R.D., Hommoss, A. and Pardeike, J., 2007. Nanostructured lipid carriers (NLC) in cosmetic dermal products. *Advanced Drug Delivery Reviews*, 59(6), pp.522-530.
- Montenegro, L., Pasquinucci, L., Zappalà, A., Chiechio, S., Turnaturi, R. and Parenti, C., 2017. Rosemary essential oil-loaded lipid nanoparticles: In vivo topical activity from gel vehicles. *Pharmaceutics*, 9(4), p.48.
- Pardeike, J., Hommoss, A. and Müller, R.H., 2009. Lipid nanoparticles (SLN, NLC) in cosmetic and pharmaceutical dermal products. *International Journal of Pharmaceutics*, 366(1-2), pp.170-184.

- Pandey, A.G., Das, S. and Basu, S.P., 2011. Design and Evaluation of Nanoemulsion for Delivery of Diclofenac Sodium. *NIET Journal of Engineering and Technology*, pp.79-82.
- Pezeshki, A., Ghanbarzadeh, B., Mohammadi, M., Fathollahi, I. and Hamishehkar, H., 2014. Encapsulation of vitamin A palmitate in nanostructured lipid carrier (NLC)-effect of surfactant concentration on the formulation properties. *Advanced pharmaceutical bulletin*, 4(Suppl 2), p.563.
- Putra, N., Prawiro, E. and Amin, M., 2016. Thermal properties of beeswax/CuO nano phase-change material used for thermal energy storage. *International Journal of Technology*, 7(2), pp.244-253.
- Pygall, S.R., Whetstone, J., Timmins, P. and Melia, C.D., 2007. Pharmaceutical applications of confocal laser scanning microscopy: The physical characterisation of pharmaceutical systems. *Advanced Drug Delivery Reviews*, 59(14), pp.1434-1452.
- Ribeiro, L.N., Breikreitz, M.C., Guilherme, V.A., da Silva, G.H., Couto, V.M., Castro, S.R., de Paula, B.O., Machado, D. and de Paula, E., 2017. Natural lipids-based NLC containing lidocaine: from pre-formulation to in vivo studies. *European Journal of Pharmaceutical Sciences*, 106, pp.102-112.
- Rohmah, M., Raharjo, S., Hidayat, C. and Martien, R., 2019. Formulasi dan Stabilitas Nanostructured Lipid Carrier dari Campuran Fraksi Stearin dan Olein Minyak Kelapa Sawit. *Jurnal Aplikasi Teknologi Pangan*, 8(1).
- Rowe, R.C., Sheskey, P.J. and Owen, S.C. eds., 2006. *Handbook of Pharmaceutical Excipients* (Vol. 6, pp. 517-522). London: Pharmaceutical press.
- Saporito, F., Sandri, G., Bonferoni, M.C., Rossi, S., Boselli, C., Cornaglia, A.I., Mannucci, B., Grisoli, P., Vigani, B. and Ferrari, F., 2018. Essential oil-loaded lipid nanoparticles for wound healing. *International Journal Of Nanomedicine*, 13, p.175.
- Sharma, N., Bansal, M., Visht, S., Sharma, P.K. and Kulkarni, G.T., 2010. Nanoemulsion: A new concept of delivery system. *Chronicles of Young Scientists*, 1(2), p.2.
- Shoviantari, F., Erawati, T. and Soeratri, W., 2017. Skin Penetration of Coenzyme Q10 in Nanostructure Lipid Carriers Using Olive Oil and

- Cetyl Palmitate. *International Journal of Pharmaceutical and clinical Research*, 9(2), pp.142-145.
- Sjerobabski-Masnec, I. and Situm, M., 2010. Skin aging. *Acta Clin Croat*, 49(4), pp.515-8.
- Souto, E.B. and Muller, R.H., 2007. Lipid nanoparticles (solid lipid nanoparticles and nanostructured lipid carriers) for cosmetic, dermal, and transdermal applications. *Drugs and The Pharmaceutical Sciences*, 166, p.213.
- Sweetman, S.C. ed., 2009. *Martindale: the complete drug reference* (Vol. 3709). London: Pharmaceutical press.
- Teeranachaideekul, V., Souto, E.B., Junyaprasert, V.B. and Müller, R.H., 2007. Cetyl palmitate-based NLC for topical delivery of Coenzyme Q10—Development, physicochemical characterization and in vitro release studies. *European Journal of Pharmaceutics and Biopharmaceutics*, 67(1), pp.141-148.
- Thakur, A., Walia, M.K. and Kumar, S.L., 2013. Nanoemulsion in enhancement of bioavailability of poorly soluble drugs: a review. *Pharmacophore*, 4(1), pp.15-25.
- Turek, C. and Stintzing, F.C., 2013. Stability of essential oils: a review. *Comprehensive reviews in food science and food safety*, 12(1), pp.40-53.
- Tu, Y. and Quan, T., 2016. Oxidative stress and human skin connective tissue aging. *Cosmetics*, 3(3), p.28.
- Üner, M., 2006. Preparation, characterization and physico-chemical properties of solid lipid nanoparticles (SLN) and nanostructured lipid carriers (NLC): their benefits as colloidal drug carrier systems. *Die Pharmazie-An International Journal of Pharmaceutical Sciences*, 61(5), pp.375-386.
- Velnar, T., Bailey, T. and Smrkolj, V., 2009. The wound healing process: an overview of the cellular and molecular mechanisms. *Journal of International Medical Research*, 37(5), pp.1528-1542.
- Wang, H. And Xia, Q., 2010. Preparation and characterization of coenzyme Q10-loaded nanostructured lipid carriers as delivery systems for cosmetic component. *Nanotech*, 3, pp.498-501.
- Wang, J.M., Li, Y., Wang, H.X., Deng, X.Y., Fan, H.F., Liu, G.Q. and Xia, Q., 2011. Antioxidative activity evaluation of CoQ10-nanostructured

lipid carrier. In *Advanced Materials Research* (Vol. 284, pp. 989-992). Trans Tech Publications.

Wei Keat, Ng., Saiful Yazan, L., Yap, L.H., Hafiza, W.N., Ghani, W.A., How, C.W. and Abdullah, R., 2015. Thymoquinone-loaded nanostructured lipid carrier exhibited cytotoxicity towards breast cancer cell lines (MDA-MB-231 and MCF-7) and cervical cancer cell lines (HeLa and SiHa). *BioMed Research International*, 2015.

Wissing, S.A. and Müller, R.H., 2003. The influence of solid lipid nanoparticles on skin hydration and viscoelasticity—in vivo study. *European Journal of Pharmaceutics and Biopharmaceutics*, 56(1), pp.67-72.

Witayaudom, P. and Klinkesorn, U., 2017. Effect of surfactant concentration and solidification temperature on the characteristics and stability of nanostructured lipid carrier (NLC) prepared from rambutan (*Nephelium lappaceum* L.) kernel fat. *Journal of Colloid and Interface Science*, 505, pp.1082-1092.

Yumas, M., 2016. Formulasi Sediaan Krim Wajah Berbahan Aktif Ekstra Metanol Biji Kakao Non Fermentasi (*Theobroma Cacao* L) Kombinasi Madu Lebah. *Jurnal Industri Hasil Perkebunan*, 11(2), pp.75-87.

<https://pubchem.ncbi.nlm.nih.gov/compound/Coenzyme-Q10> diakses pada Januari 2020.