

## DAFTAR PUSTAKA

- Agustin, R., Lestari, F. I., Halim, A., 2015. Pembentukan dan karakterisasi kompleks inklusi fenilbutazon dan  $\beta$ -siklodekstrin dengan metode *co-grinding*, *Jurnal Ilmiah Farmasi*, Vol. 3 No.1, p. 14-19.
- Ansel, H., Allen, L., 2014. Ansel's Pharmaceutical Dosage Forms and Drug Delivery Systems 10<sup>th</sup> Edition. Baltimore: Lippincott Williams & Wilkins, p. 50.
- Aulton, M.E., and Taylor, K.M.G., 2018. **Pharmaceutics : The Design and Manufacture of Medicines**, FIFTH EDITION, Edinburgh London New York Oxford Philadelphia St Louis Sydney Toronto : Elsevier, p. 506-516.
- Bekers, O., Uijtendaal, E.V., Beijnen, J.H., Bult, A, Underberg, W.J.M., 1991. Cyclodextrins in the pharmaceutical field. *Drug Development and Industrial Pharmacy*, Vol. 17 No. 11, p. 1503-1509.
- Bestari, A. N., 2004. Penggunaan siklodekstrin dalam bidang farmasi. *Majalah Farmaseutik*, Vol. 10 No. 1, p. 197–201.
- Bhise, S.D., 2011. Effect of Hydroxypropyl  $\beta$ -Cyclodextrin Inclusion Complexation on Solubility of Fenofibrate, *IJRPBS*, Vol. 2 No. 2, p. 596-603.
- Brewster, M. E., and Loftsson, T., 2007. Cyclodextrins as pharmaceutical solubilizers. *Advanced Drug Delivery Reviews*, Vol.59 No.7, p. 645–666.
- Challa, R., Ahuja, A., Ali, J., Khar, R. K., 2005. Cyclodextrins in Drug Delivery: An Updated Review, *AAPS PharmSciTech*, Vol. 6 No. 2, p. 329-357.
- Das, *et al.*, 2010. Cyclodextrins the molecular container, *RJPBCS*, Vol.4 No.2, p.1694-1720.
- Departemen Kesehatan Republik Indonesia. 2014. *Farmakope Indonesia Edisi Kelima*. Departemen Kesehatan Republik Indonesia, p. 24, 32, 1492, 1590, 1605-1606, 1654.
- Desai, C., and Prabhakar, B. 2014. Development and evaluation of orally disintegrating tablets of cilostazol- $\beta$ -cyclodextrin inclusion complexes, *Drug Dev Ind Pharm* Vol. 9045, p. 1–19.
- Felton, L. A., 2012. Dissolution, Chapter 6. *Remington: Essentials of Pharmaceutics*. Edisi ke-22, London: Pharmaceutical Press, p. 63-80

- Ferraz, H. G., Carpentieri, L. N., Watanabe, S. P., 2007. Dissolution profile evaluation of solid pharmaceutical forms containing chloramphenicol marketed in Brazil, *Brazilian Archives of Biology and Technology*, Vol.50 No.1, p.57-65.
- Florence, A.T., Attwood, D., 2016. *Physicochemical Principles of Pharmacy : In Manufacture, Formulation and Clinical Use*. 6th Edition. United Kingdom: Pharmaceutics Press, p. 174-177, 459-460.
- HMDB, 2020. Diakses dari <https://hmdb.ca/metabolites/HMDB0030796> pada tanggal 03 Juli 2020.
- Isdiartuti, D., and Suwaldi. 2005. Pembentukan kompleks inklusi fenobarbital dengan hidrosipropil- $\beta$ -siklodekstrin. *Majalah Farmasi Indonesia*, Vol. 16 No. 1, p. 28–37.
- Jagdale, S.K., Dehghan, M. H., Paul, N. S., 2019. Enhancement of dissolution of fenofibrate using complexation with hydroxy propyl- $\beta$ -cyclodextrin, *Turk J Pharm Sci* ,Vol.16 No.1, p.48-53.
- Kazmiruk, V. 2012. Scanning Electron Microscopy. Croatia: InTech, p. 3, 4, 6, 26, 33, 40.
- Khan, K.A., 1975. The concept of dissolution efficiency, *J.Pharm.Pharmac.*, Vol. 27 No. 48, p. 48-49.
- Lima, B. dos S., *et al.* 2019. Development of morin/hydroxypropyl- $\beta$ -cyclodextrin inclusion complex: Enhancement of bioavailability, antihyperalgesic and anti-inflammatory effects, *Food and Chemical Toxicology*. Elsevier, Vol. 126, p. 15-24.
- Marcolino, A.I.P., *et al.*, 2019. Preparation, characterization and in vitro cytotoxicity study of dronedarone hydrochloride inclusion complexes, *Materials Science & Engineering C* 100. Elsevier, p. 48–61.
- McAdams, D., Chen, D., and Kristensen, D. 2012. Spray drying and vaccine stabilization. *Expert Review of Vaccines*, Vol.11 No.10, p.1211–1219.
- Mora, M.J., Tartara, L.I., Onnainty, R., Palma, S.D., Longhi, M.R., Granero, G.E. 2013. Characterization, dissolution and in vivo evaluation of solid acetazolamide complexes, *Carbohydrate Polymers*, Elsevier Ltd., Vol. 98, No. 1, p. 380–390.
- Mouraoa, S. C., Silva, C. D., Bresolin, T. M. B., Serra, C. H. R., Porta, V., 2010. Dissolution parameters for sodium diclofenac-containing hypromellose matrix tablet, *International Journal of Pharmaceutics*, No. 386, p. 201–207.
- Mura, P., 2015. Analytical techniques for characterization of cyclodextrin complexes in the solid state, *Jpba*. Elsevier B.V, Vol.15, p. 6.
- Nikolic, V. D., *et al.* 2014. Photostability of piroxicam in the inclusion complex with 2-hydroxypropyl- $\beta$ -cyclodextrin. *Scientific Paper*, Vol. 68 No. 1, p.107–116.

- Octavia, M. D., Halim, A., Afrinda, M. 2015. Karakterisasi Kompleks Inklusi Simvastatin- $\beta$ -Siklodekstrin Metoda Co-Grinding Dengan Variasi Waktu Penggilingan. *Jurnal Farmasi Higea*, Vol. 7 No. 1, p. 30–43.
- Paczkowska, M., *et al.*, 2015. Complex of rutin with  $\beta$ -Cyclodextrin as potential delivery system, *Journal pone*, Vol. 10 No.3, p. 1-16.
- Patel, R and Patel, M., 2010. Solid-state characterization and in vitro dissolution behavior of lorazepam: Hydroxypropyl- $\beta$ -cyclodextrin inclusion complex, *Discoveries and Therapeutics*, Vol. 4 No. 6, p. 442-452.
- Patil, J. S., Kadam, D. V., Marapur, S. C., and Kamalapur, M. V. 2010. Inclusion complex system; a novel technique to improve the solubility and bioavailability of poorly soluble drugs: A review. *International Journal of Pharmaceutical Sciences Review and Research*, Vol. 2 No. 2, p. 29–34.
- Paun, G., Neagu, E., Tache, A., Radu, G. L., 2014. New type of chitosan/2-hydroxypropyl- $\beta$ -cyclodextrin composite membrane for gallic acid encapsulation and controlled release. *Acta Chim. Slov.*, No. 61, p. 27-33.
- Pramasari, N., 2017. Pengaruh hidroksipropil  $\beta$  – siklodekstrin (HP $\beta$ CD) sebagai senyawa pembentuk kompleks inklusi terhadap kelarutan asam *p*-metoksisinamat (APMS) pada berbagai pH. *Skripsi*, Universitas Airlangga.
- PubChem Open Chemistry Database, 2020. Diakses dari <https://pubchem.ncbi.nlm.nih.gov/compound/1986>, pada tanggal 27 April 2020.
- PubChem Open Chemistry Database, 2020. Diakses dari <https://pubchem.ncbi.nlm.nih.gov/compound/5281670>, pada tanggal 03 Juli 2020.
- Ren, X., *et al.*, 2019. Preparation, Characterization, and Properties of Inclusion Complexes of Balofloxacin with Cyclodextrins, *AAPS PharmSciTech*, 20:278.
- Rudnic, E.M., Schwartz, J.B., 2005. Oral Dosage Form, Remington: The Science and Practice of Pharmacy, 21<sup>th</sup> edition. *Philadelphia College Of Pharmacy And Science*, p. 889.
- Sambasevam, K. P., Mohamad, S., Sarih, N. M., Ismail, N. A., 2013. Synthesis and characterization of the inclusion complex of  $\beta$ -cyclodextrin and azomethine, *Int. J. Mol. Sci*, No.14, p. 3671-3682.
- Setyawan, D., and Isadiartuti, D., 2009. Karakterisasi kompleks inklusi asam mefenamat-  $\beta$ -siklodekstrin yang dibuat dengan metode *freeze drying*, *Jurnal Kefarmasian Indonesia*, Vol 1.1, p. 1-9.

- Setiyo, Aris. 2016. Karakterisasi Asam para-metoksisinamat (APMS)- $\beta$ -Siklodekstrin (Dibuat dengan Metode Freeze Drying), *Skripsi*, Universitas Airlangga.
- Singh, R., Bharti, N., Madan, J., Hiremath, S.N., 2010. Characterization of Cyclodextrin Inclusion Complexes-A Review, *Journal of Pharmaceutical Science and Technology*, Vol. 2 No.3, p.171-183.
- Sinko, P.J., Singh, Y. 2017. Martin's Physical Pharmacy and Pharmaceutical Sciences. 6<sup>th</sup> Edition. Philadelphia : Lippincott Williams and Wilkins, p. 197; 205.
- Sherje, A.P., Jadhav, M., 2018.  $\beta$ -Cyclodextrin-based inclusion complexes and nanocomposites of rivaroxaban for solubility enhancement, *Journal of Materials Science: Materials in Medicine*, 29:186.
- Siswandono. 2016. Kimia Medisinal. Surabaya : Airlangga University Press. p. 4.
- Sutriyo., R., Filosane, F. K., 2005. Pengaruh polivinil pirolidon terhadap laju disolusi furosemid dalam sistem dispersi Padat, *Majalah Ilmu Kefarmasian*, Vol. II No.1, p. 30 – 42.
- Sweetman, S.C., 2014, *Martindale The Complete Drug Reference*, Thirty Sixth Edition, *Pharmaceutical Press*, New York , p.226, 1369, 2001, 2022, 1337, 1389.
- Tang, P., Li, S., Wang, L., Yang, H., Yan, J., Li, H., 2015. Inclusion complexes of chlorzoxazone with  $\beta$ -and hydroxypropyl -  $\beta$ -cyclodextrin: characterization, dissolution, and cytotoxicity, *Carbohydrate Polymers*. Elsevier Ltd, Vol. 131, p. 297–305.
- Torres, P., Villa, F., Gonzales, J., Troncoso, J., Plessing, C.V., 2011. Preparation and characterization of the emamection benzoat/hydroxypropyl- $\beta$ -cyclodextrin inclusion complex, *J. Chil. Chem. Soc*, Vol. 54 No. 4, p. 951-954.
- Valle, E.M.M. 2004. Cyclodextrins and their uses: A review. *Process Biochemistry*, Vol. 39, p. 1033–1046.
- Vyas, A., Saraf, S., Saraf, S., 2008. Cyclodextrin based novel drug delivery systems, *Incl Phenom Macrocycl Chem*, No. 62, p. 23- 42.
- Widjaja, B., Radjaram, A., Utami, H.W., 2014. Studi kelarutan dan disolusi kompleks inklusi ketoprofen-hidroksipropil  $\beta$ -siklodekstrin (dibuat dengan metode kopresipitasi), *Jurnal Farmasi dan Ilmu Kefarmasian Indonesia*, Vol.1 No.1, p. 31-32.
- Yoshida, K., Shimomura, T., Ito, K., Hayakawa, R., 1999. Inclusion complex formation of cyclodextrin and polyaniline, *Langmuir*, Vol.15 No.4, p. 910-913.
- Yufinanda, A. R., 2019. Disolusi Kompleks Inklusi Asam *p*-Metoksisinamat (APMS)- $\beta$ -Siklodekstrin ( $\beta$ CD) Yang Dibuat Dengan Metode *Co-Grinding*. *Skripsi*, Univrsitas Airlangga.

Zhou, H. Y., Jiang, L. J., Zhang, Y. P., Li, J. B., 2016.  $\beta$ -cyclodextrin inclusion complex: preparation, characterization, and its aspirin release in vitro. *Front. Mater. Sci*, Vol. 6 No.3, p. 259–267.