

DAFTAR PUSTAKA

- Alshehri, S. M., Shakeel, F., Ibrahim, M. A., Elzayat, E. M., Altamimi, M., Mohsin, K., Alanazi, F. K. 2019. Dislarutanion and bioavailability improvement of bioactive apigenin using solid dispersions prepared by different techniques. *Saudi Pharmaceutical Journal*, 27(2), 264-273.
- Ansel, H. C., Popovich, N. & Allen, L., 2009. *Ansel's Pharmaceutical Dosage Form and Drug Delivery Systems*. 9 penyunt. Philadelphia: Wolter Kluwer Business.
- Aungst, B. J., 1993. Novel Formulation Strategies for Improving Oral Bioavaibility of Drugs With Poor Membrane Permeation or Presystemic Metabolism. *Journal of Pharmaceutical Sciences*, pp. 979 - 980.
- Azimova, S. S. & Vinogradova, V. I. penyunt., 2013. Natural Compound Flavonoid. Dalam: *Natural Compound Flavonoid Plant Sources, Structures, Properties*. London: Springer New York Heidelberg Dordrecht London, pp. 198 - 199.
- Baghel, S., Cathcart, H. & O'Reilly, N. J., 2016. Polymeric Amorphous Solid Dispersions: A Review of Amorphization, Crystallization, Stabilization, Solid-State Characterization, and Aqueous Solubilization of Biopharmaceutical Classification System Class 2 Drugs. *Journal of Pharmaceutical Sciences*, Volume XXX, pp. 1 - 18.
- Bhut, V. *et al.*, 2012. Solid Dispersion as a Strategy to Enhance Solubility: A Review Article. *International Journal for Pharmaceutical Research Scholars (IJPRS)*, 1(2), pp. 490 - 498.
- Buchner, Nadja *et al.*, 2006. Effect of thermal processing on the flavonols rutin and kuersetin. *Rapid Communications In Mass Spectrometry*, 20, pp. 229 - 3235.
- Carter, M. & Shieh, J., 2015. Guide to research technique at neuroscience. Dalam: *Chapter 5 : Microscopy*. s.l.:Academic Press, pp. 1 - 49.

- Chen, J. *et al.*, 2013. Mechanical, Rheological and Release Behaviors of a Poloxamer 407/Poloxamer 188/Carbopol 940 Thermosensitive Composite Hydrogel. *Molecules*, Volume 18, pp. 12415-12425.
- Chieng, N., Rades, T. & Aaltonen, J., 2011. An overview of recent studies on the analysis of pharmaceutical polymorphs. *Journal of Pharmaceutical and Biomedical Analysis*, Volume 55, pp. 618 - 644.
- Chokshi, Rina., Hossein, Zia., 2004. Hotmelt Extrusion Technique: A Review.. *Iranian journal of pharmaceutical research (IJPR)*, Volume 3, pp. 3 - 16.
- Colombo, M., de Lima Melchiades, G., Michels, L. R., Figueiró, F., Bassani, V. L., Teixeira, H. F., & Koester, L. S. 2019. Solid dispersion of kaempferol: Formulation development, characterization, and oral bioavailability assessment. *AAPS PharmSciTech*, 20(3), 106
- Costa, P., Manuel, J. & Lobo, S., 2001. Modeling and comparison of disintegration profiles. *European Journal of Pharmaceutical Sciences* , Volume 13, pp. 123 -133.
- Das, R., Ali, E., & Abd Hamid, S. B. 2014. Current Applications Of X-Ray Powder Diffraction-A Review. *Reviews on Advanced Materials Science*, 38(2).
- Departemen Kesehatan RI, 1995. *Farmakoper Indonesia Edisi IV*.
- Departemen Kesehatan RI, 2014. *Farmakope Indonesia Edisi V*. Jakarta:
- El-Badry, M., Hassan, M. A., Ibrahim, M. A. & Elshagir, H., 2013. Performance Of Poloxamer 407 As Hydrophilic Carrier On The Binary Mixtures With Nimesulide. *Farmacia*, 61(6), pp. 1137 - 1150
- Febriyenti, P. I., Zaini, E., Ismed, F., & Lucida, H. 2020. Preparation and characterization of quercetin-polyvinylpyrrolidone K-30 spray dried solid dispersion. *Journal of Pharmacy & Pharmacognosy Research*, 8(2), 127-134.
- Frank, K. J., Westedt, U., Rosenblatt, K. M., Hölig, P., Rosenberg, J., Mägerlein, M., ... & Brandl, M. 2014. What is the mechanism behind increased permeation rate of a poorly soluble drug from aqueous

- dispersions of an amorphous solid dispersion?. *Journal of Pharmaceutical Sciences*, 103(6), 1779-1786.
- Ghorbani, A., 2017. Mechanisms of antidiabetic effects of flavonoid rutin. *Biomedicine & Pharmacotherapy*, Issue 96, pp. 305 - 312.
- Giuliano, E., Paolino, D., Cristiano, M. C., Fresta, M., & Cosco, D. 2020. Rutin-Loaded Poloxamer 407-Based Hydrogels for In Situ Administration: Stability Profiles and Rheological Properties. *Nanomaterials*, 10(6), 1069.
- Gullon, B. *et al.*, 2017. Rutin: A review on extraction, identification and purification methods, biological activities and approaches to enhance its bioavailability. *Trends in Food Science & Technology*, Volume 67, pp. 220 - 235.
- Hong-Bo, Y. A. N. G., Zhan-Bin, L. I., Feng, X. I. E., Guang-Lin, S. O. N. G., & Hong, T. A. N. 2017. Preparation and Characterization of the Solid Dispersion Quercetin with Phospholipid. *DEStech Transactions on Materials Science and Engineering*,.
- Hosseinzadeh, H. & Nassiri-Asl, M., 2014. Review of the protective effects of rutin on the metabolic function as an important dietary flavonoid. *J Endocrinol Invest*, Issue 37:783-8, p. 1.
- Huang, Y. & Dai, W.-G., 2013. Fundamental aspects of solid dispersion technology for poorly soluble drugs. *Acta Pharmaceutica Sinica B*, Volume 6, pp. 1- 8.
- Iwashita, M., Hashizume, K., Umehara, M., Ishigami, T., Onishi, S., Yamamoto, M., Moribe, K. 2019. Development of nobiletin–methyl hesperidin amorphous solid dispersion: Novel application of methyl hesperidin as an excipient for hot-melt extrusion. *International journal of pharmaceutics*, 558, 215-224.
- Jha, D. K., Shah, D. S., & Amin, P. D. 2020. Thermodynamic Aspects of the Preparation of Amorphous Solid Dispersions of Naringenin with Enhanced Dislartanion Rate. *International Journal of Pharmaceutics*, 119363.
- Karekar, P. *et al.*, 2009. Physicochemical investigation of the solid dispersion systems of etoricoxib with poloxamer 188.

- Pharmaceutical Development and Technology*, 14(4), pp. 373 - 379.
- Khan, A. W., Kotta, S., Ansari, S. H., Sharma, R. K., & Ali, J. 2015. Enhanced dislarutanion and bioavailability of grapefruit flavonoid Naringenin by solid dispersion utilizing fourth generation carrier. *Drug development and industrial pharmacy*, 41(5), 772-779.
- Koval'skii, I. *et al.*, 2013. Studies Of The Solubility Of Rutin. *Pharmaceutical Chemistry Journal*, 47(11), pp. 42 - 45.
- Li, J., Di, L., Cheng, X., Ji, W., Piao, H., Cheng, G., & Zou, M. 2020. The characteristics and mechanism of co-administration of lovastatin solid dispersion with kaempferol to increase oral bioavailability. *Xenobiotica*, 50(5), 593-601.
- Liu, J., Cao, F., Zhang, C., & Ping, Q. 2013. Use of polymer combinations in the preparation of solid dispersions of a thermally unstable drug by hot-melt extrusion. *Acta Pharmaceutica Sinica B*, 3(4), 263-272.
- Liu, X., Feng, X., Williams, R. O., & Zhang, F. (2018). Characterization of amorphous solid dispersions. *Journal of Pharmaceutical Investigation*, 48(1), 19-41.
- Martin, A., Swarbick, J. & Cammarata, A., Diterjemahkan oleh Yoshita . *Farmasi Fisik Dasar- Dasar Kimia Fisik dalam Ilmu Farmasetik*. 1990 penyunt. Jakarta: UI Press.
- Mauludin, R., Muller, H. R. & Keck, M. C., 2009. Development of an oral rutin nanocrystal formulation. *International Journal of Pharmaceutics*, Volume 370, p. 202–209.
- Mello Costa, A. R., Marquiáfável, F. S., de Oliveira Lima Leite Vaz, M. M., Rocha, B. A., Pires Bueno, P. C., Amaral, P. L. M., ... & Berreta-Silva, A. A. 2011. Quercetin-PVP K25 solid dispersions: preparation, thermal characterization and antioxidant activity. *Journal of thermal analysis and calorimetry*, 104(1), 273-278.

- Miyake, K. *et al.*, 2000. Improvement of Solubility and Oral Bioavailability of Rutin by Complexation with 2-Hydroxypropyl- β -cyclodextrin. *Pharmaceutical Development and Technology*, 5(3), p. 399–407.
- Ng, C. L., Lee, S. E., Lee, J. K., Kim, T. H., Jang, W. S., Choi, J. S., ... & Park, J. S. 2016. Solubilization and formulation of chrysofenicol C in solid dispersion with hydrophilic carriers. *International journal of pharmaceuticals*, 512(1), 314-321.
- Nikghalb, L. A., Singh, G., Singh, G., & Kahkeshan, K. F. 2012. Solid Dispersion: Methods and Polymers to increase the solubility of poorly soluble drugs. *Journal of Applied Pharmaceutical Science*, 2(10), 170-175.
- Paidi, S. K. *et al.*, 2014. Preparation, in-vitro and in-vivo evaluation of spray-dried ternary solid dispersion of biopharmaceutics classification system class II model drug. *Journal of Pharmacy And Pharmacology*, pp. 1 - 14.
- Panche, A. N., Diwan, A. D., & Chandra, S. R. 2016. Flavonoids: an overview. *Journal of nutritional science*, 5.
- Potkule, M. E., Savkare, A. D., Sarode, S. K. & Kalaskar, P. S., 2017. Solid Dispersion: A Review. *Indo American Journal of Pharmaceutical Research*, 7(03).
- Rowe, R. C., Sheskey, P. J. & Quinn, M. E., 2012. *Handbook of Pharmaceutical Excipients*. 7th edition penyunt. London: Publisher-Science and Practice Royal Pharmaceutical Society of Great Britain. Page 453-455
- Rowe, R., Sheskey, P. & Quinn, M., 2009. Handbook of Pharmaceutical Excipient. Dalam: *Handbook of Pharmaceutical Excipient Sixth Edition*. s.l.:s.n., p. 549–553.
- Sapkal, S. *et al.*, 2013. An Overview On The Mechanisms Of Solubility And Dislartanian Rate Enhancement In Solid Dispersion. *International Journal of PharmTech Research*, 5(1), pp. 31 - 39.
- Shahi, D. S., Sahoo, D. P. & Dev, K., 2017. Solid dispersion: A systematic review. *International Journal of Pharmaceutical Science and Research*, 2(3), pp. 40 - 45.

- Shargel, L., Wu-Pong, S. & Yu, A. B. C., 2005. *Applied biopharmaceutics & pharmacokinetics*. New York: Appleton & Lange Reviews/McGraw-Hill, Medical Pub. Division..
- Sharma, A. & Jain, C. P., 2011. Solid dispersion: A promising technique to enhance solubility of poorly water soluble drug. *International Journal of Drug Delivery* 3, pp. 149 - 170.
- Sharma, S. *et al.*, 2013. Rutin: therapeutic potential and recent advances in drug delivery. *Expert Opinion on Investigational Drugs*, Issue 22:8, pp. 1063 - 1079.
- Simonazzi, A. *et al.*, 2018. Preparation and Characterization of Poloxamer 407 Solid Dispersions as an Alternative Strategy to Improve Benznidazole Bioperformance. *Journal of Pharmaceutical Sciences*, Volume 107, pp. 2829-2836.
- Singh, D., Rawat, M., Semalty, A. & Semalty, M., 2012. Rutin-Phospholipid Complex: An Innovative Technique in Novel Drug Delivery System-NDDS. *Current Drug Delivery*, Volume 9, pp. 305-314.
- Singh, S., Baghel, R. S. & Yadav, L., 2011. A review on solid dispersion. *International Journal Of Pharmacy & Life Sciences*, 2(9), pp. 1078 - 1095.
- Siregar, C. J. P. & Wikarsa, 2010. Teknologi Farmasi Sediaan Tablet. Dalam: *Dasar- Dasar Praktis* . Jakarta: Buku Kedokteran EGC
- Sridhar, I. *et al.*, 2013. Solid Dispersions: an Approach to Enhance Solubility of poorly Water Soluble Drug. *Journal of Scientific and Innovative Research* 2013, 2(3), pp. 685-694.
- Szafraniec, J. *et al.*, 2019. The Self-Assembly Phenomenon of Poloxamers and Its Effect on the Dislartanion of a Poorly Soluble Drug from Solid Dispersions Obtained by Solvent Methods. *Pharmaceutics*, 11(130), pp. 1- 22.
- Thakral, S., Terban, M. W., Thakral, N. K., & Suryanarayanan, R. 2016. Recent advances in the characterization of amorphous pharmaceuticals by X-ray diffractometry. *Advanced Drug Delivery Reviews*, 100, 183-193.

- Tricco, A. C., Lillie, E., Zarin, W., O'Brien, K., Colquhoun, H., Kastner, M., ... & Kenny, M. 2016. A scoping review on the conduct and reporting of scoping reviews. *BMC medical research methodology*, 16(1), 15.
- Urban-Morlan, Z., Castro-Rios, R., Chavez-Montes, A., Melgoza-Contreras, L. M., Pinon-Segundo, E., Ganem-Quintanar, A., & Quintanar-Guerrero, D. 2008. Determination of poloxamer 188 and poloxamer 407 using high-performance thin-layer chromatography in pharmaceutical formulations. *Journal of pharmaceutical and biomedical analysis*, 46(4), 799-803.
- Vasconcelos, T., Sarmiento, B. & Costa, P., 2007. Solid dispersions as strategy to improve oral bioavailability of poor water soluble drugs. *Drug Discovery Today*, 12(23/24), pp. 1068 - 1075.
- Wang, S., Ye, F., Wei, F. & Zhao, G., 2016. Spray-drying of curcumin-loaded octenylsuccinated corn dextrin micelles stabilized with maltodextrin. *Powder Technology*, Volume 307, pp. 2 - 34.
- Wang, W., Kang, Q., Liu, N., Zhang, Q., Zhang, Y., Li, H., ... & Wu, Q. 2015. Enhanced dislarutanion rate and oral bioavailability of Ginkgo biloba extract by preparing solid dispersion via hot-melt extrusion. *Fitoterapia*, 102, 189-197.
- Webb, J., & Holgate, J. H. 2003. **Microscopy** Scanning Electron Microscopy.
- Xu, P.-X.*et al.*, 2014. Rutin improves spatial memory in Alzheimer's disease transgenic mice by reducing AB oligomer level and attenuating oxidative stress. *Behavioural Brain Research*, Issue 264, pp. 173 - 180.
- Yu, L. 2001. Amorphous pharmaceutical solids: preparation, characterization and stabilization. *Advanced drug delivery reviews*, 48(1), 27-42.
- Zhang, Y., Luo, R., Chen, Y., Ke, X., Hu, D., & Han, M. 2014. Application of carrier and plasticizer to improve the dislarutanion and bioavailability of poorly water-soluble baicalein by hot melt extrusion. *AAPS PharmSciTech*, 15(3), 560-568.

- Zhao, J., Yang, J., & Xie, Y. 2019. Improvement strategies for the oral bioavailability of poorly water-soluble flavonoids: an overview. *International journal of pharmaceutics*, 570, 118642
- Zhou, Q., Sun, S. Q., Du, D. G., Liang, X. Y., & Yang, X. 2000. Real time monitor of rutin stability during heating by fourier transform infrared spectroscopy. *Guang pu xue yu guang pu fen xi Guang pu*, 20(2), 195-198.
- Zi, J., Peng, B. & Yan, W., 2007. Solubilities of rutin in eight solvents at T = 283.15, 298.15, 313.15, 323.15, and 333.15 K. *Fluid Phase Equilibria*, Volume 261, p. 111–114.