

DAFTAR PUSTAKA

- Abriouel, H., Benomar, N., Cobo, A., Caballero, N., Fuentes, M.Á.F., Pérez-Pulido, R. and Gálvez, A., 2012. Characterization of lactic acid bacteria from naturally-fermented Manzanilla Aloreña green table olives. *Food Microbiol*, 32(2), pp.308-316.
- Adnan, A.F.M. and Tan, I.K., 2007. Isolation of lactic acid bacteria from Malaysian foods and assessment of the isolates for industrial potential. *Bioresource Technol*, 98(7), pp.1380-1385.
- Argyri, A.A., Zoumpopoulou, G., Karatzas, K.A.G., Tsakalidou, E., Nychas, G.J.E., Panagou, E.Z. and Tassou, C.C., 2013. Selection of potential probiotic lactic acid bacteria from fermented olives by in vitro tests. *Food Microbiol*, 33(2), pp.282-291.
- Aswathy, R. G., Ismail, B., John, R. P., & Nampoothiri, K. M. 2008. *Evaluation of the Probiotic Characteristics of Newly Isolated Lactic Acid Bacteria. Appl. Biochem. Biotechnol.* 151(2-3), pp.244–255.
- Audisio, M. C., Torres, M. J., Sabate, D. C., Ibarguren, C., Apella, M. C. 2009. Properties of different lactic acid bacteria isolated from *Apis mellifera* L. bee-gut. *Microbiol. Res.* 166(1), pp. 1-13.
- Badan Pengawasan Obat dan Makanan. 2003. Mutu Pangan. Direktorat Surveilans dan Penyuluhan Keamanan Pangan Deputi III – BPOM, Jakarta.

- Bamidele, T.A., Adeniyi, B.A., Ogunbanwo, S.T., Smith, S.I. and Omonigbehin, E.A., 2011. Antibacterial activities of lactic acid bacteria isolated from selected vegetables grown in nigeria: A preliminary report. *Sierra Leone J. Biomed. Res.*, 3(3), pp.128-132.
- Baradaran, A., Foo, H.L., Sieo, C.C. and Raha, A.R., 2012. Isolation, identification and characterization of lactic acid bacteria from *Polygonum minus*. *Rom Biotechnol Lett*, 17(2), pp.7245-7252.
- Baruah, R. and Goyal, A., 2015. Hyper glucansucrase, glucan and oligosaccharide producing novel *Weissella cibaria* RBA12 isolated from Pummelo (*Citrus maxima*). *Ann. Microbiol*, 65(4), pp.2301-2310.
- Begley, M., Gahan, C.G. and Hill, C., 2005. The interaction between bacteria and bile. *FEMS microbiology reviews*, 29(4), pp.625-651.
- Bennani, S., Mchiouer, K., Rokni, Y., Meziane, M. 2017. Characterization and identification of lactic acid bacteria isolated from Moroccan raw cow's milk. *Journal of Material and Environmental Sciences*, 8, pp. 4934-4944.
- Capozzi, V., Russo, P., Dueñas, M. T., López, P., & Spano, G. 2012. Lactic acid bacteria producing B-group vitamins: a great potential for functional cereals products. *Appl. Microbiol. Biotechnol*, 96(6), 1383-1394.
- Chapman, C. M. C., Gibson, G. R. and Rowland, I. 2012. 'In vitro evaluation of single- and multi-strain probiotics: Inter-species inhibition between probiotic strains, and inhibition of pathogens', *Anaerobe*. Elsevier Ltd, 18(4), pp. 405–413.
- Chateau, N., Deschamps, A.M. and Hadj Sassi, A. (1994) Heterogeneity of bile salts resistance in the *Lactobacillus* isolates of a probiotic consortium. *Letts. Appl. Microbiol.* 18, 42–44.

- Choi, A.R., Patra, J.K., Kim, W.J. and Kang, S.S., 2018. Antagonistic activities and probiotic potential of lactic acid bacteria derived from a plant-based fermented food. *Front. microbiol*, 9, pp.1963.
- Dahlan, A., Wahyuni, S. and Ansharullah, A., 2018. Morfologi Dan Karakterisasi Pertumbuhan Bakteri Asam Laktat (UM 1.3 A) dari Proses Fermentasi Wikau Maombo Untuk Studi Awal Produksi Enzim Amilase. *Jurnal Sains dan Teknologi Pangan*, 2(4).
- Divisekera, D.M.W.D., Samarasekera, J.K.R.R., Hettiarachchi, C., Gooneratne, J., Choudhary, M.I. and Gopalakrishnan, S., 2019. Isolation and identification of lactic acid bacteria with probiotic potential from fermented flour of selected banana varieties grown in Sri Lanka. *J. Nat. Sci. Foun. of Sri Lanka (TSI)*, 47(1), pp.3-16.
- Divya, J.B., Varsha, K.K. and Nampoothiri, K.M., 2012. Newly isolated lactic acid bacteria with probiotic features for potential application in food industry. *Appl. Biochem. Biotechnol*, 167(5), pp.1314-1324.
- Elshaghabee, F. M., Rokana, N., Gulhane, R. D., Sharma, C., & Panwar, H. 2017. Bacillus as potential probiotics: status, concerns, and future perspectives. *Front. Microbiol*, 8, pp. 1490.
- García-Ruiz, A., de Llano, D.G., Esteban-Fernández, A., Requena, T., Bartolomé, B. and Moreno-Arribas, M.V., 2014. Assessment of probiotic properties in lactic acid bacteria isolated from wine. *Food Microbiol*, 44, pp.220-225.
- Garidel, P., Hildebrand, A., Knauf, K. and Blume, A., 2007. Membranolytic activity of bile salts: influence of biological membrane properties and composition. *Molecules*, 12(10), pp.2292-2326.
- Geria, M., Caridi, A. 2012. Methods to assess lactic acid bacteria diversity and compatibility in food. *Acta aliment.*, 43(1), pp. 96-104.

- Grumezescu, A., and Holban, A. M. eds., 2019. *Fermented Beverages: Volume 5. The Science of Beverages*. Woodhead Publishing. pp.310-313
- Guarner, F., Khan, A.G., Garisch, J., Eliakim, R., Gangl, A., Thomson, A., Krabshuis, J., Lemair, T., Kaufmann, P., De Paula, J.A. and Fedorak, R., 2012. World gastroenterology organisation global guidelines: probiotics and prebiotics october 2011. *J. Clin. Gastroenterol*, 46(6), pp.468-481.
- Guo, X. H., Kim, J. M., Nam, H. M., Park, S. Y., & Kim, J. M. (2010). Screening lactic acid bacteria from swine origins for multistrain probiotics based on in vitro functional properties. *Anaerobe*, 16(4), 321-326.
- Hidayat, H., 2017, March. Analysis of 16S rRNA gene lactic acid bacteria (LAB) isolate from Markisa fruit (*Passiflora* sp.) as a producer of protease enzyme and probiotics. In *AIP Conference Proceedings* (Vol. 1823, No. 1, p. 020110). AIP Publishing LLC.
- Hill, M. J. 1995. *Role of Gut Bacteria in Human Toxicology and Pharmacology*. Taylor, New York.
- Hoque, M. Z., Akter, F., Hossain, K. M., Rahman, M. S. M., Billah, M. M., & Islam, K. M. D. (2010). Isolation, identification and analysis of probiotic properties of *Lactobacillus* spp. from selective regional yoghurts. *World J Dairy Food Sci*, 5(1), 39-46.
- Kamara, D.S., Rachman, S.D., Pasisca, R.W., Djajasoepana, S., Suprijana, O., Idar, I. and Ishmayana, S., 2016. Pembuatan Dan Aktivitas Antibakteri Yogurt Hasil Fermentasi Tiga Bakteri (*Lactobacillus bulgaricus*, *Streptococcus thermophilus*, *Lactobacillus acidophilus*). *Al-Kimia*, 4(2), pp.121-131.

- Karasu, N., Şimşek, Ö. and Çon, A.H., 2010. Technological and probiotic characteristics of *Lactobacillus plantarum* strains isolated from traditionally produced fermented vegetables. *Ann. Microbiol*, 60(2), pp.227-234.
- Kashket, E.R., 1987. Bioenergetics of lactic acid bacteria: cytoplasmic pH and osmotolerance. *FEMS Microbiol. Rev.*, 3(3), pp.233-244.
- Kerry, R. G., Patra, J. K., Gouda, S., Park, Y., Shin, H. S., & Das, G. (2018). Benefaction of probiotics for human health: A review. *J. Food Drug Anal.*, 26(3), 927-939.
- Khalid, K., 2011. An overview of lactic acid bacteria. *Int. J. Biosciences*, 1(3), pp.1-13.
- Khalil, E.S., Manap, A., Yazid, M., Mustafa, S., Alhelli, A.M. and Shokryazdan, P., 2018. Probiotic properties of exopolysaccharide-producing *Lactobacillus* strains isolated from Tempoyak. *Molecules*, 23(2), p.398.
- Kim, J. A., Bayo, J., Cha, J., Choi, Y. J., Jung, M. Y., Kim, D. H., & Kim, Y. 2019. Investigating the probiotic characteristics of four microbial strains with potential application in feed industry. *PloS one*, 14(6), e0218922.
- Lamont, J. R., Wilkins, O., Bywater-Ekegård, M., & Smith, D. L. 2017. From yogurt to yield: Potential applications of lactic acid bacteria in plant production. *Soil Biol. Biochem.*, 111, 1-9.
- Lapsiri, W., Nitisinprasert, S. and Wanchaitanawong, P., 2011. *Lactobacillus plantarum* strains from fermented vegetables as potential probiotics. *Kasetsart Journal (Natural Science)*, 45, pp.1071-1082.
- Lee, Yuan Kun. and Seppo Salminen. 2009. 'Handbook of Probiotic and Prebiotic'. Canada: *John Wilwy & Sons, Inc.*

- Li, G., 2012. Intestinal Probiotics: Interactions with Bile Salts and Reduction Of Cholesterol. *Procedia Environmental Sciences*, 12, pp.1180-1186.
- Lim, S. M., & Im, D. S. 2009. Screening and characterization of probiotic lactic acid bacteria isolated from Korean fermented foods. *J. Microbiol. Biotechnol*, 19(2), 178-186.
- Maier, R. M., & Pepper, I. L. 2015. Bacterial growth. In Environmental microbiology (pp. 37-56). **Academic Press**.
- Markowiak, P., & Śliżewska, K. 2017. Effects of Probiotics, Prebiotics, and Synbiotics on Human Health. *Nutrients*, 9(9), pp.1021.
- Mohapatra, D., Mishra, S. and Sutar, N., 2010. Banana and its by-product utilisation: an overview.
- Menconi, A., Kallapura, G., Latorre, J. D., Morgan, M. J., Pumford, N. R., Hargis, B. M., & Tellez, G. (2014). Identification and characterization of lactic acid bacteria in a commercial probiotic culture. *Biosi Microbiota, Food and Health*, 33(1), 25-30.
- Monteagudo-Mera, A., Rastall, R. A., Gibson, G. R., Charalampopoulos, D., & Chatzifragkou, A. (2019). Adhesion mechanisms mediated by probiotics and prebiotics and their potential impact on human health. *Appl. Microbiol. Biotech.*, 103(16), 6463-6472.
- Mosso, A. L., Jimenez, M. E., Vignolo, G., LeBlanc, J. G., & Samman, N. C. 2018. Increasing the folate content of tuber based foods using potentially probiotic lactic acid bacteria. *Food Res. Int.*, 109, 168-174.
- Mourad, K, and K. N. Eddine. 2006. In vitro preselection criteria for probiotic *Lactobacillus plantarum* strains of fermented Olives origin. *J. Probio. Prebio.*, 1(1): 27-32.

- Naeem, M.A.H.R.O.S.H., Ilyas, M., Haider, S., Baig, S. and Saleem, M., 2012. Isolation characterization and identification of lactic acid bacteria from fruit juices and their efficacy against antibiotics. *Pak J Bot*, 44(323), p.8
- Ouwehand, A. C., Invernici, M. M., Furlaneto, F. A., & Messori, M. R. 2018. Effectiveness of Multi-strain Versus Single-strain Probiotics: Current Status and Recommendations for the Future. *J. Clin Gastroenterol.*, 52, pp.S35-S40.
- Pan, H., Zhang, Y., He, G. X., Katagori, N., & Chen, H. 2014. A comparison of conventional methods for the quantification of bacterial cells after exposure to metal oxide nanoparticles. *BMC microbiology*, 14(1), 222.
- Panghal, A., Janghu, S., Virkar, K., Gat, Y., Kumar, V. and Chhikara, N., 2018. Potential non-dairy probiotic products—A healthy approach. *Food bioscience*, 21, pp.80-89.
- Papadimitriou, K., Alegría, Á., Bron, P.A., De Angelis, M., Gobbetti, M., Kleerebezem, M., Lemos, J.A., Linares, D.M., Ross, P., Stanton, C. and Turróni, F., 2016. Stress physiology of lactic acid bacteria. *Microbiol. Mol. Biol. Rev.*, 80(3), pp.837-890.
- Pelczar, M. J. Jr dan Chan, E. C. S.2006. Dasar-dasar mikrobiologi. Volume ke-1. Hadioetomo RS,Imas T, Tjitrosomo, S. S, AngkaSL, penerjemah; Jakarta: UI Pr.Terjemahan dari: **Elements of Microbiology**.
- Pringsulaka, O., Rueangyotchanchana, K., Suwannasai, N., Watanapokasin, R., Amnueysit, P., Sunthornthummas, S., Sukkhum, S., Sarawaneeyaruk, S. and Rangsiruji, A., 2015. In Vitro Screening of Lactic Acid Bacteria for Multi-Strain Probiotics. *Livest. Sci.*, 174, pp.66-73.

- Quinto, E. J., Jimenez, P., Caro, I., terejo, J., Mateo, J., Girbes, T. 2014. Probiotic lactic acid bacteria: a review. *Food Nutr. Sci.*, 5(18), pp. 1765.
- Ridlon, J. M., Kang, D. J., & Hylemon, P. B. (2006). Bile salt biotransformations by human intestinal bacteria. *J. Lipid Res.*, 47(2), 241-259.
- Rosania, R., Filomena Minenna, M., Giorgio, F., Facciorusso, A., De Francesco, V., Hassan, C., Panella, C. and Ierardi, E., 2012. Probiotic multistrain treatment may eradicate *Helicobacter pylori* from the stomach of dyspeptics: a placebo-controlled pilot study. *Inflammation & Allergy-Drug Targets (Formerly Current Drug Targets-Inflammation & Allergy)*, 11(3), pp.244-249.
- Rosyidah, I. H., Isnaeni, Safarini M., Hamzah, M. N. S. B., Mertaniasih N. M. 2019. *Antibiotic Resistance of Potential Probiotic Bacteria from Red Passion Fruit (Passiflora edulis Sims). On going process.*
- Saeed A, H. and Salam A, I., 2013. Current limitations and challenges with lactic acid bacteria: a review. *Food and Nutrition Sciences*, 2013.
- Sagdic, O., Ozturk, I., Yapar, N. and Yetim, H., 2014. Diversity and probiotic potentials of lactic acid bacteria isolated from gilaburu, a traditional Turkish fermented European cranberrybush (*Viburnum opulus* L.) fruit drink. *Food Res. Int.*, 64, pp.537-545.
- Salminen S, AV Wright and A Ouwehand. 2004. *Lactic Acid Bacteria Third Edition*, Marcel Dekker Inc. New York. pp420
- Sánchez, B., Delgado, S., Blanco-Míguez, A., Lourenço, A., Gueimonde, M., & Margolles, A. 2017. Probiotics, gut microbiota, and their influence on host health and disease. *Mol. Nutr. Food Res.*, 61(1), 1600240.

- Saranraj, P., Naidu, M. A., & Sivasakthivelan, P. 2013. Lactic acid bacteria and its antimicrobial properties: a review. *International Journal of Pharmaceutical & Biological Archives*, 4(6), 1124-1133.
- Sathe, S.J., Nawani, N.N., Dhakephalkar, P.K. and Kapadnis, B.P., 2007. Antifungal lactic acid bacteria with potential to prolong shelf-life of fresh vegetables. *J. Appl. Microbiol.*, 103(6), pp.2622-2628.
- Sharma, R., and Sharma, N. 2017. Assessment of probiotic attributes of food grade lactic acid bacteria isolated from a novel traditional fermented product-Luske of Northern Himalayas, *Int J Curr Microbiol Appl Sci*, Vol. 6, No. 7, pp. 2481-2490.
- Shinde, P. B. 2012. Probiotic: an overview for selection and evaluation. *Int J Pharm and Pharm Sci*, 4, 14-21.
- Soni, R., Jain, N. K., Shah, V., Soni, J., Suthar, D., & Gohel, P. 2020. Development of probiotic yogurt: effect of strain combination on nutritional, rheological, organoleptic and probiotic properties. *J. Food Sci. Technol.*, 1-13.
- Succi M, Tremonte P, Reale A, Sorrentino E, Grazia L, Pacifino B, and R. Coppola. 2005. Bile salt and acid tolerance of *Lactobacillus rhamnosus* strains isolates from Parmigiano Reggiano cheese. *Fems Microbiol. Lett.* 244, 129-137
- Suprapti, B., Suharjono, S., Raising, R., Yulistiani, Y., Izzah, Z., Nilamsari, W.P., Wulaningrum, P.A. and Bachtiar, A., 2018. Effects of Probiotics and Vitamin B Supplementation on IFN- γ and IL-12 Levels During Intensive Phase Treatment of Tuberculosis. *Indones. J. Pharm.*, 29(2), pp.80.
- Sutton, K.H. and Zealand, N.N., 2007. Considerations for the successful development and launch of personalised nutrigenomic foods. *Mutation Research/Fundamental and Molecular Mechanisms of Mutagenesis*, 622(1-2), pp.117-121.

- Sutton, S. 2011. Measurement of microbial cells by optical density. *J. Valid. Technol*, 17(1), 46-49.
- Swain, M.R., Anandharaj, M., Ray, R.C. and Rani, R.P., 2014. Fermented fruits and vegetables of Asia: a potential source of probiotics. *Biotechnology research international*, 2014.
- Taroub, B., Salma, L., Manel, Z., Ouzari, H. I., Hamdi, Z., & Moktar, H. (2019). Isolation of lactic acid bacteria from grape fruit: Antifungal activities, probiotic properties, and in vitro detoxification of ochratoxin A. *Ann. Microbiol*, 69(1), 17-27.
- Thakur, K., Tomar, S. K., & De, S. 2016. Lactic acid bacteria as a cell factory for riboflavin production. *Microb. Biotechnol*, 9(4), 441-451.
- Timmerman, H.M., Koning, C.J.M., Mulder, L., Rombouts, F.M. and Beynen, A.C., 2004. Monostrain, multistrain and multispecies probiotics—a comparison of functionality and efficacy. *Int. J. Food Microbiol*, 96(3), pp.219-233.
- Toscano, M., De Vecchi, E., Gabrieli, A., Zuccotti, G. V., & Drago, L. (2015). Probiotic characteristics and in vitro compatibility of a combination of *Bifidobacterium breve* M-16 V, *Bifidobacterium longum* subsp. *infantis* M-63 and *Bifidobacterium longum* subsp. *longum* BB536. *Ann. Microbiol.*, 65(2), pp. 1079-1086.
- Trush, E. A., Poluektova, E. A., Beniashvilli, A. G., Shifrin, O. S., Poluektov, Y. M., & Ivashkin, V. T. (2020). The Evolution of Human Probiotics: Challenges and Prospects. *Probiotics Antimicrob. Proteins*, 1-9.
- Tsakalidou, E., & Papadimitriou, K. (Eds.). 2011. *Stress responses of lactic acid bacteria*. Springer Science & Business Media.
- Vinderola, C. G., & Reinheimer, J. A. 2003. Lactic Acid Starter and Probiotic Bacteria: A Comparative “In Vitro” Study of Probiotic

- Characteristics and Biological Barrier Resistance. *Food Res. Int.*, 36(9), pp. 895–904.
- Wahlgren, M., Axenstrand, M., Håkansson, Å., Marefati, A. and Lomstein Pedersen, B., 2019. In Vitro Methods To Study Colon Release: State of The Art and An Outlook on New Strategies for Better In-Vitro Biorelevant Release Media. *Pharmaceutics*, 11(2), pp. 95.
- WHO. 2001. Health and Nutrition Properties of Probiotics in Food including Powder Milk with Live Lactic Acid Bacteria : Report of a Joint FAO/WHO Expert Consultation on Evaluation of Health and Nutritional Properties of Probiotics in Food including Powder Milk with Live Lactic Acid Bacteria. Ordoaba, Argentina, pp. 1-30.
- WHO. 2002. Guidelines for the evaluation of probiotics in food: report of a joint FAO/WHO working group on drafting guidelines for the evaluation of probiotics in food. London, Ontario, Canada, pp. 39-50.
- Yalçinkaya, S. and Kılıç, G.B., 2019. Isolation, identification and determination of technological properties of the halophilic lactic acid bacteria isolated from table olives. *Int. J. Food Sci. Technol.*, 56(4), pp.2027-2037.
- Yu, H. S., Jang, H. J., Lee, N. K., & Paik, H. D. 2019. Evaluation of the probiotic characteristics and prophylactic potential of *Weissella cibaria* strains isolated from kimchi. *LWT*, 112, 108229.
- Yuliana, N., 2012. Kinetika pertumbuhan bakteri asam laktat isolat T5 yang berasal dari tempoyak. *Jurnal Teknologi & Industri Hasil Pertanian*, 13(2), pp.108-116.
- Zhang, X., Wang, Y., Guo, J., Yu, Y., Li, J., Guo, Y., & Liu, C. and 2015. Comparing Two Functions for Optical Density and Cell Numbers in Bacterial Exponential Growth Phase. *J. Pure Appl. Microbiol*, 9, 299-305