

DAFTAR PUSTAKA

- Adeoti, I. A. and Hawboldt, K. 2014., A review of lipid extraction from fish processing by-product for use as a biofuel, **Biomass and Bioenergy. Elsevier Ltd**, Vol. 63 No. 2, pp. 330–340. doi: 10.1016/j.biombioe.2014.02.011.
- Alagawany, M.A., Elnesr, S.S., Farag, R. M., El-Hack, M.E.A., Khafaga, F.A., Taha, A.E., Tiwari, R., Yatoo, M.I., Bhatt, P., Khurana, S.K. and Dhama, K., 2019. Omega-3 and omega-6 fatty acids in poultry nutrition: Effect on production performance and health, **Animals**, Vol. 9 No. 8, pp. 1-19. doi: 10.3390/ani9080573.
- Amiguet, V.T., Kramp, K.L., Mao, J., McRae., Goulah, A., Kimpe, L.E., Blais, J.M. and Arnason, J.T., 2012. Supercritical carbon dioxide extraction of polyunsaturated fatty acids from Northern shrimp (*Pandalus borealis* Kreyer) processing by-products', **Food Chemistry. Elsevier Ltd**, Vol. 130 No. 4, pp. 853–858. doi: 10.1016/j.foodchem.2011.07.098.
- Ari, K. and Darmapatni, G., 2016. Pengembangan Metode GC-MS Untuk Penetapan Kadar Acetaminophen Pada Spesimen Rambut Manusia, **Jurnal Biosains Pascasarjana**, Vol. 18 No. 3, pp. 1–13.
- Ayu, D. F., Diharmi, A. and Ali, A., 2019. Karakteristik Minyak Ikan Dari Lemak Abdomen Hasil Samping, **Jurnal Pengolahan Hasil Perikanan Indonesia**, Vol. 22 No. 1, pp. 187–197.
- Baueur, J., Wu, G. and Qiu, X., United States Patent., 2018. Isolation and characterization of a novel phythium omega 3 desaturase with spesificity to all omega 6 fatty acids longer than 18 carbon chains. U.S. Pat. 10,113,189 B2.
- Bekhit, M. Y., Grung, B. and Mjøs, S. A., 2014. Determination of omega-3 fatty acids in fish oil supplements using vibrational spectroscopy and chemometric methods, **Applied Spectroscopy**, Vol. 68 No. 10, pp. 1190–1200. doi: 10.1366/13-07210.
- Belayneh, H. D., Wehling, R.L., Cahoon, E. and Ciftci, O.N., 2015. Extraction of omega-3-rich oil from *Camelina sativa* seed using supercritical carbon dioxide, **Journal of Supercritical Fluids. Elsevier B.V.**, Vol. 104 No. 1, pp. 1-7. doi: 10.1016/j.supflu.2015.06.002.
- Berman, B., Lewith, G., Manheimer, E., Bishop, F.L. and Dadamo, C., 2015. Complementary and alternative medicine. 6th Ed., **Rheumatology: Sixth Edition. Sixth Edit. Elsevier Ltd**. Ch.48A. doi: 10.1016/B978-0-323-09138-1.00048-6.

- Byelashov, O. A., Sinclair, A. J. and Kaur, G., 2015. Dietary sources, current intakes, and nutritional role of omega-3 docosapentaenoic acid, **Lipid Technology**, Vol. 27 No. 4, pp. 79–82. doi: 10.1002/lite.201500013.
- Cazes, J. 2005. Gas Chromatography. In : Yuwono, M. And Indrayanto. G. (Eds). *Ewings Analytical Instrumentation Handbook*. 3rd Ed, New York: Marcel Dekker, pp. 725-727.
- Chakraborty, K. and Raj, R. P., 2007. Eicosapentaenoic acid enrichment from sardine oil by argentation chromatography, **Journal of Agricultural and Food Chemistry**, Vol. 55 No. 18, pp. 7586–7595. doi: 10.1021/jf071407r.
- Ciriminna, R., Meneguzzo, F., Delisi, R. and Pagliaro, M., 2017. Enhancing and improving the extraction of omega-3 from fish oil, **Sustainable Chemistry and Pharmacy. Elsevier.**, Vol. 5 March, pp. 54–59. doi: 10.1016/j.scp.2017.03.001.
- Codex Alimentarius Commission., 2017. Codex Alimentarius Commission: *Standard for fish Oils-CODEX STAN 329-2017*. Rome, Italy, pp. 1-6.
- Di Pasquale, M. G., 2009. The essentials of essential fatty acids, **Journal of Dietary Supplements**, Vol. 6 No. 2, pp. 143–161. doi: 10.1080/19390210902861841.
- Firestone, D. and Yurawecz, M.P., 2000. *Official Method of Association of Oficial Analytica*, 17th Ed. AOAC International, Chapter 41, pp. 12.
- Gocen, T., Bayarı, S. H. and Guven, M. H., 2018. Effects of chemical structures of omega-6 fatty acids on the molecular parameters and quantum chemical descriptors, **Journal of Molecular Structure**, Vol. 1174 April, pp. 142–150. doi: 10.1016/j.molstruc.2018.04.075.
- Guil-Guerrero, J. L. and Belarbi, E. H., 2001. Purification process for cod liver oil polyunsaturated fatty acids, **JAOCs, Journal of the American Oil Chemists' Society**, 78(5), pp. 477–484. doi: 10.1007/s11746-001-0289-9.
- Gu, Hai-bo., Ma Xue-yi., Wu, Jing-bo., Yuan Wen-bing. and Chen Yi-ping., 2009. Concentration of α -Linoleic Acid of Perilla Oil by Gradient Cooling Urea Inclusion, **Agricultural Sciences in China. Chinese Academy of Agricultural Sciences**, Vol. 8 No. 6, pp. 685–690. doi: 10.1016/S1671-2927(08)60265-5.
- Hall, K. L., Shahrokhi, S. and Jeschke, M. G., 2012. Enteral nutrition support in burn care: A review of current recommendations as instituted in the ross tilley burn centre, **Nutrients**, Vol. 4 No. 11, pp. 1554–1565. doi: 10.1155/2012/539426.
- Harvey, D., 2000. *Modern Analytical Chemistry*. 1st Ed, New York: McGraw-Hill, pp. 388-409.

- Ivanovs, K. and Blumberga, D., 2017. Extraction of fish oil using green extraction methods: A short review, **Energy Procedia.**, Vol. 128 No. 3, pp. 477–483. doi: 10.1016/j.egypro.2017.09.033.
- Kementerian Kelautan dan Perikanan, 2019. Laporan Tahunan Kementerian Kelautan dan Perikanan, Tahun 2019. Halaman 10.
- Kementerian Kelautan dan Perikanan, 2018. Laporan Tahunan Kementerian Kelautan dan Perikanan, Tahun 2018, Halaman 3.
- Kementerian Kelautan dan Perikanan., 2018, GEMARIKAN (Gemar Memasyarakatkan Makan Ikan): Upaya Peningkatan Gizi Sejak Dini. Diakses dari <https://kkp.go.id/djpt/ppnsungailiat/artikel/6676-gemarikan-gemar-memasyarakatkan-makan-ikan-upaya-peningkatan-gizi-sejak-dini>, pada tanggal 20 April 2020.
- Khoddami, A., 2009. Fatty acid profile of the oil extracted from fish waste (head , intestine and liver) (Sardinella lemuru) Fatty Acid Profile of the Oil Extracted from Fish Waste (Head , Intestine and Liver) (Sardinella lemuru), **World Applied Sciences Journal**, Vol. 7 No. 1, pp. 127-131. (May 2014).
- Kuvendziev, S., Lisichkov, K., Zekovie, Z., Marinkovski, M. and Musliu, Z.H., 2018. Supercritical fluid extraction of fish oil from common carp (*Cyprinus carpio* L.) tissues, **Journal of Supercritical Fluids**, Vol. 133 (October), pp. 528–534. doi: 10.1016/j.supflu.2017.11.027.
- Lee, J., Lee, M. H., Cho, E. J., Lee, S., 2016. High-yield methods for purification of α -linolenic acid from *Perilla frutescens* var. japonica oi, **Applied Biological Chemistry. The Korean Society for Applied Biological Chemistry**, Vol. 59 No. 1, pp. 89–94. doi: 10.1007/s13765-015-0136-5.
- Lembaga Ilmu Pengetahuan Indonesia., 2012, Minim, Pemanfaatan Sumber Daya Alam untuk Obat. Diakses dari <http://lipi.go.id/berita/single/minim-pemanfaatan-sumber-daya-alam-untuk-obat/6811>, pada tanggal 24 Juli 2020.
- Létisse, M. and Comeau, L., 2008. Enrichment of eicosapentaenoic acid and docosahexaenoic acid from sardine by-products by supercritical fluid fractionation, **Journal of Separation Science**, Vol. 31 No. 8, pp. 1374–1380. doi: 10.1002/jssc.200700501.
- Li, Y., Naghdi, F.G., Garg, S., Adarme-Vega, T.C., Thurecht, K.J., Ghafor, W.A., Tannock, S. and Schenk, P.M., 2014. A comparative study: The impact of different lipid extraction methods on current microalgal lipid research, **Microbial Cell Factories**, Vol. 13 No. 1, pp. 1–9. doi: 10.1186/1475-2859-13-14.
- Lopes, T. I. B., Pereira, E.S., Freitas, D.S., Oliveira, S.L. and Alcantara, G.B., 2020. Spectral profiles of commercial omega-3 supplements: an exploratory analysis by ATR-FTIR and ¹H NMR, **Journal of Food Science and Technology. Springer India**, Vol. 57 No. 4, pp. 1251–1257. doi: 10.1007/s13197-019-04157-y.

- Mbatia, B., Adlercreutz, D., Adlercreutz, P., Mahadhy, A., Mulaa, F. and Mattiasson, B., 2010. Enzymatic oil extraction and positional analysis of ω -3 fatty acids in Nile perch and salmon heads, *Process Biochemistry*. Elsevier Ltd, Vol. 45 No. 5, pp. 815–819. doi: 10.1016/j.procbio.2010.02.010.
- de Melo, M. M. R., Sapatinha, M., Pinheiro, J., Lemos, M.F.L., Bandarra, N.M., Batista, I., Paulo, M.C., Coutinho, J., Saraiva, J.A., Portugal, I. and Silva, C.M., 202. Supercritical CO₂ extraction of Aurantiochytrium sp. biomass for the enhanced recovery of omega-3 fatty acids and phenolic compounds, *Journal of CO₂ Utilization*. Elsevier, Vol. 38(December 2019), pp. 24–31. doi: 10.1016/j.jcou.2020.01.014.
- Moghadasian, M. H. and Shahidi, F., 2016. *Fatty Acids*. Second Ed, *International Encyclopedia of Public Health*. 2nd Ed. Vol. 3. pp. 114-122. doi: 10.1016/B978-0-12-803678-5.00157-0.
- Mohanty, B. P., Ganguly, S., Mahanty, A., Sankar, T.V., Anandan, R., Chakraborty, K., Paul, B.N., Sarma, D., Dayal, J.S., Venkateswarlu, G., Mathew, S., Asha, K.K., Karunakaran, D., Mitra, T., Chanda, S., Shahi, N., Das, P., Akhtar, Md.S., Vijayagopal, P. and Sridhar, N., 2016. DHA and EPA content and fatty acid profile of 39 food fishes from India, *BioMed Research International*, Vol. 2016 No. 1. pp 1-14. doi: 10.1155/2016/4027437.
- Namal Senanayake, S. P. J., 2010. Methods of concentration and purification of omega-3 fatty acids, Separation, **Extraction and Concentration Processes in the Food, Beverage and Nutraceutical Industries**. pp. 483-505 doi: 10.1533/9780857090751.2.483.
- National Institutes of Health., 2018. Omega-3 fatty acids Fact sheet for consumers, National Institutes of Health, pp. 1–3. doi: 10.1016/j.molcatb.2013.05.005.
- Ningsih, S. G., 2011. Analisis Asam Lemak dan Pengamatan Jaringan Daging Fillet Ikan Patin (*Pangasius hypophthalmus*) Akibat Penggorengan. *Skripsi*. Institut Pertanian Bogor. Bogor, pp. 35
- Raharja, S. and Cahyani, D., 2013a. Isolasi dan Identifikasi Monoasilgliserol Omega-3 (Monoester Omega-3). *Skripsi*. Institut Pertanian Bogor. Bogor, pp. 25.
- Rai, A., Mohanty, B. and Bhargava, R., 2015. Modeling and response surface analysis of supercritical extraction of watermelon seed oil using carbon dioxide, *Separation and Purification Technology*. Elsevier B.V, Vol. 141 No. 2, pp. 354–365. doi: 10.1016/j.seppur.2014.12.016.
- Rasyid, A., 2003. Asam Lemak Omega-3 Dari Minyak Ikan, *Oseana*, Vol. 28 No. 3, pp. 11–16.

- Renuka, V., Anandan, R., Suseela, M., Ravishankar, C.N. and Sivaraman, G.K., 2016. Fatty Acid Profile of Yellowfin Tuna Eye (*Thunnus albacares*) and Oil Sardine Muscle (*Sardinella longiceps*), **Fishery Technology**, Vol. 53 No. 2, pp. 151–154.
- Rincón-Cervera, M.Á., Villarreal-Rubio, M.B., Valenzuela, R. and Valenzuela, A., 2017. Comparison of fatty acid profiles of dried and raw by-products from cultured and wild fishes, **European Journal of Lipid Science and Technology**, Vol. 119 No. 9, pp. 1-10. doi: 10.1002/ejlt.201600516.
- Rubio-Rodríguez, N., Beltran, S., Jaime, I., de Diego, S.M., Sanz, M.T. and Carballido, J.R., 2010. Production of omega-3 polyunsaturated fatty acid concentrates: A review, **Innovative Food Science and Emerging Technologies. Elsevier Ltd**, Vol. 11 No. 1, pp. 1–12. doi: 10.1016/j.ifset.2009.10.006.
- Rustan, A. C. and Drevon, C. A., 2005. Fatty Acids: Structures and Properties, **Encyclopedia of Life Sciences**, Vol. 7 No.3, pp. 1–7. doi: 10.1038/npg.els.0003894.
- Sahena, F., Zaidul, I.S.M., Jinap, S., Saarl, N., Jahurul, H.A., Abbas, K.A. and Norulaini, N.A., 2009. PUFAs in Fish : Extraction , in Health, **Comprehensive Reviews in Food Science and Food Safety**, Vol. 8 No. 2, pp. 59–74.
- Shrestha, N. Sleep, S.L., Cuffe, J.S.M., Holland, O.J., Perkins, A.V., Yau, S.Y., McAinch, A.J. and Hryciw, D., 2019. Role of Omega-6 and Omega-3 Fatty Acids in Fetal Programming, **Clinical and Experimental Pharmacology and Physiology**, Vol. 47 No. 5, pp. 907-915. doi: 10.1111/1440-1681.13244.
- Sieverding, H. L., Zhao, X., Wei, L. and Stone, J.J., 2016. Life-Cycle Assessment of Oilseeds for Biojet Production Using Localized Cold-Press Extraction, **Journal of Environmental Quality**, Vol. 45 No. 3, pp. 967–976. doi: 10.2134/jeq2015.06.0313.
- Sodeifian, G., Sajadian, S. A. and Saadati Ardestani, N., 2017. Supercritical fluid extraction of omega-3 from *Dracocephalum kotschyi* seed oil: Process optimization and oil properties, **Journal of Supercritical Fluids. Elsevier B.V.**, Vol. 119 No. 2, pp. 139–149. doi: 10.1016/j.supflu.2016.08.019.
- Stathopoulou, E. T., Psycharis, V., Chryssikos, G.D., Gionis, V. and Theodorou, G. 2008. Bone diagenesis: New data from infrared spectroscopy and X-ray diffraction, **Palaeogeography, Palaeoclimatology, Palaeoecology**, Vol. 266 No. 3–4, pp. 168–174. doi: 10.1016/j.palaeo.2008.03.022.
- Suárez, E. R., Mugford, P.F., Rolle, A.J., Burton, I.W., Walter, J.A. and Kralovec, J.A., 2010. ¹³C-NMR regioisomeric analysis of EPA and DHA in fish oil derived triacylglycerol concentrates, **JAOCS, Journal of the American Oil Chemists' Society**, Vol. 87 No. 12,

- pp. 1425–1433. doi: 10.1007/s11746-010-1638-2.
- Sukei, L., Sidabutar, A. and Sitorus, C., 2017. Pembuatan Sabun dengan menggunakan Kulit Buah Kapuk (*Ceiba petandra*) sebagai Sumber Alkali, **Jurnal Teknik Kimia**, Vol. 6 No. 3, pp. 8–13.
- Suseno, S., 2018. Kualitas Minyak Ikan Komersial (Softgel) Impor Di Wilayah Jawa Tengah. **Jurnal Pengolahan Hasil Perikanan Indonesia**, Vol. 21 No. 3, pp. 556–564.
- Swanson, D., Block, R. and Mousa, S. A., 2012. Omega-3 Fatty Acids EPA and DHA : Health Benefits Throughout Life, **American Society for Nutrition**, Vol.1 No. 2, pp. 1–7. doi: 10.3945/an.111.000893.
- Sweetman, S.C., 2014. The 38th edition of Martindale: The Complete Drug Reference. London, England, UK: Pharmaceutical Press. pp. 2446.
- Talab, H. A., Ardjmand, M., Motallebi, A, and Pourgholam, R., 2010. Extraction and purification of omega-3 fatty acids concentrate from Hypophthalmichthys molitrix oil, **Nutrition and Food Science**, Vol. 40 No. 2, pp. 193–203. doi: 10.1108/00346651011029228.
- United, T. H. E., Pharmacopeia, S., & Formulary, T. H. E. N. (2018). *2013 USP 41* (Vol. 3). pp. 6189-6190.
- Vegneshwaran VR, D. D., 2014. Investigation on Oil Extraction Methods and its Influence on Omega-3 Content from Cultured Salmon, **Journal of Food Processing & Technology**, Vol. 5 No. 12. pp. 1-13. doi: 10.4172/2157-7110.1000401.
- De Zordi, N., Cortesi, A., Kikic I., Moneghini, M., Baldan, V., Sut, S., Solinas, D., Acqua, S.D., 2017. The Supercritical carbon dioxide extraction of Ω -3, Ω -6 lipids and B-sitosterol from Italian walnuts: a central composite design approach, **Journal of Supercritical Fluids. Elsevier B.V.**, Vol. 127 No. 3, pp. 223–228. doi: 10.1016/j.supflu.2017.02.020.
- Zuta, C. P., Simpson, B.K., Chan, H.M. and Philips, L., 2003. Concentrating PUFA from Mackerel Processing Waste, **JAACS, Journal of the American Oil Chemists' Society**, Vol. 80 No. 9, pp. 933–936. doi: 10.1007/s11746-003-0799-5.