

DAFTAR PUSTAKA

- Adeoti, I. A. and Hawboldt, K., 2014. A review of lipid extraction from fish processing by- product for use as a biofuel, *Biomass and Bioenergy*, Vol. 63 No. 2, pp. 330–340. doi: 10.1016/j.biombioe.2014.02.011.
- Ali, A. M. M., Bavisetty, S. C. B., Prodpran, T. and Benjakul, S., 2019. Squalene from Fish Livers Extracted by Ultrasound-Assisted Direct In Situ Saponification: Purification and Molecular Characteristics. *JAACS, Journal of the American Oil Chemists' Society*, Vol. 96 No. 9, pp. 1059–1071. doi: <https://doi.org/10.1002/aocs.12262>.
- Amarowicz, R., 2009. Squalene: A natural antioxidant. *European Journal of Lipid Science and Technology*, Vol. 111 No. 5, pp. 411–412. doi: 10.1002/ejlt.200900102.
- Ariestya, A., 2013. Ekstraksi Kemiri Dengan Metode Soxhlet Dan Karakterisasi Minyak Kemiri. *Jurnal Teknik Kimia USU*, Vol. 2 No. 2, pp. 6–10. doi: 10.32734/jtk.v2i2.1430.
- Bakes, M. J., & Nichols, P. D. (1995). Lipid, fatty acid and squalene composition of liver oil from six species of deep-sea sharks collected in southern australian waters. *Comparative Biochemistry and Physiology*, Vol. 110 No. 1, pp. 267–275. [https://doi.org/10.1016/0305-0491\(94\)00083-7](https://doi.org/10.1016/0305-0491(94)00083-7)
- Balamurugan, V., Balakrishnan, V., dan Sundaresan, A., 2015. GC-MS analysis of leaf and Bark Extract of *Moringa concanensis* Nimmo, a siddha medicinal plant of South India. *European Journal of Biotechnology and Bioscience*, Vol. 3 No. 12, pp. 57-61.

- Bavissetty, S. C. B., & Narayan, B., 2015. An improved RP-HPLC method for simultaneous analyses of squalene and cholesterol especially in aquatic foods, *Journal of Food Science and Technology*, Vol. 52 No. 9, pp. 6083–6089. doi: 10.1007/s13197-015-1793-4.
- Bhattacharjee, P. and Singhal, R. S., 2003. Extraction of squalene from yeast by supercritical carbon dioxide, *World Journal of Microbiology and Biotechnology*, Vol. 19 No. 6, pp. 605–608. doi: 10.1023/A:1025146132281.
- Budiatin, A. S., 2005. Elusidasi struktur isolat skualena dari ikan hiu cucut botol (*Centrophorus* sp), *Journal of Biological Researches*, Vol. 11 No. 1, pp. 67–72. doi: 10.23869/bphjbr.11.1.200511.
- Chatwal, G., 1985. Spectroscopy Atomic and Molecule”. Himalaya Publishing House: Bombay. Dalam Anam, C., Sirojudin, K dan Firdausi, S. 2007. Analisis Gugus Fungsi Pada Sampel Uji, Bensin Dan Spiritus Menggunakan Metode Spektroskopi FTIR. *Jurnal Fisika*, Vol. 1 No. 1, pp. 79-85.
- Chun, H. J., Weiss, T. L., Devarenne, T. P. and Laane, J., 2013. Vibrational spectra and DFT calculations of squalene, *Journal of Molecular Structure*, Vol. 1032 No. 3, pp. 203–206. doi : 10.1016/j.molstruc.2012.10.008.
- Czaplicki, S., Ogrodowska, D., Zadernowski, R., and Derewiaka, D., 2012. Characteristics of Biologically-Active Substances of Amaranth Oil Obtained by Various Techniques, *Polish Journal of Food and Nutrition Sciences*, Vol. 62 No. 4, pp. 235–239. doi: 10.2478/v10222-012-0054-8.
- de Melo, M. M. R., Sapatinha, M., Pinheiro, J., Lemos, M. F. L., Bandarra, N. M., Batista, I., Paulo, M. C., Coutinho, J., Saraiva, J. A., Portugal, I.

- and Silva, C. M., 2020. Supercritical CO₂ extraction of *Aurantiochytrium* sp. biomass for the enhanced recovery of omega-3 fatty acids and phenolic compounds, *Journal of CO₂ Utilization*, Vol. 38 No. 2, pp. 24–31. doi: 10.1016/j.jcou.2020.01.014.
- Estiasih, T., 2013. Bioactive Compounds of Palm Fatty Acid Distillate (PFAD) from Several Palm Oil Refineries, *Advance Journal of Food Science and Technology*, Vol. 5 No. 9, pp. 1153-1159.
- Gabás-Rivera, C., Barranquero, C., Martínez-Beamonte, R., Navarro, M. A., Surra, J. and Osada, J., 2014. Dietary Squalene Increases High Density Lipoprotein-Cholesterol and Paraoxonase 1 and Decreases Oxidative Stress in Mice. *Journal plos one*, Vol. 9 No. 8, pp. 1-9.
- Ginting., dan Ovalina S., 2018. Isolasi Senyawa Skualena dan Fitosterol dari Distilat Asam Lemak Minyak Kelapa Sawit. *Tesis*. Program Studi Magister Farmasi, Universitas Sumatera Utara, pp. 21-22
- Insani, S. A., Suseno, S. H. dan Jacob, A. M., 2017. Karakteristik Squalene Minyak Hati Ikan Cucut Hasil Produksi Industri Rumah Tangga, Pelabuhan Ratu. *Jurnal Pengelohan Hasil Perikanan Indonesia (JPHPI)*, Vol. 20 No. 3, pp. 494–504.
- Katabami, A., Li, L., Iwasaki, M., Furubayashi, M., Saito, K., & Umeno, D. (2014). Production of squalene by squalene synthases and their truncated mutants in *Escherichia coli*. *Journal of Bioscience and Bioengineering*, Vol. 20 No. 20, pp. 1-7. doi: 10.1016/j.jbiosc.2014.07.013.
- Loganathan, R., Selvaduray, K. R., Nesaretnam, K. and Radhakrishnan, A. K., 2010. Health promoting effects of phytonutrients found in palm oil, *Malaysian Journal of Nutrition*, Vol. 16 No. 2, pp. 309–322.

- Marcott, C., 1986. *Material Characterization Hand Book vol. 10: Infrared Spectroscopy*. ASM International: Amerika. pp. 121-124.
- Mathew, S. and Abraham, T. E., 2006. Food Chemistry Studies on the antioxidant activities of cinnamon (*Cinnamomum verum*) bark extracts, through various in vitro models, *Food Chemistry*, Vol. 94 No. 5, pp. 520–528. doi: 10.1016/j.foodchem.2004.11.043
- Moreda, W., Pérez-Camino, M. C. and Cert, A., 2001. Gas and liquid chromatography of hydrocarbons in edible vegetable oils, *Journal of Chromatography A*, Vol. 936 No. 1–2, pp. 159–171. doi: 10.1016/S0021-9673(01)01222-5.
- Musbah, M., Suseno, S. H. and Uju., 2017. Kombinasi Minyak Ikan Sardin dan Cucut Kaya Omega 3, *Jphpi*, Vol. 20 No. 1, pp. 45–52. doi: 10.17844/jphpi.2017.20.1.44.
- Nenadis, N. and Tsimidou, M., 2002. Determination of squalene in olive oil using fractional crystallization for sample preparation, *JAACS, Journal of the American Oil Chemists' Society*, Vol. 79 No. 3, pp. 257–259. doi: 10.1007/s11746-002-0470-1.
- Norhidayah, S., Baharin, B. S., Hamed, M. and Zaidul, I. S. M., 2012. Squalene recovery from palm fatty acid distillate using supercritical fluid extraction, *International Food Research Journal*, Vol. 19 No. 4, pp. 1661–1667.
- Nuryanto, E., Karo Karo, J. A., Eddiyanto, E., S. Sinaga, A. G. and Widiastuti, R. (2016). Isolasi Squalen Dari Asam Lemak Sawit Distilat (ALSD), *Jurnal Kimia Dan Kemasan*, Vol. 38 No. 2, pp. 55. doi: 10.24817/jkk.v38i2.2674.
- Ortega, J. A. A., Zavala, A. M., Hernández, M. C. and Reyes, J. D., 2012. Analysis of trans fatty acids production and squalene variation during

- amaranth oil extraction, *Central European Journal of Chemistry*, Vol. 10 No. 6, pp. 1773–1778. doi: 10.2478/s11532-012-0104-4.
- Rai, A., Mohanty, B. and Bhargava, R., 2015. Modeling and response surface analysis of supercritical extraction of watermelon seed oil using carbon dioxide, *Separation and Purification Technology*, Vol. 141 No. 3, pp. 354–365. doi: 10.1016/j.seppur.2014.12.016.
- Rizqiyah, L. A. dan Estiasih, T., 2016. Mikro dan Nanoemulsifikasi Fraksi Tidak Tersabunkan (FTT) dari Distilat Asam Lemak Minyak Sawit (DALMS) yang Mengandung Senyawa Bioaktif Multi Komponen. *Jurnal Pangan Dan Agroindustri*, Vol. 4 No. 1, pp. 56–61.
- Pavia, D. L., Lampman, G. M., Kriz, G. S. and Engel, R. G., 2006. *Introduction to Organic Laboratory Techniques: A Microscale Approach (4th Ed.)*. Cengage Learning, Brooks/Cole Publishing Co., St. Paul, MN, pp. 797–817, ISBN 978-049-5016-30-4.
- Saputra, T., Claratika, A. and Gunawan, S., 2014. Karakteristik Minyak Ikan Murni Sardin (*Sardinella Sp.*) dan Cucut (*Centrophorus Sp.*) Sebagai Bahan Suplemen Makanan Kaya Omega-3 dan Squalene. *Prosiding Seminar Nasional Kelautan 2016*, Vol. 3 No. 2, pp. 151–153.
- Spanova, M. and Daum, G., 2011. Squalene - biochemistry, molecular biology, process biotechnology, and applications, *European Journal of Lipid Science and Technology*, Vol. 113 No. 11, pp. 1299–1320. doi: 10.1002/ejlt.201100203.
- Strandberg, T. E., Tilvis, R. S. and Miettinen, T. A., 1990. Metabolic variables of cholesterol during squalene feeding in humans: Comparison with cholestyramine treatment, *Journal of Lipid Research*, Vol. 31 No. 9, pp. 1637–1643.

- Sunarya, Hole, M. and Taylor, K. D. A., 1996. Methods of extraction composition and stability of vitamin A and other components in dogfish (*Squalus acanthias*) liver oil, *Food Chemistry*, Vol. 55 No. 3, pp. 215–220. doi: 10.1016/0308-8146(95)00109-3.
- Teuku, U., Meulaboh, U., Umar, U. T., Penyareng, J. A., Teknologi, D., Perairan, H. and Agatis, J., 2017. Karakteristik Skualena Minyak Hati Ikan Cucut Hasil Produksi Pelabuhan Ratu, *Jurnal Pengolahan Hasil Perikanan Indonesia (JPHPI)*, Vol. 20 No. 3, pp. 494-504
- Undjung, D., 2005. Continuous Production of Pure Skualena By Using Column Chromatography, *Indonesian Journal of Chemical*, Vol. 5 No. 3, pp. 251–254.
- Vázquez, L., Torres, C. F., Fornari, T., Señoráns, F. J., & Reglero, G. (2007). Recovery of squalene from vegetable oil sources using countercurrent supercritical carbon dioxide extraction, *Journal of Supercritical Fluids*, Vol. 40 No. 1, pp. 59–66. doi: 10.1016/j.supflu.2006.04.012.
- Wejnerowska, G., Heinrich, P. and Gaca, J., 2013. Separation of squalene and oil from *Amaranthus* seeds by supercritical carbon dioxide. *Separation and Purification Technology*, Vol. 110 No. 3, pp. 39–43. doi: 10.1016/j.seppur.2013.02.032
- Yuqin, X., Yunwang, Z. and Chunyan, R., 2016. Characterization and anti-tumor effect of shark liver extraction, *Journal of Cell and Animal Biology*, Vol. 10 No. 2, pp. 9–15. doi: 10.5897/jcab2016.0444.
- Zakiah, E. R., 2014. Pengaruh Wet Rendering Terhadap Kualitas Minyak Ikan Tembang (*Sardinella gibbosa*). *Skripsi*. Institut Pertanian Bogor. Bogor, pp. 1–42.