

### DAFTAR PUSTAKA

- Abusham, R. A., Rahman, R. N. Z. RA., Salleh. A. B., Basri, M. (2009). Optimization of Physical Factors Affecting The Production of Thermo-Stable Organic Solvent-Tolerant Protease From A Newly Isolated Halo Tolerant *Bacillus subtilis* strain Rand. *Microbial Cell Factories*, 8 (20). doi:10.1186/1475-2859-8-20.
- Ajayi, A.A., Onibokun, E.A., George, F.O.A., Atolagbe, O.M. (2016). Isolation and characterization of chitinolytic bacteria for chitinase production from the African catfish, *Clarias garlepinus* (Burchell, 1822). *Res. J. Microbiol*, 11 (4-5), 119-125. doi: 10.3923/jm.2016.119.125.
- Anita, Yusufzai, S. I., Jha, A. K. (2019). Isolation Of Chitinase Producing Microbes From Tract Of Gift Tilapia (*Oreochromis niloticus*). *Bull. Env. Pharmacol. Life Sci*, 8 (2), S4-S7. Retrieved from <http://www.beppls.com>
- Aounallah, M.A., Slimene-Debez, I.B., Djebali, K., Gharbi, D., Hammami, M., Azaiez, S., Limam, F., Tabbene, O. (2017). Enhancement of Exochitinase Production by *Bacillus licheniformis* AT6 Strain and Improvement of N-Acetylglucosamine Production. *Appl Biochem Biotechnol*, 181 (2), 650-666. doi: 10.1007/s12010-016-2239-9.
- Askarian, F., Sperstad, S., Merrifield, D. L., Ray, A. K., Ringø, E. (2012a). The effect of different feeding regimes on enzyme activities of gut microbiota in Atlantic cod (*Gadus morhua* L.). *Aquaculture Research*, 1-6. doi:10.1111/j.1365-2109.2011.03079.x
- Askarian, F., Zhou, Z., Olsen, R.E., Sperstad, S., Ringø, E. (2012b). Culturable Autochthonous Gut Bacteria In Atlantic Salmon (*Salmo salar* L.) Fed Dietswith Or Without Chitin. Characterization By 16S rRNA Gene Sequencing, Ability To Produce Enzymes And In Vitro Growth Inhibition Of Four Fish Pathogens. *Aquaculture*, 326-329, 1-8. doi:10.1016/j.aquaculture.2011.10.016
- Bahar, A. A., Sezen, K., Demirbağ, Z. The Relationship Between Insecticidal Effects And Chitinase Activities Of Coleopteran-Originated Entomopathogens And Their Chitinolytic Profile. *Ann Microbiol*, 62, 647-653. doi 10.1007/s13213-011-0301-y.
- Banerjee, S., Mukherjee, A., Dutta, D., Ghosh, K. (2015). Evaluation Of Chitinolytic Gut Microbiota In Some Carps And Optimization Of Culture Conditions For Chitinase Production By The Selected Bacteria. *J Microbiol Biotech Food Sci*, 5 (1), 12-19. doi: 10.15414/jmbfs.2015.5.1.12-19.
- Bhattacharya, S., Das, A., Samadder, S., Rajan, S. (2016). Biosynthesis and Characterization of a Thermostable, Alkali-Tolerant Chitinase from

*Bacillus pumilus* JUBCH08 Displaying Antagonism against Phytopathogenic *Fusarium oxysporum*. *3 Biotech*, 87 (6), 1-8.

- Bhowmik, S., Islam, S., Ahmed, M. M., Hossain, M. B., Hossain, Md. A. (2015). Protease Producing Bacteria and Activity in Gut of Tiger Shrimp (*Penaeus monodon*). *Journal of Fisheries and Aquatic Science*, 10 (6), 489-500. doi: 10.3923/jfas.2015.489.500.
- Bogatyrenko, E. A., Buzoleva, L. S. (2016). Characterization of the Gut Bacterial Community of the Japanese Sea Cucumber *Apostichopus japonicus*. *Microbiology*, 85 (1), 116-123. doi: 10.1134/S0026261716010033.
- Brzezinska, M. S., Jankiewicz, U., Burkowska, A., Walczak, M. (2014). Chitinolytic Microorganisms and Their Possible Application in Environmental Protection. *Curr Microbiol*, 68, 71-81. doi: 10.1007/s00284-013-0440-4.
- Charrier, M., Fonty, G., Gaillard-Martinie, B., Ainouche, K., Andant, G. (2006). Isolation And Characterization Of Cultivable Fermentative Bacteria From The Intestine Of Two Edible Snails, *Helix pomatia* and *Cornu aspersum* (Gastropoda: Pulmonata). *Biol Res*, 39, 669-681.
- Cody, R. M. (1989). Distribution of Chitinase and Chitobiase in *Bacillus*. *Curr. Microbiol*, 19 (4), 201-205. Retrieved from <https://link.springer.com/article/10.1007/BF01570162>
- Das, P., Mandal, S., Khan, A., Manna, S. K., Ghosh, K. (2014). Distribution of Extracellular Enzyme-Producing Bacteria in The Digestive Tracts of 4 Brackish Water Fish Species. *Turk J Zool*, 38, 79-88. doi:10.3906/zoo-1205-3.
- Eleftherianos, I., Atri, J., Accetta, J., Castillo, J.C. (2013). Endosymbiotic Bacteria in Insects: Guardians of The Immune System?. *Front. Physiol*, 4 (46). doi: 10.3389/fphys.2013.00046.
- Faramarzi, M.A., Fazeli, M., Yazdi, M.T., Adrangi, S., Ahmadi, K.J.A., Tasharrofi, N., Mohseni, F.A. (2009). Optimization of Cultural Conditions for Production of Chitinase by a Soil Isolate of *Massilia timonae*. *Biotechnology*, 8 (1), 93-99.
- Green, A.T., Healy, M.G., Healy, A. (2004). Production of Chitinolytic by *Serratia marcescens* QMB1466 Using Various Chitinous Substrates. *Journal of Chemical Technology and Biotechnology*, 80 (1), 28-34. doi: 10.1002/jctb.1145.
- Halder, S. K., Maity, C., Jana, A., Das, A., Paul, T., Mohapatra, P. K. D., Pati, B. R. (2013). Proficient Biodegradation of Shrimp Shell Waste by *Aeromonas hydrophila* SBK1 for The Concomitant Production of Antifungal Chitinase and Antioxidant Chitosaccharides. *International Biodeterioration & Biodegradation*, 79, 88-97. doi: 10.1016/j.ibiod.2013.01.011.

- Haliza, W., Suhartono, M.T. (2012). Karakteristik Kitinase dari Mikroba. *Buletin Teknologi Pascapanen Pertanian*, 8 (1). Retrieved from <http://ejurnal.litbang.pertanian.go.id/index.php/bpasca/article/view/5460>
- Hardoko, Josephine, C., Handayani, R., Halim, Y. (2020). Isolation, Identification And Chitinolytic Index Of Bacteria From Rotten Tiger Shrimp (*Penaeus monodon*) Shells. *AACL Bioflux*, 13 (1), 360-371. Retrieved from <http://www.bioflux.com.ro/aacl>
- Hussin, N. A., Ab Majid, A. H. (2020). Termiticidal activity of chitinase enzyme of *Bacillus licheniformis*, a symbiont isolated from the gut of *Globitermes sulphureus* worker. *Biocatalysis and Agricultural Biotechnology* 24, 101548. Retrieved from <https://doi.org/10.1016/j.bcab.2020.101548>
- Irulan, A., Nathan, P. T., Priya, Y. S., Marimuthu, G., Elangovan, V. (2011). Isolation and Characterization of Chitinase Producing Gut Microflora of Insectivorous Bats. *Trends in Biosciences*, 4 (1), 8-11. Retrieved from <http://trendsinosciencesjournal.com/upload/31.pdf>
- Jabeen, F. (2013). *Potential Of Thermophilic Chitinolytic Bacteria For Making Termite Resistant Chipboard* [Doctrate thesis, University of The Punjab, Lahore].
- Jackson, S., Place, A. R., Seiderer, L. J. (1992). Chitin Digestion And Assimilation By Seabirds. *The Auk* 109, 4, 758-770.
- Kakizaki, H., Ikeda, M., Fukushima, H., Matsumiya, M. (2015). Distribution Of Chitinolytic Enzymes In The Organs and cDNA Cloning Of Chitinase Isozymes From The Stomach Of Two Species Of Fish, Chub Mackerel (*Scomber japonicus*) And Silver Croaker (*Pennahia argentata*). *Open Journal of Marine Science*, 5, 398-411. Retrieved from <http://dx.doi.org/10.4236/ojms.2015.54032>
- Kikuchi, Y. (2009). Endosymbiotic Bacteria in Insects: Their Diversity and Culturability. *Microbes Environ*, 24 (3), 195-204. doi: 10.1264/jsme2.ME09140S.
- Lazardo, C. C., Caipang, C. M. A., Kiron, V. Enzymes From The Gut Bacteria Of Atlantic Cod, *Gadus morhua* and Their Influence On Intestinal Enzyme Activity. *Aquaculture Nutrition*. doi: 10.1111/j.1365-2095.2011.00928.x.
- Lowry, O. H., Rosebrough, N. J., Farr, A. L., Randall, R. J. (1951). Protein Measurement With The Folin Phenol Reagent. *The Journal of Biological Chemistry*, 193, 265-275. Retrieved from <http://www.jbc.org/content/193/1/265.citation>
- Margulis, L & Fester, R. (1991). *Symbiosis as a Source of Evolutionary Innovation: Speciation and Morphogenesis*. Retrieved from <https://books.google.co.id/books?hl=id&lr=&id=3sKzeiHUIUQC&oi=fnd>

[&pg=PR9&ots=uJCTKvQzIe&sig=05Knu2SQ0z1pZGYjTwF31PVFHDs&redir\\_esc=y#v=onepage&q&f=false](#)

- Meena, S., Gothwal, R. K., Saxena, J., Mohan, M. K., Ghosh, P. (2013). Chitinase production by a newly isolated thermotolerant *Paenibacillus* sp. BISR-047. *Ann Microbiol*, 64 (2), 787-797. doi: 10.1007/s13213-013-0715.
- Miller, G.L. (1959). Use of Dinitrosalicylic Acid Reagent for Determination of Reducing Sugar. *Analytical Chemistry*, 31 (3), 426–428.
- Mirzah., Filawati. (2013). Pengolahan Limbah Udang untuk Memperoleh Bahan Pakan Sumber Protein Hewani Pengganti Tepung Ikan. *Jurnal Peternakan Indonesia*, 15(1), 52-61.
- Mondal, S., Roy, T., Ray, A.R. (2010). Characterization and Identification of Enzyme-producing Bacteria Isolated from the Digestive Tract of Bata, *Labeo bata*. *Journal Of The World Aquaculture Society*, 41 (3), 369-377.
- Muzzarelli, R.A.A., Jolles, P. (1999). *Chitin and Chitinases*. Retrieved from [https://books.google.co.id/books/about/Chitin\\_and\\_Chitinases.html?id=PurwAAAAMAAJ&redir\\_esc=y](https://books.google.co.id/books/about/Chitin_and_Chitinases.html?id=PurwAAAAMAAJ&redir_esc=y)
- Nafiah, H., Pujiyanto, S., Raharjo, B. (2017). Isolasi dan Uji Aktivitas Kitinase Isolat Bakteri dari Kawasan Geotermal Dieng. *Bioma*, 19 (1), 22-29.
- Nasran S., Farida A., Ninoek, I. (2003). Produksi Kitinase dan Kitin Deasetilase dari *Vibrio harveyi*. *Jurnal Penelitian Perikanan Indonesia*, 9 (5), 33-38. Retrieved from <http://ejournal-balitbang.kkp.go.id/index.php/jppi/article/view/4660/4065>
- Okazaki, K., Kato, F., Watanabe, N., Yasuda, S., Masui, Y., Harakawa, S. (1995). Purification and Properties of Two Chitinase From *Streptomyces* sp. J-13-3. *Biosci. Biotech. Biochem*, 59 (8), 1586-1587.
- Pardosi, L., Suryanto, D., Siregar, A. M. (2018). Isolation of Chitinolytic Bacteria From Two Lizard Digestive Tract and Characterization of Their Crude Chitinase. *IJCRGG*, 11 (7), 17-28. Retrieved from <http://dx.doi.org/10.20902/IJCTR.2018.110703>
- Prasanna, V. A., Kayalvizhi, N., Rameshkumar, N., Suganya, T., Krishnan, M. (2014). Characterization of Amylase Producing *Bacillus megaterium* From The Gut Microbiota of Silkworm *Bombyx mori*. *Res.J.Chem.Enviro*, 18 (7), 38-45.
- Ramanathan, B., Alagesan, P. (2012). Isolation, Characterization and Role Of Gut Bacteria Of Three Different Millipede. *Indian J.Sci.Res*, 3 (2), 55-61.
- Rashad, M.Y., Al-Askar, A. A., Ghoneem, K. M., Saber, W. I. A., Hafez, E. E. (2017). Chitinolytic *Streptomyces griseorubens* E44G Enhances The Biocontrol Efficacy Against Fusarium Wilt Disease of Tomato. *Phytoparasitica.*, 45 (2), 227–237.

- Ray, A. K., Ghosh, K., Ringo, E. (2012). Enzyme-Producing Bacteria Isolated From Fish Gut: A Review. *Aquaculture Nutrition*, 18, 465-492. doi: 10.1111/j.1365-2095.2012.00943.x.
- Robert, W. K., Selitrennikoff, C. P. (1988). Plant and Bacterial Chitinases Differ in Antifungal Activity. *Journal of General Microbiology*, 134, 169-176.
- Ruby, E., Henderson, B., McFall-Ngai, M. (2004). Microbiology. We Get by With A Little Help From Our (Little) Friends. *Science*, 303, 1305-1307. doi: 10.1126/science.1094662.
- Sahai, A.S., M.S. Manocha. (1993). Chitinases of Fungi and Plants: Their Involvement In Morphogenesis and Hostparasite Interaction. *FEMS Microbiol*, 11 (4), 317-338.
- Saima, M. K., Roohi, I. Z. A. (2013). Isolation of Novel Chitinolytic Bacteria and Production Optimization of Extracellular Chitinase. *Journal of Genetic Engineering and Biotechnology*, 11, 39-46.
- Sheela, A. (2014). Chitosan Market is Expected to Reach USD 4,22 Billion in 2020. *Press Releases Transparency Market Research*. Retrieved from <http://www.transparencymarketresearch.com/chitosanmarket.gov/>
- Shivalee, A., Lingappa, K., Mahesh, D. (2018). Influence of Bioprocess Variables on the Production of Extracellular Chitinase under Submerged Fermentation by *Streptomyces pratensis* Strain KLSL55. *Journal of Genetic Engineering and Biotechnology*, 16 (2), 421-426. doi: 10.1016/j.jgeb.2017.12.006.
- Siadari, D. B. U. (2017). *Isolasi Bakteri Kitinolitik dari Saluran Pencernaan : Beberapa Hewan Pemakan Serangga dan : Karakterisasi Kitinase Kasar* [Bachelor thesis, Universitas Sumatera Utara]. Retrieved from <http://repositori.usu.ac.id/handle/123456789/20824>
- Šimůnek, J., Hodrová, B., Bartoňová, H., Kopečný, J. (2001). Chitinolytic Bacteria Of The Mammal Digestive Tract. *Folia Microbiol*, 46 (1), 76-78.
- Sreena, C. P., Resna, N. K., Sebastian, D. (2015). Isolation and Characterization of Cellulase Producing Bacteria from the Gut of Termites (*Odontotermes* and *Heterotermes* Species). *British Biotechnology Journal*, 9 (1), 1-10. doi: 10.9734/BBJ/2015/20001.
- Stoykov, Y. M., Pavlov, A. I., Krastanov, A. I. (2014). Chitinase Biotechnology: Production, Purification and Application. *Engineering in Life Sciences*, 15 (1), 1-9. doi: 10.1002/elsc.201400173.
- Suji, A. H., Palavesam, T. A., Immanuel, G., Raj, S. (2014a). Production of Different Enzymes by Gut Microflora. *I.J.S.N.*, 5 (1), 28-32. Retrieved from <https://www.researchgate.net/publication/324594805>
- Suji, A. H., Palavesam, T. A., Immanuel, G., Raj, S. (2014b). Effect Of Different Growth Parameters On Chitinase Enzyme Activity Of Acridine Orange and

- Ethidium Bromide Mutant Bacteria Of The Gut Environment. *African Journal of Biotechnology*, 13 (23), 2336-2340. doi: 10.5898/AJB2013.13556.
- Sun, X., Li, J., Du, J., Xiao, H., Ni, J. (2017). *Cellulomonas macrotermidis* sp. nov., A Chitinolytic and Cellulolytic Bacterium Isolated From The Hindgut Of A Fungus-Growing Termite. *Antonie van Leeuwenhoek*. doi: 10.1007/s10482-017-0968-6.
- Tsigos, I., Martinou, A., Kafetzopoulos, D., Bouriotis, V. (2000). Chitin Deacetylase: New, Versatile Tools in Biotechnology. *TIBTECH*, 18, 305-311.
- Tzuc, J. T., Escalante, D. R., Herrera, R. R., Cortés, G. G., Ortiz, M. L. A. (2014). Microbiota From *Litopenaeus vannamei*: Digestive Tract Microbial Community Of Pacific White Shrimp (*Litopenaeus vannamei*). *Springer Plus*, 3 (280). Retrieved from <http://www.springerplus.com/content/3/1/280>
- Watanabe, M., Kakizaki, H., Tsukamoto, T., Fujiwara, M., Fukushima, H., Ueda, M., Matsumiya, M. (2018). Distribution of Chitinolytic Enzyme in the Organs and Molecular Cloning of a Novel Chitinase Gene from the Kidney of Marbled Rockfish *Sebastes marmoratus*. *Advances in Bioscience and Biotechnology*, 9, 36-51. Retrieved from <http://www.scirp.org/journal/abb>
- Wu, M. L., Chuang, Y. C., Chen, J. P., Chen, C.S., Chang, M. C. (2001). Identification & Characterization of the Three Chitin-Binding Domains within the Multidomain Chitinase Chi92 from *Aeromonas hydrophila* jp 101. *J. Appl. Env. Microbiol*67: 5100-5106.
- Yan, Q., Fong, S.S. (2015). Bacterial Chitinase: Nature and Perspectives for Sustainable Bioproduction. *Bioresources and Bioprocessing*, 2 (31), 1-9.213-013-0715-9.
- Zhang, H. B., Liu, M. Y., Tian, Y. J., Hu, X. Q. (2011). Comparative Characterization of Chitinases from Silkworm (*Bombyx mori*) and Bollworm (*Helicoverpa armigera*). *Cell Biochem Biophys*, 61, 267–275. doi 10.1007/s12013-011-9196-2.