

DAFTAR PUSTAKA

- Ababneh, K. T., Abu Hwajj, Z. M. F., & Khader, Y. S. (2012). Prevalence and risk indicators of gingivitis and periodontitis in a Multi-Centre study in North Jordan: A cross sectional study. *BMC Oral Health*, *12*(1), 1–8.
- Aljehani, Y. (2014). Risk Factors of Periodontal Disease: Review of the Literature. *International Journal of Dentistry*. *International Journal of Dentistry*, *2014*, 1–9.
- Ariyanti, Masruriati, E. and Wanti, L. A. (2019) ‘Stability Of Hylocereus Polyrhizus Extract Gel Formulation’, *8*(2), pp. 83–88.
- Bostanci, N. and Belibasakis, G. N. (2012) ‘Porphyromonas gingivalis: An invasive and evasive opportunistic oral pathogen’, *FEMS Microbiology Letters*, *333*(1), pp. 1–9.
- Buchberger, B., & Crăciun, A. (2004). Algorithm synthesis by lazy thinking: Examples and implementation in theoremata. *Electronic Notes in Theoretical Computer Science*, *93*, 24–59.
- Budi, H. S., Juliastuti, W. S. and Pitaloka, N. P. C. (2019) ‘Antioxidant effect of red dragon fruit peel (Hylocereus polyrhizus) extract in chronic periodontitis rats’, *Journal of International Dental and Medical Research*, *12*(4), pp. 1363–1367.
- Cekici, A., Kantarci, A., Hasturk, H., & Van Dyke, T. E. (2014). Inflammatory and immune pathways in the pathogenesis of periodontal disease. *Periodontology 2000*, *64*(1), 57–80.
- Cope, G., & Cope, A. (2011). Gingivitis: symptoms, causes and treatment. *Dental Nursing*, *7*(8), 436–439.
- González, R., Ballester, I., López-Posadas, R., Suárez, M. D., Zarzuelo, A., Martínez-Augustin, O. and Sánchez de Medina, F. (2011) ‘Effects of flavonoids and other polyphenols on inflammation’, *Critical Reviews in Food Science and Nutrition*, *51*(4), pp. 331–362.
- Hapsari, A., Hendarto, H., & Widjiati. (2017). Hylocereus polyrhizus peel ethanol extract- The potential effect to tumor necrosis factor- κ , macrophage, and matrix metalloproteinase-9 in endometriosis mice. *Journal of International Dental and Medical Research*, *10*(3), 1070–1073.
- Handajani, J. *et al.* (2015) ‘Penurunan Kadar IL-1 β Makrofag Terpapar Agregat Bakteri Actinomycetemcomitans setelah Pemberian Minyak Atsiri Temu Putih’, *Majalah Kedokteran Gigi Indonesia*, *20*(2), p. 130. doi: 10.22146/majkedgiind.10158.

- Hasanuddin, U., Yusuf, S., & Hasanuddin, U. (2017). *Evaluation of Topical Red Dragon Fruit Extract Effect (Hylocereus International Journal of Sciences : Evaluation of Topical Red Dragon Fruit Extract Effect (Hylocereus Polyrhizus) on Tissue Granulation and Epithelialization in Diabetes Mellitus (DM) . 4531(January), 309–320.*
- How, K. Y., Song, K. P. and Chan, K. G. (2016) ‘Porphyromonas gingivalis: An overview of periodontopathic pathogen below the gum line’, *Frontiers in Microbiology*, 7(FEB), pp. 1–14.
- Idrees, M. M., Azzeghaiby, S. N., Hammad, M. M., & Kujan, O. B. (2014). Prevalence and severity of plaque-induced gingivitis in a Saudi adult population. *Saudi Medical Journal*, 35(11), 1373–1377.
- Jaya, I. K. D. (2010). Morphology and physiology of pitaya and its future prospects in Indonesia. *Crop Agro*, 3(1), 44–50.
- Kaur, G., Thawkar, B., Dubey, S., & Jadhav, P. (2018). *Pharmacological potentials of betalains*. 1–9.
- Kinane, D. F., Stathopoulou, P. G., & Papapanou, P. N. (2017). Periodontal diseases. *Nature Reviews Disease Primers*, 3, 1–14.
- Lam, R. S. *et al.* (2016) ‘Unprimed, M1 and M2 macrophages differentially interact with Porphyromonas gingivalis’, *PLoS ONE*, 11(7), pp. 1–17.
- Lang, N. P., Schätzle, M. A., & Löe, H. (2009). Gingivitis as a risk factor in periodontal disease. *Journal of Clinical Periodontology*, 36(SUPPL. 10), 3–8.
- Le Bellec, F., & Vaillant, F. (2011). Pitahaya (pitaya) (*Hylocereus* spp.). In *Postharvest Biology and Technology of Tropical and Subtropical Fruits* (Vol. 4). Woodhead Publishing Limited.
- Li, Y., Lee, S., Hujoel, P., Su, M., Zhang, W., Kim, J., Zhang, Y. P., & DeVizio, W. (2010). Prevalence and severity of gingivitis in American adults. *American Journal of Dentistry*, 23(1), 9–13.
- Lidya Simanjuntak, Chairina Sinaga, & Fatimah. (2014). Ekstraksi Pigmen Antosianin Dari Kulit Buah Naga Merah (*Hylocereus polyrhizus*). *Jurnal Teknik Kimia USU*, 3(2), 25–29.
- Maheswari, U., Sridevi Sangeetha, K. S., Umamaheswari, S., Uma, C., Reddy, M., & Kalkura, S. N. (2016). Flavonoids: Therapeutic Potential of Natural Pharmacological Agents. *International Journal of Pharmaceutical Sciences and Research*.

- Maigoda, T. C., Sulaeman, A., Setiawan, B., & Wibawan, I. W. T. (2016). Effects of Red Dragon Fruits (*Hylocereus polyrhizus*) Powder and Swimming Exercise on Inflammation , Oxidative Stress Markers , and Physical Fitness in Male Obesity Rats (Sprague dawley). *Int. Journal of Science: Basic and Applied Research*, 25(2307–4531), 123–141.
- Mayefis, Delladari. (2019). Formulasi Dan Uji Aktivitas Gel Ekstrak Kulit Buah Naga Merah (*Hylocereus Polyrhizus*) Sebagai Sediaan Obat Luka Bakar. *Borneo Journal of Pharmascientech*, 3(1), 28-37.
- Mysak, J., Podzimek, S., Sommerova, P., Lyuya-Mi, Y., Bartova, J., Janatova, T., Prochazkova, J. and Duskova, J. (2014) ‘Porphyromonas gingivalis: Major periodontopathic pathogen overview’, *Journal of Immunology Research*, 2014.
- Na, L., Chun, Z., Bi, S., Na, L., Ying, G., Fang, A., Fa, C., & Chen, M. (2019). *Macrophage polarization in human gingival tissue in response to periodontal disease. September 2018*, 265–273.
- Nitawati, N., Robin, D. and Syafriadi, M. (2014) ‘Respon Limfosit T Sitotoksik Pada Gingivitis Setelah Pemberian Kurkumin (Citotoxic T Lymphocyte Response in Gingivitis After Curcumin Given)’, *Pustaka Kesehatan*, 2(1), pp. 42–49
- Newman, M. G., & Takei, H. H. (n.d.). *Newman and Carranza ’ s Clinical Periodontology THIRTEENTH EDITION*.
- Noegrohati, S., Sulasmi, S., Hernadi, E., & Asviastuti, S. (2019). Dissipation pattern of azoxystrobin and difenoconazole in red dragon fruit (*Hylocereus polyrhizus*) cultivated in indonesian highland (West Java) and coastal area (D.I. Jogjakarta) and its implication for dietary risk assessment. *Food Quality and Safety*, 3(2), 99–106.
- Noor, M. I. ; E. Y. dan Z. ; (2016). Identifikasi Kandungan Ekstrak Kulit Buah Naga Merah Menggunakan Fourier Transform Infrared (FTIR) dan Fitokimia Identification Content of the Red Dragon Fruit Extract Skin Using Fourier Transform Infrared (FTIR) and Phytochemistry. *Journal of Aceh Physics Society (JAcPS)*, 5(1), 14–16.
- Paramita, V., Abidin, Z., Wikanta, D. K., Aini, F. N., Adiatma, A. L., Teknik, F., & Diponegoro, U. (2015). Emulsifikasi Ekstrak Kulit Dan Buah Naga Merah Menggunakan Xanthan Gum: Analisis Kadar Fenolik, Kadar Flavonoid Dan Kestabilan Emulsi. *Emulsifikasi Ekstrak Kulit Dan Buah Naga Merah Menggunakan Xanthan Gum: Analisis Kadar Fenolik, Kadar Flavonoid Dan Kestabilan Emulsi*, 11(02).

- Pollreis, A. *et al.* (2010) 'Enhanced monocyte migration and pro-inflammatory cytokine production by Porphyromonas gingivalis infection', *Journal of Periodontal Research*, 45(2), pp. 239–245.
- Prasetya, R. C. (2013). Jumlah sel makrofag gingiva tikus wistar jantan yang diinduksi periodontitis setelah pemberian ekstrak etanolik kulit manggis Amount of macrophages cells in periodontitis-induced wistar rats after mangosteen rind etanolic extract administration. *Journal of Dentomaxillofacial Science*, 12(3), 135.
- Raitapuro-Murray, T., Molleson, T. I., & Hughes, F. J. (2014). The prevalence of periodontal disease in a Romano-British population c. 200-400 AD. *British Dental Journal*, 217(8), 459–466.
- Rayanti, I., Yuniarni, U. and Purwanti, L. (2016) 'Karakterisasi Simplisia dan Ekstrak Etanol Kulit Buah Naga Merah (Hylocereus lemairei (Hook .) Britton & Rose), 2(2), pp. 641–647.
- Rebecca, O. P. S., Boyce, A. N., & Chandran, S. (2010). Pigment identification and antioxidant properties of red dragon fruit (Hylocereus polyrhizus). *African Journal of Biotechnology*, 9(10), 1450–1454.
- Requicha, F., Viegas, C. A., Ao, J. O., Noz, F. M. U., & Lu, R. U. I. (2014). *Periodontal Tissue Engineering Strategies Based on Nonoral Stem Cells*. 15(December 2013), 6–15.
- Rodriguez, E. B., Vidallon, M. L. P., Mendoza, D. J. R., & Reyes, C. T. (2016). Health-promoting bioactivities of betalains from red dragon fruit (Hylocereus polyrhizus (Weber) Britton and Rose) peels as affected by carbohydrate encapsulation. *Journal of the Science of Food and Agriculture*, 96(14), 4679–4689.
- Sarasmita, M. ., & Laksmiani, N. P. . (2015). Uji sitotoksitas ekstrak etanol limbah kulit buah naga merah (Hylocereus polyrhizus) pada sel kanker payudara secara in vitro dan in silico. *Jurnal Farmasi Udayana*, 4(2), 91–97.
- Serafini, M., Peluso, I., & Raguzzini, A. (2010). Flavonoids as anti-inflammatory agents. *Proceedings of the Nutrition Society*, 69(3), 273–278.
- Singh, A., Wyant, T., Anaya-Bergman, C., Aduse-Opoku, J., Brunner, J., Laine, M. L., Curtis, M. A. and Lewis, J. P. (2011) 'The capsule of porphyromonas gingivalis leads to a reduction in the host inflammatory response, evasion of phagocytosis, and increase in Virulence', *Infection and Immunity*, 79(11), pp. 4533–4542.
- Staszuk, C., Suske, A., & Pöschke, A. (2015). *Equine dental and periodontal anatomy : A tutorial review*. 27, 474–481.

- Thalib, A. A., Erika, K. A., Massi, M. N., Tahir, T., & Mas 'ud, A. (2018). Pengaruh Pemberian Krim Topikal Ekstrak Buah Naga Merah (*Hylocereus Polyrhizuz*) Pada Luka Akut Terhadap Kadar Interleukin- 6 Fase Inflamasi Pada Wistar. *Jurnal Luka Indonesia* , 4(March), 1–10.
- Trombelli, L., Farina, R., Silva, C. O., & Tatakis, D. N. (2018). Plaque-induced gingivitis: Case definition and diagnostic considerations. *Journal of Clinical Periodontology*, 45(September 2017), S44–S67.
- Van der Weijden, F. A., Van der Sluijs, E., Ciancio, S. G., & Slot, D. E. (2015). Can Chemical Mouthwash Agents Achieve Plaque/Gingivitis Control? *Dental Clinics of North America*, 59(4), 799–829.
- Wang, Y. (2008). ePortfolios: A new peer assessment technology in educational context. *Proceedings - International Symposium on Information Processing, ISIP 2008 and International Pacific Workshop on Web Mining and Web-Based Application, WMWA 2008*, 1(2), 360–363.
- Weddell, J. A., Jones, J. E., & Emhardt, J. D. (2016). McDonald and Avery's Dentistry for the Child and Adolescent. In *McDonald and Avery's Dentistry for the Child and Adolescent*.
- Widyastuti, W. (2019). Formulasi Sediaan Topikal Ekstrak Etanol Kulit Buah Naga (*Hylocereus costaricensis*). *Jurnal Ipteks Terapan*, 13(1), 20.
- Woo, K. K. (2011) 'Stability of Betalain Pigment from Red Dragon Fruit (*Hylocereus polyrhizus*)', (February).
- Xie, C., Kang, J., Li, Z., Schauss, A. G., Badger, T. M., Nagarajan, S., Wu, T., & Wu, X. (2012). The açai flavonoid velutin is a potent anti-inflammatory agent: Blockade of LPS-mediated TNF- α and IL-6 production through inhibiting NF- κ B activation and MAPK pathway. *Journal of Nutritional Biochemistry*, 23(9), 1184–1191.
- Yang, J., Zhu, Y., Duan, D., Wang, P., Xin, Y., Bai, L., Liu, Y., & Xu, Y. (2018). *Archives of Oral Biology Enhanced activity of macrophage M1 / M2 phenotypes in periodontitis*. 96, 234–242.
- Zeinali, M., Abdollahim, S. and Hosseinzadeh, H. (2017) 'ScienceDirect An overview on immunoregulatory and anti-inflammatory properties of chrysin and flavonoids substances', *Biomedicine et Pharmacotherapy*, 92, pp. 998–1009. doi: 10.1016/j.biopha.2017.06.003.
- Zhang, X., Wang, G., Gurley, E. C., & Zhou, H. (2014). Flavonoid apigenin inhibits lipopolysaccharide-induced inflammatory response through multiple mechanisms in Macrophages. *PLoS ONE*, 9(9), 1–18.