

DAFTAR PUSTAKA

- Aktas, B., De Wolfe, T. J., Safdar, N., Darien, B. J. and Steele, J. L. (2016) ‘The impact of *Lactobacillus casei* on the composition of the cecal microbiota and innate immune system is strain specific’, *PLoS ONE*. DOI: 10.1371/journal.pone.0156374.
- Ashraf, R., Vasiljevic, T., Smith, S. C. and Donkor, O. N. (2014) ‘Effect of cell-surface components and metabolites of lactic acid bacteria and probiotic organisms on cytokine production and induction of CD25 expression in human peripheral mononuclear cells’, *Journal of Dairy Science*. Elsevier, 97(5), pp. 2542–2558. DOI: 10.3168/jds.2013-7459.
- Barzegari, A. A., Hashemzaei, M., Majdani, R. and Alihemmati, A.-R. (2017) ‘Effects of topical treatment of second-degree burn wounds with *Lactobacillus acidophilus* on the wound healing process in male rats’, *Pharmaceutical and Biomedical Research*. DOI: 10.29252/pbr.3.3.23.
- Barzegari, A. A., Hashemzaei, M., Alihemmati, A.-R., Soltani, S. and Naseri, B. (2018) ‘Effects of *Lactobacillus rhamnosus* (ATCC 7469) ointment on second-degree burn wound in Wistar rat’, *Journal of Basic Research in Medical Sciences*. DOI: 10.29252/jbrms.5.1.1.
- Behnsen, E. D. J., Sassone-Corsi, M. and Raffatellu, M. (2013) ‘Probiotics: Properties, Examples, and Specific Applications’, *Cold Spring Perspective in Medicine*, 3, pp. 1–15. DOI: 10.1101/cshperspect.a010074.
- Bermudez-Brito, M., Plaza-Díaz, J., Muñoz-Quezada, S., Gómez-Llorrente, C. and Gil, A. (2012) ‘Probiotic mechanisms of action’, *Annals of Nutrition and Metabolism*, 61(2), pp. 160–174. DOI: 10.1159/000342079.
- Bunman, S., Dumavibhat, N., Chatthanawaree, W., Ntalapaporn, S., Thuwachaosuan, T. and Thongchuan, C. (2017) ‘Burn Wound Healing: Pathophysiology and Current Management of Burn Injury’, *The Bangkok Medical Journal*, 13(2), pp. 91–98. DOI: 10.31524/bkkmedj.2017.09.017.
- Canene-Adams, K. (2013) ‘Preparation of formalin-fixed paraffin-embedded tissue for immunohistochemistry’, in *Methods in Enzymology*. 1st edn. Elsevier Inc., pp. 225–233. DOI: 10.1016/B978-0-12-420067-8.00015-5.
- Caplan, I. F. and Maguire-Zeiss, K. A. (2018) ‘Toll-like receptor 2 signaling and current approaches for therapeutic modulation in synucleinopathies’, *Frontiers in Pharmacology*, pp. 1–18. DOI: 10.3389/fphar.2018.00417.
- Cavalcante, G. M., Paula, R. J. S. de, Souza, L. P. de, Sousa, F. B., Mota, M. R. L. and Alves, A. P. N. N. (2011) ‘Experimental model of traumatic ulcer in the cheek mucosa of rats’, *Acta Cirurgica Brasileira*, 26(3), pp. 227–234. DOI: 10.1590/s0102-86502011000300012.
- Darfour-Oduro, K. A., Megens, H. J., Roca, A. L., Groenen, M. A. M. and Schook,

- L. B. (2016) 'Evolutionary patterns of Toll-like receptor signaling pathway genes in the Suidae', *BMC Evolutionary Biology*. BMC Evolutionary Biology, 16(1), pp. 1–11. DOI: 10.1186/s12862-016-0602-7.
- Dong, Y., Dekens, D., De Deyn, P., Naudé, P. and Eisel, U. (2015) *Targeting of Tumor Necrosis Factor Alpha Receptors as a Therapeutic Strategy for Neurodegenerative Disorders, Antibodies*. DOI: 10.3390/antib4040369.
- El-Zayat, S. R., Sibaii, H. and Mannaa, F. A. (2019) 'Toll-like receptors activation, signaling, and targeting: an overview', *Bulletin of the National Research Centre*. Bulletin of the National Research Centre, 43(187), pp. 1–12. DOI: 10.1186/s42269-019-0227-2.
- Ernawati, D. S., Radithia, D., Soebadi, B. and Aulanni'Am, A. (2016) 'The expression of TLR-2 and TLR-4 protein in the epithelial cells of the oral mucosal patients with recurrent aphthous stomatitis (RAS)', *International Journal of Pharmaceutical and Clinical Research*, 8(12), pp. 1662–1665
- Espín-Palazón, R. and Traver, D. (2016) 'The NF- κ B family: Key players during embryonic development and HSC emergence', *Experimental Hematology*, 44(7), pp. 519–527. DOI: 10.1016/j.exphem.2016.03.010.
- Ghom, A. G. and Ghom, S. A. (Lodam) (2014) *Textbook of Oral Medicine*. 3rd Editio. Anjora, India: Jaypee Brothers Medical Publishers (P) Ltd
- Glick, M., Chair, W. M. F., Greenberg, M. S. and Burket, L. W. (2015) *Burket's Textbook of Oral Medicine 12th Edition*. 12th Editi. Edited by L. H. Mehta. Shelton, Connecticut: People's Medical Publishing House
- Gonzalez, A. C. D. O., Andrade, Z. D. A., Costa, T. F. and Medrado, A. R. A. P. (2016) 'Wound healing - A literature review', *Anais Brasileiros de Dermatologia*, 91(5), pp. 614–620. DOI: 10.1590/abd1806-4841.20164741.
- Gowin, E., Świątek-Kościelna, B., Kałużna, E., Nowak, J., Michalak, M., Wysocki, J. and Januskiewicz-Lewandowska, D. (2017) 'Analysis of TLR2, TLR4, and TLR9 single nucleotide polymorphisms in children with bacterial meningitis and their healthy family members', *International Journal of Infectious Diseases*, 60, pp. 23–28. DOI: 10.1016/j.ijid.2017.04.024.
- Gudadappanavar, A. M., Hombal, P. R., Timashetti, S. S., and Javali, S. B. (2017) 'Influence of Lactobacillus acidophilus and Lactobacillus plantarum on wound healing in male Wistar rats - an experimental study', *International Journal of Applied and Basic Medical Research*, 7, pp. 233-238. DOI: 10.4103/ijabmr.IJABMR_329_16.
- Hemaiswarya, S., Raja, R., Ravikumar, R. and Carvalho, I. S. (2013) 'Mechanism of action of probiotics', *Brazilian Archives of Biology and Technology*, 56(1), pp. 113–119. DOI: 10.1590/S1516-89132013000100015.

- Hill, D., Sugrue, I., Tobin, C., Hill, C., Stanton, C. and Ross, R. P. (2018) ‘The *Lactobacillus casei* group: History and health related applications’, *Frontiers in Microbiology*, 9(SEP), pp. 1–12. DOI: 10.3389/fmicb.2018.02107.
- Hitomi, S., Ono, K., Miyano, K., Ota, Y., Uezono, Y., Matoba, M., Kuramitsu, S., Yamaguchi, K., Matsuo, K., Seta, Y., Harano, N. and Inenaga, K. (2015) ‘Novel methods of applying direct chemical and mechanical stimulation to the oral mucosa for traditional behavioral pain assays in conscious rats’, *Journal of Neuroscience Methods*. Elsevier B.V., 239, pp. 162–169. DOI: 10.1016/j.jneumeth.2014.10.013.
- Hug, H., Mohajeri, M. H. and La Fata, G. (2018) ‘Toll-like receptors: Regulators of the immune response in the human gut’, *Nutrients*, 10(2), pp. 11–13. DOI: 10.3390/nu10020203.
- Kamdar, K., Nguyen, V. and DePaolo, R. W. (2013) ‘Toll-like receptor signaling and regulation of intestinal immunity’, *Virulence*, 4(3), pp. 207–212. DOI: 10.4161/viru.23354.
- Khan, M. I. R. (2018) ‘NF- κ B (Nuclear Factor Kappa Beta) - A Cell Signalling Pathway’, *Aqua International*, (June)
- Koray, M. and Tosun, T. (2019) ‘Oral Mucosal Trauma and Injuries’, in *Trauma in Dentistry*. DOI: 10.5772/intechopen.81201.
- Landén, N. X., Li, D. and Ståhle, M. (2016) ‘Transition from inflammation to proliferation: a critical step during wound healing’, *Cellular and Molecular Life Sciences*. Birkhauser Verlag AG, pp. 3861–3885. DOI: 10.1007/s00018-016-2268-0.
- Langlais, R. P., Miller, C. S. and Gehrig, J. S. (2016) *Color Atlas of Common Oral Diseases: Fifth Edition*. 5th Editio. Edited by J. Joyce. Philadelphia, PA.: Wolters Kluwer
- Lescheid, D. W. (2014) ‘Probiotics as regulators of inflammation: A review’, *Functional Foods in Health and Disease*, 4(7), p. 299. DOI: 10.31989/ffhd.v4i7.2.
- Lin, P. H., Sermersheim, M., Li, H., Lee, P. H. U., Steinberg, S. M. and Ma, J. (2018) ‘Zinc in wound healing modulation’, *Nutrients*, 10(1), pp. 1–20. DOI: 10.3390/nu10010016.
- Lin, Y. T. J., Chou, C. C. and Hsu, C. Y. S. (2017) ‘Effects of *Lactobacillus casei* Shirota intake on caries risk in children’, *Journal of Dental Sciences*. Elsevier B.V., 12(2), pp. 179–184. DOI: 10.1016/j.jds.2016.09.005.
- Liu, T., Zhang, L., Joo, D. and Sun, S. C. (2017) ‘NF- κ B signaling in inflammation’, *Signal Transduction and Targeted Therapy*, 2(April). DOI: 10.1038/sigtrans.2017.23.

- Lolou, V. and Panayiotidis, M. I. (2019) 'Functional role of probiotics and prebiotics on skin health and disease', *Fermentation*, 5(2), pp. 1–17. DOI: 10.3390/fermentation5020041.
- Lopes, E. G., Moreira, D. A., Gullón, P., Gullón, B., Cardelle-Cobas, A. and Tavaría, F. K. (2017) 'Topical application of probiotics in skin: adhesion, antimicrobial and antibiofilm in vitro assays', *Journal of Applied Microbiology*. DOI: 10.1111/jam.13349.
- Lukic, J., Chen, V., Strahinic, I., Begovic, J., Lev-Tov, H., Davis, S. C., Tomic-Canic, M. and Pastar, I. (2017) 'Probiotics or pro-healers: the role of beneficial bacteria in tissue repair', *Wound Repair and Regeneration*. DOI: 10.1111/wrr.12607.
- Markowiak, P. and Ślizewska, K. (2017) 'Effects of probiotics, prebiotics, and synbiotics on human health', *Nutrients*, 9(9). DOI: 10.3390/nu9091021.
- Maulina, N. (2015) 'Penilaian Tnf- α Pada Hati Mencit Jantan Setelah Pemberian Ekstrak Etanol Manggis *Garcinia Mangostana* L Dengan Metode Imunohistokimia', *Jurnal Fakultas Kedokteran Universitas Malikussaleh*. DOI: 10.1007/978-1-4614-7990-1.
- Mistry, P., Laird, M. H. W., Schwarz, R. S., Greene, S., Dyson, T., Snyder, G. A., Xiao, T. S., Chauhan, J., Fletcher, S., Toshchakov, V. Y., MacKerell, A. D. and Vogel, S. N. (2015) 'Inhibition of TLR2 signaling by small molecule inhibitors targeting a pocket within the TLR2 TIR domain', *Proceedings of the National Academy of Sciences of the United States of America*, 112(17), pp. 5455–5460. DOI: 10.1073/pnas.1422576112.
- Negut, I., Grumezescu, V. and Grumezescu, A. M. (2018) 'Treatment strategies for infected wounds', *Molecules*. DOI: 10.3390/molecules23092392.
- Pandya, D. (2016) 'Benefits of Probiotics in Oral cavity – A Detailed Review', *Annals of International Medical and Dental Research*, 2(5), pp. 10–17. DOI: 10.21276/aimdr.2016.2.5.de3.
- Puspitasari, D. and Apriasari, M. L. (2017) 'Analysis of traumatic ulcer healing time under the treatment of the Mauli banana (*Musa acuminata*) 25% stem extract gel', *Padjadjaran Journal of Dentistry*, 29(1), pp. 21–25. DOI: 10.24198/pjd.vol29no1.11598.
- Rahman, V., Anggraini, D. and Fauziah, D. (2015) 'Pola Resistensi *Acinetobacter baumannii* yang di Isolasi di Intensive Care Unit (ICU) RSUD Arifin Achmad Provinsi Riau Periode 1 Januari Hingga 31 Desember 2014', *Jom FK*. DOI: 10.1017/CBO9781107415324.004.
- Sadeghzadeh, J., Vakili, A., Sameni, H. R., Shadnoush, M., Bandegi, A. R. and Khorasani, M. Z. (2017) 'The effect of oral consumption of probiotics in prevention of heart injury in a rat myocardial infarction model: A

- histopathological, hemodynamic and biochemical evaluation', *Iranian Biomedical Journal*, 21(3), pp. 174–181. DOI: 10.18869/acadpub.ibj.21.3.174.
- Schumacher, S. M. and Prasad, S. V. N. (2018) 'Tumor Necrosis Factor- α in Heart Failure: An updated review', *Current Cardiology Reports*, 20(11), p. 117. DOI: 10.1007/s11886-018-1067-7.
- Serasanambati, M. and Chilakapati, S. R. (2016) 'Function of Nuclear Factor Kappa B (NF- κ B) in Human Diseases-A Review', *South Indian Journal of Biological Sciences*, 2(4), p. 368. DOI: 10.22205/sijbs/2016/v2/i4/103443.
- Shida, K., Sato, T., Iizuka, R., Hoshi, R., Watanabe, O., Igarashi, T., Miyazaki, K., Nanno, M. and Ishikawa, F. (2017) 'Daily intake of fermented milk with *Lactobacillus casei* strain Shirota reduces the incidence and duration of upper respiratory tract infections in healthy middle-aged office workers', *European Journal of Nutrition*. Springer Berlin Heidelberg, 56(1), pp. 45–53. DOI: 10.1007/s00394-015-1056-1.
- Silva, L. B., dos Santos Neto, A. P., Maia, S. M. A. S., dos Santos Guimarães, C., Quidute, I. L., Carvalho, A. de A. T., Júnior, S. A. and Leão, J. C. (2019) 'The Role of TNF- α as a Proinflammatory Cytokine in Pathological Processes', *The Open Dentistry Journal*, 13(1), pp. 332–338. DOI: 10.2174/1874210601913010332.
- Singh, S., Young, A. and McNaught, C. E. (2017) 'The physiology of wound healing', *Surgery (United Kingdom)*. DOI: 10.1016/j.mpsur.2017.06.004.
- Sumalapao, D. E. P., Mesina, J. A. R. T., Cabrera, E. C. and Gloriani, N. G. (2017) 'Viability kinetics of *Lactobacillus casei* Shirota strain in a commercial fermented milk drink during refrigerated storage', *National Journal of Physiology, Pharmacy and Pharmacology*, 7(11), pp. 1242–1246. DOI: 10.5455/njppp.2017.7.0621521072017.
- Sunarjo, L., Hendari, R. and Rimbyastuti, H. (2016) 'Manfaat Xanthone Terhadap Kesembuhan Ulkus Rongga Mulut Dilihat Dari Jumlah Sel Pmn Dan Fibroblast', *ODONTO: Dental Journal*, 2(1), p. 14. DOI: 10.30659/odj.2.2.17-24.
- Surboyo, M. D. C., Arundina, I. and Rahayu, R. P. (2017) 'Increase of collagen in diabetes-related traumatic ulcers after the application of liquid smoke coconut shell', *Dental Journal (Majalah Kedokteran Gigi)*, 50(2), pp. 71–75. DOI: 10.20473/j.djmk.v50.i2.p71-75.
- Tagliari, E., Campos, L. F., Campos, A. C., Costa-Casagrande, T. A. and de NORONHA, L. (2019) 'Effect of probiotic oral administration on skin wound healing in rats', *Arquivos Brasileiros de Cirurgia Digestiva*. DOI: 10.1590/0102-672020190001e1457.

- Tandon, V., Arora, V., Yadav, V., Singh, V., Punia, H., Agrawal, S. and Gupta, V. (2015) 'Concept of Probiotics in Dentistry', *International Journal of Dental Medicine Research*, 1(6), pp. 206–209
- Teixeira, D. da S., de Figueiredo, M. A. Z., Cherubini, K., Garcia, M. C. R., de Oliveira, S. D. and Salum, F. G. (2018) 'Topical chlorhexidine, povidone-iodine and erythromycin in the repair of traumatic ulcers on the rat tongue: Clinical, histological and microbiological evaluation', *Archives of Oral Biology*. DOI: 10.1016/j.archoralbio.2018.01.001.
- Theoret, C. (2017) 'Physiology of Wound Healing', in Theoret, C. and Schumacher, J. (eds) *Equine Wound Management*. 3rd Editio. Iowa, USA: John Wiley & Sons, Ltd., p. 13
- Utami, K. S., Aulanni'am, A. and Mahdi, C. (2017) 'Potential of Lactobacillus casei Shirota Strain Probiotic Toward Total Cholesterol Levels and Sod Activity in Rat with High Cholesterol Diet', *Molekul*, 12(2), pp. 153–158. DOI: 10.20884/1.jm.2017.12.2.364.
- Vidya, M. K., Kumar, V. G., Sejian, V., Bagath, M., Krishnan, G. and Bhatta, R. (2018) 'Toll-like receptors: Significance, ligands, signaling pathways, and functions in mammals', *International Reviews of Immunology*. Taylor & Francis, 37(1), pp. 20–36. DOI: 10.1080/08830185.2017.1380200.
- Vijayaram, S. and Kannan, S. (2018) 'Probiotics: The Marvelous Factor and Health Benefits', *Biomedical and Biotechnology Research Journal (BBRJ)*, 2(1), pp. 1–8. DOI: 10.4103/bbrj.bbrj_87_17.
- Zaharuddin, L., Mokhtar, N. M., Muhammad Nawawi, K. N. and Raja Ali, R. A. (2019) 'A randomized double-blind placebo-controlled trial of probiotics in post-surgical colorectal cancer', *BMC gastroenterology*. BMC Gastroenterology, 19(1), p. 131. DOI: 10.1186/s12876-019-1047-4.
- Zhang, C., Xue, S., Wang, Y., Yu, D., Hua, L., Guo, C., Wang, D. and Lei, M. (2019) 'Oral administration of Lactobacillus casei Shirota improves recovery of hand functions after distal radius fracture among elder patients: A placebo-controlled, double-blind, and randomized trial', *Journal of Orthopaedic Surgery and Research*. Journal of Orthopaedic Surgery and Research, 14(1), pp. 4–9. DOI: 10.1186/s13018-019-1310-y.
- Zhang, X., Kang, Y., Xie, Z., Su, J. H. and Kong, X. Y. (2016) 'Oral administration of Lactobacillus acidophilus stain SW1 suppresses tumor necrosis factor (TNF)-alpha and increases transforming growth factor (TGF)-beta in mice', *International Journal of Clinical and Experimental Medicine*, 9(12), pp. 23461–23466