

Daftar Pustaka

- Ajayi, A. I., Adeniyi, O. V., & Akpan, W. (2018). Use Of Traditional And Modern Contraceptives Among Childbearing Women: Findings From A Mixed Methods Study In Two Southwestern Nigerian States. *BMC Public Health, 18*(1). doi:10.1186/s12889-018-5522-6
- Ajayi, A. I., & Akpan, W. (2018). Determinants of condom use among parous women in North Central and South Western Nigeria: a cross-sectional survey. *BMC Res Notes, 11*(1), 467. doi:10.1186/s13104-018-3573-5
- Alemayehu, G. A., Fekadu, A., Yitayal, M., Kebede, Y., Abebe, S. M., Ayele, T. A., . . . Biks, G. A. (2018). Prevalence and determinants of contraceptive utilization among married women at Dabat Health and Demographic Surveillance System site, northwest Ethiopia. *BMC Womens Health, 18*(1), 118. doi:10.1186/s12905-018-0611-3
- Alit, A., Esti, Y., Mira, T., Tiyas, K., Retnayu, P., & Aria, A. N. (2016). *Buku Ajar Keperawatan Maternitas 2* (Adzhani Putri Sabila & Gading Ekapuja Aurizki Eds. Pertama ed.). Surabaya: Fakultas Keperawatan Universitas Airlangga.
- Atin, K. (2016). *Modul Bahan Ajar Cetak Keperawatan; Keperawatan Maternitas*. In (pp. 233).
- Aviisah, P. A., Dery, S., Atsu, B. K., Yawson, A., Alotaibi, R. M., Rezk, H. R., & Guure, C. (2018). Modern contraceptive use among women of reproductive age in Ghana: analysis of the 2003-2014 Ghana Demographic and Health Surveys. *BMC Womens Health, 18*(1), 141. doi:10.1186/s12905-018-0634-9
- Ba, D. M., Ssentongo, P., Agbese, E., & Kjerulff, K. H. (2019). Prevalence and predictors of contraceptive use among women of reproductive age in 17 sub-Saharan African countries: A large population-based study. *Sex Reprod Healthc, 21*, 26-32. doi:10.1016/j.srhc.2019.06.002
- Beson, P., Appiah, R., & Adomah-Afari, A. (2018). Modern contraceptive use among reproductive-aged women in Ghana: prevalence, predictors, and policy implications. *BMC Womens Health, 18*(1), 157. doi:10.1186/s12905-018-0649-2
- Bhandari, R., Pokhrel, K. N., Gabrielle, N., & Amatya, A. (2019). Long acting reversible contraception use and associated factors among married women of reproductive age in Nepal. *PLoS ONE, 14*(3). doi:10.1371/journal.pone.0214590
- BKKBN, BPS, & Kemenkes. (2013). *Survei Demografi dan Kesehatan Indonesia 2012*. Jakarta: Badan Kependudukan dan Keluarga Berencana Nasional.

- BKKBN, BPS, & Kemenkes. (2018). *Survei Demografi dan Kesehatan Indonesia 2017*. Jakarta: Badan Kependudukan dan Keluarga Berencana Nasional.
- BPS, & BKKBN. (2016). *Pedoman Pewawancara Remaja Pria: Konsep Dan Definisi*. In Direktorat Statistik Kependudukan dan Ketenagakerjaan BPS & P. P. d. P. K. BKKBN (Eds.).
- Butame, S. A. (2019). The prevalence of modern contraceptive use and its associated socio-economic factors in Ghana: evidence from a demographic and health survey of Ghanaian men. *Public Health, 168*, 128-136. doi:10.1016/j.puhe.2018.12.020
- De Vargas Nunes Coll, C., Ewerling, F., Hellwig, F., & De Barros, A. J. D. (2019). Contraception in adolescence: The influence of parity and marital status on contraceptive use in 73 low-and middle-income countries. *Reproductive Health, 16*(1). doi:10.1186/s12978-019-0686-9
- Dimassi, K., Douik, F., Douzi, M. A., Saidi, O., & Ben Romdhane, H. (2017). [Social determinants of contraceptive use in Tunisia]. *Rev Epidemiol Sante Publique, 65*(1), 53-59. doi:10.1016/j.respe.2016.06.330
- Getahun, D. S., Wolde, H. F., Muchie, K. F., & Yeshita, H. Y. (2018). Utilization and determinants of long term and permanent contraceptive methods among married reproductive age women at Janamora district, northwest Ethiopia. *BMC Res Notes, 11*(1), 836. doi:10.1186/s13104-018-3942-0
- Gonie, A., Wudneh, A., Nigatu, D., & Dendir, Z. (2018). Determinants of family planning use among married women in bale eco-region, Southeast Ethiopia: a community based study. *BMC Womens Health, 18*(1), 50. doi:10.1186/s12905-018-0539-7
- Habyarimana, F., & Ramroop, S. (2018). The Analysis of Socio-Economic and Demographic Factors Associated with Contraceptive Use Among Married Women of Reproductive Age in Rwanda. *The Open Public Health Journal, 11*(1), 348-359. doi:10.2174/1874944501811010348
- Hastono, S. P. (2017). *Analisis Data pada Bidang Kesehatan*. Depok, Jakarta: Rajawali Pers.
- Irawaty, D. K., & Pratomo, H. (2019). Spousal communication on family planning and contraceptive adoption in Indonesia. *Indian Journal of Public Health Research and Development, 10*(3), 372-376. doi:10.5958/0976-5506.2019.00521.7
- Izale, K., Govender, I., Fina, J. P., & Tumbo, J. (2014). Factors that influence contraceptive use amongst women in Vanga health district, Democratic Republic of Congo. *Afr J Prim Health Care Fam Med, 6*(1), E1-7. doi:10.4102/phcfm.v6i1.599

- Johnson, O. E. (2017). Determinants Of Modern Contraceptive Uptake Among Nigerian Women: Evidence From The National Demographic And Health Survey. *African journal of reproductive health*, 21(3), 89-95.
- Kemenkes. (2014). *Peraturan Menteri Kesehatan Republik Indonesia Nomor 97 Tahun 2014*. Jakarta: Kementrian Kesehatan RI
- Kemenkes. (2019). *Profil Kesehatan Indonesia 2018*. Jakarta: government
- Marquez, M. P., Kabamalan, M. M., & Laguna, E. (2018). Traditional and Modern Contraceptive Method Use in the Philippines: Trends and Determinants 2003-2013. *Stud Fam Plann*, 49(2), 95-113. doi:10.1111/sifp.12051
- Medhanyie, A. A., Desta, A., Alemayehu, M., Gebrehiwot, T., Abraha, T. A., Abrha, A., & Godefay, H. (2017). Factors associated with contraceptive use in Tigray, North Ethiopia. *Reprod Health*, 14(1), 27. doi:10.1186/s12978-017-0281-x
- Merali, S. (2016). The relationship between contraceptive use and maternal and infant health outcomes in Tajikistan. *Contraception*, 93(3), 216-221. doi:10.1016/j.contraception.2015.11.009
- Mochache, V., Lakhani, A., El-Busaidy, H., Temmerman, M., & Gichangi, P. (2018). Pattern and determinants of contraceptive usage among women of reproductive age from the Digo community residing in Kwale, Kenya: results from a cross-sectional household survey. *BMC Womens Health*, 18(1), 10. doi:10.1186/s12905-017-0497-5
- Moodley, A., & Mahomed, O. (2018). Prevalence and predictors of Implanon uptake in Ugu (Ugu North Sub District) 2016/17. *South African Family Practice*, 61(2), 48-52. doi:10.1080/20786190.2018.1548725
- Njotang, P. N., Yakum, M. N., Ajong, A. B., Essi, M. J., Akoh, E. W., Mesumbe, N. E., . . . Mbu, E. R. (2017). Determinants of modern contraceptive practice in Yaounde-Cameroon: a community based cross sectional study. *BMC Res Notes*, 10(1), 219. doi:10.1186/s13104-017-2543-7
- Nonvignon, J., & Novignon, J. (2014). Trend And Determinants Of Contraceptive Use Among Women Of Reproductive Age In Ghana. *Etude de la Population Africaine*, 28(2), 956-967.
- Nyarko, S. H. (2015). Prevalence and correlates of contraceptive use among female adolescents in Ghana. *BMC Womens Health*, 15(1), 60. doi:10.1186/s12905-015-0221-2
- Oluwasanu, M. M., John-Akinola, Y. O., Desmennu, A. T., Oladunni, O., & Adebowale, A. S. (2019). Access to Information on Family Planning and

Use of Modern Contraceptives Among Married Igbo Women in Southeast, Nigeria. *International Quarterly of Community Health Education*, 39(4), 233-243. doi:10.1177/0272684X18821300

- Ram, F., Shekhar, C., & Chowdhury, B. (2014). Use Of Traditional Contraceptive Methods In India & Its Sociodemographic Determinants. *Indian Journal of Medical Research*, 140, 17-28.
- Razeghi Nasrabad, H. B., Alimondegari, M., & Mohseni Nejjhad, Z. (2019). The Prevalence and Determinants of Using Withdrawal to Avoid Pregnancy in Tabriz, Iran. *International Journal of Women's Health and Reproduction Sciences*, 7(2), 223-227. doi:10.15296/ijwhr.2019.37
- Shah, C. M., Griffith, A. M., Ciera, J., Zulu, E. M., & Palermo, T. M. (2016). Equity and achievement in access to contraceptives in East Africa between 2000 and 2010. *Int J Gynaecol Obstet*, 133(1), 53-58. doi:10.1016/j.ijgo.2015.08.016
- Sowmya, Ansuya, & Vinish, V. (2019). Knowledge and attitude of married women towards contraceptives residing in selected slums of Udupi District. *Indian Journal of Public Health Research and Development*, 10(6), 302-306. doi:10.5958/0976-5506.2019.01287.7
- Twesigye, R., Buyungo, P., Kaula, H., & Buwembo, D. (2016). Ugandan Women's View of the IUD: Generally Favorable but Many Have Misperceptions About Health Risks. *Glob Health Sci Pract*, 4 Suppl 2, S73-82. doi:10.9745/GHSP-D-15-00304
- WHO. (2017a). *Regional Meeting to Strengthen Capacity in New WHO Family Planning Guidelines: Towards Universal Reproductive Health Coverage in The SDGs Era*. Retrieved from http://www.searo.who.int/regional_director/speeches/2017/regional-meeting-who-family-planning-guidelines-sdg-era/en/
- WHO. (2017b). *WHO | Countries Need To Do What Works To Improve Contraceptive Access, Provision And Choice For Women And Girls*. Retrieved from GENEWA: https://www.who.int/reproductivehealth/topics/family_planning/contraceptive-access-women-and-girls/en/
- WHO. (2018). *Family Planning/Contraception*. Retrieved from <https://www.who.int/en/news-room/fact-sheets/detail/family-planning-contraception>
- Worku, A. G., Tessema, G. A., & Zeleke, A. A. (2015). Trends of modern contraceptive use among young married women based on the 2000, 2005, and 2011 Ethiopian Demographic and Health Surveys: a multivariate

decomposition analysis. *PLoS ONE*, 10(1), e0116525.
doi:10.1371/journal.pone.0116525

Wusu, O. (2015). Religious Influence on Non-Use of Modern Contraceptives among Women in Nigeria: Comparative Analysis of 1990 and 2008 Ndhs. *J Biosoc Sci*, 47(5), 593-612. doi:10.1017/S0021932014000352

Yadav, K., Agarwal, M., Singh, J. V., & Singh, V. K. (2017). Determinants Of Non-Use Of Family Planning Methods By Young Married Women (15-24 Years) Living In Urban Slums Of Uttar Pradesh. *Indian Journal of Community Health*, 29(1), 55-66.