

DAFTAR PUSTAKA

- Amaya, M. (2010) 'Blood lead in the 21st Century: The sub-microgram challenge', *Journal of Blood Medicine*, p. 71. doi: 10.2147/jbm.s7765.
- Ansari, S. (2016) 'Role of Alad Isoforms in Anemia and Correlation of Blood Lead Level With Hemoglobin Concentration in Automobile Paint', *Researchgate.Net*, 13(2), pp. 163–169.
- ATSDR (2019) *Toxicological Profile for Lead (Draft for Public Comment)*, *ATSDR's Toxicological Profiles*. doi: 10.1201/9781420061888_ch106.
- Aurora, W. I. D. (2019) 'Perbandingan Sistem Di Negara Maju Dan Negara Berkembang', *Jmj*, 7, pp. 206–214.
- Blackowicz, M. J. et al. (2016) 'The impact of low-level lead toxicity on school performance among hispanic subgroups in the Chicago Public Schools', *International Journal of Environmental Research and Public Health*, 13(8). doi: 10.3390/ijerph13080774.
- Cahyadi, D., Puspita, D. F. and Pratiwi, W. (2015) 'Tantangan Industri Cat Dalam Negeri Dalam Menghadapi Global Lead Paint Elimination By 2020', *Jurnal Teknologi Bahan dan Barang Teknik*, 5(2), p. 75. doi: 10.37209/jtbtt.v5i2.62.
- Chen, J. et al. (2015) 'Blood lead level and its relationship to essential elements in preschool children from Nanning, China', *Journal of Trace Elements in Medicine and Biology*. Elsevier GmbH., 30, pp. 137–141. doi: 10.1016/j.jtemb.2014.12.005.
- Chen, K. et al. (2014) 'Effect of lead pollution control on environmental and childhood blood lead level in Nantong, China: An interventional study', *Environmental Science and Technology*, 48(21), pp. 12930–12936. doi: 10.1021/es502994j.
- Clark, C. S. et al. (2014) 'Examination of lead concentrations in new decorative enamel paints in four countries with different histories of activity in lead paint regulation', *Environmental Research*. Elsevier, 132, pp. 233–243. doi: 10.1016/j.envres.2014.03.006.
- Dabrera, G. et al. (2015) 'Investigating lead poisoning in children-could surveillance help?', *Qjm*, 108(11), pp. 849–852. doi: 10.1093/qjmed/hcv018.
- Desrochers-Couture, M. et al. (2018) 'Prenatal, concurrent, and sex-specific associations between blood lead concentrations and IQ in preschool Canadian children', *Environment International*. Elsevier, 121(October), pp. 1235–1242. doi: 10.1016/j.envint.2018.10.043.

- Dignam, T. *et al.* (2019) ‘Control of Lead Sources in the United States, 1970-2017: Public Health Progress and Current Challenges to Eliminating Lead Exposure’, *Journal of Public Health Management and Practice*, 25, pp. S13–S22. doi: 10.1097/PHH.0000000000000889.
- EPA, 2019. *Lead*. [Online] Available at: <https://www.epa.gov/lead/learn-about-lead> [Accessed 25 11 2019].
- Ericson, B. *et al.* (2018) ‘A meta-analysis of blood lead levels in India and the attributable burden of disease’, *Environment International*. Elsevier, 121(August), pp. 461–470. doi: 10.1016/j.envint.2018.08.047.
- Ericson, B. *et al.* (2019) ‘Assessment of the prevalence of lead-based paint exposure risk in Jakarta, Indonesia’, *Science of the Total Environment*. Elsevier B.V., 657, pp. 1382–1388. doi: 10.1016/j.scitotenv.2018.12.154.
- Etchevers, A. *et al.* (2014) ‘Blood lead levels and risk factors in young children in France, 2008-2009’, *International Journal of Hygiene and Environmental Health*. Elsevier GmbH., 217(4–5), pp. 528–537. doi: 10.1016/j.ijheh.2013.10.002.
- Etchevers, A. *et al.* (2015) ‘Environmental determinants of different blood lead levels in children: A quantile analysis from a nationwide survey’, *Environment International*. Elsevier Ltd, 74, pp. 152–159. doi: 10.1016/j.envint.2014.10.007.
- Fibrianti, L. D. and Azizah, R. (2015) ‘Karakteristik, Kadar Timbal (Pb) dalam Darah, dan Hipertensi Pekerja Home Industry Aki Bekas di Desa Talun Kecamatan Sukodadi Kabupaten Lamongan’, *Jurnal Kesehatan Lingkungan*, 8(1), pp. 92–102. Available at: <https://ejournal.unair.ac.id/JKL/article/download/3104/2257>.
- Gooch, J. W. (2002) *Lead Based Paint Handbook*. 1st edn. Boston, New York, London, Moscow: Kluwer Academic Publisher.
- Gottesfeld, P. *et al.* (2013) ‘Lead concentrations and labeling of new paint in cameroon’, *Journal of Occupational and Environmental Hygiene*, 10(5), pp. 243–249. doi: 10.1080/15459624.2013.768934.
- Gottesfeld, P., Pokhrel, D. and Pokhrel, A. K. (2014) ‘Lead in new paints in Nepal’, *Environmental Research*. Elsevier, 132, pp. 70–75. doi: 10.1016/j.envres.2014.03.036.
- Hauptman, M., Brucolieri, R. and Woolf, A. D. (2017) ‘An Update on Childhood Lead Poisoning’, *Clinical Pediatric Emergency Medicine*. Elsevier Inc., 18(3), pp. 181–192. doi: 10.1016/j.cpem.2017.07.010.

- Hunt, A. (2016) ‘Relative bioaccessibility of Pb-based paint in soil’, *Environmental Geochemistry and Health*. Springer Netherlands, 38(4), pp. 1037–1050. doi: 10.1007/s10653-015-9789-6.
- Hwang, Y. H., Hsiao, C. K. and Lin, P. W. (2019) ‘Globally temporal transitions of blood lead levels of preschool children across countries of different categories of Human Development Index’, *Science of the Total Environment*. Elsevier B.V., 659(17), pp. 1395–1402. doi: 10.1016/j.scitotenv.2018.12.436.
- Igweze, Z. N., Ekhator, O. C. and Orisakwe, O. E. (2020) ‘A pediatric health risk assessment of children’s toys imported from China into Nigeria’, *Helijon*. Elsevier Ltd, 6(4), p. e03732. doi: 10.1016/j.heliyon.2020.e03732.
- IPEN (2016) *GLOBAL LEAD PAINT ELIMINATION October 2016, Global Lead Paint Elimination Report*.
- IPEN (2018) *Press Release: More than Half of the Children on the Planet are not Protected from Lead Paint Exposures*. Available at: <https://ipen.org/news/press-release-children-lead-paint-exposure>.
- IPEN (2020a) *Lead Levels Around The World*. Available at: <https://ipen.org/projects/eliminating-lead-paint/lead-levels-paint-around-world> (Accessed: 25 July 2020).
- IPEN (2020b) *Lead Levels in Paint Around the World, IPEN*. Available at: <https://ipen.org/projects/eliminating-lead-paint/lead-levels-paint-around-world> (Accessed: 27 July 2020).
- Ismawati, Y. et al. (2015) *Timbal dalam Cat Enamel Rumah Tangga*.
- Iwai-Shimada, M. et al. (2019) ‘Exposure profile of mercury, lead, cadmium, arsenic, antimony, copper, selenium and zinc in maternal blood, cord blood and placenta: The Tohoku Study of Child Development in Japan’, *Environmental Health and Preventive Medicine*. Environmental Health and Preventive Medicine, 24(1), pp. 1–11. doi: 10.1186/s12199-019-0783-y.
- JKKI (2020) *Memahami Sistem Kesehatan*. Available at: <https://kebijakankesehatanindonesia.net/20-sistem-kesehatan/79-Memahami-Sistem-Kesehatan> (Accessed: 15 September 2020).
- Kasanah, M. et al. (2016) ‘HUBUNGAN KADAR TIMBAL (Pb) UDARA DENGAN KADAR TIMBAL (Pb) DALAM DARAH PADA PEKERJA PENGECHATAN INDUSTRI KAROSERI DI SEMARANG’, *Jurnal Kesehatan Masyarakat (e-Journal)*, 4(3), pp. 825–832.
- Keller, B. et al. (2017) ‘Epidemiologic Characteristics of Children with Blood Lead Levels $\geq 45 \mu\text{g}/\text{dL}$ ’, *Journal of Pediatrics*. Elsevier Inc., 180, pp. 229–234. doi: 10.1016/j.jpeds.2016.09.017.

- Kementrian Kesehatan (2014) *Peraturan Menteri Kesehatan Republik Indonesia No. 66 Tahun 2014 tentang Pemantauan Pertumbuhan, Perkembangan, dan Gangguan Tumbuh Kembang Anak*. Jakarta: Kementrian Kesehatan Republik Indonesia.
- Kessler, R. (2014) *Lead-Based Decorative Paints Where are they still sold and why?*
- Laila, N. N. and Shofwati, I. (2013) ‘Kadar Timbal Darah Dan Keluhan Kesehatan Pada Operator Wanita SPBU’, *Jurnal Kesehatan Reproduksi*, 4(1), pp. 41–49.
- Landrigan, P. J. et al. (2018) ‘The Lancet Commission on pollution and health’, *The Lancet*, 391(10119), pp. 462–512. doi: 10.1016/S0140-6736(17)32345-0.
- Lanphear, B. P. et al. (2018) ‘Low-level lead exposure and mortality in US adults: a population-based cohort study’, *The Lancet Public Health*. The Authors. Published by Elsevier Ltd. This is an Open Access article under the CC BY-NC-ND 4.0 license, 3(4), pp. e177–e184. doi: 10.1016/S2468-2667(18)30025-2.
- Leroux, I. N. et al. (2018) ‘Lead exposure from households and school settings: influence of diet on blood lead levels’, *Environmental Science and Pollution Research*. Environmental Science and Pollution Research, 25(31), pp. 31535–31542. doi: 10.1007/s11356-018-3114-8.
- Levallois, P. et al. (2014) ‘The impact of drinking water, indoor dust and paint on blood lead levels of children aged 1–5 years in Montréal (Québec, Canada)’, *Journal of Exposure Science and Environmental Epidemiology*, 24(2), pp. 185–191. doi: 10.1038/jes.2012.129.
- Li, M. M. et al. (2020) ‘Contemporary blood lead levels of children aged 0–84 months in China: A national cross-sectional study’, *Environment International*. Elsevier, 134(November 2019), p. 105288. doi: 10.1016/j.envint.2019.105288.
- Lucas, J. P. et al. (2012) ‘Lead contamination in French children’s homes and environment’, *Environmental Research*, 116, pp. 58–65. doi: 10.1016/j.envres.2012.04.005.
- Mateus-García, A. and Ramos-Bonilla, J. P. (2014) ‘Presence of lead in paint of toys sold in stores of the formal market of Bogotá, Colombia.’, *Environmental research*. Elsevier, 128, pp. 92–97. doi: 10.1016/j.envres.2013.11.005.
- Mathee, A. (2014) ‘Towards the prevention of lead exposure in South Africa: Contemporary and emerging challenges’, *NeuroToxicology*. Elsevier B.V.,

- 45, pp. 220–223. doi: 10.1016/j.neuro.2014.07.007.
- Menezes-Filho, J. A. *et al.* (2018) ‘Environmental co-exposure to lead and manganese and intellectual deficit in school-aged children’, *International Journal of Environmental Research and Public Health*, 15(11), pp. 1–13. doi: 10.3390/ijerph15112418.
- Mohan, V. R. *et al.* (2014) ‘Effects of elevated blood lead levels in preschool children in urban Vellore’, *Indian Pediatrics*, 51(8), pp. 621–625. doi: 10.1007/s13312-014-0464-2.
- Mukono (2011) *Prinsip Dasar Kesehatan Lingkungan*. 2nd edn. Surabaya: Airlangga University Press.
- Mulyadi, Mukono and Haryanto, N. (2015) ‘Paparan Timbal Udara Terhadap Timbal Darah, Hemoglobin, Cystatin C Serum Pekerja Pengemudi Mobil’, *Jurnal Kesehatan Masyarakat*, 11(1), p. 87. doi: 10.15294/kemas.v11i1.3519.
- Murao, S. and Ono, K. (2012) *Current Status and Future of Lead-Based Paints and Pigments in Asia and The Pacific*. Tsukuba, Japan.
- Nexus3 (2019) *Lead in Playground Equipment in Indonesia*. Bali.
- Nkomo, P. *et al.* (2018) ‘Environmental lead exposure and pubertal trajectory classes in South African adolescent males and females’, *Science of the Total Environment*. Elsevier B.V., 628–629, pp. 1437–1445. doi: 10.1016/j.scitotenv.2018.02.150.
- O’Connor, D. *et al.* (2018) ‘Lead-based paint remains a major public health concern: A critical review of global production, trade, use, exposure, health risk, and implications’, *Environment International*. Elsevier, 121(August), pp. 85–101. doi: 10.1016/j.envint.2018.08.052.
- Obeng-Gyasi, E. (2019) ‘Sources of lead exposure in various countries’, *Reviews on Environmental Health*, 34(1), pp. 25–34. doi: 10.1515/reveh-2018-0037.
- Ohtsu, M. *et al.* (2019) ‘Oral exposure to lead for Japanese children and pregnant women, estimated using duplicate food portions and house dust analyses’, *Environmental Health and Preventive Medicine*. Environmental Health and Preventive Medicine, 24(1), pp. 1–10. doi: 10.1186/s12199-019-0818-4.
- Olympio, K. P. K. *et al.* (2018) ‘Blood lead and cadmium levels in preschool children and associated risk factors in São Paulo, Brazil’, *Environmental Pollution*. Elsevier Ltd, 240, pp. 831–838. doi: 10.1016/j.envpol.2018.04.124.
- Oulhote, Y. *et al.* (2011) ‘Identification of sources of lead exposure in French children by lead isotope analysis: A cross-sectional study’, *Environmental Health: A Global Access Science Source*, 10(1). doi: 10.1186/1476-069X-10-

75.

- Pelc, W. *et al.* (2016) ‘Environmental and socioeconomic factors contributing to elevated blood lead levels in children from an industrial area of Upper Silesia’, *Environmental Toxicology and Chemistry*, 35(10), pp. 2597–2603. doi: 10.1002/etc.3429.
- Pelclová, D. *et al.* (2016) ‘Is central europe safe from environmental lead intoxications? A case series’, *Central European Journal of Public Health*. Central European Journal of Public Health, 24(2), pp. 120–122. doi: 10.21101/cejph.a4640.
- Peng, T. *et al.* (2019) ‘Spatial distribution of lead contamination in soil and equipment dust at children ’ s playgrounds in Beijing , China *’, *Environmental Pollution*. Elsevier Ltd, 245, pp. 363–370. doi: 10.1016/j.envpol.2018.11.011.
- Perdana, W. W. (2016) ‘Analisis Logam Berat (Pb dan Sn) pada Minuman Kaleng’, *Jurnal Sabdariffarma*, 5, pp. 100–132.
- Pichery, C. *et al.* (2011) ‘Childhood lead exposure in France : benefit estimation and partial cost-benefit analysis of lead hazard control’, *Environmental Health*. BioMed Central Ltd, 10(1), p. 44. doi: 10.1186/1476-069X-10-44.
- Putri, D. A., Rosyada, A. and Sunarsih, E. (2018) ‘Analisis Kadar Timbal (Pb) Dalam Rambut Dan Hipertensi Pada Pekerja Pt . Bukit Asam Unit Dermaga Kertapati’, *Jurnal Ilmu Kesehatan Masyarakat*, 9(1), pp. 21–27.
- Putri, R. N. (2019) ‘Perbandingan Sistem Kesehatan di Negara Berkembang dan Negara Maju’, *Jurnal Ilmiah Universitas Batanghari Jambi*, 19(1), p. 139. doi: 10.33087/jiubj.v19i1.572.
- Ratnasari, D. M., Sitaesmi, M. N. and Mulyani, N. S. (2017) ‘Hubungan Kadar Timbal Darah dengan Tingkat Inteligensi Anak’, *Sari Pediatri*, 18(4), p. 265. doi: 10.14238/sp18.4.2016.265-9.
- Roy, A. *et al.* (2015) ‘Association of blood lead levels with urinary F2-8 α isoprostane and 8-hydroxy-2-deoxy-guanosine concentrations in first-grade Uruguayan children’, *Environmental Research*. Elsevier, 140, pp. 127–135. doi: 10.1016/j.envres.2015.03.001.
- Sacri, A. S. *et al.* (2018) ‘Very low prevalence of iron deficiency among young French children: A national cross-sectional hospital-based survey’, *Maternal and Child Nutrition*, 14(1), pp. 1–8. doi: 10.1111/mcn.12460.
- Saliu, A. *et al.* (2015) ‘Comparative assessment of blood lead levels of automobile technicians in organised and roadside garages in Lagos, Nigeria’, *Journal of Environmental and Public Health*. Hindawi Publishing Corporation, 2015.

doi: 10.1155/2015/976563.

- Sam Sam Eka Bada, Muhammad Rum Rahim, A. W. (no date) ‘Faktor yang Berhubungan dengan Kadar Timbal (Pb) dalam Darah Sopir Koperasi Angkutan Kota Mahasiswa dan Umum (KAKMU) Trayek 05 Kota Makassar’, pp. 1–11.
- Shen, Z. *et al.* (2018) ‘Lead-based paint in children’s toys sold on China’s major online shopping platforms’, *Environmental Pollution*. Elsevier Ltd, 241(2018), pp. 311–318. doi: 10.1016/j.envpol.2018.05.078.
- Shukla, A. (2017) ‘Literature Review’, 20(3), pp. 269–276. doi: 10.1016/j.profnurs.2010.10.006.
- Sumertha, I. G. G., Adiputra, N. and Pujaastawa, I. B. G. (2015) ‘Hubungan Kualitas Sanitasi Rumah Dengan Kejadian Penyakit Infeksi Saluran Pernapasan Akut (Ispa) Di Wilayah Kerja Puskesmas Iv Denpasar Selatan Kota Denpasar’, *ECOTROPHIC: Jurnal Ilmu Lingkungan (Journal of Environmental Science)*, 9(2), p. 41. doi: 10.24843/ejes.2015.v09.i02.p07.
- Tarrago, O. and Brown, M. J. (2017) ‘Lead Toxicity Case Studies in Environmental Medicine’, in *Case Studies in Environmental Medicine (Csem)*, pp. 1–182. Available at: https://www.atsdr.cdc.gov/csem/lead/docs/CSEM-Lead_toxicity_508.pdf.
- Tatsuta, N. *et al.* (2020) ‘Prenatal and postnatal lead exposures and intellectual development among 12-year-old Japanese children’, *Environmental Research*. Elsevier Inc., 189(June), p. 109844. doi: 10.1016/j.envres.2020.109844.
- Taylor, C. M. *et al.* (2017) ‘Effects of low-level prenatal lead exposure on child IQ at 4 and 8 years in a UK birth cohort study’, *NeuroToxicology*. Elsevier B.V., 62, pp. 162–169. doi: 10.1016/j.neuro.2017.07.003.
- Taylor, D. (2013) *Literature Review - Planning, Preparation, and Presentation, University of Toronto*. Available at: The full text of this document has been downloaded 11121 times since 2006.
- Turner, A., Kearl, E. R. and Solman, K. R. (2016) ‘Lead and other toxic metals in playground paints from South West England’, *Science of the Total Environment*. Elsevier B.V., 544, pp. 460–466. doi: 10.1016/j.scitotenv.2015.11.078.
- Turner, A. and Lewis, M. (2018) ‘Lead and other heavy metals in soils impacted by exterior legacy paint in residential areas of south west England’, *Science of the Total Environment*. Elsevier B.V., 619–620, pp. 1206–1213. doi: 10.1016/j.scitotenv.2017.11.041.

- UC, 2016. *Ciri-ciri negara maju dan contoh negara maju.* [Online] Available at: <http://ciputrauceo.net/blog/2016/6/20/i4umi9vitxnlwybzmxtytbbj5q2ue2x> [Accessed 26 06 2020].
- University of Washington, 2017. *Institute of Health Metrics and Evaluation.* [Online] Available at: <https://vizhub.healthdata.org/gbd-compare/> [Accessed 24 05 2020].
- UNEP (2019) ‘Update on the Global Status of Legal Limits on Lead in Paint: September 2019’, (May), pp. 1–12. Available at: <http://wedocs.unep.org/bitstream/handle/20.500.11822/11348/Limits-Lead-Paint-2016 Report-Final.pdf?isAllowed=y&sequence=1>.
- UNICEF (2020) *Covention on the rights of the child.* Available at: <https://www.unicef.org/child-rights-convention/convention-text-childrens-version>.
- Vijayakumar, S., Sasikala and Ramesh (2017) ‘Lead Poisoning - An Overveiw’, *International Journal of Pharmacology & Toxicology*, (May 2013).
- WHO & UNEP (2013) *Global Alliance to Eliminate Lead Paint Business Plan.*
- WHO. 2010. *Exposure To Lead. A Major Public Health Concern. Preventing Disease Through Healthy Environment Public Health And Environment.* Available At : <Http://Www.Who.Int/Ipcs/Features/Lead.Pdf>
- WHO. 2011. *Haemoglobin Concentration For The Diagnosis Of Anemia And Assessment Od Saverity Vitamin And Mineral Nutrition Information System.* Available At : <Http://Www.Who.Int/Vitamins/Indicators/Haemoglobin.Pdf>
- WHO, 2012. *Global Alliance To Eliminate Lead Paint Bussiness Plan*, S.L.: World Health Organization And UNEP.
- WHO, 2019. *Global Alliance To Eliminae Lead Paint*, S.L.: World Health Organozation .
- WHO, 2019. *International Lead Poisioning Prevention Week 2019*. S.L., World Health Organization .
- World Bank (2020a) *GNI Per Capita, Atlas Method, World Bank.* Available at: <https://data.worldbank.org/indicator/NY.GNP.PCAP.CD> (Accessed: 25 July 2020).
- World Bank (2020b) *How does the World Bank classify countries?*, THE WORLD BANK. Available at: <https://datahelpdesk.worldbank.org/knowledgebase/articles/378834-how>-

does-the-world-bank-classify-countries (Accessed: 27 July 2020).

World Bank (2020c) *Why use GNI per capita to classify economies into income groupings?*, THE WORLD BANK. Available at: <https://datahelpdesk.worldbank.org/knowledgebase/articles/378831-why-use-gni-per-capita-to-classify-economies-into> (Accessed: 27 July 2020).

World Bank (2020d) *World Bank Country and Lending Groups*, World Bank. Available at: <https://datahelpdesk.worldbank.org/knowledgebase/articles/906519> (Accessed: 24 July 2020).

Wu, S. et al. (2018) *Prenatal Stress, Methylation in Inflammation-Related Genes, and Adiposity Measures in Early Childhood: The Programming Research in Obesity, Growth Environment and Social Stress Cohort Study*, *Psychosomatic Medicine*. doi: 10.1097/PSY.0000000000000517.

Yoshinaga, J. (2012) ‘Lead in the Japanese living environment’, *Environmental Health and Preventive Medicine*, 17(6), pp. 433–443. doi: 10.1007/s12199-012-0280-z.

Zhang, Y. et al. (2020) ‘Blood lead levels among Chinese children: The shifting influence of industry, traffic, and e-waste over three decades’, *Environment International*. Elsevier, 135(July 2019), p. 105379. doi: 10.1016/j.envint.2019.105379.