

DAFTAR PUSTAKA

- A. Oliveira, C.P. Cardoso, F.R. Santos, A. Campos, E. Leite, J. Stanislaw, and F. B. (2013) 'Predictors of mortality in patients with severe sepsis or septic shock in the ICU of a public teaching hospital', *Crit Care.*, 17(Suppl 4).
- Alves-Filho, J. C. *et al.* (2009) 'Regulation of chemokine receptor by Toll-like receptor 2 is critical to neutrophil migration and resistance to polymicrobial sepsis', *Proceedings of the National Academy of Sciences of the United States of America*, 106(10), pp. 4018–4023.
- Alves-Filho, J. C., Freitas, A., Souto, F. O., Spiller, F., Paula-Neto, H...Cunha, F. Q. (2010) 'Neutrophil paralysis in sepsis', *Shock*, 34(SUPPL. 1), pp. 15–21. doi: 10.1097/SHK.0b013e3181e7e61b.
- Bhan, C., Dipankar, P., Chakraborty, P., & Sarangi, P. P. (2016) 'Role of cellular events in the pathophysiology of sepsis', *Inflammation Research*. Springer International Publishing, 65(11), pp. 853–868.
- Chishti, A. D., Shenton, B., Kirby, J., and Baudouin, S. (2004) 'Neutrophil chemotaxis and receptor expression in clinical septic shock', *Intensive Care Medicine*, 30(4), pp. 605–611.
- Clark, S. R., Ma, A. C., Tavener, S. A., McDonald, B., Goodarzi, Z...Kubes, P. (2007) 'Platelet TLR4 activates neutrophil extracellular traps to ensnare bacteria in septic blood', *Nature Medicine*, 13(4), pp. 463–469.
- Cui, H., Ding, X., Li, W., Chen, H., & Li, H. (2019) 'The Neutrophil Percentage to Albumin Ratio as a New Predictor of In-Hospital Mortality in Patients with ST-Segment Elevation Myocardial Infarction', *Med Sci Monit*, 25, pp. 7845–7852.
- Delabranche, X., Stiel, L., Severac, F., Galoisy, A. C., Mauvieux, L...Boisramé-Helms, J. (2017) 'Evidence of netosis in septic shock-induced disseminated intravascular coagulation', *Shock*, 47(3), pp. 313–317.
- Delano, M. J. *et al.* (2011) 'Neutrophil Mobilization from the Bone Marrow during Polymicrobial Sepsis Is Dependent on CXCL12 Signaling', *The Journal of Immunology*, 187(2), pp. 911–918.
- Demaret, J., Venet, F., Friggeri, A., Cazalis, M. A., Plassais, J...Monneret, G. (2015) 'Marked alterations of neutrophil functions during sepsis-induced immunosuppression', *Journal of Leukocyte Biology*, 98(6), pp. 1081–1090.
- Eash, K. J., Greenbaum, A. M., Gopalan, P. K., & Link, D. C. (2010) 'CXCR2 and CXCR4 antagonistically regulate neutrophil trafficking from murine bone marrow', *Journal of Clinical Investigation*, 120(7), pp. 2423–2431.

- FHY, Y., GM, J. and TA, B. (2000) 'Serum albumin and mortality risk in critically ill patients', *Critical Care*, 4, p. 160.
- Gong, Y., Li, D., Cheng, B., Ying, B., & Wang, B. (2020) 'Increased neutrophil percentage-to-albumin ratio is associated with all-cause mortality in patients with severe sepsis or septic shock', *Epidemiology and Infection*.
- Guo, R. F., Sun, L., Gao, H., Shi, K. X., Rittirsch, D., Sarma, V. J., Zetoune, F. S., & Ward, P. A. (2006) 'In vivo regulation of neutrophil apoptosis by C5a during sepsis', *Journal of Leukocyte Biology*, 80(6), pp. 1575–1583.
- Hazeldine, J., Hampson, P. and Lord, J. M. (2014) 'The impact of trauma on neutrophil function', *Injury*. Elsevier Ltd, 45(12), pp. 1824–1833.
- Jia, S. H., Parodo, J., Kapus, A., Rotstein, O. D., & Marshall, J. C. (2008) 'Dynamic regulation of neutrophil survival through tyrosine phosphorylation or dephosphorylation of caspase-8', *Journal of Biological Chemistry*, 283(9), pp. 5402–5413.
- Kaçar, C. K. and Uzundere, O. (2019) 'Are Albumin and Lactate Predictive Indicators for Mortality in Critically ill Patients with Acute Kidney Injury?', *Ann Clin Lab Res*, 7(1), p. 295.
- Kawai, T. and Akira, S. (2010) 'The role of pattern-recognition receptors in innate immunity: Update on toll-like receptors', *Nature Immunology*. Nature Publishing Group, 11(5), pp. 373–384.
- Kendall, H., Abreu, E. and Cheng, A.-L. (2019) 'Serum Albumin Trend Is a Predictor of Mortality in ICU Patients With Sepsis', *Biological Research for Nursing*, XX, pp. 1–8.
- Kovach, M. A. and Standiford, T. J. (2012) 'The function of neutrophils in sepsis', *Current Opinion in Infectious Diseases*, 25(3), pp. 321–327.
- Levy, M. M., Evans, L. E. and Rhodes, A. (2018) 'The Surviving Sepsis Campaign Bundle: 2018 update', *Intensive Care Medicine*. Springer Berlin Heidelberg, 44(6), pp. 925–928.
- Lichtenauer, M., Wernly, B., Ohnewein, B., Franz, M., Kabisch, B...Jung, C. (2017) 'The lactate/albumin ratio: A valuable tool for risk stratification in septic patients admitted to ICU', *International Journal of Molecular Sciences*, 18(9), pp. 1–9.
- Luan, Y. Y., Yao, Y. M., Xiao, X. Z., & Sheng, Z. Y. (2015) 'Insights into the apoptotic death of immune cells in sepsis', *Journal of Interferon and Cytokine Research*, 35(1), pp. 17–22.

- M. Rosas-Ballina and K. J. Tracey (2009) ‘Cholinergic control of inflammation’, *Physiology & behavior*, 176(1), pp. 139–148.
- Martin, G. S. (2013) ‘Sepsis, severe sepsis and septic shock: changes in incidence, pathogens and outcomes’, 10(6), pp. 701–706.
- Milot, E., Fotouhi-Ardakani, N. and Filep, J. G. (2012) ‘Myeloid nuclear differentiation antigen, neutrophil apoptosis and sepsis’, *Frontiers in Immunology*, 3(DEC), pp. 1–7.
- Mira, J. C., Gentile, L. F., Mathias, B. J., Efron, P. A., Brakenridge, S. C...Moldawer, L. L. (2017) ‘Sepsis pathophysiology, chronic critical illness, and persistent inflammation-immunosuppression and catabolism syndrome’, *Critical Care Medicine*, 45(2), pp. 253–262.
- Mishra, M., Byrd, M. S., Sergeant, S., Azad, A. K., Parsek, M. R...Wozniak, D. J. (2012) ‘Pseudomonas aeruginosa Psl polysaccharide reduces neutrophil phagocytosis and the oxidative response by limiting complement-mediated opsonization’, *Cellular Microbiology*, 14(1), pp. 95–106.
- Pan, Y. P., Fang, Y. P., Xu, Y. H., Wang, Z. X., & Shen, J. L. (2017) ‘The Diagnostic Value of Procalcitonin Versus Other Biomarkers in Prediction of Bloodstream Infection’, *Clin. Lab.*, 63(2), pp. 277–285.
- Park, I., Kim, M., Choe, K., Song, E., Seo, H...Kim, P. (2019) ‘Neutrophils disturb pulmonary microcirculation in sepsis-induced acute lung injury’, *European Respiratory Journal*, 53(3).
- Perianayagam, M. C., Balakrishnan, V. S., Pereira, B. J., & Jaber, B. L. (2004) ‘C5a delays apoptosis of human neutrophils via an extracellular signal-regulated kinase and Bad-mediated signalling pathway’, *European Journal of Clinical Investigation*, 34(1), pp. 50–56.
- Phua, J., Koh, Y., Du, B., Tang, Y. Q., Divatia, J. V...MOSAICS Study Group (2011) ‘Management of severe sepsis in patients admitted to Asian intensive care units: Prospective cohort study’, *Bmj*, 342(7812).
- Rhodes, A., Evans, L. E., Alhazzani, W., Levy, M. M., Antonelli, M... Dellinger, R. P. (2017) *Surviving Sepsis Campaign: International Guidelines for Management of Sepsis and Septic Shock: 2016*, *Intensive Care Medicine*. Springer Berlin Heidelberg.
- Rios-Santos, F., Alves-Filho, J. C., Souto, F. O., Spiller, F., Freitas, A...Cunha, F. Q. (2007) ‘Down-regulation of CXCR2 on neutrophils in severe sepsis is mediated by inducible nitric oxide synthase-derived nitric oxide’, *American Journal of Respiratory and Critical Care Medicine*, 175(5), pp. 490–497.

- Rosales, C., Demaurex, N., Lowell, C. A., & Uribe-Querol, E. (2016) 'Neutrophils: Their Role in Innate and Adaptive Immunity', *Journal of Immunology Research*, 2016, pp. 2–4.
- Rudd, K. E., Johnson, S. C., Agesa, K. M., Shackelford, K. A., Tsoi, D., Naghavi, M. (2020) 'Global, regional, and national sepsis incidence and mortality, 1990–2017: analysis for the Global Burden of Disease Study', *The Lancet*. The Author(s). Published by Elsevier Ltd. This is an Open Access Article under the CC BY 4.0 licence, 395(10219), pp. 200–211.
- Shen, X. F., Cao, K., Jiang, J. P., Guan, W. X., & Du, J. F. (2017) 'Neutrophil dysregulation during sepsis: an overview and update', *Journal of Cellular and Molecular Medicine*, 21(9), pp. 1687–1697.
- Singer, M., Deutschman, C. S., Seymour, C. W., Shankar-Hari, M., Annane, D., Angus, D. C. (2016) 'The third international consensus definitions for sepsis and septic shock (sepsis-3)', *JAMA - Journal of the American Medical Association*, 315(8), pp. 801–810.
- Takegawa, R., Kabata, D., Shimizu, K., Hisano, S., Ogura, H., Shintani, A., & Shimazu, T. (2019) 'Serum albumin as a risk factor for death in patients with prolonged sepsis: An observational study', *Journal of Critical Care*. Elsevier Inc, 51, pp. 139–144.
- Tang, B. M., McLean, A. S., Dawes, I. W., Huang, S. J., & Lin, R. C. (2007) 'The use of gene-expression profiling to identify candidate genes in human sepsis', *American Journal of Respiratory and Critical Care Medicine*, 176(7), pp. 676–684.
- Tawfik, B., Mokdad, A. A., Patel, P. M., Li, H. C., & Huerta, S. (2016) 'The neutrophil to albumin ratio as a predictor of pathological complete response in rectal cancer patients following neoadjuvant chemoradiation', *Anti-Cancer Drugs*, 27(9), pp. 879–883.
- Tingle, S. J., Severs, G. R., Goodfellow, M., Moir, J. A., & White, S. A. (2018) 'NARCA: A novel prognostic scoring system using neutrophil-albumin ratio and Ca19-9 to predict overall survival in palliative pancreatic cancer', *Journal of Surgical Oncology*, 118(4), pp. 680–686.
- Urban, C. F., Ermert, D., Schmid, M., Abu-Abed, U., Goosmann, C., Zychlinsky, A. (2009) 'Neutrophil extracellular traps contain calprotectin, a cytosolic protein complex involved in host defense against *Candida albicans*', *PLoS Pathogens*, 5(10).
- Utariani, A., Semedi, B.J., Anesthesia, R., Hamzah, Rahardjo, E., Hanindito, E. (2019) 'Analysis of sepsis and septic shock 3-and 6-hour management at resuscitation room in dr. Soetomo general hospital', *Critical Care and Shock*, 22(3), pp. 122–130.

- Utariani, A., Rahardjo, E. and Perdanakusuma, D. S. (2020) ‘Effects of Albumin Infusion on Serum Levels of Albumin, Proinflammatory Cytokines (TNF- α , IL-1, and IL-6), CRP, and MMP-8; Tissue Expression of EGRF, ERK1, ERK2, TGF- β , Collagen, and MMP-8; and Wound Healing in Sprague Dawley Rats’, *International Journal of Inflammation*, 2020.
- Wang, B. *et al.* (2020) ‘The Neutrophil Percentage-to-Albumin Ratio Is Associated with All-Cause Mortality in Critically Ill Patients with Acute Kidney Injury’, *BioMed Research International*, 2020.
- Wang, J. F., Li, J. B., Zhao, Y. J., Yi, W. J...Deng, X. M. (2015) ‘Up-regulation of programmed cell death 1 ligand 1 on neutrophils may be involved in sepsis-induced immunosuppression: An animal study and a prospective case-control study’, *Anesthesiology*, 122(4), pp. 852–863.
- Xu, R., Lin, F., Bao, C., Huang, H., Ji, C., Wang, S., Jin, L., Sun, L., Li, K., Zhang, Z., & Wang, F. S. (2016) ‘Complement 5a receptor-mediated neutrophil dysfunction is associated with a poor outcome in sepsis’, *Cellular and Molecular Immunology*, 13(1), pp. 103–109.
- Zou, L., Feng, Y., Zhang, M., Li, Y., & Chao, W. (2011) ‘Nonhematopoietic toll-like receptor 2 contributes to neutrophil and cardiac function impairment during polymicrobial sepsis’, *Shock*, 36(4), pp. 370–380.