

DAFTAR PUSTAKA

- Abraham, E. *et al.* (2018) 'Disease Recurrence', *Original Article*, 131(1469), pp. 51–59.
- AJCC, 8th (2010) *AJCC 8th Cancer Staging Manual, Sarcoma*.
- Araujo, R. L. C. *et al.* (2015) 'Positive Postoperative CEA is a Strong Predictor of Recurrence for Patients After Resection for Colorectal Liver Metastases', *Annals of Surgical Oncology*, 22(9), pp. 3087–3093. doi: 10.1245/s10434-014-4358-2.
- Benedix, F. *et al.* (2010) 'Comparison of 17,641 patients with right- and left-sided colon cancer: Differences in epidemiology, perioperative course, histology, and survival', *Diseases of the Colon and Rectum*, 53(1), pp. 57–64. doi: 10.1007/DCR.0b013e3181c703a4.
- Böckelman, C. *et al.* (2015) 'Risk of recurrence in patients with colon cancer stage II and III: A systematic review and meta-analysis of recent literature', *Acta Oncologica*, 54(1), pp. 5–16. doi: 10.3109/0284186X.2014.975839.
- Casciato, D. (2004) 'Manual of Clinical Oncology 5th Edition', *Lippincott Williams & Wilkins*, p. 201.
- Chan, L. F. *et al.* (2020) 'Tissue-Infiltrating Lymphocytes as a Predictive Factor for Recurrence in Patients with Curatively Resected Colon Cancer: A Propensity Score Matching Analysis', *Oncology (Switzerland)*, 98(10), pp. 680–688. doi: 10.1159/000506706.
- Compton, C. C. (2003) 'Colorectal carcinoma: Diagnostic, prognostic, and molecular features', *Modern Pathology*, 16(4), pp. 376–388. doi: 10.1097/01.MP.0000062859.46942.93.
- Docherty, J. G. *et al.* (1994) 'Local recurrence of colorectal cancer: The problem, mechanisms, management and adjuvant therapy', *British Journal of Surgery*, 81(7), pp. 1082–1082. doi: 10.1002/bjs.1800810757.
- Van Erning, F. N. *et al.* (2014) 'No change in lymph node positivity rate despite increased lymph node yield and improved survival in colon cancer', *European Journal of Cancer*. Elsevier Ltd, 50(18), pp. 3221–3229. doi: 10.1016/j.ejca.2014.10.011.
- Fisher, D. A. *et al.* (2011) 'Complications of colonoscopy', *Gastrointestinal Endoscopy*, 74(4), pp. 745–752. doi: 10.1016/j.gie.2011.07.025.
- Fuchs, T. L. *et al.* (2019) 'Assessment of Tumor-infiltrating Lymphocytes Using International TILs Working Group (ITWG) System Is a Strong Predictor

- of Overall Survival in Colorectal Carcinoma: A Study of 1034 Patients', *American Journal of Surgical Pathology*, 44(4), pp. 536–544. doi: 10.1097/PAS.0000000000001409.
- Gordon, P. H., Nivatvongs, S. and Barrows, S. T. (2007) 'Principles and practice of surgery for the colon, rectum, and anus, third edition', *Principles and Practice of Surgery for the Colon, Rectum, and Anus, Third Edition*, pp. 1–1331. doi: 10.1007/s10350-007-9116-0.
- Guraya, S. Y. (2019) 'Pattern, Stage, and Time of Recurrent Colorectal Cancer After Curative Surgery', *Clinical Colorectal Cancer*. Elsevier Inc., 18(2), pp. e223–e228. doi: 10.1016/j.clcc.2019.01.003.
- Guth, A. M. and Dow, S. (2012) *Cancer Immunotherapy*. Third Edition, *Withrow and MacEwen's Small Animal Clinical Oncology: Fifth Edition*. Third Edition. Elsevier. doi: 10.1016/B978-1-4377-2362-5.00013-X.
- Hamzah, N. *et al.* (2019) 'Tumour-Infiltrating Lymphocytes in Colorectal Adenocarcinoma', *International Journal of Sciences: Basic and Applied Research (IJSBAR) International Journal of Sciences: Basic and Applied Research*, 47(2), pp. 68–76. Available at: <http://gssrr.org/index.php?journal=JournalOfBasicAndApplied>.
- He, W. Z. *et al.* (2018) 'An increased number of negative lymph nodes is associated with a higher immune response and longer survival in colon cancer patients', *Cancer Management and Research*, 10, pp. 1597–1604. doi: 10.2147/CMAR.S160100.
- Hendry, S. *et al.* (2017) *Assessing Tumor-Infiltrating Lymphocytes in Solid Tumors*, *Advances In Anatomic Pathology*. doi: 10.1097/pap.0000000000000161.
- Irvine, T., Scott, M. and Clark, C. I. (2007) 'A small rise in CEA is sensitive for recurrence after surgery for colorectal cancer', *Colorectal Disease*, 9(6), pp. 527–531. doi: 10.1111/j.1463-1318.2007.01176.x.
- Jakubowska, K. *et al.* (2019) 'Tumor- infiltrating lymphocytes in primary tumors of colorectal cancer and their metastases', *Experimental and Therapeutic Medicine*, 4(8), pp. 4904–4912. doi: 10.3892/etm.2019.8146.
- Keighley and Williams Surgery of The Anus, R. and C. (2012) *Keighley and Williams Surgery of The Anus, Rectum and Colon*, עלון הנוטע. Edited by H. A. G. Sagar, P. M. CRC Press.
- Kemenkes RI (2016) 'Panduan Penatalaksanaan Kanker kolorektal', *Kementerian Kesehatan Republik Indonesia*, p. 76.
- Kuipers, E. J. *et al.* (2015) 'Colorectal cancer', *Nature Reviews Disease Primers*, 1(1), p. 15065. doi: 10.1038/nrdp.2015.65.

- Li, F. Y. and Lai, M. De (2009) 'Colorectal cancer, one entity or three', *Journal of Zhejiang University: Science B*, 10(3), pp. 219–229. doi: 10.1631/jzus.B0820273.
- Maeda, H. *et al.* (2017) 'Hazard rate of tumor recurrence over time in patients with colon cancer: Implications for postoperative surveillance from three Japanese Foundation for Multidisciplinary Treatment of Cancer (JFMC) clinical trials', *Journal of Cancer*, 8(19), pp. 4057–4064. doi: 10.7150/jca.21365.
- Mei, Z. *et al.* (2014) 'Tumour-infiltrating inflammation and prognosis in colorectal cancer: Systematic review and meta-analysis', *British Journal of Cancer*, 110(6), pp. 1595–1605. doi: 10.1038/bjc.2014.46.
- Moertel, C. G. *et al.* (1993) 'An Evaluation of the Carcinoembryonic Antigen (CEA) Test for Monitoring Patients With Resected Colon Cancer', *JAMA: The Journal of the American Medical Association*, 270(8), pp. 943–947. doi: 10.1001/jama.1993.03510080047030.
- Nin, F. *et al.* (2016) 'The unique electrical properties in an extracellular fluid of the mammalian cochlea; their functional roles, homeostatic processes, and pathological significance', *European Journal of Physiology*. Pflügers Archiv - European Journal of Physiology, 468(10), pp. 1637–1649. doi: 10.1007/s00424-016-1871-0.
- Ogino, S. *et al.* (2009) 'Lymphocytic reaction to colorectal cancer is associated with longer survival, independent of lymph node count, microsatellite instability, and CpG island methylator phenotype', *Clinical Cancer Research*, 15(20), pp. 6412–6420. doi: 10.1158/1078-0432.CCR-09-1438.
- Ong, M. L. H. and Schofield, J. B. (2016) 'Assessment of lymph node involvement in colorectal cancer', *World Journal of Gastrointestinal Surgery*, 8(3), p. 179. doi: 10.4240/wjgs.v8.i3.179.
- Pauken, K. E. and J, W. E. (2015) 'Overcoming T cell exhaustion in infection and cancer', *Physiology & behavior*, 176(5), pp. 139–148. doi: 10.1016/j.it.2015.02.008.Overcoming.
- Picco, S. *et al.* (2016) 'We are IntechOpen , the world ' s leading publisher of Open Access books Built by scientists , for scientists TOP 1 %', *Intech*, (tourism), p. 13. Available at: <https://www.intechopen.com/books/advanced-biometric-technologies/liveness-detection-in-biometrics>.
- Schwartz (2006) *Manual of Surgery 8th Edition, Southern Medical Journal*. doi: 10.1097/00007611-193205000-00028.

- Seidel, J. A., Otsuka, A. and Kabashima, K. (2018) 'Anti-PD-1 and anti-CTLA-4 therapies in cancer: Mechanisms of action, efficacy, and limitations', *Frontiers in Oncology*, 8(MAR), pp. 1–14. doi: 10.3389/fonc.2018.00086.
- Swanson, R. S. *et al.* (2003) 'The prognosis of T3N0 colon cancer is dependent on the number of lymph nodes examined.', *Annals of surgical oncology: the official journal of the Society of Surgical Oncology*, 10(1), pp. 65–71. doi: 10.1245/ASO.2003.03.058.
- Tsikitis, V. L. *et al.* (2014) 'Predictors of recurrence free survival for patients with stage II and III colon cancer', *BMC Cancer*, 14(1), pp. 1–7. doi: 10.1186/1471-2407-14-336.
- Vermijlen, D. *et al.* (2001) 'Perforin and granzyme B induce apoptosis in FasL-resistant colon carcinoma cells', *Cancer Immunology, Immunotherapy*, 50(4), pp. 212–217. doi: 10.1007/s002620100191.
- Vogel, J. D. *et al.* (2017) 'The American society of colon and rectal surgeons clinical practice guidelines for the treatment of colon cancer', *Diseases of the Colon and Rectum*, 60(10), pp. 999–1017. doi: 10.1097/DCR.0000000000000926.