

## DAFTAR PUSTAKA

- Adda, C. G., Murphy, V. J., Sunde, M., Waddington, L. J., Schloegel, J., Talbo, G. H., Vingas, K., Kienzle, V., Masciantonio, R., Howlett, G. J., Hodder, A. N., Foley, M., & Anders, R. F. (2009). Plasmodium falciparum merozoite surface protein 2 is unstructured and forms amyloid-like fibrils. *Molecular and Biochemical Parasitology*, *166*(2), 159–171.
- Amoah, L. E., Nuvor, S. V., Obboh, E. K., Acquah, F. K., Asare, K., Singh, S. K., & Boampong, J. N. (2017). Natural antibody responses to Plasmodium falciparum MSP3 and GLURP (R0) antigens are associated with low parasite densities in malaria patients living in the Central Region of Ghana. *Parasites & Vectors*, *10*(1), 395. <https://doi.org/10.1186/s13071-017-2338-7>
- Amodu, O. K., Adeyemo, A. A., Ayoola, O. O., Gbadegesin, R. A., Orimadegun, A. E., Akinsola, A. K., Olumese, P. E., & Omotade, O. O. (2005). Genetic diversity of the msp-1 locus and symptomatic malaria in south-west Nigeria. *Acta Tropica*, *95*(3), 226–232. <https://doi.org/10.1016/j.actatropica.2005.06.017>
- Amodu, O. K., Oyedeji, S. I., Ntoumi, F., Orimadegun, A. E., Gbadegesin, R. A., Olumese, P. E., & Omotade, O. O. (2008). Complexity of the msp2 locus and the severity of childhood malaria, in south-western Nigeria. *Annals of Tropical Medicine & Parasitology*, *102*(2).
- Arsin, A. A. (2012). *Malaria di Indonesia Tinjauan Aspek Epidemiologi*.
- Astrix. (2018). *Menuju Merauke Bebas Malaria*.  
<https://portal.merauke.go.id/news/3488/menuju-merauke-bebas-malaria.html>
- Atroosh, W. M., Al-mekhlafi, H. M., Mahdy, M. A. K., Saif-ali, R., Al-mekhlafi, A. M., & Surin, J. (2011). *Genetic diversity of Plasmodium falciparum isolates from Pahang, Malaysia based on MSP-1 and MSP-2 genes*. 1–9.
- Aubouy, A., Migot-nabias, F., & Deloron, P. (2003). *Polymorphism in two merozoite surface proteins of Plasmodium falciparum isolates from Gabon*. 6, 1–6.
- Bannister, L. H., & Sherman, I. W. (2009). Plasmodium. *Encyclopedia of life sciences (ELS)*. Chichester: John Wiley & Sons, Ltd., December.  
<https://doi.org/10.1002/9780470015902.a0001970.pub2>
- Beeson, J. G., Drew, D. R., Boyle, M. J., Feng, G., Fowkes, F. J. I., & Richards, J. S. (2016). *Merozoite surface proteins in red blood cell invasion, immunity and vaccines against malaria*. February, 343–372.  
<https://doi.org/10.1093/femsre/fuw001>
- Boyle, M. J., Langer, C., Chan, J., Hodder, A. N., Coppel, R. L., Anders, R. F., & Beeson, G. (2014). *Sequential Processing of Merozoite Surface Proteins during and after Erythrocyte Invasion by Plasmodium falciparum*. *82*(3), 924–936.  
<https://doi.org/10.1128/IAI.00866-13>
- CDC. (2018). *Malaria: Biology*.  
<https://www.cdc.gov/malaria/about/biology/index.html>
- Congpuong, K., Sukaram, R., Prompan, Y., & Dornae, A. (2014). *diversity of the msp-1, msp-2, and glurp genes of Plasmodium falciparum isolates along the Thai-Myanmar borders Genetic*. *4*(8), 598–602.

- <https://doi.org/10.12980/APJTB.4.2014APJTB-2014-0156>
- Crompton, P. D., Pierce, S. K., & Miller, L. H. (2010). Advances and challenges in malaria vaccine development Find the latest version : Science in medicine Advances and challenges in malaria vaccine development. *The Journal Of Clinical Investigation*, 120(12), 4168–4178.  
<https://doi.org/10.1172/JCI44423.4168>
- Cui, L., Mharakurwa, S., Ndiaye, D., Rathod, P. K., & Rosenthal, P. J. (2015). Antimalarial Drug Resistance : Literature Review and Activities and Findings of the ICEMR Network. *He American Journal of Tropical Medicine and Hygiene*, 93(Suppl 3), 57–68. <https://doi.org/10.4269/ajtmh.15-0007>
- Depkes RI. (2008). *Pedoman Penatalaksanaan Kasus Malaria di Indonesia*. Direktorat Jenderal Pengendalian Penyakit dan Penyehatan Lingkungan.
- Dinas Kesehatan Provinsi Papua. (2017). *Profil Kesehatan Provinsi Papua Tahun 2016* (I. Yikwa, A. Ang, I. K. Hermanta, & P. Tandirerung (eds.)). Dinas Kesehatan Provinsi Papua.
- Dobaño, C., & Campo, J. J. (2009). Understanding protective immune mechanisms induced by malaria vaccines in the context of clinical trials Understanding protective immune mechanisms induced by malaria vaccines in the context of clinical trials. *Human Vaccines ISSN:*, 5(8), 562–565.  
<https://doi.org/10.4161/hv.5.8.8313>
- Fitriya, R. T., Ibrahim, M., Lisdiana, L., Biologi, J., Matematika, F., & Alam, P. (2015). Keefektifan Metode Isolasi DNA Kit dan CTAB / NaCl yang Dimodifikasi pada Staphylococcus aureus dan Shigella dysenteriae The Effectiveness of Modified DNA Isolation Method of Kit and CTAB / NaCl ON Staphylococcus aureus and Shigella dysenteriae. *LenteraBio*, 4(1), 87–92.
- Genton, B., Betuela, I., Felger, I., Al-Yaman, F., Anders, R. F., Saul, A., Rare, L., Baisor, M., Lorry, K., Brown, G. V., Pye, D., Irving, D. O., Smith, T. A., Beck, H., & Alpers, M. P. (2002). A Recombinant Blood-Stage Malaria Vaccine Reduces Plasmodium falciparum Density and Exerts Selective Pressure on Parasite Populations in a Phase 1–2b Trial in Papua New Guinea . *The Journal of Infectious Diseases*, 185(6), 820–827. <https://doi.org/10.1086/339342>
- Ghanchi, N. K., Mårtensson, A., Ursing, J., Jafri, S., Bereczky, S., Hussain, R., & Beg, M. A. (2010). Genetic diversity among Plasmodium falciparum field isolates in Pakistan measured with PCR genotyping of the merozoite surface protein 1 and 2. 2, 1–6. <https://doi.org/10.1186/1475-2875-9-1>
- Gosi, P., Lanteri, C. A., Tyner, S. D., Se, Y., Lon, C., Spring, M., Char, M., Sea, D., Sriwichai, S., Surasri, S., Wongarunkochakorn, S., Pidtana, K., Walsh, D. S., Fukuda, M. M., Manning, J., Saunders, D. L., & Bethell, D. (2013). Evaluation of parasite subpopulations and genetic diversity of the msp1 , msp2 and glurp genes during and following artesunate monotherapy treatment of Plasmodium falciparum malaria in Western Cambodia. *Malaria Journal*, 12(1), 403.
- Handayani, D., Nindela, Ri., & Saleh, I. (2015). Genetic diversity of merozoite surface protein 1 (MSP 1) in Plasmodium falciparum field isolates from South Sumatera. In *Bandung International Scientific Meeting on Parasitology and Tropical Disease 2015*.

- Handayani, S., Salwati, E., & Tjitra, E. (2012). Keragaman Genetik Petanda *P. falciparum* Dari Specimen Subyek Penelitian Monitoring Dihiroartemisini-Piperrakuin di Kalimantan dan Sulawesi. *Media Penelitian Dan Pengembangan Kesehatan*, 22(3), 120–130.
- Hewajuli, D. A., & NLPI, D. (2014). Perkembangan Teknologi Reverse Transcriptase-Polymerase Chain Reaction dalam Mengidentifikasi Genom Avian Influenza dan Newcastle Diseases. *Wartazoa*, 24(1), 16–29.
- Hill, A. V. S. (2011). Vaccines against malaria. *Phil Trans R Soc Biol Sci*, 366, 2806–2814. <https://doi.org/10.1098/rstb.2011.0091>
- Hoffmann, E. H. E., Ribolla, P. E. M., & Ferreira, M. U. (2003). *of allelic diversity at the merozoite surface protein-1 ( MSP-1 ) locus in Brazil and Vietnam*. 8, 1–8.
- Hussain, H. H., Sohail, M., Kumar, R., Branch, O. H., Adak, T., & Raziuddin, M. (2011). Genetic diversity in merozoite surface protein-1 and 2 among *Plasmodium falciparum* isolates from malarious districts of tribal dominant state of Jharkhand, India. *Annals of Tropical Medicine and Parasitology*, 105(8), 579–592. <https://doi.org/10.1179/2047773211Y.0000000012>
- Igweh, J. C. (2012). *Biology of Malaria Parasites*.
- Irawati, N. (2011). *Genetic polymorphism of merozoite surface protein-1 ( MSP-1 ) block 2 allelic types in Plasmodium falciparum fi eld isolates from mountain and coastal area in*. 20(1), 11–14.
- Joshi, H., Valecha, N., Verma, A., Kaul, A., Mallick, P. K., Shalini, S., Prajapati, S. K., Sharma, S. K., Dev, V., Biswas, S., Nanda, N., Malhotra, M. S., Subbarao, S. K., & Dash, A. P. (2007). Genetic structure of *Plasmodium falciparum* field isolates in eastern and north-eastern India. *Malaria Journal*, 6(1), 60. <https://doi.org/10.1186/1475-2875-6-60>
- Kaur, H., Sehgal, R., Goyal, K., Makkar, N., Yadav, R., & Bharti, P. K. (2017). *Genetic diversity of Plasmodium falciparum merozoite surface protein-1 ( block 2 ), glutamate-rich protein and sexual stage antigen Pfs25 from Chandigarh , North India*. 22(12), 1590–1598. <https://doi.org/10.1111/tmi.12990>
- Kementerian Kesehatan RI. (2018). *Wilayah indonesia dominan bebas malaria*. Kementerian Kesehatan Republik Indonesia. <http://www.depkes.go.id/article/%0Aview/18042400002/wilayah-indonesiadominan-%0Abebas-malaria.html>
- kementrian Kesehatan RI. (2019). *Profil Kesehatan Indonesia 2018*.
- Kidima, W., & Nkwengulila, G. (2015). Multiplicity of Infections among Children under Five Years with Uncomplicated Malaria in Kibaha , Tanzania. *Journal of Parasitology Research*, 2015.
- Kumar, D., Dhiman, S., Rabha, B., Goswami, D., Deka, M., & Singh, L. (2014). *Genetic polymorphism and amino acid sequence variation in Plasmodium falciparum GLURP R2 repeat region in Assam , India , at an interval of five years*. 13(1), 450.
- Kusuma, W., Lestari, A. A. W., Herawati, S., & Yasa, I. W. P. S. (2006). *Pemeriksaan Mikroskop Dan Tes Diagnostik Cepat Dalam Menegakkan Diagnosis Malaria*.
- Lê, H. G., Tháí, T. L., Kang, J. M., Lee, J., Moe, M., Vö, T. C. ng, Naw, H., Myint,

- M. K., Htun, Z. T., Kim, T. S., Shin, H. J., & Na, B. K. (2010). Genetic polymorphism of merozoite surface protein-1 and merozoite surface protein-2 in *Plasmodium falciparum* field isolates from Myanmar. *Malaria Journal*, 9(1), 131. <https://doi.org/10.1186/s12936-020-03256-y>
- Lin, C. S., Uboldi, A. D., Epp, C., Bujard, H., Tsuboi, T., Czabotar, P. E., & Cowman, X. A. F. (2016). *Multiple Plasmodium falciparum Merozoite Surface Protein 1 Complexes Mediate Merozoite Binding to Human*. 291(14), 7703–7715. <https://doi.org/10.1074/jbc.M115.698282>
- Low, A., Chandrashekar, I. R., Yao, C. G. A. S., Sabo, J. K., Zhang, X., Soetopo, A., Anders, R. F., & Norton, R. S. (2007). Merozoite surface protein 2 of *Plasmodium falciparum*: Expression, structure, dynamics, and fibril formation of the conserved N-terminal domain. *Biopolymers: Original Research on Biomolecules*, 87(1), 12–22.
- Lusingu, J. P. A., Vestergaard, L. S., Alifrangis, M., Mmbando, B. P., Theisen, M., Kitua, A. Y., Lemnge, M. M., & Theander, T. G. (2005). Cytophilic antibodies to *Plasmodium falciparum* Glutamate Rich Protein are associated with malaria protection in an area of holoendemic transmission. *Malaria Journal*, 4(1), 48. <https://doi.org/10.1186/1475-2875-4-48>
- Macrauld, C. A., Pedersen, M. Ø., Anders, R. F., & Norton, R. S. (2012). Lipid interactions of the malaria antigen surface Protein 2. *Biochimica et Biophysica Acta*, 1818(11), 2572–2578. <https://doi.org/10.1016/j.bbamem.2012.06.015>
- Mau, F., & Murhandarwati, E. E. H. (2016). Keragaman Genetik dari Msp 1 , Msp 2 , dan Glurp pada *Plasmodium Falciparum* di Kabupaten Sumba Tengah , Nusa Tenggara Timur. *Buletin Penelitian Kesehatan*, 44(2), 77–84.
- Mohammed, H., Mindaye, T., Belayneh, M., Kassa, M., Assefa, A., & Tadesse, M. (2015). *Genetic diversity of Plasmodium falciparum isolates based on MSP-1 and MSP-2 genes from Kolla-Shele area , Arbaminch Zuria District , southwest Ethiopia*. 1–7. <https://doi.org/10.1186/s12936-015-0604-8>
- Mwingira, F., Nkwengulila, G., Schoepflin, S., Sumari, D., Beck, H., Snounou, G., Felger, I., Olliaro, P., & Mugittu, K. (2011). *Plasmodium falciparum msp1, msp2 and glurp allele frequency and diversity in sub-Saharan Africa*. *Malaria Journal*, 10(1), 79.
- Nindela, R. (2015). *Merozoite Surface Protein-1 ( MSP-1 ) dan Merozoite Surface Protein-2 ( MSP-2 ) Plasmodium falciparum sebagai Kandidat Vaksin Malaria*. 1(1), 67–73.
- Ompusunggu, S., Dewi, R. M., Yuliyawaty, R., Sihite, B. A., Ekowatiningsih, R., Siswanto, H., Siswanto, & Utami, B. S. (2015). Penemuan Baru *Plasmodium Knowlesi* pada Manusia di Kalimantan Tengah. *Buletin Penelitian Kesehatan*, 43(2), 63–76.
- Paisal, & Indriyati, L. (2014). Gambaran *Plasmodium Knowlesi* pada manusia. *Jurnal Epidemiologi Dan Penyakit Bersumber Binatang*, 5(2), 87–94.
- Parera, M., & Tiala, M. E. (2014). Potensi Vaksin *Plasmodium Falciparum* Fase Pra-Eritrositer Rts,S Sebagai Imunoprofilaksis Pada Pelancong. *ISM*, 1(1), 29–35.
- Pattaradilokrat, S., Trakoolsoontorn, C., Simpalipan, P., & Warrit, N. (2018). *Size and sequence polymorphisms in the glutamate-rich protein gene of the human*

- malaria parasite Plasmodium falciparum in Thailand*. 1–10.  
<https://doi.org/10.1186/s13071-018-2630-1>
- Paul, R. E. L., Hackford, I., Brockman, A., Muller-Graf, C., Price, R., Luxemburger, C., White, N. J., Nosten, F., & Day, K. P. (1998). Transmission intensity and *Plasmodium falciparum* diversity on the northwestern border of Thailand. *American Journal of Tropical Medicine and Hygiene*, 58(2), 195–203.  
<https://doi.org/10.4269/ajtmh.1998.58.195>
- Pratiwi, R. (2001). Mengenal metode elektroforesis. *Oseana*, XXVI(1), 25–31.
- Pratt-Riccio, L. R., Perce-da-Silva, D. de S., Lima-Junior, J. da C., Theisen, M., Santos, F., Daniel-Ribeiro, C. T., de Oliveira-Ferreira, J., & Banic, D. M. (2013). Genetic polymorphisms in the glutamate-rich protein of *plasmodium falciparum* field isolates from a malaria-endemic area of Brazil. *Memorias Do Instituto Oswaldo Cruz*, 108(4), 523–528. <https://doi.org/10.1590/S0074-02762013000400022>
- Razak, M. R. M. A., Sastu, U. R., Norahmad, N. A., Abdu-Karim, A., Muhammad, A., Muniandy, P. K., Jelip, J., Rundi, C., Imwong, M., Mudin, R. N., & Abdullah, N. R. (2016). Genetic diversity of *plasmodium falciparum* populations in malaria declining areas of Sabah, East Malaysia. *PLoS ONE*, 11(3), 1–22.  
<https://doi.org/10.1371/journal.pone.0152415>
- Sallenave-Sales, S., Faria, C. P., Zalis, M. G., Daniel-Ribeiro, C. T., & Ferreira-da-Cruz, M. de F. (2007). Merozoite surface protein 2 allelic variation influences the specific antibody response during acute malaria in individuals from a Brazilian endemic area. *Memórias Do Instituto Oswaldo Cruz*, 102(3), 421–425.
- Schwartz, L., Brown, G. V., Genton, B., & Moorthy, V. S. (2012). A review of malaria vaccine clinical projects based on the WHO rainbow table. *Malaria Journal*, 11(1), 11.
- Sillehu, S., Arwati, H., Dachlan, Y. P., & Keman, S. (2016). Genetic Polymorphism of *Plasmodium Falciparum* Merozoite Surface Protein-1 ( Pfmsp-1 ) in Closed and Opened Community at South Buru District , Maluku Province. *Dama International Journal of Researchers*, 1(9), 1–4.
- Simamora, D., & Fitri, L. E. (2007). Resistensi obat malaria: Mekanisme dan Peran Obat Kombinasi Obat Antimalaria untuk Mencegah. *Jurnal Kedokteran Brawijaya*, 23(2), 82–91.
- Soe, T. N., Wu, Y., Tun, M. W., Xu, X., Hu, Y., Ruan, Y., Ye, A., Win, N., Nyunt, M. H., Cho, N., Mon, N., Han, K. T., Aye, K. M., Morris, J., & Su, P. (2017). Genetic diversity of *Plasmodium falciparum* populations in southeast and western Myanmar. *Parasites & Vectors*, 10(1), 322.  
<https://doi.org/10.1186/s13071-017-2254-x>
- Somé, A. F., Bazié, T., Zongo, I., Yerbanga, R. S., Nikiéma, F., Neya, C., Taho, L. K., & Ouédraogo, J. (2018). *Plasmodium falciparum* msp 1 and msp 2 genetic diversity and allele frequencies in parasites isolated from symptomatic malaria patients in Bobo-Dioulasso , Burkina Faso. *Parasites & Vectors*, 11(1), 323.
- Sorontou, Y., & Pakpahan, A. (2015). *Genetic diversity in MSP-1 gene of Plasmodium falciparum and its association with malaria severity , parasite density , and host factors of asymptomatic and symptomatic patients in Papua ,*

- Indonesia*. 4(11). <https://doi.org/10.5455/ijmsph.2015.05062015327>
- Spring, M. D., Chelimo, K., Tisch, D. J., Sumba, P. O., Rochford, R., Long, C. A., Kazura, J. W., & Moormann, A. M. (2010). *Allele Specificity of Gamma Interferon Responses to the Carboxyl-Terminal Region of Plasmodium falciparum Merozoite Surface Protein 1 by Kenyan Adults with Naturally Acquired Immunity to Malaria*. *PLoS ONE*, 78(10), 4431–4441. <https://doi.org/10.1128/IAI.00415-10>
- Susanto, I., Ismid, I. S., Sjarifudin, P. K., & Sungkar, S. (2010). *Parasitologi Kedokteran* (Keempat).
- Takala, S. L., Coulibaly, D., Thera, M. A., Dicko, A., Smith, D. L., Guindo, A. B., Kone, A. K., Traore, K., Ouattara, A., Djimde, A. A., Sehdev, P. S., Lyke, K. E., Diallo, D. A., Doumbo, O. K., & Plowe, C. V. (2007). Dynamics of polymorphism in a malaria vaccine antigen at a vaccine-testing site in Mali. *PLoS Medicine*, 4(3), 523–534. <https://doi.org/10.1371/journal.pmed.0040093>
- Tanabe, K., Sakihama, N., Kaneko, O., Saito-ito, A., & Kimura, M. (1999). *A PCR Method for Molecular Epidemiology of Plasmodium falciparum Msp-1*. *Journal of Molecular Evolution*, 23(6), 375–381.
- Touré, F. S., Ouwe-Missi-Oukem-Boyer, O., Mezui-Me-Ndong, J., Ndong-Atome, G. R., Bisvigou, U., Mazier, D., & Bisser, S. (2007). Cytoadherence and genotype of Plasmodium falciparum strains from symptomatic children in Franceville, Southeastern Gabon. *Clinical Medicine and Research*, 5(2), 106–113. <https://doi.org/10.3121/cmr.2007.696>
- World Health Organization. (2018). *World malaria report 2018*.
- Yavo, W., Konaté, A., Mawili-mboumba, D. P., Kassi, F. K., Mbuyi, M. L. T., Angora, E. K., Menan, E. I. H., & Bouyou-akotet, M. K. (2016). *Genetic Polymorphism of msp 1 and msp 2 in Plasmodium falciparum Isolates from Côte d ' Ivoire versus Gabon*. 2016.
- Yusuf, Z. K. (2010). Polymerase chain reaction (PCR). *Saintek*, 5(6).
- Zakeri, S., Bereczky, S., Naimi, P., Gil, J. P., Djadid, N. D., Färnert, A., Snounou, G., & Björkman, A. (2005). Multiple genotypes of the merozoite surface proteins 1 and 2 in Plasmodium falciparum infections in a hypoendemic area in Iran. *Tropical Medicine and International Health*, 10(10), 1060–1064. <https://doi.org/10.1111/j.1365-3156.2005.01477.x>
- Zhang, X., Perugini, M. A., Yao, S., Adda, C. G., Murphy, V. J., Low, A., Anders, R. F., & Norton, R. S. (2008). Solution conformation, backbone dynamics and lipid interactions of the intrinsically unstructured malaria surface protein MSP2. *Journal of Molecular Biology*, 379(1), 105–121.