

DAFTAR PUSTAKA

- Abdel-Misih, S. R. Z., & Bloomston, M. (2010). Liver anatomy. *The Surgical Clinics of North America*, 90(4), 643–653.
- Adebajo, A. C., Odediran, S. A., Aliyu, F. A., Nwafor, P. A., Nwoko, N. T., & Umana, U. S. (2014). *In vivo* antiplasmodial potentials of the combinations of four Nigerian antimalarial plants. *Molecules*, 19.
- Adetutu, A., Olorunnisola, O. S., Owoade, A. O., & Adegbola, P. (2016). Inhibition of *in vivo* growth of *Plasmodium berghei* by *Launaea taraxacifolia* and *Amaranthus viridis* in mice. *Malaria Research and Treatment*, 2016, e9248024.
- Akanbi, O. M. (2015). The influence of malaria infection on kidney and liver function in children in Akoko area of Ondo state, Nigeria. *Journal of Parasitology and Vector Biology*, 7(8), 163–168.
- Ali, H., Ahsan, T., Mahmood, T., Bakht, S. F., Farooq, M. U., & Ahmed, N. (2008). Parasite density and the spectrum of clinical illness in falciparum malaria. *Journal of the College of Physicians and Surgeons--Pakistan: JCPSP*, 18(6), 362–368.
- Arunima, S., & Rajamohan, T. (2013). Effect of virgin coconut oil enriched diet on the antioxidant status and araoxonase 1 activity in ameliorating the oxidative stress in rats – a comparative study. *Food and Function*, 4, 1402–1409.
- Ashley, E., Phy, A. P., & Woodrow, C. (2018). Malaria. *The Lancet*, 391(10130), 1608–1621.
- Baratta, J. L., Ngo, A., Lopez, B., Kasabwalla, N., Longmuir, K. J., & Robertson, R. T. (2009). Cellular organization of normal mouse liver: A histological, quantitative immunocytochemical, and fine structural analysis. *Histochemistry and Cell Biology*, 131(6), 713–726.
- Bargnoux, A.-S., Kuster, N., Cavalier, E., Piéroni, L., Souweine, J.-S., Delanaye, P., & Cristol, J.-P. (2018). Serum creatinine: Advantages and pitfalls. *Journal of Laboratory and Precision Medicine*, 3.
- Barsoum, R. (2000). Malarial acute renal failure. *Journal of the American Society of Nephrology*, 11(11).
- Basir, R., Rahiman, S. F., Hasballah, K., Chong, W., Talib, H., Yam, M., Jabbarzare, M., Tie, T., Othman, F., Moklas, M., Abdullah, W., & Ahmad, Z. (2012). *Plasmodium berghei* ANKA infection in ICR mice as a model of cerebral malaria. *Iranian Journal of Parasitology*, 7(4), 62–74.

- Berthi, W., González, A., Rios, A., Blair, S., Cogollo, Á., & Pabón, A. (2018). Antiplasmodial effect of plant extracts from *Picrolemma huberi* and *Picramnia latifolia*. *Malaria Journal*, 17(1), 151.
- Builders, M. I., Alemika, T., & Aguiyi, J. (2014). Antimalarial activity and isolation of phenolic compound from *Parkia biglobosa*. *IOSR Journal of Pharmacy and Biological Sciences*, 9(3), 78–85.
- Buitrago, S., Martin, T. E., Tetens-Woodring, J., Belicha-Villanueva, A., & Wilding, G. E. (2008). Safety and efficacy of various combinations of injectable anesthetics in BALB/c mice. *Journal of the American Association for Laboratory Animal Science : JAALAS*, 47(1), 11–17.
- CDC. (2019). *Malaria—about malaria—biology*. Tersedia pada: <https://www.cdc.gov/malaria/about/biology/index.html>
- Chamanza, R., Naylor, S. W., Carreira, V., Amuzie, C., Ma, J. Y., Bradley, A. E., Blankenship, B., McDorman, K., & Louden, C. (2019). Normal anatomy, histology, and spontaneous pathology of the kidney, and selected renal biomarker reference ranges in the cynomolgus monkey. *Toxicologic Pathology*, 47(5), 612–633.
- Charles River. (2012). *BALB/C Mouse Biochemistry*. Tersedia pada: <http://www.criver.com>
- Chow, S.-C., Shao, J., Wang, H., & Lokhnygina, Y. (2018). *Sample size calculations in clinical research* (Third Edition). CRC Press, Taylor & Francis Group (e-book).
- Davis, C. P. (2019a). *Creatinine (low, high, blood test results explained)*. Tersedia pada: https://www.medicinenet.com/creatinine_blood_test/article.htm#who_has_low_or_high_blood_creatinine_levels.
- Davis, C. P. (2019b). *Liver blood tests abnormal values (high, low, normal) explained*. Tersedia pada: https://www.medicinenet.com/liver_blood_tests/article.htm
- Deroost, K., Lays, N., Pham, T.-T., Baci, D., Eynde, K. V. den, Komuta, M., Prato, M., Roskams, T., Schwarzer, E., Opdenakker, G., & Steen, P. E. V. den. (2014). Hemozoin induces hepatic inflammation in mice and is differentially associated with liver pathology depending on the Plasmodium strain. *PLOS ONE*, 9(11), e113519.
- Dumancas, G., Kasi Viswanath, L., de Leon, A., Ramasahayam, S., Maples, R., Koralege, R. H., Perera, U., Langford, J., Shakir, A., & Castles, S. (2016). Chapter 6: Health benefits of virgin coconut oil. in *Vegetable oil: properties, uses, and benefits*. Nova Science Publishers, Inc. Tersedia pada:

- https://www.researchgate.net/publication/299371254_Health_benefits_of_virgin_coconut_oil
- Durasevic, S., Jasnic, N., Prokic, M., Grigorov, I., Martinovic, V., Djordjevic, J., & Pavlovic, S. (2019). The protective role of virgin coconut oil on the alloxan-induced oxidative stress in liver, kidney and heart of diabetic rats. *Food and Function*.
- Elias, R. M., Correa-Costa, M., Barreto, C. R., Silva, R. C., Hayashida, C. Y., Castoldi, Â., Gonçalves, G. M., Braga, T. T., Barboza, R., Rios, F. J., Keller, A. C., Cenedeze, M. A., Hyane, M. I., D'Império-Lima, M. R., Figueiredo-Neto, A. M., Reis, M. A., Marinho, C. R. F., Pacheco-Silva, A., & Câmara, N. O. S. (2012). Oxidative stress and modification of renal vascular permeability are associated with acute kidney injury during *P. berghei* ANKA infection. *PLoS ONE*, 7(8).
- Famurewa, A., Ufebe, O., Chima, E.-E., Nwankwo, O., & godwin sunday, O. (2017). Virgin coconut oil supplementation attenuates acute chemotherapy hepatotoxicity induced by anticancer drug methotrexate via inhibition of oxidative stress in rats. *Biomedicine & Pharmacotherapy*
- Famurewa, Ademola C., Aja, P. M., Maduagwuna, E. K., Ekeleme-Egedigwe, C. A., Ufebe, O. G., & Azubuike-Osu, S. O. (2017). Antioxidant and anti-inflammatory effects of virgin coconut oil supplementation abrogate acute chemotherapy oxidative nephrotoxicity induced by anticancer drug methotrexate in rats. *Biomedecine & Pharmacotherapie*, 96, 905–911.
- Famurewa, Ademola Clement, & Ejzie, F. E. (2018). Polyphenols isolated from virgin coconut oil attenuate cadmium-induced dyslipidemia and oxidative stress due to their antioxidant properties and potential benefits on cardiovascular risk ratios in rats. *Avicenna Journal of Phytomedicine*, 8(1), 73–84.
- Faria, J., Ahmed, S., Gerritsen, K. G. F., Mihaila, S. M., & Masereeuw, R. (2019). Kidney-based *in vitro* models for drug-induced toxicity testing. *Archives of Toxicology*, 93(12), 3397–3418.
- Firhat E., Rahman, D. A., & Hasbie, N. F. (2015). Hubungan derajat parasitemia dengan peningkatan kadar SGOT pada pasien malaria di puskesmas Hanura kabupaten Pesawaran tahun. *Jurnal Medika Malahayati*, 2(3), 120–124.
- Ghani, N. A. A., Channip, A., Chok Hwee Hwa, P., Ja'afar, F., Yasin, H. M., & Usman, A. (2018). Physicochemical properties, antioxidant capacities, and metal contents of virgin coconut oil produced by wet and dry processes. *Food Science & Nutrition*, 6(5), 1298–1306.
- Gonçalves, L. A., Rodrigues-Duarte, L., Rodo, J., Moraes, L. V. de, Marques, I., & Penha-Gonçalves, C. (2013). TREM2 governs Kupffer cell activation and

- explains belr1 genetic resistance to malaria liver stage infection. *Proceedings of the National Academy of Sciences*, 110(48), 19531–19536.
- Gowda, S., Desai, P. B., Kulkarni, S. S., Hull, V. V., Math, A. A. K., & Vernekar, S. N. (2010). Markers of renal function tests. *North American Journal of Medical Sciences*, 2(4), 170–173.
- Hall, J. (2016). *Guyton and Hall textbook of medical physiology* (13th Edition). Elsevier (e-book).
- Harijanto, P., Gunawan, C., & Nugroho, A. (2016). *Malaria, tatalaksana kinis dan terapi* (3rd ed.). Jakarta: Penerbit Buku Kedokteran EGC.
- Hartati, Idris, I. S., Karim, H., Pagarra, H., & Rachmawaty. (2019). Antimicrobial and antioxidant activities from a combination of Swietenia mahagoni seed extract and virgin coconut oil (VCO). *Journal of Physics: Conference Series*, 1244, 012045.
- Huang, B., Pearman, E., & Kim, C. (2015). Mouse models of uncomplicated and fatal malaria. *Bio Protoc*, 5(13).
- Ibrahim, A., Zit, K., Al-rawi, S., Ahamed, M., & Majid, A. (2011). In vivo oral toxicological studies of N NUFERA® virgin coconut oil. *Malaysian Journal of Pharmaceutical Sciences*, 9(1), 27–37.
- Intan, P. R., Lestari, T. W., & Sani, Y. (2017). Studi histopatologi pasca pemberian ekstrak campuran kulit batang Pulai (*Alstonia scholaris* L. R. Br.) Dan Meniran (*Phyllanthus niruri* L.) pada mencit terinfeksi *Plasmodium berghei*. *Jurnal Kedokteran YARSI*, 25(1), 10–22.
- Isa, Rinidar, & Sugito. (2013). Aktivitas antiplasmodium daun sernai (*Wedelia biflora*) berdasarkan evaluasi fungsi ginjal dan hati pada mencit yang diinfeksi dengan *Plasmodium berghei*. *Jurnal Veteriner*, 13(2), 167–175.
- Janse, C. (2019). *Life cycle of Plasmodium berghei* | LUMC. Tersedia pada: <https://www.lumc.nl/org/parasitologie/research/malaria/berghei-model/life-cycle-berghei/>
- Kalia, S., Bagai, U., & Gorki, V. (2015). Effect of *Albizia lebbeck* on liver and kidney function of *Plasmodium berghei* infected mice. *International Journal of Pharma Sciences and Research*, 6(3), 575–581.
- Kalra, A., Yetiskul, E., Wehrle, C. J., & Tuma, F. (2020). Physiology, Liver. In *StatPearls*. StatPearls Publishing. Tersedia pada: <http://www.ncbi.nlm.nih.gov/books/NBK535438/>
- Kemenkes RI. (2016). *InfoDatin Malaria*.
- Kemenkes RI. (2017). *Buku saku penatalaksanaan kasus Malaria*.

- Kemenkes RI. (2018). *Wilayah Indonesia dominan bebas Malaria*. Tersedia pada: <http://www.depkes.go.id/article/view/18042400002/wilayah-indonesia-dominan-bebas-malaria.html>
- Koopmans, L. C., van Wolfswinkel, M. E., Hesselink, D. A., Hoorn, E. J., Koelewijn, R., van Hellemond, J. J., & van Genderen, P. J. J. (2015). Acute kidney injury in imported *Plasmodium falciparum* malaria. *Malaria Journal*, 14(1), 523.
- Kumar, V., Abbas, A., & Aster, J. (2013). *Robbin's Basic Pathology* (e-book).
- Kurniawan, I. W. A. Y., Wiratmini, N. I., & Sudatri, N. W. (2014). Histologi hati mencit (*Mus musculus* L.) yang diberi ekstrak daun lamtoro (*Leucaena leucocephala*). *Simbiosis*, 2(2).
- Lima, E., Sousa, C., Meneses, L., Ximenes, N., Santos Junior, M., Vasconcelos, G., & Patrcinio, M. (2015). *Cocos nucifera* (L.) (Arecaceae): A phytochemical and pharmacological review. *Brazilian Journal of Medical and Biological Research*, 48(11), 953–963.
- LUMC. (2019). *Morphology P. berghei: Images light microscopy* | LUMC. Tersedia pada: <https://www.lumc.nl/org/parasitologie/research/malaria/berghei-model/Morphology-berghei-LM/Morphology-berghei-LM-images/>
- Manatar, A. F., Wangko, S., & Kaseke, M. M. (2013). Gambaran histologik hati tikus wistar yang diberi virgin coconut oil dengan induksi parasetamol. *Jurnal Biomedik : JBM*, 5(1).
- Marliana, E., Saleh, C., & Hendra, M. (2018). Antioxidant and antimalarial activities of phenolic compounds from leaves of *Macaranga beccariana* Merr. *JURNAL KIMIA MULAWARMAN*, 15(2), 106.
- Mau, F., & Sopi, I. B. (2014). Kesesuaian gejala klinis malaria dengan parasitemia positif di wilayah Puskesmas Wairasa Kabupaten Sumba Tengah Provinsi Nusa Tenggara Timur. *Media Penelitian Dan Pengembangan Kesehatan*, 24(2), 75-80–80.
- Maurya, R., Kumar, K., & Kumar, P. (2018). Anatomical and physiological similarities of kidney in different experimental animals used for basic studies. *Journal of Clinical & Experimental Nephrology*, 3(2).
- Michael, B., Yano, B., Sellers, R. S., Perry, R., Morton, D., Roome, N., Johnson, J. K., & Schafer, K. (2007). Evaluation of organ weights for rodent and non-rodent toxicity studies: A Review of Regulatory Guidelines and a Survey
- Muwonge, H., Kikomeko, S., Sembajjwe, L. F., Seguya, A., & Namugwanya, C. (2013, June 2). *how reliable are hematological parameters in predicting uncomplicated plasmodium falciparum malaria in an endemic region?* [clinical study]. ISRN Tropical Medicine; Hindawi.

- Naing, C., Racloz, V., Whittaker, M. A., Aung, K., Reid, S. A., Mak, J. W., & Tanner, M. (2013). Efficacy and safety of dihydroartemisinin-piperaquine for treatment of *Plasmodium vivax* Malaria in endemic countries: meta-analysis of randomized controlled studies. *PLoS ONE*, 8(12).
- Nardos, A., & Makonnen, E. (2017). *In vivo* antiplasmodial activity and toxicological assessment of hydroethanolic crude extract of *Ajuga remota*. *Malaria Journal*, 16.
- Nevin, K., & Rajamohan, T. (2006). Virgin coconut oil supplemented diet increases the antioxidant status in rats. *Food Chemistry*, 99, 260–266.
- Nobes, M., Ghabrial, H., Simms, K., Smallwood, R., Morgan, D., & Sewell, R. (2002). Hepatic Kupffer cell phagocytotic function in rats with erythrocytic-stage malaria. *Journal of Gastroenterology and Hepatology*, 2002(17).
- Nsiah, K., Bahaah, B., Oppong Afranie, B., Koffie, S., Akowuah, E., & Donkor, S. (2019, July 7). *Oxidative stress and hemoglobin level of complicated and uncomplicated malaria cases among children: a cross-sectional study in kumasi metropolis, ghana* [research article]. Journal of Tropical Medicine; Hindawi.
- Percário, S., Moreira, D. R., Gomes, B. A. Q., Ferreira, M. E. S., Gonçalves, A. C. M., Laurindo, P. S. O. C., Vilhena, T. C., Dolabela, M. F., & Green, M. D. (2012). Oxidative stress in malaria. *International Journal of Molecular Sciences*, 13(12), 16346–16372.
- Phillips, M. A., Burrows, J. N., Manyando, C., van Huijsdijnen, R. H., Van Voorhis, W. C., & Wells, T. N. C. (2017). Malaria. *Nature Reviews Disease Primers*, 3(1), 17050.
- Plewes, K., Royakkers, A. A., Hanson, J., Hasan, M. M. U., Alam, S., Ghose, A., Maude, R. J., Stassen, P. M., Charunwatthana, P., Lee, S. J., Turner, G. D., Dondorp, A. M., & Schultz, M. J. (2014). Correlation of biomarkers for parasite burden and immune activation with acute kidney injury in severe falciparum malaria. *Malaria Journal*, 13, 91.
- Poespoprodjo, J. R., Kenangalem, E., Wafom, J., Chandrawati, F., Puspitasari, A. M., Ley, B., Trianty, L., Korten, Z., Surya, A., Syafruddin, D., Anstey, N. M., Marfurt, J., Noviyanti, R., & Price, R. N. (2018). therapeutic response to dihydroartemisinin–piperaquine for *P. falciparum* and *P. vivax* nine years after its introduction in Southern Papua, Indonesia. *The American Journal of Tropical Medicine and Hygiene*, 98(3), 677–682.
- Pradel, G., & Frevert, U. (2001). Malaria sporozoites actively enter and pass through rat Kupffer cells prior to hepatocyte invasion. *Hepatology*, 33(5), 1154–1165.

- Raman, J., Kagoro, F. M., Mabuza, A., Malatje, G., Reid, A., Frean, J., & Barnes, K. I. (2019). Absence of kelch13 artemisinin resistance markers but strong selection for lumefantrine-tolerance molecular markers following 18 years of artemisinin-based combination therapy use in Mpumalanga Province, South Africa (2001–2018). *Malaria Journal*, 18(1), 280.
- Rayner, H., Mark, T., & Milford, D. (2016). Kidney Anatomy and Physiology. In *Understanding Kidney Diseases* (pp. 1–10).
- Reuling, I. J., de Jong, G. M., Yap, X. Z., Asghar, M., Walk, J., van de Schans, L. A., Koelewijn, R., Färnert, A., de Mast, Q., van der Ven, A. J., Bousema, T., van Hellemond, J. J., van Genderen, P. J. J., & Sauerwein, R. W. (2018). Liver Injury in Uncomplicated Malaria is an Overlooked Phenomenon: An Observational Study. *EBioMedicine*, 36, 131–139.
- Riza, H., Fahrurroji, A., Supriyanto, S., & Wicaksono, A. (2019). The antimalarial activity of the water extract of simpur (*Dillenia indica l*) leaves against *Plasmodium berghei* in mice. *Majalah Obat Tradisional*, 24(1), 28–32.
- Robson, L. (2014). The kidney – an organ of critical importance in physiology. *The Journal of Physiology*, 592(Pt 18), 3953–3954.
- Rowe, J. A., Claessens, A., Corrigan, R. A., & Arman, M. (2009). Adhesion of *Plasmodium falciparum*-infected erythrocytes to human cells: Molecular mechanisms and therapeutic implications. *Expert Reviews in Molecular Medicine*, 11. h
- Sacomboio, E. N. M., Santos Sebastião, C. dos, Tchivango, A. T., Pocoits-Filho, R., & Calice-Silva, V. (2020). Does parasitemia level increase the risk of acute kidney injury in patients with malaria? Results from an observational study in Angola. *Scientific African*, 7, e00232.
- Sadiq, M. B., Tharaphan, P., Chotivanich, K., Tarning, J., & Anal, A. K. (2017). In vitro antioxidant and antimalarial activities of leaves, pods and bark extracts of *Acacia nilotica* (L.) Del. *BMC Complementary and Alternative Medicine*, 17(1), 372.
- Sardjono, T. W., & Fitri, L. E. (2019). *Kupas bahas ringkas tentang Malaria*. Malang: UB Press.
- Siciliano, G., & Alano, P. (2015). Enlightening the malaria parasite life cycle: Bioluminescent Plasmodium in fundamental and applied research. *Frontiers in Microbiology*, 6.
- Silva Junior, G. B. da, Pinto, J. R., Barros, E. J. G., Farias, G. M. N., Daher, E. D. F., Silva Junior, G. B. da, Pinto, J. R., Barros, E. J. G., Farias, G. M. N., & Daher, E. D. F. (2017). Kidney involvement in malaria: An update. *Revista Do Instituto de Medicina Tropical de São Paulo*, 59.

- Siswantoro, H., Hasugian, A. R., Avrina, R., Risniati, Y., & Tjitra, E. (2011). *Efikasi dan keamanan Dihidroartemisinin-Piperakuin (DHP)*. 21, 10.
- Snell, R. (2006). *Anatomi Klinik* (6th ed.). Jakarta: Penerbit Buku Kedokteran EGC.
- Somsak, V., Kittitorn, J., Chachiyo, S., Srichairatanakool, S., & Uthaipibull, C. (2015). effect of aqueous crude extract of *tinospora crispa* on *Plasmodium berghei* induced liver damage in mice. *Malaria Control & Elimination*, 4(1).
- Sowunmi, A. (1996). Hepatomegaly in acute falciparum malaria in children. *Transactions of The Royal Society of Tropical Medicine and Hygiene*, 90(5), 540–542.
- Sriboonvorakul, N., Ghose, Hassan, Hossain, Faiz, Pukrittayakamee, Chotivanich, Sukthana, Leopold, Plewes, Day, White, Tarning, & Dondorp. (2018). Acidosis and acute kidney injury in severe malaria. *Malaria Journal*, 17(128).
- Sulistyaningsih, E., Amalia, T. Y., & Kartikasari, R. (2017). Antioxidant and Antimalarial Activity of *Leea indica* leaf extract against Malaria-mice Model. *Journal of Applied Pharmaceutical Science*, 7(12), 163–168.
- Tarkang, P. A., Nwachiban Atchan, A. P., Kuiate, J.-R., Okalebo, F. A., Guantai, A. N., & Agbor, G. A. (2013, December 19). *Antioxidant potential of a polyherbal antimalarial as an indicator of its therapeutic value* [research article]. Advances in Pharmacological Sciences; Hindawi.
- Varma, S. R., Sivaprakasam, T. O., Arumugam, I., Dilip, N., Raghuraman, M., Pavan, K. B., Rafiq, M., & Paramesh, R. (2018). *In vitro* anti-inflammatory and skin protective properties of Virgin coconut oil. *Journal of Traditional and Complementary Medicine*, 9(1), 5–14.
- Viriyavejakul, P., Khachonsaksume, V., & Punsawad, C. (2014). Liver changes in severe *Plasmodium falciparum* malaria: Histopathology, apoptosis and nuclear factor kappa B expression. *Malaria Journal*, 13(106).
- Vroon, D. H., & Israili, Z. (1990). Aminotransferases. In H. K. Walker, W. D. Hall, & J. W. Hurst (Eds.), *Clinical Methods: The History, Physical, and Laboratory Examinations* (3rd ed.). Butterworths. Tersedia pada: <http://www.ncbi.nlm.nih.gov/books/NBK425/>
- White, N. (2009). Section 9 Protozoan Parasite: Malaria. In *Manson's Tropical Disease Twenty third edition* (23rd ed.). Saunders Elsevier (e-book).
- WHO. (2015). *Guidelines for the treatment of malaria*.
- WHO. (2018). *World malaria report 2018*.
- Wichapoon, B., Punsawad, C., & Viriyavejakul, P. (2017). Expression of cleaved caspase-3 in renal tubular cells in *Plasmodium falciparum* malaria patients. *Nephrology*, 22(1), 79–84.

- Wilairatana, P., Tangpukdee, N., & Krudsood, S. (2013). Definition of hyperparasitemia in severe falciparum malaria should be updated. *Asian Pacific Journal of Tropical Biomedicine*, 3(7), 586.
- Wilson, A. L. (2011). A systematic review and meta-analysis of the efficacy and safety of intermittent preventive treatment of malaria in children (IPTc). *PLoS ONE*, 6(2).
- Yang, H.-T., Chen, J.-W., Rathod, J., Jiang, Y.-Z., Tsai, P.-J., Hung, Y.-P., Ko, W.-C., Paredes-Sabja, D., & Huang, I.-H. (2018). lauric acid is an inhibitor of *Clostridium difficile* growth in vitro and reduces inflammation in a mouse infection model. *Frontiers in Microbiology*, 8.
- Zakaria, Z. A., Rofiee, M. S., Somchit, M. N., Zuraini, A., Sulaiman, M. R., Teh, L. K., Salleh, M. Z., & Long, K. (2011). Hepatoprotective activity of dried-and fermented-processed virgin coconut oil. *Evidence-Based Complementary and Alternative Medicine: ECAM*, 2011, 142739.
- Zaman, V., & Mah-Lee, N. (2008). Apicomplexa. In *Atlas of Medical Parasitology* (pp. 45–60). Singapura: Elsevier.