

1. Pemeriksaan in vitro kandungan *growth factor* (PDGF, VEGF, IGF, TGF-  
b) yang paling tinggi terdapat pada kombinasi PRF dan SMSCs.
2. Proliferasi SMSCs terjadi setelah dikombinasikan dengan PRF.
3. Ekspresi fibronectin paling tinggi terdapat pada kelompok kelinci yang  
diberikan kombinasi PRF dan SMSCs dan ekspresi MMP8 terlihat pada  
semua semua kelompok.

## 7.2 Saran

Berdasarkan hasil penelitian, maka saran yang diajukan adalah perlu dilakukan penelitian lebih lanjut untuk pengembangan PRF sebagai biomaterial *scaffold* dan SMSCs sebagai alternatif sumber *mesenchymal stem cells*. Hal ini diharapkan meningkatkan pengetahuan dalam bidang *veterinary regenerative medicine*.

## DAFTAR PUSTAKA

- Abramov, Y., A. R. Webb., J. J. Miller., A. Alshahrour., S. M. Botros., R. P. Goldberg., G. A. Ameer., P. K. Sand. 2006. Biomechanical characterization of vaginal versus abdominal surgical wound healing in the rabbit. *Am. J. Obstet. Gynecol.* 194: 1472- 1477.
- Abramov, Y., B. Golden., M. Sullivan., S. M. Botros., J. J. Miller., A. Alshahrour., R. P. Goldberg., P. K. Sand. 2007. Histologic

- characterization of vaginal vs. abdominal surgical wound healing in a rabbit model. *Wound Repair Regen.* 15: 80-86.
- Amalsadvala, T., and S.F. Swaim. 2006. Management of hard-to-heal wounds. *Vet Clin North Am Small Anim Pract.* 36(4): 693-711.
- Anselme, K. 2000. Osteoblast adhesion on biomaterials. *Biomaterials.* 21:667-681.
- Aulino, P., A. Costa., E. Chiaravalloti., B. Perniconi., S. Adamo., D. Coletti., M. Marrelli., M. Tatullo., L. Teodori. 2015. Muscle Extracellular Matrix Scaffold Is a Multipotent Environment. *Int. J. Med. Sci.* 12: 336-340.
- Ball SG, Shuttleworth CA, Kielty CM. 2007. Mesenchymal stem cells and neovascularization: role of platelet-derived growth factor receptors. *J Cell Mol Med.* 11:1012–1030.
- Bansal S., A. Garg., R. Khurana., P. Chhabra. 2017. Platelet-rich fibrin or platelet-rich plasma – Which one is better? An opinion. *Indian J Dent Sci.* 9: 49-52.
- Barrientos, S., O. Stojadinovic., M. S. Golinko., H. Brem., M. Tomic-Canic. 2008. Growth factors and cytokines in wound healing. *Wound Repair and Regeneration.* 16 (5): 585–601.
- Basha, K. M. A., R. Kumar., U. Jabeen., M. A. Shah., D. Gautam., A. Majid, C. R. Swapna., A. Khan., G. V. Prakash., S. Khan. 2019. Care and management of wound in animals. *Livestock Line.*12(12). April
- Bayer, A., Lammel, J., Rademacher, F., Groß, J., Siggelkow, M., Lippross, S., Klüter, T., Varoga, D., Tohidnezhad, M., Pufe, T., Cremer, J., Gläser, R., & Harder, J. 2016. Platelet-released growth factors induce the antimicrobial peptide human beta-defensin-2 in primary keratinocytes. *Experimental dermatology*, 25(6), 460–465.
- Benítez, J. M, and F. J. Montáns. 2017. The mechanical behavior of skin: Structures and models for the finite element analysis. *Computers and Structures.* 190:75-107.
- BOHLING, M. W., HENDERSON, R. A., SWAIM, S. F., KINCAID, S. A., & WRIGHT, J. C. 2006. Comparison of the Role of the Subcutaneous Tissues in Cutaneous Wound Healing in the Dog and Cat. *Veterinary Surgery*, 35(1), 3–14).
- Borie, E., Oliví, D. G., Orsi, I. A., Garlet, K., Weber, B., Beltrán, V., & Fuentes, R. 2015. Platelet-rich fibrin application in dentistry: a literature review. *International journal of clinical and experimental medicine*, 8(5), 7922–7929.
- Bortolotti F, Ukovich L, Razban V, Martinelli V, Ruozi G, Pelos B, Dore F, Giacca M, Zacchigna S. 2015. In vivo therapeutic potential of mesenchymal stromal cells depends on the source and the isolation procedure. *Stem Cell Reports.* 4:332–9.

- Brancato, S.K, and J.E. Albina. 2011. Wound macrophages as key regulators of repair: origin, phenotype, and function. *Am J Pathol.* 178(1): 19–25.
- Burnouf, T., C.Y. Lee., C.W. Luo., Y.P. Kuo., M.L. Chou., Y. W. Wu. 2012. Human blood-derived fibrin releasates: composition and use for the culture of cell lines and human primary cells. *Biologicals.* 40: 21-30
- Cantinieaux, D., Quertainmont, R., Blacher, S., Rossi, L., Wanet, T., Noël, A., Brook, G., Schoenen, J. and Franzen, R., 2013. Conditioned medium from bone marrow-derived mesenchymal stem cells improves recovery after spinal cord injury in rats: an original strategy to avoid cell transplantation. *PloS one*, 8(8), p.e69515.
- Carlson, M. A, and M. T. Longaker. 2004. The fibroblast-populated collagen matrix as a model of wound healing: a review of the evidence. *Wound Repair and Regeneration.* 12(2): 134–147.
- Catelas, I., N. Sese., B. M. Wu., J. C. Dunn., S. Helgerson., B. Tawil. 2006. Human mesenchymal stem cell proliferation and osteogenic differentiation in fibrin gels in vitro. *Tissue Engineering.* 12: 2385–2396.
- Chen, L. E., E. Tredget., P. Y. G. Wu., Y. Wu. 2008. Paracrine factors of mesenchymal stem cells recruit macrophages and endothelial lineage cells and enhance wound healing. *PLoS One.* 3(4): e1886.
- Choukroun, J., F. Adda., C.V.A. Schoeffler. 2001. Une opportunité en parodontologie: le PRF. *Implantodontie.* 42: 55–62.
- Choukroun, J., A. Diss., A. Simonpieri. 2006. Platelet-rich fibrin (PRF): A second generation platelet concentrate. Part IV: Clinical effects on tissue healing. *Oral Surg Oral Med Oral Path Oral Radiol Endod.* 101:56-60.
- Clark, R.A.F. Ed. 1996. *The Molecular and Cellular Biology of Wound Repair.* Plenum, New York, pp. 3–50
- Collins, M. N., T. H. Friend., F. D. Jousan., S.C. Chen. 2000. Effect of density on displacement, falls, injuries, and orientation during horse transportation. *Appl Anim Behav Sci.* 67(3): 169–179.
- Crisci, A., D. Lombardi., E. Serra., G. Lombardi., F. Cardillo., M. Crisci. 2017. Standardized protocol proposed for clinical use of L-PRF and the use of L-PRF Wound Box®. *J Unexplored Med Data.* 2: 77-87.
- Crisci, A., F. Placido., M. Crisci., A. Bosco. 2015. A new instrument aid of plastic surgeon: membranes L-PRF (Platelet-Rich-Fibrin). *Journal of Plastic Dermatology.* 11: 3.
- Darby, I.A., B. Laverdet., F. Bonte., A. Desmouliere. 2014. Fibroblasts and myofibroblasts in wound healing. *Clin Cosmet Investig Dermatol.* 7: 301–311.

- Dasu, M. R, and R. R. Isseroff. 2012. Toll-Like Receptors in Wound Healing: Location, Accessibility, and Timing. *Journal of Investigative Dermatology*. 132(8): 1955-1958.
- Demetriou, J. and S. Stein. 2011. Causes and management of complications in wound healing. *In Practice*. 3. 392–400.
- Dinaryanti, A., D. Karsari., N. Ertanti., I. S. Ihsan., A. Ariyanti., F. A. Rantam., A. Aulanni'am., Purwati. 2019. Isolation characterization of Skin and Stem Cells Derived Mesenchymal (SMSCs) FROM NEW ZEALAND RABBIT (*Oryctolagus cuniculus*). *Biochemical and Cellular Achieve*. 19 (2): 4797-4801.
- Ding, D., W. Shyu., S. Lin. 2011. Mesenchymal stem cells. *Cell Transpl*. 20:5–14.
- Ding, W., Knox, T. R., Tschumper, R. C., Wu, W., Schwager, S. M., Boysen, J. C., Jelinek, D. F., & Kay, N. E. 2010. Platelet-derived growth factor (PDGF)-PDGF receptor interaction activates bone marrow-derived mesenchymal stromal cells derived from chronic lymphocytic leukemia: implications for an angiogenic switch. *Blood*, 116(16), 2984–2993.
- Dipietro L. A. 2013. Angiogenesis and scar formation in healing wounds. *Current Opinion in Rheumatology*. 25(1):87–91.
- Dohan Ehrenfest, D. M., Bielecki, T., Jimbo, R., Barbé, G., Del Corso, M., Inchingolo, F., & Sammartino, G. 2012. Do the fibrin architecture and leukocyte content influence the growth factor release of platelet concentrates? An evidence-based answer comparing a pure platelet-rich plasma (P-PRP) gel and a leukocyte- and platelet-rich fibrin (L-PRF). *Current pharmaceutical biotechnology*, 13(7), 1145–1152.
- Dohan, D.M., J. Choukroun., A. Diss., S. L. Dohan., A. J. Dohan., J. Mouhyi. 2006. Platelet-rich fibrin (PRF): A second-generation platelet concentrate. Part II: Platelet-related biologic features. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod*. 101: 45–50.
- Dohan, D.M., J. Choukroun., A. Diss., S. L. Dohan., A. J. Dohan., J. Mouhyi., B. Gogly. 2006. Platelet-rich fibrin (PRF): A second-generation platelet concentrate. Part I: Technological concepts and evolution. *Oral Surg. Oral Med. Oral Pathol. Oral Radiol. Endod*. 101: 37–44.
- Dominici, M., K. le Blanc., I. Mueller. 2006. Minimal criteria for defining multipotent mesenchymal stromal cells. The International Society for Cellular Therapy position statement. *Cytotherapy*. 8(4): 315–317.
- Dorantes, L. C, and M. C. Ayala. 2019. Skin Acute Wound Healing: A Comprehensive Review. *Int J Inflam*. 3706315.
- Ellis, S., J. Elaine., Lin., D. Tartar. 2018. Immunology of Wound Healing. *Current Dermatology Reports*. 7: 350–358.
- Ertanti, N., D. Karsari., A. Dinaryanti., I. S. Ihsan., E. Hendrianto., R. P. Iriandani., F.A. Rantam., Purwati. 2019. RABBIT SKIN-DERIVED

MESENCHYMAL STEM CELLS (SMSCS) CHARACTERIZATION AND DIFFERENTIATION INTO OSTEOGENIC LINEAGE. *Biochem. Cell. Arch.* 19(2): 4783-4789.

- Falanga, V. 2005. Wound healing and its impairment in the diabetic foot. *Lancet.* 366 (9498):1736e43.
- Faler, B. J., R. A. Macsata., D. Plummer., L. Mishra., A. N. Sidawy. 2006. Transforming growth factor- $\beta$  and wound healing. *Perspectives in Vascular Surgery and Endovascular Therapy.* 18(1): 55–62.
- Ganeshkumar, M., T. Ponrasu., R. Krithika., K. Iyappan., V. S. Gayathri., L. Suguna. 2012. Topical application of *Acalypha indica* accelerates rat cutaneous wound healing by up-regulating the expression of Type I and III collagen. *Journal of Ethnopharmacology.* 142(1): 14–22.
- Gao, M., T. T. Nguyen., M. A. Suckow., W. R. Wolter., M. Gooyit., S. Mobashery. 2015. Acceleration of diabetic wound healing using a novel protease-anti-protease combination therapy. *Proc Natl Acad Sci U S A.* 112(49): 15226–15231.
- Gassling, V., D. Timothy., H. Patrick., Warnke, Yahya Ac,il, Jo`rg Wiltfang, S. T. Becker. 2010. Platelet-rich fibrin membranes as scaffolds for periosteal tissue engineering. *Clin. Oral Impl. Res.* 21: 543–549.
- Ge, W., Jiang, J., Baroja, M.L., Arp, J., Zassoko, R., Liu, W., Bartholomew, A., Garcia, B., Wang, H. 2009. Infusion of mesenchymal stem cells and rapamycin synergize to attenuate alloimmune responses and promote cardiac allograft tolerance. *Am. J. Transplant.* 9, 1760–1772.
- Ghanaati, S., P. Booms., A. Orłowska., A. Kubesch., J. Lorenz., J. Rutkowski., C. Landes., R. Sader., C.J. Kirkpatrick., J. Choukroun. 2014. Advanced Platelet-Rich Fibrin: A New Concept for Cell-Based Tissue Engineering by Means of Inflammatory Cells. *Journal of Oral Implantology.* Vol. XL/No. Six/
- Giannobile, W.V. 1996. The potential role of growth and differentiation factors in periodontal regeneration. *J Periodontol.* 67:545–553.
- Gill, S.E, and W, C. Parks. 2008. Metalloproteinases and their inhibitors: regulators of wound healing. *Int J Biochem Cell Biol.* 40(6–7):1334–1347.
- Gooyit, M., Z. Peng., W.R. Wolter, H. Pi., D. Ding., D. Hsek. 2014. A chemical biological strategy to facilitate diabetic wound healing. *ACS Chem Biol.* 9(1):105–110
- Gould, S. E., J. M. Rhee., B. K. B. Tay., N. Y. Otsuka., D. S. Bradford. 2000 Cellular contribution of bone graft to fusion. *Journal of Orthopaedic Research.* 18: 920–927.
- Greenhalgh, D. G. 1998. The role of apoptosis in wound healing. *Int J Biochem Cell Biol.* 30(9): 1019–1030.

- Haniffa, M.A., X. N. Wang., U. Holtick., M. Rae., J. D. Isaacs. 2007. Adult human fibroblasts are potent immunoregulatory cells and functionally equivalent to mesenchymal stem cells. *J. Immunol.* 179: 1595–1604.
- Hartenstein, B., B. T. Dittrich., D. Stickens., B. Heyer., T. H. Vu., S. Teurich. 2006. Epidermal development and wound healing in matrix metalloproteinase 13-deficient mice. *J Invest Dermatol.* 126(2):486–496.
- Hernandez, J, and D. L. Hawkins. 2001. Training failure among yearling horses. *Am J Vet Res.* 62(9): 1418–1422.
- Hilmi, A. B. M., A. S. Halim., H. Jaafar., A. B. Asiah., A. Hassan. 2013. Chitosan dermal substitute and chitosan skin substitute contribute to accelerated full-thickness wound healing in irradiated rats. *BioMed Res Int*
- Howell, T. H, G. Martuscelli., J. Oringer. 1996. Polypeptide growth factors for periodontal regeneration. *Curr Opin Periodontol.* 3: 149–56.
- Hsiao, S. T., Asgari, A., Lokmic, Z., Sinclair, R., Dusting, G. J., Lim, S. Y., & Dilley, R. J. 2012. Comparative analysis of paracrine factor expression in human adult mesenchymal stem cells derived from bone marrow, adipose, and dermal tissue. *Stem cells and development*, 21(12), 2189–2203.
- Hu C., Wu Y., Wan Y., Wang Q., Song J. 2008. Introduction of hIGF-1 gene into bone marrow stromal cells and its effects on the cell's biological behaviors. *Cell Transplantation.* 17(9):1067–1081).
- Jimenez-Aristizabal, R.F., C. Lopez., M. E. Alvarez., C. Giraldo., M. Prades., J. U. Carmona. 2017. Long-term cytokine and growth factor release from equine platelet-rich fibrin clots obtained with two different centrifugation protocols. *Cytokine* 97: 149–155.
- Juliano, R.L, and S. Haskill. 1993. Signal transduction from the extracellular matrix. *The Journal of Cell Biology.* 120: 577–585.
- Kaisho, T, and S. Akira. 2006. Toll-like receptor function and signaling. *J Allergy Clin Immunol.* 117(5):979–987.
- Kang YJ, Jeon ES, Song HY, Woo JS, Jung JS, Kim YK, Kim JH. 2005. Role of c-Jun N-terminal kinase in the PDGF-induced proliferation and migration of human adipose tissue-derived mesenchymal stem cells. *J Cell Biochem* 95:1135–1145.
- Kanitakis, J. 2002. Anatomy, histology and immunohistochemistry of normal human skin. *European Journal of Dermatology*, 12(4), 390–401.
- Karsari, D., A. Dinaryanti., N. Ertanti., I. S. Ihsan., I. I. Renza., F. A. Rantam., Purwati. 2019. Multipotency of Rabbit (*Oryctolagus cuniculus*) Skin - Derived Mesenchymal Stem Cells (SMSCs) Induced to Adipogenic Progenitors *in vitro*. *Biochemical and Cellular Archives.* 19.
- Kawai, T, and S. Akira. 2010. The role of pattern-recognition receptors in innate immunity: update on Toll-like receptors, *Nat. Immunol.* 11: 373–384.

- Kobayashi, E., Flückiger, L., Fujioka-Kobayashi, M., Sawada, K., Sculean, A., Schaller, B., & Miron, R. J. 2016. Comparative release of growth factors from PRP, PRF, and advanced-PRF. *Clinical oral investigations*, 20(9), 2353–2360.
- Kobayashi, M., T. Kawase., M. Horimizu., K. Okuda., L.F. Wolff., H. Yoshie. 2012. A proposed protocol for the standardized preparation of PRF membranes for clinical use. *Biologicals* 40: 323-329.
- Kono H, and K. L. Rock KL. 2008. How dying cells alert the immune system to danger. *Nat Rev Immunol.* 8(4):279–89.
- Kozłowska, U., A. Krawczyński., K. Futoma., T. Jurek., M. Rorat., D. Patrzalek., A. Klimczak. 2019. Similarities and differences between mesenchymal stem/progenitor cells derived from various human tissues. *World journal of stem cells.* 11(6): 347–374.
- Kumar, V., A. K. Abbas., N. Fausto. 2009. Cellular Adaptations, cell injury and cell death. In: Robbins and Cotran, editors. *Pathologic basis of disease.* Philadelphia: Saunders; p. 15-18.
- Kwon, H. M., Hur, S. M., Park, K. Y., Kim, C. K., Kim, Y. M., Kim, H. S., Shin, H. C., Won, M. H., Ha, K. S., Kwon, Y. G., Kim, Y. H., & Lee, D. H. 2014. Multiple paracrine factors secreted by mesenchymal stem cells contribute to angiogenesis. *Vascular pharmacology*, 63(1), 19-28.
- Landén, N. X., D. Li., M. Stähle. 2016. Transition from inflammation to proliferation: a critical step during wound healing. *Cellular and Molecular Life Sciences.* 73(20):3861–3885.
- Lee, B., Kim, H., Shin, T., Kang, I., Lee, J., Kim, J., Kang, H., Seo, Y., Lee, S., Yu, K., Choi, S., Kang, K. 2016. PGE<sub>2</sub> maintains self-renewal of human adult stem cells via EP2-mediated autocrine signaling and its production is regulated by cell-to-cell contact. *Sci Rep* 6, 26298
- Lee, S. H., S. Y. Jin., J. S. Song., K. K. Seo., K. H. Cho. 2012. Paracrine effects of adipose-derived stem cells on keratinocytes and dermal fibroblasts. *Annals of Dermatology.* 24(2): 136–143.
- Lenselink, E. A. 2013. Role of fibronectin in normal wound healing. *International wound journal*, 12(3), 313–316.
- Li, Q., W. Sun., X. Wang., K. Zhang., W. Xi., P. Gao. 2015. Skin-Derived Mesenchymal Stem Cells Alleviate Atherosclerosis via Modulating Macrophage Function STEM CELLS TRANSLATIONAL MEDICINE. 4:1294–1301.
- Liechty, K. W., MacKenzie, T. C., Shaaban, A. F., Radu, A., Moseley, A. M., Deans, R., Marshak, D. R., & Flake, A. W. 2000. Human mesenchymal stem cells engraft and demonstrate site-specific differentiation after in utero transplantation in sheep. *Nature medicine*, 6(11), 1282–1286.

- Liu, R., W. Chang., H. Wei., K. Zhang. 2016. Comparison of the Biological Characteristics of Mesenchymal Stem Cells Derived from Bone Marrow and Skin. *Stem Cells International*. 1–12.
- Lollobrigida, M., M. Maritato., G. Bozzuto., G. Formisano., A. Molinari., A. De Biase. 2018. Biomimetic Implant Surface Functionalization with Liquid L-PRF Products: In Vitro Study. *Hindawi BioMed Research International*.
- Lombardi F, Palumbo P, Augello FR, Cifone MG, Cinque B, Giuliani M. 2019. Secretome of adipose tissue-derived stem cells (ASCs) as a novel trend in chronic non-healing wounds: an overview of experimental *in vitro* and *in vivo* studies and methodological variables. *International Journal of Molecular Sciences* 20(15): 3721.
- Rodrigues M., N. Kosaric, C.A. Bonham, G.C. Gurtner. 2019. Wound healing: a cellular perspective, *Physiol. Rev.* 99 665–706.
- Maacha S., Sidahmed H., Jacob S., Gentilcore G., Calzone R., Grivel J. C., and Cugno C. 2020. Therapeutic Potential of Mesenchymal Stem Cell-Derived Secretomes in Regenerative Medicine. *Hindawi, Stem Cell International*. Article ID 4356359.
- MacLeod, A. S., R. Rudolph., R. Corriden., I. Ye., O. Garijo., W. L. Havran. 2014. Skin-resident T cells sense ultraviolet radiation-induced injury and contribute to DNA repair. *Journal of Immunology*. 192 (12): 5695–5702.
- Mantovani, A., A. Sica., S. Sozzani., P. Allavena., A. Vecchi., M. Locati. 2004. The chemokine system in diverse forms of macrophage activation and polarization. *Trends Immunol.* 25(12):677–86.
- Mantovani, A., S. K. Biswas., M. R. Galdiero., A. Sica., M. Locati. 2013. Macrophage plasticity and polarization in tissue repair and remodeling. *The Journal of Pathology*, 229 (2): 176–185.
- Martin, P, and S. J. Leibovich. 2005. Inflammatory cells during wound repair: The good, the bad and the ugly. *Trends in Cell Biology*. 15(11):599-607.
- Martin, P. 1997. Wound Healing: Aiming for Perfect Skin Regeneration. <http://www.sciencemag.org> z SCIENCE z VOL. 276 z 4 APRIL
- Martinello, T., C. Gomiero., A. Perazzi., I. Iacopetti., F. Gemignani., G. M. DeBenedictis., S. Ferro., M. Zuin., E. Martinez., P. Brun., L. Maccatrozzo., K. Chiers., J. H. Spaas., M. Patruno. 2018. Allogeneic mesenchymal stem cells improve the wound healing process of sheep skin. *BMC Vet Res* 14: 202.
- McDonald, B., Pittman, K., Menezes, G. B., Hirota, S. A., Slaba, I., Waterhouse, C. C., Beck, P. L., Muruve, D. A., & Kubers, P. 2010. Intravascular danger signals guide neutrophils to sites of sterile inflammation. *Science (New York, N.Y.)*, 330(6002), 362–366.

- Hu M. S., R. Mimi. Borrelli., H. P. Lorenz., M. T. Longaker., D. C. Wan. 2018. Mesenchymal Stromal Cells and Cutaneous Wound Healing: A Comprehensive Review of the Background, Role, and Therapeutic Potential. *Hindawi Stem Cells International* Article ID 6901983, 13 pages
- Mickelson, M.A., C. Mans., S. A. Colopy. 2016. Principles of Wound Management and Wound Healing in Exotic Pets. *Vet Clin North Am Exot Anim Pract.* 19(1):33–53.
- Miron, Richard J., and Michael A. Pikos. 2017. PRF as a Barrier Membrane in Guided Bone Regeneration. *Dentistry Today. CONTINUING EDUCATION Recognition Program.* Course Number: 216.
- Miron, Richard J., Mark Bishara, and Joseph Choukroun. 2017. Basics of Platelet-Rich Fibrin Therapy. *Dentistry Today. CONTINUING EDUCATION Recognition Program.* Course Number: 208
- Mosser, D.M. 2003. The many faces of macrophage activation. *J Leukoc Biol* 73(2):209–212.
- Murray, P.J, and T. A. Wynn. 2011. Protective and pathogenic functions of macrophage subsets. *Nature Reviews Immunology.* 11 (11): 723–737.
- Novak, M. L, and T.J. Koh. 2013. Macrophage phenotypes during tissue repair. *J. Leukoc. Biol.* 93: 875–881.
- Novak, M. L., E.M. Weinheimer-Haus., T.J. Koh. 2014. Macrophage activation and skeletal muscle healing following traumatic injury, *J. Pathol.* 232: 344–355.
- Ojeh, N., I. Pastar., M. Tomic-Canic., O. Stojadinovic. 2015. Stem Cells in Skin Regeneration, Wound Healing, and Their Clinical Applications. *Int. J. Mol. Sci.* 16: 25476-25501.
- Orciani, M, and R. Di Primio. 2013. Skin-Derived Mesenchymal Stem Cells: Isolation, Culture, and Characterization. *Skin Stem Cells: Methods and Protocols*, Methods in Molecular Biology. 989.
- Palta, S., R. Saroa., A. Palta. 2014. Overview of the coagulation system. *Indian J Anaesth.* 58(5): 515–23.
- Park SR, Kim JW, Jun HS, Roh JY, Lee HY, Hong IS. 2018. Stem cell secretome and its effect on cellular mechanisms relevant to wound healing. *Molecular Therapy* 26(2): 606–617.
- Park, B.S., K. A. Jang., J. H. Sung., 2008. Adipose-derived stem cells and their secretory factors as a promising therapy for skin aging. *Dermatologic Surgery.* 34 (10): 1323– 1326.
- Penn, J. W., O. A. Grobbelaar., K. J. Rolfe. 2012. The role of the TGF- $\beta$  family in wound healing, burns and scarring: a review. *International Journal of Burns and Trauma.* 2:18–28.

- Perniconi, B., Coletti, D., Aulino, P., Costa, A., Aprile, P., Santacroce, L., Chiaravalloti, E., Coquelin, L., Chevallier, N., Teodori, L., Adamo, S., Marrelli, M., & Tatullo, M. 2014. Muscle acellular scaffold as a biomaterial: effects on C2C12 cell differentiation and interaction with the murine host environment. *Frontiers in physiology*, 5, 354.
- Pokrovskaya LA, Zubareva EV, Nadezhdin SV, Lysenko AS, Litovkina TL. 2020. Biological activity of mesenchymal stem cells secretome as a basis for cell-free therapeutic approach. *Research Results in Pharmacology* 6(1): 57-68.
- Raaj, V., A. Gautam., Abhishek., P. Kumari. 2015. Platelet-Rich Fibrin (PRF): A New Generation Palletelet Concentrate. *Int J Dent Med Res*. 1(6): 164
- Rantam FA., Ferdiansyah, Nasronudin, purwati. 2009. *Stem Cell Exploration, Isolation and Methods*. Surabaya Airlangga University Press.
- Rantam FA., Ferdiansyah, purwati. 2014. *Stem Cell Exploration: Mesenchymal, Hematopoetik dan Metode Aplikasi*. Edisi kedua. Surabaya Airlangga University Press. Hal. 36.
- Rebolla, A., E. A. L. S. Arisawa., P. R. Barja., M. P. S. Posso., C. S. Carvalho. 2013. Effect of Brassica oleracea in rats skin wound healing. *Acta Cir Bras*. 28: 664-669.
- Reinke, J.M, and H. Sorg. 2012. Wound repair and regeneration. *Eur Surg Res*. 49(1):35–43.
- Riekstina, U., R. Muceniece., I. Cakstina., I. Muiznieks., J.Ancans. 2008. Characterization of human skin-derived mesenchymal stem cell proliferation rate in different growth conditions. *Cytotechnology* 58:153–162.
- Rodrigues, M., Griffith, L. G., & Wells, A. 2010. Growth factor regulation of proliferation and survival of multipotential stromal cells. *Stem cell research & therapy*, 1(4), 32).
- Rong, X., Y. Li., Y. Yang., L. Shi., T. Jiang. 2019. Human fetal skin-derived stem cell secretome enhances radiation-induced skin injury therapeutic effects by promoting angiogenesis. *Stem Cell Res Ther* 10, 383
- Salvolini, E., M. Orciani., A. Vignini., M. Mattioli-Belmonte, L. Mazzanti., R. Di Primio. 2010. Skin-derived mesenchymal stem cells (S-MSCs) induce endothelial cell activation by paracrine mechanisms. *John Wiley & Sons A/S, Experimental Dermatology*. 19: 848–850.
- Schreml, S., R. M. Szeimies., L. Prantl., S. Karrer., M. Landthaler., P. Babilas. 2010. Oxygen in acute and chronic wound healing. *Br J Dermatol*. 163(2):257–268.
- Schultz, G.S, and A. Wysocki. 2009. Interactions between extracellular matrix and growth factors in wound healing. *Wound Repair Regen*. 17(2):153–162.

- Sica, A, and A. Mantovani. 2012. Macrophage plasticity and polarization: in vivo veritas. *J Clin Invest.* 122(3):787–95.
- Simon, M., B. Major., G. Vác., O. Kuten., I. Hornyák., A. Hinsenkamp., D. Kardos., M. Bagó., Cseh, D., A. Sárközi., D. Horvathy., S. Nehrer and Z. Lacza. 2018. The Effects of Hyperacute Serum on the Elements of the Human Subchondral Bone Marrow Niche. *Stem Cell International.* Hindawi. Volume 2018, Article ID 4854619, 12 pages
- Singer, E. R., F. Saxby., N. P. French. 2003. A retrospective case-control study of horse falls in the sport of horse trials and three-day eventing. *Equine Vet J.* 35(2):139–145.
- Siviero, F. 2013. *Biologia celular: bases moleculares e metodologia de pesquisa.* 1st. São Paulo, Brazil: Roca.
- Slater, M., J. Patava., K. Kingham., R. S. Mason. 1995. Involvement of platelets in stimulating osteogenic activity. *Journal of Orthopaedic Research* 13: 655–663.
- Stadelmann, W. K., A. G. Digenis., G. R. Tobin. 1998. Physiology and healing dynamics of chronic cutaneous wounds. *Am J Surg.* 176(2A Suppl):26S-38S.
- Su, C.Y., Y. P. Kuo., Y. H. Tseng., C. H. Su., T. Burnouf. 2009. In vitro release of growth factors from platelet-rich fibrin (PRF): a proposal to optimize the clinical applications of PRF. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 108:56e61.
- Takeuchi, O, and S. Akira. 2010. Pattern recognition receptors and inflammation. *Cell.* 140(6):805–820.
- Thanasrisuebwong, P., R. Surarit., S. Bencharit., N. Ruangsawasdi, N. 2019. Influence of Fractionation Methods on Physical and Biological Properties of Injectable Platelet-Rich Fibrin: An Exploratory Study. *International journal of molecular sciences.* 20(7): 1657.
- Thau, L, and S. Sharma. 2019. *Physiology, Cortisol.* February 15, StatPearls Publishing LLC. Mery Fitzgerald Hospital.
- Toffler, M. 2014. Guided bone regeneration (GBR) using cortical bone pins in combination with leukocyte-and platelet-rich fibrin (L-PRF). *Compendium of continuing education in dentistry (Jamesburg, NJ : 1995)* 35:192-198.
- Trombi, L., D. D'Alessandro., S. Pacini., B. Fiorentino., M. Scarpellini., R. Fazzi., S. Galimberti., S. Guazzini., M. Petrini. 2008. Good manufacturing practice-grade fibrin gel is useful as a scaffold for human mesenchymal stromal cells and supports in vitro osteogenic differentiation. *Transfusion* 48: 2246–2251.
- Varela, H.A., J. C. M. Souza., R. M. Nascimento., R. F. Araujo., R. C. Vasconcelos., R. S. Cavalcante., P. M. Guedes., A. A. Araujo. 2018.

- Injectable platelet rich fibrin: Cell content, morphological, and protein characterization. *Clin. Oral Investig.*
- Vestweber, D. 2015. How leukocytes cross the vascular endothelium. *Nat Rev Immunol* 15(11): 692–704.
- Washmuth, Dan. Full Thickness Wounds: Definition, Example & Treatment. 2017, May 19. Retrieved from <https://study.com/academy/lesson/full-thickness-wounds-definition-example-treatment.html>.
- Willenborg, S., T. Lucas., G. van Loo., J. A. Knipper., T. Krieg., I. Haase., B. Brachvogel., M. Hammerschmidt., A. Nagy., N. Ferrara, N. 2012. CCR2 recruits an inflammatory macrophage subpopulation critical for angiogenesis in tissue repair. *Blood*. 120: 613–625.
- Wynn, T. A, and K.M. Vannella. 2016. Macrophages in Tissue Repair, Regeneration, and Fibrosis, *Immunity* 44: 450–462.
- Xue, M, and C. J. Jackson. 2015. Extracellular matrix reorganization during wound healing and its impact on abnormal scarring. *Advances in Wound Care*. 4(3): 119– 136.
- Yannas, I.V., D. S. Tzeranis., So PTC. 2017. Regeneration of injured skin and peripheral nerves requires control of wound contraction, not scar formation. *Wound Repair Regen*. 25(2):177–91.
- Zhang, J., J. Guan., X. Niu., G. Hu., S. Guo., Q. Li Q. 2015. Exosomes released from human induced pluripotent stem cells-derived MSCs facilitate cutaneous wound healing by promoting collagen synthesis and angiogenesis. *J Transl Med* 13:49.

## LAMPIRAN

### A. Prosedur Pembuatan Paraffin Block