

Daftar Pustaka

- [1] G. P. S. Ibrahim, A. M. Isloor, a. Moslehyani, and a. F. Ismail, 2017, "Bio-inspired, fouling resistant, tannic acid functionalized halloysite nanotube reinforced polysulfone loose nanofiltration hollow fiber membranes for efficient dye and salt separation," *Journal Water Process Engineering*, vol. 20(July 2017), pp. 138–148.
- [2] Y. Qi, L. Zhu, X. Shen, A. Sotto, C. Gao, and J. Shen, 2019 "Polythyleneimine-modified original positive charged nanofiltration membrane: Removal of heavy metal ions and dyes," *Separation and Purification Technology*, vol. 222(April 2019), pp. 117–124.
- [3] P. Arribas, M. C. García-Payo, M. Khayet, and L. Gil, 2019, "Heat-treated optimized polysulfone electrospun nanofibrous membranes for high performance wastewater microfiltration," *Separation and Purification Technology*, vol. 226(December 2018), pp. 323–336.
- [4] S. Benkhaya, B. Achiou, M. Ouammou, J. Bennazha, S.A. Younssi, S. M'rabet, and A. El Harfi, 2019, "Preparation of low-cost composite membrane made of polysulfone/polyetherimide ultrafiltration layer and ceramic pozzolan support for dyes removal," *Materials Today Communications*, vol. 19(October 2018), pp. 212–219.
- [5] Y.-X. Xie, K.-K. Wang, W.-H. Yu, M.-B. Cui, Y.-J. Shen, X.-Y. Wang, L.-F. Fang, and B.-K. Zhu, 2020, "Improved permeability and antifouling properties of polyvinyl chloride ultrafiltration membrane via blending sulfonated polysulfone," *Journal of Colloid and Interface Science*, vol. 579(November 2020), pp. 562–572.
- [6] A. A. Isari, A. Payan, M. Fattahi, S. Jorfi, and B. Kakavandi, 2018 "Photocatalytic degradation of rhodamine B and real textile wastewater using Fe-doped TiO₂ anchored on reduced graphene oxide (Fe-TiO₂/rGO): Characterization and feasibility, mechanism and pathway studies," *Applied Surface Science*, vol. 462(December 2018), pp. 549–564.
- [7] C. Yu, B. Gao, W. Wang, X. Xu, and Q. Yue, 2019, "Alleviating membrane fouling of modified polysulfone membrane via coagulation pretreatment/ultrafiltration hybrid process," *Chemosphere*, vol. 235(November 2019), pp. 58–69.
- [8] O. M. a. Shahlo, H. Isawi, M. G. El-Malky, A. E. H. M. Al-Aassar, and A. El Zwai, 2020, "Performance evaluation of the different nano-enhanced polysulfone membranes via membrane distillation for produced water desalination in Sert Basin-Libya," *Arabian Journal of Chem.*, vol. 13, no. 4, pp. 5118–5136.

- [9] E. Dadvar, R. R. Kalantary, H. Ahmad Panahi, and M. Peyravi, 2017, "Efficiency of Polymeric Membrane Graphene Oxide-TiO₂ for Removal of Azo Dye," *Journal of Chemistry*, vol. 2017, pp. 1-13.
- [10] P. S. Suja, C. R. Reshmi, P. Sagitha, and a. Sujith, 2017, "Electrospun Nanofibrous Membranes for Water Purification," *Polymer Reviews*, vol. 57, no. 3, pp. 467–504.
- [11] Y. H. Kotp, 2019, "Removal of organic pollutants using polysulfone ultrafiltration membrane containing polystyrene silicomolybdate nanoparticles: Case study: Borg El Arab area," *Journal Water Process Engineering*, vol. 30(August 2019), pp. 0–1.
- [12] J. Tafreshi and H. Fashandi, 2019, "Environmentally Friendly modification of polysulfone ultrafiltration membrane using organic plant-derived nanoparticles prepared from basil seed gum (BSG) and Ar/O₂ low-pressure plasma," *Journal of Environmental Chemical Engineering*, vol. 7, no. 4, p. 103245.
- [13] N. Zhang, W. Qi, L. Huang, E. Jiang, Z. Li, Y. Luo, X. Zhang, J. Bao, W. Zheng, and G. He, 2020, "A composite membrane of cross-linked GO network semi-interpenetrating in polysulfone substrate for dye removal from water," *Journal of Membrane Science*, vol. 613(November 2020), p.118456.
- [14] R. R. Aquino, M. S. Tolentino, B. M. Z. Crisogono, and S. K. V. Salvacion, 2018, "Adsorption of methylene blue (MB) dye in wastewater by electrospun polysulfone (PSF)/organo-montmorillonite (O-MMT) nanostructured membrane," *Materials Science Forum*, vol. 916 MSF, pp. 120–124.
- [15] A. J. Kajekar, B. M. Dodamani, A. M. Isloor, Z. A. Karim, N. B. Cheer, A. F. Ismail, and S. J. Shilton, 2015, "Preparation and characterization of novel PSf/PVP/PANI-nanofiber nanocomposite hollow fiber ultrafiltration membranes and their possible applications for hazardous dye rejection," *Desalination*, vol. 365(February 2015), pp. 117–125.
- [16] N. Sharma and M. K. Purkait, 2016, "Enantiomeric and racemic effect of tartaric acid on polysulfone membrane during crystal violet dye removal by MEUF process," *Journal of Water Process Engineering*, vol. 10, pp. 104–112.
- [17] H. K. Melvin Ng, C. P. Leo, and a. Z. Abdullah, 2017, "Selective removal of dyes by molecular imprinted TiO₂ nanoparticles in polysulfone ultrafiltration membrane," *Journal of Environmental Chemical Engineering*, vol. 5, no. 4, pp. 3991–3998.

- [18] J. He, A. Cui, S. Deng, and J. P. Chen, 2018, "Treatment of methylene blue containing wastewater by a cost-effective micro-scale biochar/polysulfone mixed matrix hollow fiber membrane: Performance and mechanism studies," *Journal of Colloid and Interface Science*, vol. 512(February 2018), pp. 190–197.
- [19] A. Tizchang, Y. Jafarzadeh, R. Yegani, and S. Khakpour, 2019, "The effects of pristine and silanized nanodiamond on the performance of polysulfone membranes for wastewater treatment by MBR system," *Journal of Environmental Chemical Engineering*, vol. 7, no. 6, p. 103447.
- [20] G. P. S. Ibrahim, A. M. Isloor, Inamuddin, A. M. Asiri, N. Ismail, A. F. Ismail, and G. M. Ashraf, 2017, "Novel, one-step synthesis of zwitterionic polymer nanoparticles via distillation-precipitation polymerization and its application for dye removal membrane," *Scientific Reports*, vol. 7, no. 1, pp. 1–16.
- [21] L. Zhu, M. Wu, B. Van der Bruggen, L. Lei, and L. Zhu, 2020, "Effect of TiO₂ content on the properties of polysulfone nanofiltration membranes modified with a layer of TiO₂-graphene oxide," *Separation and Purification Technology*, vol. 242(December 2019).
- [22] C. Lavanya and R. Geetha Balakrishna, 2020, "Naturally derived polysaccharides-modified PSF membranes: A potency in enriching the antifouling nature of membranes," *Separation and Purification Technology*, vol. 230(August 2019), p. 115887.
- [23] J. Wang, X. Yang, D. Zheng, A. Yao, D. Hua, V. Srinivasapriyan, and G. Zhan, 2020, "Fabrication of Bioinspired Gallic Acid-Grafted Chitosan/Polysulfone Composite Membranes for Dye Removal via Nanofiltration," *ACS Omega*, vol. 5, no. 22, pp. 13077–13086.
- [24] A. K. Dutta, U. K. Ghorai, K. K. Chattopadhyay, and D. Banerjee, 2018, "Removal of textile dyes by carbon nanotubes: A comparison between adsorption and UV assisted photocatalysis," *Physica E: Low-Dimensional Systems and Nanostructures*, vol. 99(January 2018), pp. 6–15.
- [25] N. Sharma and M. K. Purkait, 2016, "Enantiomeric and racemic effect of tartaric acid on brilliant green dye removal on polysulfone based membrane by MEUF process," *Research Journal of Recent Sciences*, vol. 5(ISC-2015), pp. 27-32.
- [26] A. R. Hassan, N. H. M. Safari, S. Rozali, H. Juahir, and M. K. A. Kamarudin, 2017, "Effect of Cetyl Trimethyl Ammonium Bromide (CTAB) Surfactant on Nanofiltration Membrane for Dye Removal," *Malaysian Journal of Applied Sciences*, vol. 2, no. 2, pp. 29–36.

- [27] S. Zhao and Z. Wang, 2017, “A loose nano-filtration membrane prepared by coating HPAN UF membrane with modified PEI for dye reuse and desalination,” *Journal of Membrane Science*, vol. 524(October 2016), pp. 214–224.
- [28] S. Zwane, A. T. Kuvarega, S. D. Mhlanga, and D. S. Dlamini, 2018, “Hydrophilic polysulfone/Lantana camara mixed matrix membranes for the removal of dyes from water,” *Surfaces and Interfaces*, vol. 13(October 2018), pp. 216–223.
- [29] Z. Liu, L. Wang, Z. Mi, S. Jin, D. Wang, X. Zhao, H. Zhou, and C. Chen, 2019, “A carboxyl potassium salt polysulfone (PSF-COOK)-embedded mixed matrix membrane with high permeability and anti-fouling properties for the effective separation of dyes and salts,” *Applied Surface Science*, vol. 490(October 2019), pp. 7–17.
- [30] T. Lakdioui, a. Essamri, and a. El Harfi, 2017, “Optimization study of ultrafiltration rate of a membrane based on polysulfone modified by titanium dioxide on colored water by Indigo,” *Journal of Materials and Environmental Science*, vol. 8, no. 11, pp. 4052–4056.
- [31] M. Kwong, A. Abdelrasoul, and H. Doan, 2019, “Controlling polysulfone (PSF) fiber diameter and membrane morphology for an enhanced ultrafiltration performance using heat treatment,” *Results Materials*, vol. 2(September 2019), p. 100021.
- [32] G. Zhang, M. Zhou, Z. Xu, C. Jiang, C. Shen, and Q. Meng, 2019, “Guanidyl-functionalized graphene/polysulfone mixed matrix ultrafiltration membrane with superior permselective, antifouling and antibacterial properties for water treatment,” *Journal of Colloid Interface Science*, vol. 540(March 2019), pp. 295–305.
- [33] A. Filimon, A. M. Dobos, and V. Musteata, 2019, “New perspectives on development of polysulfones/cellulose derivatives based ionic-exchange membranes: Dielectric response and hemocompatibility study,” *Carbohydrate Polymers*, vol. 226(December 2019), p. 115300.
- [34] R. S. Zambare, K. B. Dhopte, P. R. Nemade, and C. Y. Tang, 2020, “Effect of oxidation degree of GO nanosheets on microstructure and performance of polysulfone-GO mixed matrix membranes,” *Separation and Purification Technology*, vol. 244(August 2020), p. 116865.
- [35] T. D. Kusworo, N. Ariyanti, and D. P. Utomo, 2020, “Effect of nano-TiO₂ loading in polysulfone membranes on the removal of pollutant following natural-rubber wastewater treatment,” *Journal of Water Process Engineering*, vol. 35(August 2019), p. 101190.

- [36] S. Al-Gharabli, W. Kujawski, Z. A. El-Rub, E. M. Hamad, and J. Kujawa, 2018, “Enhancing membrane performance in removal of hazardous VOCs from water by modified fluorinated PVDF porous material,” *Journal of Membrane Science*, vol. 556(June 2018), pp. 214–226.
- [37] F. Gao, J. Wang, H. Zhang, H. Jia, Z. Cui, and G. Yang, 2019, “Aged PVDF and PSF ultrafiltration membranes restored by functional polydopamine for adjustable pore sizes and fouling control,” *Journal of Membrane Science*, vol. 570–571(January 2019), pp. 156–167.
- [38] Y. Guo, L. Bai, X. Tang, Q. Huang, B. Xie, T. Wang, J. Wang, G. Li, and H. Liang 2018, “Coupling continuous sand filtration to ultrafiltration for drinking water treatment: Improved performance and membrane fouling control,” *Journal of Membrane Science*, vol. 567(December 2018), pp. 18–27.
- [39] R. Sahrash, A. Siddiqua, H. Razzaq, T. Iqbal, and S. Qaisar, 2018, “PVDF based ionogels: applications towards electrochemical devices and membrane separation processes,” *Heliyon*, vol. 4, no. 11, p. e00847.
- [40] A. Modi and J. Bellare, 2019, “Efficiently improved oil/water separation using high flux and superior antifouling polysulfone hollow fiber membranes modified with functionalized carbon nanotubes/graphene oxide nanohybrid,” *Journal of Environmental Chemical Engineering*, vol. 7, no. 2, p. 102944.
- [41] N. P. Khumalo, G. D. Vilakati, S. D. Mhlanga, A. T. Kuvarega, B. B. Mamba, J. Li, and D. S. Dlamini, 2019, “Dual-functional ultrafiltration nano-enabled PSf/PVA membrane for the removal of Congo red dye,” *Journal of Water Process Engineering*, vol. 31(October 2019), p. 100878.
- [42] Y. Mu, H. Feng, S. Zhang, C. Zhang, N. Lu, J. Luang, and G. Wang, 2019, “Development of highly permeable and antifouling ultrafiltration membranes based on the synergistic effect of carboxylated polysulfone and bio-inspired co-deposition modified hydroxyapatite nanotubes,” *Journal of Colloid and Interface Science*, vol. 572(July 2020), pp. 48–61.
- [43] R. Rodrigues, J. C. Mierzwa, and C. D. Vecitis, 2019, “Mixed matrix polysulfone/clay nanoparticles ultrafiltration membranes for water treatment,” *Journal of Water Process Engineering*, vol. 31, no. 2, p. 100788.
- [44] C. L. Eden and M. O. Daramola, 2020, “Evaluation of silica sodalite infused polysulfone mixed matrix membranes during H₂/CO₂ separation,” *Materials Today: Proceedings*.

- [45] V. Vatanpour, H. Rabiee, M. H. Davood Abadi Farahani, M. Masteri-Farahani, and M. Niakan, 2020, "Preparation and characterization of novel nanoporous SBA-16-COOH embedded polysulfone ultrafiltration membrane for protein separation," *Chemical Engineering Research and Design*, vol. 156(April 2020), pp. 240–250.
- [46] A. Sarihan, E. Eren, B. Eren, and Y. Erdoğan, 2019, "Flux-enhanced polysulfone membranes blended with ABPBI as a novel additive," *Materials Today Communications*, vol. 20(September 2019), p. 100594.
- [47] X. Li, A. Janke, P. Formanek, A. Fery, M. Stamm, and B. P. Tripathi, 2020, "High permeation and antifouling polysulfone ultrafiltration membranes with in situ synthesized silica nanoparticles," *Materials Today Communications*, vol. 22(March 2020), p. 100784.
- [48] N. Kusumawati, P. Setiarso, S. Muslim, and N. Purwidiani, 2018, "Synergistic ability of PSf and pvdf to develop high-performance PSf/PVDF coated membrane for water treatment," *Rasayan Journal of Chemistry*, vol. 11, no. 1, pp. 260–279.
- [49] Z. Tahir, M. Aslam, M. A. Gilani, M. R. Bilad, M. W. Anjum, L.-P. Zhu, and A. L. Khan, 2019, "–SO₃H functionalized UiO-66 nanocrystals in Polysulfone based mixed matrix membranes: Synthesis and application for efficient CO₂ capture," *Separation and Purification Technology*, vol. 224(October 2019). 524–533.
- [50] A. Mocanu, E. Rusen, A. Diacon, G. Isopencu, G. Mustatea, R. Somoghi, and A. Dinescu, 2019, "Antimicrobial properties of polysulfone membranes modified with carbon nanofibers and silver nanoparticles," *Materials Chemistry and Physics*, vol. 223(February 2019), pp. 39–45.
- [51] R. Wijiyanti, A. N. Ubaidillah, T. Gunawan, Z. A. Karim, A. F. Ismail, S. Smart, R. Lin, and N. Widiastuti, 2019, "Polysulfone mixed matrix hollow fiber membranes using zeolite templated carbon as a performance enhancement filler for gas separation," *Chemical Engineering Research and Design*, vol. 150(October 2019), pp. 274–288.
- [52] P. R. Van den Mooter, N. Daems, and I. F. J. Vankelecom, 2020, "Preparation of solvent resistant supports through formation of a semi-interpenetrating polysulfone/polyacrylate network using UV cross-linking - Part 2: Optimization of synthesis parameters for UV-LED curing," *Reactive and Functional Polymers*, vol. 146(August 2019), p. 104403.
- [53] E. Elele, Y. Shen, J. Tang, Q. Lei, B. Khusid, G. Tkacik, and C. Carbrello, 2019, "Mechanical properties of polymeric microfiltration membranes," *Journal of Membrane Science*, vol. 591(December 2019), p. 117351.

- [54] A. J. Jose, R. Wilson, G. Jacob, and M. Alagar, 2019, "Studies on thermo mechanical and surface properties of polysulfone / poly(ether imide ester) blends," *Materials Today: Proceedings*, vol. 9(2), pp. 279–294.
- [55] Y. Huang and X. Feng, 2019, "Polymer-enhanced ultrafiltration: Fundamentals, applications and recent developments," *Journal of Membrane Science*, vol. 586(September 2019), pp. 53–83.
- [56] J. M. Tesha, D. S. Dlamini, S. Qaseem, Z. Cui, and J. Li, 2020, "Tight ultrafiltration: Layer deposition of Trimesoyl chloride/ β -Cyclodextrin onto Polysulfone/Poly (styrene-co-maleic anhydride) membrane for water treatment," *Journal of Environmental Chemical Engineering*, vol. 8, no. 3, p. 103733.
- [57] M. Zambianchi, A. Aluigi, M. L. Capobianco, F. Corticelli, I. Elmi, S. Zampolli, F. Stante, L. Bocchi, F. Belosi, M. L. Navacchia, and M. Melucci, 2017, "Polysulfone Hollow Porous Granules Prepared from Wastes of Ultrafiltration Membranes as Sustainable Adsorbent for Water and Air Remediation," *Advanced Sustainable Systems*, vol. 1, no. 7, p. 1700019.
- [58] N. Kusumawati, P. Setiarso, and S. Muslim, 2018, "Polysulfone/polyvinylidene fluoride composite membrane: Effect of coating dope composition on membrane characteristics and performance," *Rasayan Journal of Chemistry*, vol. 11, no. 3, pp. 1034–1041s.
- [59] A. T. Kuvarega, N. Khumalo, D. Dlamini, and B. B. Mamba, 2018, "Polysulfone/N,Pd co-doped TiO₂ composite membranes for photocatalytic dye degradation," *Separation and Purification Technology*, vol. 191(January 2018), pp. 122–133.
- [60] Y. Pan, J. Wang, C. Sun, X. Liu, and H. Zhang, 2016, "Fabrication of highly hydrophobic organic-inorganic hybrid magnetic polysulfone microcapsules: A lab-scale feasibility study for removal of oil and organic dyes from environmental aqueous samples," *Journal of Hazardous Materials*, vol. 309(May 2019), pp. 65–76.
- [61] S. Karimi, E. Firouzfard, and M. R. Khoshchehreh, 2019, "Assessment of gas separation properties and CO₂ plasticization of polysulfone/polyethylene glycol membranes," *Journal of Petroleum Science and Engineering*, vol. 173(February 2019), pp. 13–19.
- [62] S. Yadav, K. Soontarapa, M. S. Jyothi, M. Padaki, R. G. Balakrishna, and J. Y. Lai, 2019, "Supplementing multi-functional groups to polysulfone membranes using Azadirachta indica leaves powder for effective and

highly selective acid recovery,” *Journal of Hazardous Materials*, vol. 369(May 2019), pp. 1–8.

- [63] J. Zhou, D. Sun, L. Wang, L. Guo, W. Chei, F. Yu, Y. Wang, and Y. Yang, 2019, “Two-dimensional superstructures filled into polysulfone membranes for highly improved ultrafiltration: The case of cuprous iodide nanosheets,” *Journal of Membrane Science*, vol. 576(April 2019), pp. 142–149.
- [64] A. Sarihan, 2020, “Development of high-permeable PSf/PANI-PAMPSA composite membranes with superior rejection performance,” *Materials Today Communications*, vol. 24(September 2020), p. 101104.
- [65] H. Ravishankar, F. Roddick, D. Navaratna, and V. Jegatheesan, 2018, “Preparation, characterisation and critical flux determination of graphene oxide blended polysulfone (PSf) membranes in an MBR system,” *Journal of Environmental Management*, vol. 213(May 2018), pp. 168–179.
- [66] J. B. Costa, M. J. Lima, M. J. Sampaio, M. C. Neves, J. L. Faria, S. M.-Torres, A. P. M. Tavares, and C. G. Silva, 2019, “Enhanced biocatalytic sustainability of laccase by immobilization on functionalized carbon nanotubes/polysulfone membranes,” *Chemical Engineering Journal*, vol. 355(January 2019), pp. 974–985.
- [67] R. Dehghan and J. Barzin, 2020 “Development of a polysulfone membrane with explicit characteristics for separation of low density lipoprotein from blood plasma,” *Polymer Testing*, vol. 85(November 2019), p. 106438.
- [68] M. Ji, J. Luo, J. Wei, J. Woodley, A. E. Daugaard, and M. Pinelo, 2019, “Commercial polysulfone membranes pretreated with ethanol and NaOH: Effects on permeability, selectivity and antifouling properties,” *Separation and Purification Technology*, vol. 219(July 2019), pp. 82–89.
- [69] C. Lavanya, K. Soontarapa, M. S. Jyothi, and R. Geetha Balakrishna, 2019 ““Environmental friendly and cost effective caramel for congo red removal, high flux, and fouling resistance of polysulfone membranes,”” *Separation and Purification Technology*, vol. 211(March 2019), pp. 348–358Z.
- [70] L. M. Camacho, T. a. Pinion, and S. O. Olatunji, 2020, “Behavior of mixed-matrix graphene oxide – Polysulfone membranes in the process of direct contact membrane distillation,” *Separation and Purification Technology*, vol. 240(October 2019), p. 116645.
- [71] a. M. Hidalgo, M. Gómez, M. D. Murcia, M. Serrano, R. Rodríguez-Schmidt, and P. a. Escudero, 2018, “Behaviour of polysulfone ultrafiltration membrane for dyes removal,” *Water Science and Technology*, vol. 77, no. 8, pp. 2093–2100.

- [72] P. Mondal, N. S. Samanta, A. Kumar, and M. K. Purkait, 2020, "Recovery of H₂SO₄ from wastewater in the presence of NaCl and KHCO₃ through pH responsive polysulfone membrane: Optimization approach," *Polymer Testing*, vol. 86(June 2020), p. 106463.
- [73] X.-S. Yuan, Z.-Y. Guo, H.-Z. Geng, D. S. Rhen, L. Wang, X.-T. Yuan, and J. Li, 2019, "Enhanced performance of conductive polysulfone/MWCNT/PANI ultrafiltration membrane in an online fouling monitoring application," *Journal of Membrane Science*, vol. 575(April 2019), pp. 160–169.
- [74] F. A. A. Ali, J. Alam, A. K. Shukla, M. Alhoshan, M. A. Ansari, W. A. A.-Masry, S. Rehman, and M. Alam, 2019, "Evaluation of antibacterial and antifouling properties of silver-loaded GO polysulfone nanocomposite membrane against *Escherichia coli*, *Staphylococcus aureus*, and BSA protein," *Reactive and Functional Polymers*, vol. 140(July 2019), pp. 136–147.
- [75] S. Hou, X. Wang, X. Dong, J. Zheng, and S. Li, 2019, "Renewable antibacterial and antifouling polysulfone membranes incorporating a PEO-grafted amphiphilic polymer and N-chloramine functional groups," *Journal of Colloid and Interface Science*, vol. 554(October 2019), pp. 658–667.
- [76] R. D. C. Ningrum and N. Kusumawati, 2016, "Development and characterization of polysulfone/polyvinylidene fluoride blend membrane induced by delayed liquid-liquid demixing," *International Journal on Advanced Science, Engineering, and Information Technology*, vol. 6, no. 5, pp. 716–722.
- [77] N. Shaabani, S. Zinadini, and A. A. Zinatizadeh, 2018 "Preparation and characterization of PES nanofiltration membrane embedded with modified graphene oxide for dye removal from algal wastewater," *Journal of Applied Research in Water and Wastewater*, vol. 5, no. 1, pp. 407–410.
- [78] S. Saki, D. Senol-Arslan, and N. Uzal, 2020, "Fabrication and characterization of silane-functionalized Na-bentonite polysulfone/polyethylenimine nanocomposite membranes for dye removal," *Journal of Applied Polymer Science*, vol. 137, no. 36, pp. 1–12.
- [79] S. Khodami, S. Babanzadeh, and S. Mehdipour-Ataei, 2020, "Novel pyridine-based polysulfone, sulfonated polysulfones, and sonicated sepiolite-based nanocomposites for water desalination," *Microporous and Mesoporous Materials*, vol. 295(March 2020), p. 109951.
- [80] Y. Ma, J. Zeng, Y. Zeng, H. Zhou, G. Liu, Y. Liu, L. Zeng, J. Jian, and Z. Yuan, 2020, "Preparation and performance of poly(4-vinylpyridine)-b-

- polysulfone-b-poly(4-vinylpyridine) triblock copolymer/polysulfoneblend membrane for separation of palladium (II) from electroplating wastewaters,” *Journal of Hazardous Materials*, vol. 384(July 2019), p. 12127.
- [81] S. Khodami, S. Mehdipour-Ataei, and S. Babanzadeh, 2020, “Preparation, characterization, and performance evaluation of sepiolite-based nanocomposite membrane for desalination,” *Journal of Industrial and Engineering Chemistry*, vol. 82(February 2020), pp. 164–172.
- [82] S. Yan, M. M. Tu, and Y. R. Qiu, 2020, “The hemocompatibility of the modified polysulfone membrane with 4-(chloromethyl)benzoic acid and sulfonated hydroxypropyl chitosan,” *Colloids Surfaces B Biointerfaces*, vol. 188(December 2019), p. 110769.
- [83] M. Mahmoudian and P. G. Balkanloo, 2017, “Clay-hyperbranched epoxy/polyphenylsulfone nanocomposite membranes,” *Iranian Polymer Journal (English Edition)*, vol. 26, no. 9, pp. 711–720.
- [84] H. Yang, J. Zhou, Z. Wang, X. Shi, and Y. Wang, 2019, “Chinese Journal of Chemical Engineering Selective swelling of polysulfone / poly (ethylene glycol) block copolymer towards fouling-resistant ultra fi ltration membranes ☆,” *Chinese Journal of Chemical Engineering*, Vol. 28, no. 1, pp. 98-103.
- [85] Z. Zhao, A. Ilyas, K. Muylaert, and I. F. J. Vankelecom, 2020, “Optimization of patterned polysulfone membranes for microalgae harvesting,” *Bioresource Technology*, vol. 309(August 2020), p. 123367.
- [86] N. Kusumawati, P. Setiarso, M. M. Sianita, and S. Muslim, 2018, “Transport properties, mechanical behavior, thermal and chemical resistance of asymmetric flat sheet membrane prepared from PSf/PVDF blended membrane on gauze supporting layer,” *Indonesian Journal of Chemistry*, vol. 18, no. 2, pp. 257–264.
- [87] J. Zhou, H. L. He, F. Sun, Y. Su, H. Y. Yu, and J. S. Gu, 2020, “Structural parameters reduction in polyamide forward osmosis membranes via click modification of the polysulfone support,” *Colloids Surfaces A: Physicochemical and Engineering Aspects*, vol. 585(January 2020), p. 124082.
- [88] R. Singh, M. K. Sinha, and M. K. Purkait, 2020, “Stimuli responsive mixed matrix polysulfone ultrafiltration membrane for humic acid and photocatalytic dye removal applications,” *Separation and Purification Technology*, vol. 250(November 2020), p. 117247.

- [89] a. M. Vijesh, P. C. Shyma, V. Prakash, and B. Garudachari, 2018, "Preparation and Characterization of Polysulfone Based Hollow Fibre Composite Membranes for Water Purification," *Journal of Applied Membrane Science and Technology*, vol. 22, no. 2, pp. 109–118.
- [90] N. Kusumawati, P. Setiarso, A. B. Santoso, S. C. Wibawa, and S. Muslim, 2019, "The development of pvdf/pei blended membrane: Effect of stirring time on membrane characteristics and performance," *Rasayan Journal of Chemistry*, vol. 12, no. 2, pp. 975–986.
- [91] Y. Jiang, Q. Zeng, P. Biswas, and J. D. Fortner, 2019, "Graphene oxides as nanofillers in polysulfone ultrafiltration membranes: Shape matters," *Journal of Membrane Science*, vol. 581(July 2019), pp. 453–461.
- [92] L. Badrinezhad, S. Ghasemi, Y. Azizian-Kalandaragh, and A. Nematollahzadeh, 2018, "Preparation and characterization of polysulfone/graphene oxide nanocomposite membranes for the separation of methylene blue from water," *Polymer Bulletin*, vol. 75, no. 2, pp. 469–484.
- [93] S. Benkhaya, S. M'rabet, R. Hsissou, and A. El Harfi, 2020, "Synthesis of new low-cost organic ultrafiltration membrane made from Polysulfone/Polyetherimide blends and its application for soluble azoic dyes removal," *Journal of Materials Research and Technology*, vol. 9, no. 3, pp. 4763–4772.
- [94] A. Akbari and M. Homayoonfal, 2016, "Sulfonation and mixing with TiO₂ nanoparticles as two simultaneous solutions for reducing fouling of polysulfone loose nanofiltration membrane," *Korean Journal of Chemical Engineering*, vol. 33, no. 8, pp. 2439–2452.
- [95] N. Koutahzadeh, M. R. Esfahani, and P. E. Arce, 2016, "Sequential use of UV/H₂O₂-(PSF/TiO₂/MWCNT) mixed matrix membranes for dye removal in water purification: Membrane permeation, fouling, rejection, and decolorization," *Environmental Engineering Science*, vol. 33, no. 6, pp. 430–440.
- [96] P. Pouresmaeel-Selkiani, M. Jahanshahi, and M. Peyravi, 2017, "Mechanical, thermal, and morphological properties of nanoporous reinforced polysulfone membranes," *High Performance Polymers*, vol. 29, no. 7, pp. 759–771.
- [97] P. P. Selakjani, M. Peyravi, M. Jahanshahi, H. Hoseinpour, A. S. Rad, and S. Khalili, 2018, "Strengthening of polysulfone membranes using hybrid mixtures of micro- and nano-scale modifiers," *Frontiers of Chemical Science and Engineering*, vol. 12, no. 1, pp. 174–183.

- [98] P. Pouresmaeel-Selakjani, M. Jahanshahi, and M. Peyravi, 2017, "Synthesis of cellulose/silica nanocomposite through electrostatic interaction to reinforce polysulfone membranes," *Cellulose*, vol. 24, no. 3, pp. 1333–1353.
- [99] W. Liu, Y. Zhang, L. Zhang, J. Guo, and J. Wei, 2020, "Polysulfone Ultrafiltration Membrane Promoted by Brownmillerite $\text{SrCu}_{1-x}\text{Co}_x\text{O}_{3-\lambda}$ -Deposited MCM-41 for Industrial Wastewater Decontamination: Catalytic Oxidation and Antifouling Properties," *Industrial and Engineering Chemistry Research*, vol. 59, no. 16, pp. 7805–7815.
- [100] N. Kusumawati, T. Koestiari, and S. Muslim, 2016, "The Development of a New Polymer Membrane: PSf / PVDF blended Membrane," *Research Journal of Pharmaceutical, Biological, and Chemical Science*, vol. 7, no. 4, pp. 69–77.
- [101] Y. Zhang, C. Yu, Z. Lü, and S. Yu, 2016, "Modification of polysulfone ultrafiltration membrane by sequential deposition of cross-linked poly(Vinyl alcohol) (PVA) and sodium carboxymethyl cellulose (CMCNa) for nanofiltration," *Desalination and Water Treatment*, vol. 57, no. 38, pp. 17658–17669.
- [102] N. Yousefi, R. Nabizadeh, S. Nasser, M. Khoobi, S. Nazmara, and A. H. Mahvi, 2017, "Decolorization of Direct Blue 71 solutions using tannic acid/polysulfone thin film nanofiltration composite membrane; preparation, optimization and characterization of anti-fouling," *Korean Journal of Chemical Engineering*, vol. 34, no. 8, pp. 2342–2353.
- [103] L. C. Capozzi, F. M. Mehmood, M. Giagnorio, A. Tiraferri, M. Cerruti, and M. Sangermano, 2017, "Ultrafiltration Membranes Functionalized with Polydopamine with Enhanced Contaminant Removal by Adsorption," *Macromolecular Materials and Engineering*, vol. 302, no. 5, pp. 1–10.
- [104] M. Berradi, 2020, "Optimization of the synthesis of ultrafiltration asymmetric membranes based on organic polymers," *Results in Engineering*, vol. 6(June 2020), p. 100116.
- [105] C. Ursino, R. Castro-Muñoz, E. Drioli, L. Gzara, M. H. Albeirutty, and A. Figoli, 2018, "Progress of nanocomposite membranes for water treatment," *Membranes (Basel)*, vol. 8, no. 2, pp. 1–40.
- [106] N. Kusumawati, T. Koestiari, and M. Monica, 2015, "The influence of casting solution composition and stirring conditions against mechanical strength and performance of polyvinylidene fluoride (PVDF)-polysulfone (PSf) composite membrane on textile industrial wastewater treatment,"

Research Journal of Pharmaceutical, Biological, and Chemical Sciences, vol. 6, no. 1, pp. 271–280.

- [107] L. Marbelia, A. Ilyas, M. Dierick, J. Qian, C. Achille, R. Ameloot, and A. F. J. Vankelecom, 2020, "Preparation of patterned flat-sheet membranes using a modified phase inversion process and advanced casting knife construction techniques," *Journal of Membrane Science*, vol. 597(March 2020), p. 117621.
- [108] M. Y. Naz, S. Ahmad, S. Shukrullah, N. U. H. Altaf, and a. Ghaffar, 2020, "Effect of microwave plasma treatment on membrane structure of polysulfone fabricated using phase inversion method," *Materials Today: Proceedings*.
- [109] K. D. A. Maharani and N. Kusumawati, 2016, "The effect of casting solution and non solvent composition on the performance of polysulfone membranes against chromium (VI)," *Research Journal of Pharmaceutical, Biological, and Chemical Sciences*, vol. 7, no. 2, pp. 495–504.
- [110] C. Alexowsky, M. Bojarska, and M. Ulbricht, 2019, "Porous poly(vinylidene fluoride) membranes with tailored properties by fast and scalable non-solvent vapor induced phase separation," *Journal of Membrane Science*, vol. 577(May 2019), pp. 69–78.
- [111] N. Yang, X. Jia, D. Wang, C. Wei, Y. He, L. Chen, and Y. Zhao, "Silibinin as a natural antioxidant for modifying polysulfone membranes to suppress hemodialysis-induced oxidative stress," *Journal of Membrane Science*, vol. 574(March 2019), pp. 86-99.
- [112] S. Chatterjee, M. Mukherjee, and S. De, 2020, "Journal of Water Process Engineering Groundwater de fluoridation and disinfection using carbonized bone meal impregnated polysulfone mixed matrix hollow-fiber membranes," *Journal of Water Process Engineering*, vol. 33(October 2019), p. 101002.
- [113] M. S. Fahmey, A. H. M. El-Aassar, M. M. Abo-Elfadel, A. S. Orabi, and R. Das, 2019, "Comparative performance evaluations of nanomaterials mixed polysulfone: A scale-up approach through vacuum enhanced direct contact membrane distillation for water desalination," *Desalination*, vol. 451(February 2019), pp. 111–116.
- [114] M. a. Ajdar, a. Azdarpour, a. Mansourizadeh, and B. Honarvar, 2019, "Air gap membrane distillation of MEG solution using PDMS coated polysulfone hollow fiber membrane," *Polymer Testing*, vol. 76(November 2018), pp. 1–9.

- [115] S. A. Hamid, S. F. Azha, L. Sellaoui, A. Bonilla-Petriciolet, and S. Ismail, 2020, "Adsorption of copper (II) cation on polysulfone/zeolite blend sheet membrane: Synthesis, characterization, experiments and adsorption modelling," *Colloids Surfaces A: Physicochemical and Engineering Aspects*, vol. 601(September 2020), p. 124980.
- [116] M. Obaid, N. Ghaffour, S. Wang, M. H. Yoon, and I. S. Kim, 2020 "Zirconia nanofibers incorporated polysulfone nanocomposite membrane: Towards overcoming the permeance-selectivity trade-off," *Separation and Purification Technology*, vol. 236(April 2020), p. 116236.
- [117] N. Aryanti, F. K. I. Sandria, R. H. Putriadi, and D. H. Wardhani, 2017, "Evaluation of micellar-enhanced ultrafiltration (MEUF) membrane for dye removal of synthetic Remazol dye wastewater," *Engineering Journal*, vol. 21, no. 3, pp. 23–35.
- [118] F. Altaf, R. Gill, R. Batool, Z.-U.-Rehman, H. Majeed, G. Abbas, and K. Jacob, 2020, "Synthesis and applicability study of novel poly(dopamine)-modified carbon nanotubes based polymer electrolyte membranes for direct methanol fuel cell," *Journal of Environmental Chemical Engineering*, vol. 8, no. 5, p. 104118.
- [119] M. Farrokhara and F. Dorosti, 2020, "New high permeable polysulfone/ionic liquid membrane for gas separation," *Chinese Journal of Chemical Engineering*, Vol. 28, no. 9, pp. 2301-2311.
- [120] V. P. Onbattuvelli, R. K. Enneti, J. Simonsen, K. H. Kate, V. K. Balla, and S. V. Atre, 2020, "Structure and thermal stability of cellulose nanocrystal/polysulfone nanocomposites," *Materials Today Communications*, vol. 22(March 2020), p. 100797.
- [121] I. Ullah, M. Hafiz, D. Othman, A. Jilani, and A. F. Ismail, 2020, "ZIF-8 based polysulfone hollow fiber membranes for natural gas purification," *Polymer Testing*, vol. 84(August 2019), p. 106415.
- [122] D. Makwana, V. Polisetti, J. Castaño, P. Ray, and H. C. Bajaj, 2020, "Mg-Fe layered double hydroxide modified montmorillonite as hydrophilic nanofiller in polysulfone- polyvinylpyrrolidone blend ultrafiltration membranes: separation of oil-water mixture," *Applied Clay Science*, vol. 192(July 2020), p. 105636.
- [123] P. C. Hiemenz and R. Rajagopalan, 1997, *"Principles of Colloid and Surface Chemistry (3rd ed)"*, New York : Marcel Dekker Inc.
- [124] A. Bedar, P. K. Tewari, R. C. Bindal, and S. Kar, 2020, "Enhancing γ -radiation resistant property of polysulfone membranes with carboxylated

nanodiamond: Impact and effect of surface tunability,” *Applied Surface Science*, vol. 507(December 2019), p. 144897.

- [125] J. Wang, Y. Liu, T. Liu, X. Xu, and Y. Hu, 2020, “Improving the permselectivity and anti-fouling property of UF membrane through the micro-phase separation of PSf-b-PEG block copolymers,” *Journal of Membrane Science*, vol. 599(April 2020), p. 117851.
- [126] N. Sharma and M. K. Purkait, 2019, "Improving the hydrophilicity of polysulfone membrane by the addition of imidazol with polyvinyl pyrrolidone for crystal violet dye removal", *Advances in Waste Management*, pp. 395-407.
- [127] H. K. Melvin Ng, C. P. Leo, T. S. Lim, S. C. Low, and B. S. Ooi, 2019, “Polishing monoclonal antibody using pH-responsive TiO₂/polysulfone membrane in dual size-exclusion strategy,” *Separation and Purification Technology*, vol. 213(December 2018), pp. 359–367.
- [128] S. Mondal and S. Kumar Majumder, 2020, “Fabrication of the polysulfone-based composite ultrafiltration membranes for the adsorptive removal of heavy metal ions from their contaminated aqueous solutions,” *Chemical Engineering Journal*, vol. 401(December 2020), p. 126036.
- [129] Y. Liu and J. Wang, 2020, “Performance enhancement of catalytic bipolar membrane based on polysulfone single base membrane for electrodialysis,” *Journal of Membrane Science*, vol. 606(October 2019), p. 118151.
- [130] O. Abdalla, A. Wahab, and A. Abdala, 2020, “Mixed matrix membranes containing aspartic acid functionalized graphene oxide for enhanced oil-water emulsion separation,” *Biochemical Pharmacology*, vol. 8(October 2020), p. 104269.