

DAFTAR PUSTAKA

- Akbari, J., Saeedi, M., Farzin, D., Morteza-Semnani, K., & Esmaili, Z. (2015). Transdermal absorption enhancing effect of the essential oil of *Rosmarinus officinalis* on percutaneous absorption of Na diclofenac from topical gel. *Pharmaceutical Biology*, *53*(10), 1442–1447. <https://doi.org/10.3109/13880209.2014.984855>
- Andrade, J. M., Faustino, C., Garcia, C., Ladeiras, D., Reis, C. P., & Rijo, P. (2018). *Rosmarinus officinalis* L.: An update review of its phytochemistry and biological activity. *Future Science OA*, *4*(4). <https://doi.org/10.4155/fsoa-2017-0124>
- Asasutjarit, R., Sorrachaitawatwong, C., Tipchuwong, N., & Pouthai, S. (2013). Effect of Formulation Compositions on Particle Size and Zeta Potential of Diclofenac Sodium-Loaded. *Int J Med Health Biomed Bioorg Pharm Engineering*, *7*(9), 309–311.
- Atmaja, T.C.J. (2019). Studi Perbandingan Stabilitas Fisik dan Penetrasi APMS dalam Sistem Penghantaran NLC, SLN dan Nanoemulsi (Lipid padat kombinasi oleum cacao-beeswax dan lipid cair minyak zaitun). *Skripsi*. Universitas Airlangga.
- Attama, A. A., Schicke, B. C., & Müller-Goymann, C. C. (2006). Further Characterization of Theobroma Oil-Beeswax Admixtures as Lipid Matrices for Improved Drug Delivery Systems. *European Journal of Pharmaceutics and Biopharmaceutics*, *64*(3), 294–306. <https://doi.org/10.1016/j.ejpb.2006.06.010>
- Bajaj, S., Singla, D., & Sakhuja, N. (2012). Stability Testing of Pharmaceutical Products. *Journal of Applied Pharmaceutical Science*, *2*(3), 129–138.
- Bentinger, M., Tekle, M., & Dallner, G. (2010). Coenzyme Q - Biosynthesis and functions. *Biochemical and Biophysical Research Communications*, *396*(1), 74–79. Retrieved from <http://dx.doi.org/10.1016/j.bbrc.2010.02.147>
- Bilia, A. R., Guccione, C., Isacchi, B., Righeschi, C., Firenzuoli, F., & Bergonzi, M. C. (2014). Essential Oils Loaded in Nanosystems: A Developing Strategy for a Successful Therapeutic Approach. *Evidence-Based Complementary and Alternative Medicine*, *2014*, 1–15. <https://doi.org/10.1155/2014/651593>

- Choi, C. H., Kim, S. H., Shanmugam, S., Baskaran, R., Park, J. S., Yong, C. S., ... Han, K. (2010). Relative bioavailability of coenzyme Q10 in emulsion and liposome formulations. *Biomolecules and Therapeutics*, 18(1), 99–105.
- Das, A., & Ahmed, A. B. (2017). Natural permeation enhancer for transdermal drug delivery system and permeation evaluation: A review. *Asian Journal of Pharmaceutical and Clinical Research*, 10(9), 5–9. <https://doi.org/10.22159/ajpcr.2017.v10i9.19389>
- Dewi, R., Anwar, E., & Yunita, K. S. (2016). Uji Stabilitas Fisik Formula Krim yang Mengandung Ekstrak Kacang Kedelai (*Glycine max*). *Pharmaceutical Sciences and Research*, 1(3), 194–208. <https://doi.org/10.7454/psr.v1i3.3484>
- Dia, V. P., Garcia, V. V., Mabesa, R. C., & Tecson-Mendoza, E. M. (2005). Comparative physicochemical characteristics of virgin coconut oil produced by different methods. *Philippine Agricultural Scientist*, 88(4), 462–475.
- Dickinson, E. (1994). Emulsion Stability. In *Food Hydrocolloids* (pp. 387–398). England: University of Leeds. <https://doi.org/10.1017/CBO9781107415324.004>
- Dubey, A., Prabhu, P., & Kamath, J. V. (2012). Nano Structured lipid carriers : A Novel Topical drug delivery system, 4(2), 705–714.
- Erawati, T., Hariyadi, M., Rosita, N., & Purwanti, T. (2019). The Anti-inflammatory Activity of p- methoxycinnamic acid (PMCA) in the Nanostructured lipid carrier (NLC) system using combinations of solid lipid , beeswax-oleum cacao and liquid lipid , Virgin Coconut oil (VCO). *Research Journal of Pharmacy and Technology*, 12(8), 3619–3625.
- Erawati, T., Hendradi, E., & Soeratri, W. (2014). Praformulation study of P-Methoxycinnamic Acid (PMCA) nanoemulsion using vegetable oils (soybean oil, corn oil, VCO). *International Journal of Pharmacy and Pharmaceutical Sciences*, 6(2), 99–101.
- Flores, F. C., Ribeiro, R. F., Ourique, A. F., Rolim, C. M. B., De Bona Da Silva, C., Pohlmann, A. R., ... Guterres, S. S. (2011). Nanostructured Systems Containing an Essential Oil: Protection Against Volatilization. *Quimica Nova*, 34(6), 968–972.

- Handayani, F. S., Nugroho, B. H., & Munawiroh, S. Z. (2019). Optimization of Low Energy Nanoemulsion of Grape Seed Oil Formulation Using D-Optimal Mixture Design (DMD). *Jurnal Ilmiah Farmasi*, 14(1), 17–34.
- Hasegawa, R., Saito, K., Takaoka, T., & Ishikita, H. (2017). pK_a of ubiquinone, menaquinone, phyloquinone, plastoquinone, and rhodoquinone in aqueous solution. *Photosynthesis Research*, 133(1–3), 297–304. <https://doi.org/10.1007/s11120-017-0382-y>
- Hendradi, E., Rosita, N., & Rahmadhanniar, E. (2017). Effect of lipid ratio of stearic acid and oleic acid on characteristics of nanostructure lipid carrier (NLC) system of diethylammonium diclofenac. *Indonesian Journal of Pharmacy*, 28(4), 198–204.
- Henna Lu, F. S., & Tan, P. P. (2009). A comparative study of storage stability in virgin coconut oil and extra virgin olive oil upon thermal treatment. *International Food Research Journal*, 16(3), 343–354.
- Hu, F. Q., Jiang, S. P., Du, Y. Z., Yuan, H., Ye, Y. Q., & Zeng, S. (2005). Preparation and Characterization of Stearic Acid Nanostructured Lipid Carriers by Solvent Diffusion Method in An Aqueous System. *Colloids and Surfaces B: Biointerfaces*, 45(3–4), 167–173. <https://doi.org/10.1016/j.colsurfb.2005.08.005>
- Iman, S. N. (2018). Pengaruh Perbandingan Lipid Padat Oleum Cacao-Beeswax Dan Lipid Cair Minyak Zaitun terhadap Karakteristik NLC-APMS (Oleum Cacao-Beeswax : Minyak Zaitun= 60:40; 70:30; 80:20). *Skripsi*. Universitas Airlangga.
- Iqbal, M. A., Md, S., Sahni, J. K., Baboota, S., Dang, S., & Ali, J. (2012). Nanostructured lipid carriers system: Recent advances in drug delivery. *Journal of Drug Targeting*, 20(10), 813–830. <https://doi.org/10.3109/1061186X.2012.716845>
- Jenning, V., & Gohla, S. (2000). Comparison of wax and glyceride solid lipid nanoparticles (SLN®). *International Journal of Pharmaceutics*, 196(2), 219–222. [https://doi.org/10.1016/S0378-5173\(99\)00426-3](https://doi.org/10.1016/S0378-5173(99)00426-3)
- Jolly, H. W., Hailey, C. W., & Netick, J. (1961). pH Determinations of The Skin Readings under normal and abnormal conditions. *The Journal of Investigative Dermatology*, 36(5), 305–308. <https://doi.org/10.1038/jid.1961.51>
- Kapoor, P., & Kapoor, A. K. (2013). Coenzyme Q10 - A novel molecule. *Journal, Indian Academy of Clinical Medicine*, 14(1), 37–45.

- Kelidari, Hamidreza Tehran (IR): Majid Saeedi, S. (IR). (2017). Patent Application Publication: Topical Nanodrug Formulation. *Patent Application Publication*, 1(19), 1–7.
- Khurana, S., Jain, N. K., & Bedi, P. M. S. (2013). Development and characterization of a novel controlled release drug delivery system based on nanostructured lipid carriers gel for meloxicam. *Life Sciences*, 93(21), 763–772. <https://doi.org/10.1016/j.lfs.2013.09.027>
- Kumar, A., & Dixit, C. K. (2017). Methods for Characterization of Nanoparticles. *Advances in Nanomedicine for the Delivery of Therapeutic Nucleic Acids*, 44–58. <https://doi.org/10.1016/B978-0-08-100557-6.00003-1>
- Lakshmi, P. K., Samratha, K., Prasanthi, D., Veeresh, B., & Chennuri, A. (2017). Oils As Penetration Enhancers for Improved Transdermal Drug Delivery: a Review. *International Research Journal of Pharmacy*, 8(4), 9–17. <https://doi.org/10.7897/2230-8407.080440>
- Lankford, L. B. J., & Davis, R. A. (2004). United States Patent: Ubiquinone Composition and Methods Related Thereto. *United States Patent*.
- Long, K., Azali, A., Abdullah, R., Goh, M., Mohd Danial, A., Annamalai, S., ... Lai, O. (2008). Physico-chemical and quality characteristics of virgin coconut oil – a Malaysian survey. *Journal of Tropical Agriculture and Food Science*, 36(2), 1–10.
- Loo, C. H., Basri, M., Ismail, R., Lau, H. L. N., Tejo, B. A., Kanthimathi, M. S., ... Choo, Y. M. (2013). Effect of compositions in nanostructured lipid carriers (NLC) on skin hydration and occlusion. *International Journal of Nanomedicine*, 8, 13–22. <https://doi.org/10.2147/IJN.S35648>
- López-García, R., & Ganem-Rondero, A. (2015). Solid Lipid Nanoparticles (SLN) and Nanostructured Lipid Carriers (NLC): Occlusive Effect and Penetration Enhancement Ability. *Journal of Cosmetics, Dermatological Sciences and Applications*, 05(02), 62–72. <https://doi.org/10.4236/jcdsa.2015.52008>
- Mahbubul, I. M. (2019). *Stability and Dispersion Characterization of Nanofluid. Preparation, Characterization, Properties and Application of Nanofluid*. <https://doi.org/10.1016/b978-0-12-813245-6.00003-4>

- Manea, A. M., Vasile, B. S., & Meghea, A. (2014). Antioxidant and Antimicrobial Activities of Green Tea Extract Loaded into Nanostructured Lipid Carriers. *Comptes Rendus Chimie*, 17(4), 331–341. Retrieved from <http://dx.doi.org/10.1016/j.crci.2013.07.015>
- Marina, A. M., Che Man, Y. B., Nazimah, S. A. H., & Amin, I. (2009). Chemical properties of virgin coconut oil. *JAOCS, Journal of the American Oil Chemists' Society*, 86(4), 301–307. <https://doi.org/10.1007/s11746-009-1351-1>
- Miranda, M., Cruz, M. T., Vitorino, C., & Cabral, C. (2019). Nanostructuring Lipid Carriers using *Ridolfia Segetum* (L.) Moris Essential Oil. *Materials Science and Engineering C*, 103(May), 109804. Retrieved from <https://doi.org/10.1016/j.msec.2019.109804>
- Montenegro, L., Pasquinucci, L., Zappalà, A., Chiechio, S., Turnaturi, R., & Parenti, C. (2017). Rosemary Essential Oil-Loaded Lipid Nanoparticles: In Vivo Topical Activity from Gel Vehicles. *Pharmaceutics*, 9(4), 1–12. <https://doi.org/10.3390/pharmaceutics9040048>
- Mudalige, T., Qu, H., Van Haute, D., Ansar, S. M., Paredes, A., & Ingle, T. (2018). *Characterization of Nanomaterials: Tools and Challenges. Nanomaterials for Food Applications*. Elsevier Inc. <https://doi.org/10.1016/B978-0-12-814130-4.00011-7>
- Müller, R. H., Radtke, M., & Wissing, S. A. (2002). Solid Lipid Nanoparticles (SLN) and Nanostructured Lipid Carriers (NLC) in Cosmetic and Dermatological Preparations. *Advanced Drug Delivery Reviews*, 54(1), 131–155. [https://doi.org/10.1016/S0169-409X\(02\)00118-7](https://doi.org/10.1016/S0169-409X(02)00118-7)
- Musbah, M., Suseno, S. H., & Uju. (2017). Kombinasi Minyak Ikan Sardin dan Cucut Kaya Omega 3. *JPHPI*, 20(1), 45–52.
- National Center for Biotechnology Information (2020). PubChem Compound Summary for CID 5281915, Coenzyme Q10. Diakses dari <https://pubchem.ncbi.nlm.nih.gov/compound/Coenzyme-Q10>, pada tanggal 20 Agustus 2020
- Pamudji, J. S., Mauludin, R., & Indriani, N. (2016). Development of nanostructured lipid carrier formulation containing of retinyl palmitate. *International Journal of Pharmacy and Pharmaceutical Sciences*, 8(2), 256–260.

- Pezeshki, A., Ghanbarzadeh, B., Mohammadi, M., Fathollahi, I., & Hamishehkar, H. (2014). Encapsulation of Vitamin A Palmitate in Nanostructured Lipid Carrier (NLC)-Effect of Surfactant Concentration on The Formulation Properties. *Advanced Pharmaceutical Bulletin*, 4(Suppl 2), 563–568.
- Rachmawati, B. R. (2019). Studi Perbandingan Pelepasan Dan Stabilitas Fisik Apms Dalam Sistem *Nanostructured Lipid Carriers* (NLC), *Solid Lipid Nanoparticles* (SLN), Dan Nanoemulsi (NE) (Lipid Padat Kombinasi Oleum Cacao-Beeswax Dan Lipid Cair Minyak Zaitun). *Skripsi*. Universitas Airlangga.
- Rahmasari, D. (2018). Pengaruh Kadar Surfaktan Kombinasi Tween 80 dan Span 20 Terhadap Stabilitas Fisik, Iritabilitas dan Penetrasi Resveratrol dalam Nanostructured Lipid Carrier (NLC). *Tesis*. Universitas Airlangga.
- Ribeiro, L. N. M., Breitzkreitz, M. C., Guilherme, V. A., da Silva, G. H. R., Couto, V. M., Castro, S. R., ... de Paula, E. (2017). Natural lipids-based NLC containing lidocaine: from pre-formulation to in vivo studies. *European Journal of Pharmaceutical Sciences*, 106, 102–112. Retrieved from <http://dx.doi.org/10.1016/j.ejps.2017.05.060>
- Rini, Anggraini, T., & Ritonga, N. B. (2020). Making Skin Lotion from Virgin Coconut Oil with Adding Several Natural Plants Extract as a Skin Protector. *IOP Conference Series: Earth and Environmental Science*, 515(1). <https://doi.org/10.1088/1755-1315/515/1/012031>
- Rochman, M. F., Isnaeni, & Hendradi, E. (2018). Design of Nanostructured Lipid Carriers Ubiquinone-10 for Transdermal Treatment. *International Journal of Drug Delivery Technology*, 8(3), 116–120.
- Rosita, N. (2005). Sistem Penghantaran Obat Solid Lipid Nanoparticle (SLN) Asam Para Metoksi Sinamat (APMS) Dengan Lipid Biner Beeswax-Gliseril Monostearat, 1–12. *Disertasi*. Universitas Airlangga.
- Rowe, R. C., Sheskey, P. J., & Quinn, marian E. (2009). Handbook Of Pharmaceutical Exipients Sixth Edition. In *The Pharmaceutical Press and American Pharmacists Association* (6th ed., pp. 155–156, 470–472, 549–553, 592–593). London: The Pharmaceutical Press.
- Shapiro, S. S., & Saliou, C. (2001). Role of vitamins in skin care. *Nutrition*, 17(10), 839–844.

- Shoviantari, F. (2017). Efektivitas, Iritabilitas, dan Stabilitas Fisik Coenzym Q10 dalam Sistem Penghantaran Nanoemulsi dan Nanostructured Lipid Carriers Sebagai Kosmetika Antiaging. *Tesis*. Universitas Airlangga.
- Singh, Y., Omidian, H., & Sinko, P. (2011). Drug Delivery and Targeting. In P. J. Sinko & Y. Singh (Eds.), *Martin's physical pharmacy and pharmaceutical sciences: physical chemical and biopharmaceutical principles in the pharmaceutical sciences* (6th ed., pp. 1–85).
- Teo, Y. Y., Latif, F. M., Misran, M., Suk, V. R. E., & Low, K. H. (2020). Formulation and Physicochemical Properties of Nanostructured Lipid Carriers from Beeswax and Rosemary Oil as a Drug. *Chiang Mai J. Sci.*, *47*(1), 114–126.
- Turek, C., & Stintzing, F. C. (2013). Stability of Essential Oils: A Review. *Comprehensive Reviews in Food Science and Food Safety*, *12*(1), 40–53.
- Uner, M. (2006). Preparation , Characterization and Physico-Chemical Properties of Solid Lipid Nanoparticles (SLN) and Nanostructured Lipid Carriers (NLC): Their benefits as Colloidal Drug Carrier Systems, *61*, 375–386.
- Üner, M., Karaman, E. F., & Aydoğmuş, Z. (2014). Solid Lipid Nanoparticles and Nanostructured Lipid Carriers of Loratadine for Topical Application: Physicochemical Stability and Drug Penetration Through Rat Skin. *Tropical Journal of Pharmaceutical Research*, *13*(5), 653–660. <https://doi.org/10.4314/tjpr.v13i5.1>
- WHO. (2009). Stability testing of active pharmaceutical ingredients and finished pharmaceutical products. In *Annex 2* (pp. 87–130). WHO Technical Report Series.
- Witayaudom, P., & Klinkesorn, U. (2017). Effect of Surfactant Concentration and Solidification Temperature on The Characteristics and Stability of Nanostructured Lipid Carrier (NLC) Prepared From Rambutan (*Nephelium Lappaceum* L.) Kernel Fat. *Journal of Colloid and Interface Science*, *505*, 1082–1092. Retrieved from <http://dx.doi.org/10.1016/j.jcis.2017.07.008>
- Wu, L., Zhang, J., & Watanabe, W. (2011). Physical and Chemical Stability of Drug Nanoparticles. *Advanced Drug Delivery Reviews*, *63*(6), 456–469. Retrieved from <http://dx.doi.org/10.1016/j.addr.2011.02.001>

Zielinska, A., & Nowak, I. (2016). Solid Lipid Nanoparticles and Nanostructured Lipid Carriers as Novel Carriers for Cosmetic Ingredients. *Nanobiomaterials in Galenic Formulations and Cosmetics: Applications of Nanobiomaterials*, 231–255. <https://doi.org/10.1016/B978-0-323-42868-2.00010-3>.