

DAFTAR PUSTAKA

- Abd-Esalem K.A., 2003. Non-gel based techniques for plant pathogen genotyping. *Acta microbiologica polonica* 52:329-341.
- Agrama, H.A., Moussa, M.E., Naser, M.E., Tarek, M.A, Ibrahim, A.H. 1999. Mapping of QTL for downy mildew resistance in maize. *Theor Appl Genet.* 99:519–523.
- Alves, A., Phillips, A.J.L., Henrique, I., and Correia, A. 2005. Evaluation of amplified ribosomal DNA restriction analysis as a method for identification of *Botryosphaeria* species. *FEMS Microbiology Letters* 245: 221-229.
- Arici, S.E., and Koc N.K. 2010. RAPD-PCR analysis of genetic variation among isolates of *Fusarium graminearum* and *Fusarium culmorum* from wheat in Adana Turkey. *Pakistan Journal of Biological Sciences* 13(3): 138–142.
- Bart-Delabesse E, Sarfati, J., Debeauvais, J.P., van Leeuwen, W., van Belkum, A., Bretagne, S., and Latge, J.P. 2001. Comparison of restriction fragments length polymorphism, microsatellite length polymorphism, and random amplification of polymorphic DNA analyses fingerprinting *Aspergillus fumigatus* isolates. *J Clin Microbiol.* 39:2683-2686.
- Benali, S., Mohamed, B., Eddine, H.J., and Neema, C. 2011. Advances of molecular markers application in plant pathology research. *European Journal of Scientific Research* 50 (1): 110-123.
- Bock, C., Jeger, M., Mughogo, L., Cardwell, K., Mtisi, E., Kaula, G., Mukansbima, D. 2000. Variability of *Peronosclerospora sorghi* isolates from different geographic locations and hosts in Africa. *Mycological Research* 104:61-68.
- Bowmann, K.D., Albrecht, U., Graham, J.H., and Bright, D.B. 2007. Detection of *Phytophtora nicotianae* and *P.palmivora* in citrus roots using PCR-RFLP in comparison with other methods. *European Journal of plant pathology* 119(2):143-158.
- Bridge P.D., Singh, T., and Arora, D.K. 2003. “The application of molecular markers in the epidemiology of plant pathogenic fungi in: Fungal Biotechnology in Agricultural, Food, and Environmental Applications”.
- Brondani, C., Brondani, R.P.V., Garridon, L.R., and Ferreira, M.E. 2000. Development of microsatellite markers for genetic analysis of *Magnaporthe grisea*. *Genet Mol Biol.* 23:753-762.

- Brown, T.A. 2001. Gene cloning and analysis : An introduction, 4th ed., Blackwell Publishing, Oxford.
- Capote, N., Pastrana, A.M., Aguado, A., and Torres P.S. 2011. Molecular tools for detection of plant pathogenic fungi and fungicide resistance. *Plant pathology*.
- Demeke, T., Sasikumar, B., Hucl, P., and Chibbar R.N. 1997. Random Amplified Polymorphic DNA (RAPD) in cereal improvement. *Maydica* 42:133-142.
- Edel, V., Steinberg, C., Gautheron, N. and Alabouvette, C. 1996. Evaluation of restriction analysis of polymerase chain reaction (PCR)-amplified ribosomal DNA for the identification of *Fusarium* species. *Mycol. Res.* 101: 179–187.
- Fourie, G., Steenkamp, E.T., Ploetz, R.C., Gordon, T.R., and Viljoen, A. 2011. Current status of the taxonomic position of *Fusarium oxysporum formae specialis cubense* within the *Fusarium oxysporum* complex. *Infection Genetics and Evolution* 11(3): 533-542.
- Garcia, A.A.F, Benchimol, L.L., Barbos, A.M.M., Geraldi, I.O., Souza, C.L. Jr., and Souza, A.P. 2004. Comparison of RAPD, RFLP, AFLP and SSR markers for diversity studies in tropical maize inbred lines. *Genetics and Molecular Biology*, 27(4): 579-588.
- George, M.L.C., Prasanna, B.M., Rathore, R.S., Setty, T.A.S., Kasim, F., Azrai, M., Vassal, S., Balla, O., Hautea, D., Canama, A., Regalado, E., Vargas, M., Khairallah, M., Jefferd, D., Hoisington, D. 2003. Identification of QTLs conferring resistance of downy mildews of maize in Asia. *Theor. Appl. Genet.* 107:544-551.
- Groenewald, S., Van Den Berg, N., Marasas, W.F.O., and Viljoen, A. 2006. The application of high-throughput AFLPs in assessing genetic diversity in *Fusarium oxysporum* f.sp. *cubense*. *Mycological Research* 110: 297-305.
- Guarro, J., Gene, J., and Stchigel, A.M. 1999. Developments in fungal taxonomy. *Clin. Microbio. Rev.* 12:454-500.
- Hayden, M.J., Nguyen, T.M., Waterman, A., McMichael, GL., Chalmers, K.J. 2007. Application of multiplex-ready PCR for fluorescence-based SSR genotyping in barley and wheat. *Mol Breeding* 21(3): 271-281.
- Hyakumachi, M., Priyatmojo, A., Kubota, M., Fukui, H. 2005. New anastomosis groups, AG-T and AG-U, of binucleate *Rhizoctonia* spp. causing root and stem rot of cutflower and miniature roses. *Phytopathology* 95(7): 784-792.
- Hyun, J. W., Yi, S.H., MacKenzie, S.J., Timmer, L.W., Kim, K. S., Kang, S.K., Kwon, H.M., and Lim, H.C. 2009. Pathotypes and genetic relationship of

- worldwide collections of *Elsinoe* spp. causing scab diseases of citrus. *Phytopathology* 99(6): 721-728.
- Jones C.J., Edwards, K.J., Castaglione, S., Winfield M.O., Sala, F., Wiel, C., G. van de, Bredemeijer, Vosman, B., Matthes, M., Daly, A. , Brettschneider, R., Bettini, P., Buiatti, M., Maestri, E., Malcevschi, A., Marmiroli, N., Aert, R. , Volckaert, G., Rudea, J., Linacero, R., Vazquez, A., and Karp, A. 1997. Reproducibility testing of RAPD, AFLP and SSR markers in plants by a network of European laboratories. *Molecular Breeding* 3:381-390.
- Kaye, C., Milazzo J., Rozenfeld S., Lebrun M.H., Tharreau D. 2003. The development of simple sequence repeat markers for *Magnaporthe grisea* and their integration into an established genetic linkage map. *Fungal Genet Biol* 40(3):207-214.
- Kim, Y.T., Cho, M., Jeong, J.Y., Lee, H.B., and Kim, S.B. 2010. Application of Terminal Restriction Fragment Length Polymorphism (T-RFLP) analysis to monitor effect of biocontrol agents on rhizosphere microbial community of hot pepper (*Capsicum annuum* L.). *Journal of Microbiology*, 48(5):566-572.
- Lagercrantz, U., Ellegren, H., and Anderson, L. 1993. The abundance of various polymorphic microsatellite motifs differs between plants and vertebrates. *Nucl Acids Res* 21:1111-1115.
- Lees, A.K., Wattier, R., Shaw, D.S., Sullivan, L., Williams N.A., and Cooke D.E.L. 2006. Novel microsatellite markers for the analysis of *Phytophthora infestans* populations. *Plant Pathology* 55:311-319.
- Lievens, B., Claes, L., Vakalounakis, D.J., Vanachter, A.C.R.C., and Thomma, B.P.H.J. 2007. A robust identification and detection assay to discriminate the cucumber pathogens *Fusarium oxysporum* f. sp *cucumerinum* and f. sp *radicis-cucumerinum*. *Environmental Microbiology* 9(9): 2145-2161.
- Mansfield, DC., Brown, AF., Green, D.K., Carothers, AD., Morris, SW., Evans, H-J. 1994. Automation of genetic linkage analysis using fluorescent microsatellite markers. *Genomics* 24: 225-233.
- Martínez-García, L.B., Armas, C., Miranda, J.D., Padilla, F.M., and Pugnaire, F.I. 2011. Shrubs influence arbuscular mycorrhizal fungi communities in a semi-arid environment. *Soil Biology & Biochemistry* 43(3): 682-689.
- McDonald, B.A. 1997. The population genetics of fungi: Tools and techniques. *Phytopathology* 87:448-453.
- Melchinger, A. E. 1999. Genetic diversity and heterosis. In J.G. Coors & S. Pandey. *The genetics and exploitation of heterosis crops*. Madison,American Society of Agronomy, Inc.

- Meudt, H.M., and Clarke, A.C. 2007. Almost forgotten or latest practice? AFLP applications, analyses and advances. *Trends in Plant Science*. 12(3):106-117.
- Midorikawa, G.E.O., Pinheiro, M.R.R., Vidigal, B.S., Arruda, M.C., Costa, F.F., Pappas, G.J. Jr., Ribeiro, S.G., Freire, F., and Miller, R.N.G. 2008. Characterization of *Aspergillus flavus* strains from Brazilian Brazil nuts and cashew by RAPD and ribosomal DNA analysis. *Letters in Applied Microbiology*, 47(1):12-18.
- Morgante, M., Hanafey, H., and Powell, W. 2002. Microsatellites are preferentially associated with nonrepetitive DNA in plant genome. *Nature Genetics*, 30:194–200.
- Morgante, M., and Olivieri A.M. 1993. PCR-Amplified microsatellites as markers in plant genetics. *The Plant Journal* 3:175-182.
- Nayaka, S.C., Wulff, E.G., Udayashankar, A.C., Nandini, B.P., Niranjana, S.R., Mortensen, C.N., and Prakash, H.S. 2011. Prospects of molecular markers in *Fusarium* species diversity. *Applied Microbiology and Biotechnology* 90(5):1625-1639.
- Newton, C.R. and A. Graham. 1994. *PCR*. Bios Scientific Publishers, Oxford, England.
- Perez, M.A., Gallego, F.J., Martinez, I., and Hidalgo, P. 2001. Detection, distribution and selection of microsatellites (SSRs) in the genome of the yeast *Saccharomyces cerevisiae* as molecular markers. *Lett Appl Microbiol* 33:461-466.
- Perumal, R., Isakeit, T., Menz, M., Katile, S., No, E.G, and Magill, C.W. 2006. Characterization and genetic distance analysis of isolates of *Peronosclerospora sorghi* using AFLP fingerprinting. *Mycological Research* 110(4):471-478.
- Perumal, R., Nimmakalaya, P., Erattaimuthu, S.R., No E.G., Reddy U.K., Prom L.K., Odvody G.N, Luster D.G and Magill C.W. 2008. Simple sequence repeat markers useful for sorghum downy mildew (*Peronosclerospora sorghi*) and related species. *BMC Genetics* 9:77.
- Phumichai, C., Chuwongse, J., Jampatong, S., Grudloyma, P., Pulam, T., Doungchan, W., Wongkawee A., Kongsiri, N. 2012. Detection and integration of gene mapping of downy mildew resistance in maize inbred lines through linkage and association. *Euphytica* DOI: 10.1007/s10681-01200699-8.
- Pusat Data Pertanian. 2009. Data Produksi Tanaman Pangan. Pusat Data Pertanian, Jakarta.

- Rathore, R.S., Trivedi, A., and Mathur, K. 2002. Rajasthan downy mildew : The problem and management perspectives. Makalah disajikan pada 8th Asian Regional Maize.
- Reddy, O.U.K., Pepper, A.E., Abdurakhmonov, I., Saha, S., Jenkins, J.N., Brooks, T., Bolek, Y., El-Zik, KM. 2001. New dinucleotide and trinucleotide microsatellite marker resources for cotton genome research. *The Journal of Cotton Science* 5:103-113.
- Renfro, B.L. 1980. Downy mildew diseases of maize, their control and future research and development needs. Technical Bulletin No.51. Food & Fertilizer Technology Center. Bangkok, Thailand:20.
- Ristaino, J.B., Madritch,M., Trout, C.L. and Parra, G. 1998. PCR amplification of ribosomal DNA for species identification in the plant pathogen genus *Phytophthora*. *Appl. Environ.Microb.* 64: 948–954.
- Richard, G.F., Kerrest, A., Dujon, B. 2008. Comparative genomics and molecular dynamics of DNA Repeats in Eukaryotes. *Microbiol Mol Biol Rev* 72(4):686-727.
- Rohlf, F.J. 1998. NTSYS-pc numerical taxonomy and multivariate analysis system. Volume 1. Version 2.0 New York. USA: Exeter Publications.
- Schaad, N.W., Fredericj, R.D., Shaw, J., Schneider, W.L., Hickson, R., Petrillo, M.D., and Luster, D.G. 2003. "Advances in molecular based diagnostics in meeting crop biosecurity and phytosanitary issues". *Annual Review of Phytopathology* 41: 305 324.
- Schmidt, H., Taniwaki, M.H., Vogel, R.F., and Niessen, L. 2004). Utilization of AFLP markers for PCR-based identification of *Aspergillus carbonarius* and indication of its presence in green coffee samples. *Journal of Applied Microbiology* 97(5): 899-909.
- Shaw, C.G. 1978. *Peronosclerospora* species and other downy mildew of the gramineae. *Mycologia* 70(3):594-604.
- Shuttleff, M.C. 1980. Compendium of corn diseases Second Edition. *The American Phytopathological Society*. 105.
- Silva-Mann, R., Vieira, M.G.G.C., Machado, J.C., Bernardino Filho, J.R., Salgado, K.C.C. and Stevens, M.R. 2005. AFLP markers differentiate *Colletotrichum gossypii* from *C. gossypii* var. *cephalosporioides*. *Fitopatologia Brasileira* 30:169-172.

- Slippers, B., Fourie, G., Crous, P.W., Coutinho, T.A., Wingfield, B.D., Carnegie, A.J., and Wingfield, M.J. 2004. Speciation and distribution of *Botryosphaeria* spp. on native and introduced Eucalyptus trees in Australia and South Africa. *Stud.Mycol.* 50: 343–358.
- Soenartiningsih. 2010. Perkembangan penyakit bulai pada jagung tahun 2008-2009 di kabupaten blitar. prosiding seminar ilmiah dan pertemuan tahunan PEI dan PFI XX Komisariat Daerah Sulawesi Selatan.
- Subandi M., Sudjadi, dan D.Pasaribu. 1996. Laporan hasil pemantauan penyakit bulai dan benih pada pertamanan jagung hibrida. laporan pusat penelitian dan pengembangan tanaman pangan.
- Szabo, L., and Kolmer, J. 2007. Development of Simple Sequence Repeat Markers for the Plant Pathogenic Rust Fungus, *Puccinia Triticina*. *Molecular Ecology* (7): 708-710.
- Tautz, D., and Renz, M. 1984. Simple sequences are ubiquitous repetitive components of eukaryotic genomes. *Nucleic Acids Res* 12(10):4127-4138.
- Thies, J.E. 2007. Soil microbial community analysis using terminal restriction fragment length polymorphisms. *Soil Science Society of America Journal*, 71(2): 579-591.
- Titatarn, S. and Syamananda. 1978. The occurrence of *Sclerospora spontanea* on *Saccharum spontaneum* in Thailand. *Plant Disease Reporter* 62(1):29-31.
- Vos, P., Hogers, R., Bleeker, M., Reijans, M., Vandelee, T., Hornes, M., Frijters, A., Pot, J., Peleman, J., Kuiper, M., and Zabeau, M. 1995. AFLP: a new technique for DNA fingerprinting. *Nucleic Acids Research* 23(21): 4407–4414.
- Wakman dan H.A. Djatmiko. 2002. Sepuluh species cendawan penyebab penyakit bulai pada tanaman jagung. Makalah disajikan pada seminar PFI Universitas Negeri Jendral Sudirman Purwokerto. 7 September 2002.
- Walker J. M., and Gingold E.B. 1993. Molecular Biology and Biotechnology. 3rd ed. The Royal Society of Chemistry, Cambridge.
- White, D.G. 1999. Compendium of corn diseases. The American Phytopathological Society Press. 3rd Edition : 26.
- Williams J.G.K., Hanafey, M.K., Rafalski, J.A., and Tingey, S.V. 1993. Genetic analysis using random amplified polymorphic DNA markers. *Methods in Enzymology* 218: 704-740.

- Winton, L.M., Krohn, A.L., and Leiner, R.H. 2007. Microsatellite markers for *Sclerotinia subarctica* nom. prov., a new vegetable pathogen of the High North. *Molecular Ecology Notes* 7(6):1077-1079.
- Yao, C., Magill C.W., Frederiksen R.A. 1991. An AT -Rich DNA Clone is Species-Specific for Identification of *Peronosclerospora sorghi*. *Applied and Environmental Microbiology* 57:2027-2032.
- Yao, C., Frederiksen, R.A., Magill, C.W. 1992. Length heterogeneity in ITS 2 and the methylation status of CCGG and GCGC sites in the rRNA genes of the genus *Perosclerospora*. *Current Genetics* 22:415-420.
- Ziegler, JS., Su, Y., Corcoran KP., Nie, L., Maynard, PE., Hoff, LB., McBride, LJ., Kronick, M.N., Diehl, S.R. 1992. Application of automated DNA sizing technology for genotyping microsatellite loci. *Genomics* 14:1026-1031.