

DAFTAR PUSTAKA

- Abubakari, A., Jones, M. C., Lauder, W., Kirk, A., Anderson, J., & Devendra, D. (2011). Association Between Knowledge, Illness Perception, Self-Management and Metabolic Control of Type 2 Diabetes Among African and European-origin Patients. *Nursing and Healthcare of Chronic Illness*, 3, 245-256.
- American Diabetes Association. (2001). Standards of Medical Care in Diabetes-2007. *Diabetes Care*, 30, S4-S41.
- Azwar, S. (2000). *Dasar-Dasar Psikometri*. Yogyakarta: Pustaka Pelajar.
- Azwar, S. (2009). *Reliabilitas dan Validitas*. Yogyakarta: Pustaka Pelajar.
- Azwar, S. (2010). *Penyusunan Skala Psikologi*. Yogyakarta: Pustaka Pelajar.
- Barwell, N. D., Malkova, D., Moran, C. N., Cleland, S. J., Packard, C. J., Zammit, V. A., & Gill, J. M. R. (2008). Exercise Training has Greater Effect on Insulin Sensitivity in Daughters of Patients With Type 2 Diabetes Than in Women With No Family History of Diabetes. *Diabetologia*, 51, 1912-1919.
- Carapetis, M., Dowell, M., Durrant, H., Edwards, H., Farrent, S., Giles, J., Green, L., Guha, M., Hodgson, M., Hooper, C., Jefferies, B., Jones, S., Kakogianis, M., Green-Lyon, J., Marotti, S., McCullough, S., Neylon, K., Phillips, P., Sonnack, D., Stanton, C., & Visentin, K. (2009). *Diabetes Manual: A Guide to Diabetes Management*. Woodville: Diabetes Outreach.
- Cullen, K. W., & Buzek, B. B. (2009). Knowledge About Type 2 Diabetes Risk and Prevention of African-American and Hispanic Adults and Adolescents With Family History of Type 2 Diabetes. *The Diabetes Educator*, 35 (5), 836-843.
- Dorman, J. S., Valdez, R., Liu, T., Wang, C., Rubinstein, W. S., O'Neill, S. M., Acheson, L. S., Ruffin, M. T., & Khoury, M. J. (2012). Health Beliefs Among Individuals at Increased Familial Risk for Type 2 Diabetes: Implications for Prevention. *Diabetes Research and Clinical Practice*, 96, 156-162.
- Field, Andy. (2000). *Discovering Statistic Using SPSS: Third*. London: Sage Publication.
- Guthrie, D. W., Bartsocas, C., Jarosz-Chabot, P., & Konstantinova, M. (2003). Psychosocial Issues for Children and Adolescents With Diabetes: Overview and Recommendations. *Diabetes Spectrum*, 16(1), 7-12.

- Hadi, S. (1984). *Statistik 2*. Yogyakarta: Yayasan Penerbitan Fakultas Psikologi Universitas Gadjah Mada.
- Hale, E. D., Treharne, G.J., & Kitas, G. D. (2007). The Common-Sense Model of Self-Regulation of Health and Illness: How can we use it to understand and respond to our patients' needs?. *Rheumatology*, 46, 904-906.
- Hameed, A., Malik, S. A., Rabbi, F., Sharif, A., Ahmad, N., Nurjis, F., Ali, S., & Qureshi, J. A. (2002). Diabetic Complication: Influence of Age, Sex, Family History, Duration, Glycemic Control and Obesity. *OnLine Journal of Biological Sciences*, 2 (10), 710-714.
- Hart, P. L. (2006). Illness Representations, Emotional Distres, Coping Strategies, and Coping Efficacy as Predictors of Patient Outcomes for Type 2 Diabetes. *Georgia State University Digital Archive: Nursing Dissertations*.
- Harvey, J. N., & Lawson, V. L. (2009). The Importance of Health Belief Models in Determining Self-Care Behaviour in Diabetes. *Diabetic Medicine*, 26, 5-13.
- Heideman, W. H., Nierkens, V., Stronks, K., Middelkoop, B., Twisk, J., Verhoeff, A., Wit, M., & Snoek, F. (2011). DiAlert: A Lifestyle Education Programme Aimed at People with Positive Family History of Type 2 Diabetes and Overweight, Study Protocol of A Randomised Controlled Trial. *BMC Public Health*, 11, 751.
- Hilding, A., Eriksson, A-K., Agardh, E. E., Grill, V., Ahlbom, A., Efendic, S., & Onstenson, C. G. (2006). The Impact of Family History of Diabetes and Lifestyle Factors on Abnormal Glucose Regulation in Middle-Aged Swedish Men and Women. *Diabetologia*, 49, 2589-2598.
- Hill, S., Dziedzic, K., Thomas, E., Baker, S. R., & Croft, P. (2007). The Illness Perceptions Associated with Health and Behavioural Outcomes in People with Musculoskeletal Hand Problems: Findings from The North Staffordshire Osteoarthritis Project (NorStOP). *Rheumatology*, 46, 944-951.
- Iannelli, V. (2008). Family History and Your Risk Disease. *Pediatric: Parenting Tips* [on line]. Diakses pada tanggal 18 Juni 2012 melalui http://pediatrics.about.com/od/parentingtips/a/05_fam_history.htm
- Kaban, S., Sarumpaet, S. M., Irnawati., & Wahyuni, A. S. (2007). Pengembangan Model Pengendalian Kejadian Diabetes Tipe 2 di Kota Sibolga Tahun 2005. *Majalah Kedokteran Nusantara*, 40 (2), 119-128.

- Kaptein, A., Klok, T., Moss-Morris, R., & Brand, P. L. P. (2010). Illness Perceptions: Impact on Self-Management and Control in Asthma. *Current Opinion in Allergy and Clinical Immunology*, 10, 194-199.
- Keogh, K. M., White, P., Smith, S. M., McGilloway, S., O'Dowd, T., & Gibney, J. (2007). Changing Illness Perceptions in Patients with Poorly Controlled Type 2 Diabetes, a Randomised Controlled Trial of a Family-Based Intervention: Protocol and Pilot Study. *BMC Family Practice*, 8 (36).
- Leventhal, H., & Cameron, L. D. (2003). *The Self-Regulation of Health and Illness Behaviour*. London: Routledge.
- Leventhal, H., Hekler, E. B., Lambert, J., Leventhal, E., Jahn, E., & Contrada, R. J. (2008). Commensense Illness Beliefs, Adherence Behaviors, and Hypertension Control among African Americans. *J Behavior Medication*, 31, 391-400.
- Leventhal, H., Leventhal, E., & Breland, J. S. (2011). Cognitive Science Speaks to the "Common-Sense" of Chronic Illness Management. *Ann Behaviour Medication*, 41, 152-163.
- Li, H., Isomaa, B., Taskinen, M. R., Groof, L., & Tuomi, T. (2000). Consequences of a Family History of Type 1 and Type 2 Diabetes on the Phenotype of Patients With Type 2 Diabetes. *Diabetes Care*, 23, 589-594.
- Miltenberger, R. G. (2004). *Behavior Modification: Principles and Procedures*. USA: Thomson Learning.
- Moss-Morris, R., Weinman, J., Petrie, K. J., Horne, R., Cameron, L. D., & Buick, D. (2002). The Revised Illness Perception Questionnaire (IPQ-R). *Psychology and Health*, 17 (1), 1-16.
- Neuman, L. (1994). *Social Research Methods : Qualitative And Quantitative Approaches*. Massachusetts : Allyn and Bacon.
- Paddison, C. A. M. (2006). Type 2 Diabetes: Understanding The Self-Regulatory Experience. *Massey University: Thesis*.
- Pallant, J. (2007). *SPSS: Survival Manual*. New York: McGraw Hill.
- Parry, S., Corbett, S., James, P., Barton, R., & Welfare, M. (2003). Illness Perceptions in People with Acute Bacterial Gastro-Enteritis. *Journal of Health Psychology*, 8 (6), 693-704.

- Penckofer, S., Ferrans, C., Velsor-Friedrich, B., & Savoy, S. (2007). The Psychological Impact of Living With Diabetes: Women's Day-to-Day Experiences. *The Diabetes Educator*, 33 (4), 680-692.
- Pijl, M., Henneman, L., Claassen, L., Detmar, S. B., Nijpels, G., & Timmermans, D. R. M. (2009). Family History of Diabetes: Exploring Perception of People at Risk in the Netherlands. *Preventing Chronic Disease*, 6 (2).
- Pitts, M., & Philips, K. (1993). *The Psychology of Health: An Introduction*. New York: Routledge.
- Raballo, M., Trevisan, M., Trinetta, A. F., Charrier, L., Cavallo, F., Porta, M., & Trento, M. (2012). A Study of Patients' Perception of Diabetes Care Delivery and Diabetes. *Diabetes Care*, 35, 242-247.
- Riggs, A., & Giuliano, T. (2007). Running in The Family or Swimming in The Gene Pool: Discriminating Between Family History and Genetic Risk in Illness Perception. *Journal of Health Psychology*, 12 (6), 883-894.
- Rees, G., Fry, A., Cull, A., & Sutton, S. (2004). Illness Perceptions and Distress Women at Increased Risk of Breast Cancer. *Psychology and Health*, 19 (6), 749-765.
- Rumah Sakit Islam Surabaya. (2012). *Company Profile* [on line]. Diakses pada tanggal 22 Oktober 2012 melalui www.rsisurabaya.co.id
- Rumah Sakit Islam Surabaya. (2010/2011). *Laporan Tahunan Rumah Sakit Islam Surabaya*. Surabaya; Penerbit.
- Sanders, T., Campbell, R., Donovan, J., & Sharp, D. (2007). Narrative Accounts of Hereditary Risk: Knowledge About Family History, Lay Theories of Disease, and "Internal" and "External" Causation. *Qualitative Health Research*, 17 (4), 510-520.
- Santrock, J. W. (2002). *Life Span Development: Perkembangan Masa Hidup (Edisi kelima)*. Jakarta: Erlangga.
- Sarafino, E. P. (1998). *Health Psychology: Biopsychosocial Interactions*. New York: John Wiley & Sons, Inc.
- Scollan-Koliopoulos, M. (2007). Uncovering a Multigenerational Legacy of Diabetes. *Arch Ophthalmol*, 125, 1061-1067.
- Scollan-Koliopoulos, M., Walker, E. A., & Bleich, D. (2010). Perceived Risk of Amputation, Emotions, and Foot Self-Care Among Adults With Type 2 Diabetes. *The Diabetes Educator*, 36, 473-483.

- Scollan-Koliopoulos, M., Walker, E. A., & Rapp, K. J. (2011). Self-Regulation Theory and the Multigenerational Legacy of Diabetes. *The Diabetes Educator*, 37, 669-680.
- Searle, A., Norman, P., Thompson, R., & Vedhara, K. (2007). Illness Representation Among Patients With Type 2 Diabetes and Their Partners: Relationship With Self-Management Behaviors. *Journal of Psychosomatic Research*, 63, 175-184.
- Siriwatanamethanon, J & Buatee, S. (2010). Self-Management of Older Thai People with Diabetes Mellitus Type 2. *International Postgraduate Research Colloquium*, 8.
- Sumarwati, M., Sejati, W., Pramitasari, R. D. (2008). Eksplorasi Persepsi Penderita Tentang Faktor-Faktor Penyebab dan Dampak Penyakit Diabetes Melitus di Wilayah Puskesmas Purwokerto Barat, Kecamatan Purwokerto Barat, Kabupaten Banyumas. *Jurnal Keperawatan Soedirman*, 3, 149-156.
- Taylor, S. E. (1999). *Health Psychology (5th edition)*. New York: McGraw-Hill Higher Education.
- Toobert, D. J., Hampson, S. E., & Glasgow, R. E. (2000). The Summary of Diabetes Self-Care Activities Measure. *Diabetes Care*, 23, 943-950.
- Walter, F. M., & Emery, J. (2006). Perception of Family History Across Common Disease: A Qualitative Study in Primary Care. *Family Practice*, 23, 472-480.
- WHO. (2002). Chronic Disease Are The Major Cause of Death and Disability Worldwide. *Facing The Fact World Health Organization* [on line]. Diakses pada tanggal 3 Mei 2012 melalui http://www.who.int/chp/chronic_disease_report/en/
- WHO. (2011). Indonesia: NCD Country Profiles. *NCD Country Profiles World Health Organization* [on line]. Diakses pada tanggal 3 Mei 2012 melalui www.who.int/nmh/countries/idn_en.pdf
- Wilson, B., Qureshi, N., Santagulda, P., L., J., Carol, J., Allanson, J., & Raina, P. (2009). Systematic Review: Family History in Risk Assessment for Common Diseases. *Annals of Internal Medicine*, 151, 878-885.
- Wing, R. R., Epstein, L. H., Nowalk, M. P., Scott, N., & Gooding, W. (1986). Family History of Diabetes and Its Effect on Treatment Outcome in Type II Diabetes. *Behavior Therapy*, 18, 283-289.
- Wu, S. F. V. (2007). *Effectiveness of Self-Management for Person With Type 2 Diabetes Following The Implementation of A Self-Efficacy Enhancing*

Intervention Program in Taiwan. Queensland: Queensland University of Technology: School of Nursing, Centre for Health Research.

Yuniarti, K. W., Dewi, C., Ningrum, R. P., Widiastuti, M., & Asril, N. M. (2011). Illness Perception, Stres, Religiousity, Depression, Social Support and Self-Management of Diabetes in Indonesia. *Gajah Mada University: Magister of Professional Psychology.*

Zlot, A. I., Silvey, K., Epstein, B., Mielke, B., & Leman, R. F. (2009). Influence of Family History of Diabetes on Health Care Provider Practice and Patients Behavior Among Nondiabetic Oregonians. *Preventing Chronic Disease*, 6.