

Widianto
WIDANTO

Proceedings

KPPIKG 2016 The 17th Scientific Meeting and Refresher Course in Dentistry

February, 24th-27th 2016
Jakarta Convention Center (JCC)

Faculty of Dentistry Universitas Indonesia

Welcome Note

From the Chairperson of KPPIKG 2016

On behalf of the Organizing Committee, I am honored to welcome you to the 17th Scientific Meeting and Refresher Course in Dentistry (KPPIKG 2016) held by the Faculty of Dentistry Universitas Indonesia in Jakarta Convention Center.

Over its past 16 editions, KPPIKG has earned a reputation of excellence that provides us with updates on dental science of advances, research and technologies. Those scientific updates do not only fill the need of clinical and application sciences but also fill the gap between the wide range of meetings that are organized every year in the field of dentistry.

In this KPPIKG 2016, from around 149 full papers are to be presented for the meeting, some are published in proceedings while some others will be published in the *Journal Dentistry Indonesia* of Faculty of Dentistry Universitas Indonesia. These papers cover various fields of dentistry and were gathered from the KPPIKG participants from many parts of Indonesia and other countries.

It is a pleasure for me and the committee to assist and I hope you would take the very best of both this meeting and these proceedings.

Sincerely,

Corputty Johan E. M., DDS, OMFS, PhD
Chairman of KPPIKG 2016

KPPIKG 2016

The 17th Scientific

Meeting and Refresher Course in Dentistry

Faculty of Dentistry Universitas Indonesia

Perpustakaan Nasional RI, Data Katalog dalam Terbitan (KDT)

Universitas Indonesia. Fakultas Kedokteran Gigi. Pertemuan (ke-17 : 2016 : Jakarta)
KPPIKG 2016 The 17th Scientific Meeting and Refresher Course in Dentistry
Faculty of Dentistry Universitas Indonesia / editor, Yuniardini S. Wimardhani, Nadhia Anindhita Harsas, Andini Tri Wijayati Jakarta: Fakultas Kedokteran Gigi Universitas Indonesia, 2016.

viii, 354 hlm.; 29,7

ISBN 978-979-8182-53-2

I. Kedokteran gigi—Kongres dan konvensi

I. Judul

II. Yuniardini S. Wimardhani, III. Nadhia Anindhita Harsas. IV. Andini Tri Wijayati

2016 Faculty of Dentistry Universitas Indonesia
Jakarta, Indonesia

editor : Dr. Yuniardini S. Wimardhani, drg, MSc.Dent
Nadhia Anindhita Harsas, drg, SpPerio
Andini Tri Wijayati, drg

Note from the Editors

It is a great pleasure to publish the Proceedings of the 17th Scientific Meeting and Refresher Course in Dentistry 2016 (KPPIKG 2016), held by the Faculty of Dentistry, Universitas Indonesia. The Proceeding of this meeting aims as a media for rapid dissemination the papers on updates related to clinical management and research being done in dentistry which is presented in the KPPIKG 2016. This Proceedings contains 71 papers from the 149 abstracts submitted to the Scientific Committee. The papers consist of 14 original articles, 38 case reports and 19 literature reviews. Following the legacy of the previous Proceeding book, the topics of this edition also cover various areas in dentistry including basic or clinical research, clinical management, dental education and public health. The editors have decided to follow the pattern of paper presentation of the 16th Proceedings and hope that it would be kept as standard for the future Proceedings.

In this 17th edition, the Committee has decided to obligate all authors to submit the papers in English. It is a way of putting the published papers to be more internationally exposed and read by other colleagues outside Indonesia. The Committee has also decided to make all the papers to be freely available online through the Faculty of Dentistry research website and indexed in Google Scholar. The Proceeding of KPPIKG 2016 also aims to be the platform for inclusion of the conference papers of the next KPPIKG in Scopus database. Making an even broader exposure to the published papers.

All submitted papers were initially checked for plagiarism using Grammarly software, papers with more than 20% similarities with other previously published papers were not accepted for review. We greatly appreciate the reviewers for their meaningful reviews and suggestions for the authors. The editors also gratefully thankful for the tedious work and great collaboration of all the people in the Scientific Committee of the KPPIKG 2016. We hope that this book would be useful for both the authors, readers and making avenues for future development in dentistry.

Dr. Yuniardini S. Wimardhani, drg, MSc.Dent
Chair of Scientific Board/ Head of Scientific Committee of KPPIKG 2016

Dr. Yuniardini S. Wimardhani, drg, MSc.Dent
Nadhia Anindhita Harsas, drg, SpPerio
Andini Tri Wijayati, drg
Editors

Prof. Dr. Lindawati S. Kusdhany, drg, SpPros(K)
Chief of Peer Reviewer Board

Board of Reviewers

Prof. Angus Cameron BDS (Honours), MDS, FDSRCS,
FRACDS, FICD, FADI

Prof. Armasastra Bahar, drg, PhD

Prof. B. S. M. Samadarani Siriwardena, BDS, M.Phil, PhD,
MD Oral Path

Prof. Dr. Endang Suprastiwi, drg, SpKG(K)

Prof. Dr. Hanna H. Bachtiar-Iskandar, drg, SpRKG(K)

Prof. Iwan Tofani, drg, SpBM, PhD

Prof. Dr. Lindawati S. Kusdhany, drg, SpPros(K)

Prof. Dr. Margaretha Suharsini Soetopo, drg, SU, SpKGA(K)

Prof. Norifumi Nakamura DDS, PhD

Prof. Waranun Buajeeb, B.Sc, DDS, M.Sc, Ph.D

Benny M. Soegiharto, drg, MSc, MOrthRCS, PhD, SpOrt

Dr. Decky J. Indrani, drg, MDS

Dr. Eva Fauziah, drg, SpKGA

Dr. Harum Sasanti Yudoyono, drg, SpPM

Dr. Ira Tanti, drg, SpPros(K)

Dr. Mike Yiu Yan Leung, BDS HK, MDS HK, MOSRCS

Edin, FHKAM (DS) FCDSHK (OMS), PhD

Dr. M. Fahlevi Rizal, drg, SpKGA

Dr. Retno Widayati, drg, SpOrt

Dr. Ria Puspitawati, drg

Dr. Yuniardini S. Wimardhani, drg, MSc.Dent

Dr. Yuniarti Soeroso, drg, SpPerio(K)

Anton Rahardjo, drg. MKM, PhD

Dewi Fatma Suniarti, drg, MS, PhD

Diah Ayu Maharani, drg, PhD

Dwi Ariawan, drg, MARS, SpBM

Gus Permana Subita, drg, SpPM, PhD

Krisnawati, drg, SpOrt

Roselani W. Odang, drg, MDS, SpPros(K)

Yulianti Kemal, drg, SpPerio(K)

KPPIKG 2016

The 17th Scientific Meeting and Refresher Course in Dentistry

Content

Welcome Note From the Chairperson of KPPIKG 2016.....	iii
Note from the Editors.....	iv

SECTION ONE: ORIGINAL ARTICLE

1. PREVENTIVE AND SELF CARE TRAINING IN PREGNANT WOMEN TO IMPROVES KNOWLEDGE, ATTITUDE, AND PRACTICE Anne Agustina Suwargiani, Netty Suryanti, Asty Samiaty Setiawan.....	1
2. THE EFFECT OF STRAWBERRY ON COLOR CHANGING OF TOOTH WITH EXTRINSIC STAIN Ita Astit Karmawati, Ita Yulita, Rahaju Budiarti.....	9
3. COLOR CHANGES OF MICROHYBRID RESIN COMPOSITE AFTER BLEACHED WITH HYDROGEN PEROXIDE Astrid Yudhit, Kholidina Imanda Harahap, Sefty Aryani Harahap.....	15
4. SURFACE HARDNESS OF HIGH COPPER DENTAL AMALGAM AFTER IMMERSSED IN FERMENTED MILK Kholidina. Harahap, Rusfian, Aflah Triana	19
5. ANTIBACTERIAL EFFECT OF RADISH TUBERS (<i>Raphanus sativus</i> L.) ON <i>E. nucleatum</i> AND <i>P. gingivalis</i> AS AN ALTERNATIVE MATERIAL FOR ROOT CANAL MEDICAMENT (in-vitro study) Cut Nurliza, Trimurni Abidin.....	23
6. POOR ORAL HEALTH IS RELATED TO CARDIOVASCULAR DISEASES Bramma Kiswanjaya, Trelia Boel, Menik Priminiarti, Hanna.B. Iskandar	29
7. INCIDENCE OF PARESTHESIA FOLLOWING THIRD MOLAR MANDIBULAR SURGERY IN RSGMP FKGUI ON PERIOD JUNE-AUGUST 2015 Egy P Lenggogeni, Vera Julia, Rachmitha Anne.....	33
8. CLINICAL EVALUATION OF 20 AMELOBLASTOMA PATIENTS POST PARTIAL MANDIBULAR RESECTION WITH RECONSTRUCTION PLATE (Research Paper) Santi Anggraini, Corputty Johan EM, Lilies D. Sulistyani.....	39
9. RELATIONSHIP BETWEEN ANGLE'S CLASSIFICATION OF MALOCCLUSION AND FACIAL PROFILES PATTERN Rudi S Darwis, Hilda Herawati, Rina Putri Noer Fadilah, Cindy Anggadini	47
10. SALIVARY PH AND BACTERIAL COUNT ASSESMENT IN CHILDREN WITH HIGH CARIES RISK Riana Wardani, Cucu Zubaedah, Asty Samiaty	51
11. EFFECT OF POSITIVE IMAGES "VISIT TO THE DENTIST" TOWARDS ANXIETY (STUDY OF SALIVARY ALPHA AMYLASE) Adina Novia, Margaretha Suharsini, Mochamad Fahlevi Rizal	55
12. EFFECTIVENESS OF LIME (<i>CITRUS AUNRANTIFOLIA</i>) EXTRACT IN INHIBITING DENTAL PLAQUE FORMATION FOR EARLY CHILDHOOD CARIES" Fajriani, Resky Mustafa.....	59
13. RELATIONSHIP BETWEEN EATING FREQUENCY AND EARLY CHILDHOOD CARIES (ECC) OCCURANCE IN ENDEMIC AREA OF MALNUTRITION STATUS Pindobilowo, Febriana Setiawati, Riska Rina Darwita.....	63
14. RADIOGRAPHIC POSITION OF MENTAL FORAMEN IN BATAK AND MINANGKABAU STUDENTS IN FK UNSRI Putri Elya Lestari, Shanty Chairani, Erwan Naufal	67

SECTION TWO: CASE REPORT

1. DELAYED TOOTH REPLANTATION AFTER TRAUMATIC AVULSION: A CASE REPORT Emmanuella G. Untoro, Bambang Nursasonko.....	71
2. ENDODONTIC TREATMENT ON MAXILLARY THIRD MOLAR WITH LIMITED MOUTH OPENING Ridzki Ridhalaksani, Kamizar	77
3. REMOVAL OF METAL POST USING ULTRASONIC DEVICE IN NON-SURGICAL RETREATMENT PROCEDURE: A CASE REPORT Dian S. Nasution, Anggraini Margono	81
4. ROOT CANAL TREATMENT OF NON VITAL TOOTH WITH DISCOLORATION AND DIASTEMA USING INDIRECT COMPOSITE VENEER Syahdini Meriana, Tien Suwartini, Aryadi Subrata	87
5. INDIRECT COMPOSITE RESIN RESTORATION IN ENDODONTICALLY TREATED POSTERIOR TEETH Melaniwati, Juanita A Gunawan, Ade Prijanti	91
6. ENDODONTIC TREATMENT FOR ANOMALIES TEETH Nevi Yanti, Fitri Yunita, Trimurni Abidin.....	95
7. RECURRENT INTRAORAL HERPES: THERAPEUTIC CHALLENGE IN DIFFERENT IMMUNE STATUS PATIENTS (Report of Two Cases) Ahmad Ronal, Harum Sasanti.....	103
8. THE COMPLEXITY IN TREATING NECROTIZING ULCERATIVE ORAL LESIONS IN PEDIATRIC PATIENT WITH ACUTE LEUKEMIA Ambar Kusuma Astuti, Harum Sasanti Yudhoyono	109
9. PREDISPOSING FACTORS OF RECALCITRANT ORAL LICHEN PLANUS EROSIIVE TYPE (A CASE REPORT) Fitriany Darwis, Afi Savitri Sarsito.....	117
10. NOMA-LIKE ORAL LESIONS INDUCED BY POLICRESULEN IN A PATIENT WITH MYELOFIBROSIS Widya Apsari, Harum Sasanti	121
11. DENTIST'S ROLE IN IMPROVING ORAL FUNCTION OF PATIENT WITH ACUTE MYELOID LEUKEMIA Dwi Ariani, Siti A. Pradono.....	125
12. ORAL CANDIDIASIS IN HIV+ PATIENT: CHALLENGE IN TEAMWORK MANAGEMENT Anzany Tania Dwi Putri, Felicia Paramita	129
13. MALPOSITION OF TEETH PREDISPOSED RECURRENT APHTHOUS STOMATTIS: NEED TO BE OBSERVED Helena Meyyular, Siti Alliyah Pradono.....	135
14. COMBINATION OF ARCH BAR AND QUICK FIX AS MAXILLOMANDIBULAR FIXATION IN THE ANGLE AND SYMPHISIS FRACTURE OF MANDIBLE (CASE REPORT) Siska Sutedja, Evy Eida Vitria.....	139
15. ADENOMATOID ODONTOGENIC TUMOR OF THE MANDIBLE MIMICKING DENTIGEROUS CYST: A CASE REPORT Fiona Verisqa, Dwi Ariawan	143
16. MANAGEMENT OF SCHWANNOMA OF THE TONGUE (CASE REPORT) Bambang T. Susilo, Vera Julia.....	147
17. MANAGEMENT OF LOWER LIP MUCOCELES REMOVAL BY CARBON DIOXIDE (CO2) LASER: CASE REPORT Fredy Budhi Dharmawan, Rachmitha Anne	149
18. SURGICAL MANAGEMENT OF MANDIBULAR ADENOMATOID ODONTOGENIC TUMOR: REPORT OF A RARE CASE Yus A. Putra Wibawa, Lilies Dwi Sulistyani.....	153

19. LIFE THREATENING ODONTOGENIC INFECTION Hardi S Riyadi, Rachmita Anne.....	159
20. INFECTION ON LARGE ERUPTED COMPLEX ODONTOMA OF MANDIBLE: A RARE CASE Yayan Andrian, Vera Julia.....	165
21. MANAGEMENT OF RADICULAR CYST IN THE MAXILLA WITH SURGICAL ENUCLEATION: A CASE REPORT M Ramaditto R, Vera Julia, Benny S Latief.....	169
22. SURGICAL EXPOSURE OF IMPACTED MAXILLARY CENTRAL INCISOR WITH INVERTED POSITION IN PRE-ORTHODONTIC TREATMENT : A CASE REPORT R. Hari Triwijaya, Lilies Dwi Sulistyani.....	173
23. MARSUPIALIZATION IN PEDIATRIC RANULA Ilham Ramadhan, Lilies D. Sulistyani.....	177
24. SURGICAL MANAGEMENT OF AN IMPACTED MANDIBULAR THIRD MOLAR WITH OROCUTANEOUS FISTULA: CASE REPORT Riadin J. Patomo, Retnowati, Corputty Johan.....	183
25. MODIFIED SURGICAL TREATMENT OF HIGH BUCCAL FRENUM ATTACHMENT TO IMPROVE PROSTHETIC STABILITY: A CASE REPORT Yona One Sidarta, Fredy Mardiyantoro.....	187
26. THE PRINCIPLES OF SELECTING BIOPSY TECHNIQUE ON ORAL SOFT TISSUE PATHOLOGY Mohammad Farid Ratman, Rachmitha Anne.....	191
27. MANAGEMENT OF DENTOALVEOLAR TRAUMA WITH EYELET WIRE SPLINT IN 7 YEARS OLD PATIENT: CASE REPORT Tri H.W. Prasetyo, Dwi Ariawan.....	195
28. SURGICAL MANAGEMENT OF SUBMANDIBULAR GLAND SIALOLITHIASIS: A CASE REPORT Yohan E. Marpaung Benny S. Latief, Dwi Ariawan.....	199
29. DELAYED BLEEDING 30 DAYS AFTER REMOVAL OF IMPACTED MANDIBULAR THIRD MOLAR Nakul Uppal.....	203
30. REMOVAL OF IMPACTED THIRD MOLAR IN MAXILLARY SINUS ASSISTED BY ENDOSCOPY (A CASE REPORT) Oditya Hamzah, Nur Aini, Lilies D. Sulistyani, M. Syafrudin Hak.....	205
31. CASE REPORT: MAXILLARY & MANDIBULAR ORIF IN PATIENT WITH FRONTAL, INFRAORBITAL, MAXILLA AND MANDIBLE FRACTURES M. Zain Anggriadi, Pradono.....	209
32. THREE-DIMENSIONAL MODEL UTILIZATION FOR RECONSTRUCTION IN ORAL AND MAXILLOFACIAL SURGERY: A CASE REPORT Ista Damayanti, Vera Julia, Benny S. Latief, Dwi Ariawan.....	213
33. FOLLICULAR AMELOBLASTOMA: A CASE REPORT Ira Suciati, Dwi Ariawan.....	217
34. MORTAL PULPOTOMY TREATMENT TO MAINTAIN DENTAL ARCH SPACE ON 8 YEARS OLD PATIENT Retno Oktasari, Sarworini B. Budiardjo.....	221
35. DENTAL TREATMENT FOR CEREBRAL PALSY'S PATIENT AGE 11 YEARS OLD Berthauli Ester Nurmaida Sirait, Margaretha Suharsini.....	225
36. MODIFIED OPEN COILED SPACE REGAINER FOR MESIAL DRIFTING OF TOOTH 36 IN A 7 YEARS OLD BOY (CASE REPORT) Wahyu Rahdelita, Margaretha Suharsini.....	229
37. IDENTIFYING CLINICAL DIAGNOSIS OF AGGRESSIVE PERIODONTITIS CASES Benso Sulijaya, Sri Lelyati Masulili, Robert Lessang, Siti Wuryan Prayitno, Agustine Irene Sukardi.....	235
38. MANAGEMENT OF PERIODONTAL TISSUE DEFECT WITH REGENERATIVE THERAPY Billy Martin, Yulianti Kemal, Felix Hartono.....	239

SECTION THREE: LITERATURE REVIEW

1. MEDICAL RECORD AS EVIDENCE AND LEGAL DEFENSE FOR DENTIST Tjen Dravinne Winata, Irin Kirana	247
2. HOSPITALITY IN DENTAL CLINIC Sri Rahayu, Wahyu Sulistiadi	251
3. MECHANISM OF MANY NATURAL MATERIALS AS MATERIAL OF EXTRACORONAL WHITENING : A BRIEF REVIEW Meitsalisa S. Mardina, Meiny F. Amin.....	255
4. PROPER TIMING FOR DENTAL IMPLANT PLACEMENT:WHEN TO RUSH IT AND WHEN TO TAKE IT SLOW Ferdinand Dino	259
5. TISSUE GRAFT FOR GINGIVAL RECESSION AND FURCATION INVOLVEMENT Hendri Poemomo	263
6. CORTICOTOMY FOR ACCELERATING ORTHODONTIC TOOTH MOVEMENT Angelique Julikadewi.....	269
7. PROPER AND JUDICIOUS USE OF ANTIBIOTICS IN PEDIATRIC DENTAL PATIENT Sri Ratna Laksmiastuti.....	275
8. TRANSMISSION OF STREPTOCOCCUS MUTANS AND DENTAL CARIES RISK IN CHILDREN Udijanto Tedjosasongko	281
9. HYALURONIC ACID AS A PREVENTIVE ANTIBACTERIAL AGENT AGAINST DENTAL BLACK STAIN Adita Gayatri, Margaretha Suharsini	287
10. ADENOID HYPERTROPHY AND PALATINE DIMENSIONAL CHANGES IN CHILDREN WITH MOUTH BREATHING HABIT Astri Kusumaningrum, Sarworini B. Budiardjo	291
11. HEAD POSTURE AND FACIAL PROFILE OF CHILDREN WITH ADENOID HYPERTROPHY- ASSOCIATED MOUTH BREATHING HABIT Joshua Calvin, Sarworini B. Budiardjo	297
12. ORAL HEALTH STATUS OF PATIENTS WITH LEUKEMIA Aliyah, Heriandi Sutadi	303
13. TOOTH ERUPTION IN CHILDREN WITH DIABETES MELLITUS Danar Pradipta Rani,Margaretha Suharsini	309
14. HUMAN VIRUSES ACCELERATE THE PERIODONTAL DISEASES Dewi N. Mustaqimah, Devie Falinda	315
15. A SYSTEMATIC REVIEW OF PERIODONTAL DISEASE AND CARDIOVASCULAR DISEASE Sandra Olivia Kuswandani, Yuniarti Soeroso, Sri Lelyati Masulili	319
16. PREVALENCE AND RISK FACTORS OF DENTAL EROSION: A SYSTEMATIC REVIEW Annisa Septalita, Diah A. Maharani, Armasastra Bahar.....	325
17. EFFECTIVENESS OF SILVER DIAMINE FLUORIDE IN DIFFERENT CONCENTRATIONS TO ARREST DENTAL CARIES – A LITERATURE REVIEW Rani Anggraini, Risqa R. Darwita, Melissa Adiatman	333
18. MASTICATORY REHABILITATION AS A THERAPY FOR COGNITIVE IMPAIRMENT Kartika Indah Sari.....	339
19. ORAL APPLIANCE THERAPY FOR TREATMENT OF SLEEP BRUXISM Ade Amahorseya.....	343

TRANSMISSION OF *STREPTOCOCCUS MUTANS* AND DENTAL CARIES RISK IN CHILDREN

Udijanto Tedjosasongko

Department of Pediatric Dentistry, Faculty of Dental Medicine Airlangga University, Surabaya, Indonesia
Correspondence e-mail to: udijanto@gmail.com

ABSTRACT

The dental caries prevalence of Indonesian children is high. One factor causing dental caries is microorganisms in the oral cavity. *Streptococcus mutans* (*S mutans*) have been reported as a major cause of dental caries in human. These bacteria are reported as non-indigenous bacteria in the oral cavity. Age at initial acquisition of *S mutans* is reported as a risk factor for dental caries in children. **Summary of Review:** Factors that influence the transmission are the amount of *S mutans* bacteria from the source of transmission, frequency of transmission, virulence and survival rate of the bacteria, and conducive oral conditions. The previous study reported that the younger the child acquired and colonized by *S mutans* the higher caries risk of the child. The source of transmission which mainly reported is the mother as the closest person to the child. The Indonesian family is the extended family, where the mother is not the only child caregivers. The main infectious source is reported from the closest person to the child, such as the nanny, playmates or close relatives. Parenting and lifestyle are contributing factors of transmission. Prevention of caries in pre-school children can be started since the child in the womb. Dental care during pregnancy and postpartum is needed to reduce the possibility of transmission of *S mutans* in babies. **Conclusion:** This article suggests that knowledge regarding the acquisition and transmission of *S mutans* could be the basis of a comprehensive effort to prevent dental caries in preschool children.

Key words: transmission, *Streptococcus mutans*, child, dental caries risk

INTRODUCTION

Dental caries is still a major health problem in many countries¹ including Indonesia. Based on the data of Riskesda (2013)² the dental caries prevalence of children in Indonesia is high. The severe dental caries can impact the quality of life of children.³ Reducing the dental caries is also an effort to improve the children's general health. One of dental caries factors is microorganisms in the oral cavity. *Streptococcus mutans* (*S mutans*) have been reported as a major cause of dental caries.

S mutans bacteria are reported as non indigenous bacteria of the new born infant oral cavity. Age at initial acquisition of *S mutans* is reported as a risk factor for dental caries in children. The high prevalence of dental caries in Indonesian children are caused by many factors, one of the trigger factors is the age of initial acquisition of *S mutans*. The previous studies showed that the age of initial acquisition of *S mutans* in children at the area of Pucang Sewu Community Health Center Surabaya ranging in age 9.67 ± 2.25 months old⁴ and the children at the area of Simomulyo Surabaya in ranged of age 7.76 ± 0.96 months old⁵. Those age range was much earlier than previous studies in Hiroshima Japan where the age of the initial acquisition occurred in range of age 24.2 ± 12.3 months old⁶, while in Brazil at 15.4 ± 2.12 months old.¹

Many studies have reported the vertical transmission and mother became major source of transmission in children⁷⁻¹². However, other studies indicate that transmission could also occurred horizontally. The Indonesian family could be considered as the extended family. In the large family, mother usually is not the only child's caregiver. Previous studies have reported that the other person could also be the source of transmission.^{6,7}

The occurrence of *S mutans* transmission need for further study to determine who has the potential to become a source of transmission to the child. Efforts to prevent transmission have been conducted but still in the stages of delaying the transmission. The different condition of Indonesian family than family in other countries could be the reason of high caries risk on Indonesian children. It might due to the possibility of transmission is high. The knowledge of the transmission of *S mutans* need to be shared by all parties concerned particularly by parents, caregivers and dental health practitioners, as prevention of dental caries in children.

LITERATURE REVIEW

Dental caries is a teeth hard tissue disease caused by a combination of several factors (multiple factors) which

are oral microorganisms, substrate, host and time. Dental caries can affect all age groups, from children to the elderly. Dental caries in children occurs at ages under 6 years (71 months) can be categorized as Early Childhood caries (ECC), but when caries in children occurs before the age of 3 years categorized as Severe Early Childhood caries (S-ECC). The occurrence of ECC can be caused by several conditions such as the habit of bottle feeding prior night sleep (nursing bottle caries), the bad oral hygiene maintenance, and the age of initial acquisition and transmission of *S mutans*.

S mutans have been reported as the bacteria that cause caries. Initials acquisition and transmission of *S mutans* started the process of caries in children. Research of Kohler B.¹³ showed that the younger a child acquires *S mutans* the higher caries risk of the child. Strategies for preventing or delaying the transmission of cariogenic bacteria has been recommended by The Center of Disease Control and Prevention (CDC) Atlanta, and is written as a policy of oral health of children's health care organizations.¹⁴

Initial acquisition of *Streptococcus mutans*

S mutans is not the bacteria that colonize the oral cavity in infancy. Initials acquisition of *S mutans* is when a person is infected by *S mutans* and permanently colonizes the oral cavity. Caulfield et al¹⁵ reported period called "window of infectivity" at the age of 19-31 months, which is a susceptible period of a child, is infected by *S mutans*. The next period was reported by Straetemans et al¹⁶ at the age of 6-12 years. Previous research⁶ reported that children in Hiroshima daycare acquired *S mutans* at an average age of 24 months (2 years). Several studies conducted in Indonesia indicate the age of the initial acquisition of *S mutans* were younger.^{4,5}

S mutans can colonize the mucosal surface or the saliva, but it cannot survive long because of the dynamic salivary flow and the mucosal exfoliation. Research in Hiroshima Japan⁶ showed that *S mutans* found in 20% children with 10 teeth erupted and in 40% children who have 12 teeth erupted. Citra Adinda et al⁵ reported that the *S mutans* was only found in children who had erupted teeth. The results support the study that reported *S mutans* require non-shedding surface to colonize persistently.¹⁷ However, in infants who have no tooth erupted yet some researchers found *S mutans*.^{18,19} In infants using obturator reported could acquired *S mutans*.²⁰ Initial acquisition of *S mutans* is associated with the risk of ECC in children.²¹⁻²⁴ The caries risk of children who positive *S mutans* detected at an early age is reported high.

Transmission of *Streptococcus mutans*

Many studies have reported that mother is the main source of transmission of *S mutans* in children.^{8-12,20,25} De Soet et al²⁰ reported that in a population that infants use the cleft palate obturator showed 38% transmission from mother at 21 mother-child pairs. Emanuelsson & Wang²⁶ reported on the Chinese population the source of transmission were 36% from mothers, 27% from the father, and one family shared identical strain *S mutans* between spouses. Li and Caulfield²⁵ found 45% of maternal transmission of *S mutans* in Chinese population. The mother is not the only source of infection because Kozai et al⁷ and Tedjosasongko, U. &

Kozai, K.⁶ reported that the father and friend/ classmate in daycare can be a source of transmission. Factors that affect the transmission are the amount of *S mutans* of the source, frequency of transmission, virulence of the bacteria, the survival rate of the bacteria, and oral conditions.¹⁷

Vertical transmission

Vertical transmission is transmission occur from caregivers to children, including a mother and baby sitter. This is because they contact very intense. This is known by the pattern similarity of *S mutans* chromosomal DNA or plasmid in mothers and children.^{6,27,28} A mother who had *S mutans* in her saliva greater than 105 CFU per mL, was reported to have risk to infect their child 58%, whereas if the mothers have 103 CFU per mL of saliva the transmission frequency down 6%.¹⁷ Decreasing the amount of *S mutans* in the mother has been reported decreasing the possibility of transmission to children.²⁹

Mode of birth delivery also affects the risk of initial acquisition of *S mutans*. Babies were born by Caesarean operation, reported acquired *S mutans* 11.7 months earlier than babies born by normal delivery through vagina.³⁰ Babies born by normal delivery would be exposed to a wide variety of high intensity which may affect the pattern of acquisition of microbes. Babies born by Caesarean delivery birth in more sterile conditions, this increases the sensitivity of the baby against infection of *S mutans*.

Horizontal transmission

Horizontal transmission is the transmission of microbes between members in the same age group such as family members or classmates.¹⁷ Research on daycare centers in Brazil³¹, Hiroshima Japan⁶, and in San Francisco³² proved that transmission occurs horizontally among children in the daycare. Tedjosasongko, U. & Kozai, K.⁶ studied 39 Japanese children in daycare and found 33% of mother transmission, 8% of father transmission and the evidence of horizontal transmission among playmates 58%. Horizontal transmission is also possible in the case of family members, a child have the same genotype of *S mutans* to the mother-father.^{7,26,33} Transmission between adult couples also found and supports the horizontal transmission pattern.

Streptococcus mutans tracing methods

Molecular methods that have been used to identify strains of *S mutans* such as (1) multilokus sequence typing³⁴; (2) The chromosome DNA fingerprinting³⁵; (3) pulsed-field gel electrophoresis (PFGE)^{36,37}; (4) arbitrarily primed polymerase chain reaction (AP-PCR)^{38,39}; (5) ribotyping^{40,41}; and (6) rRNA sequencing of the gene 16S.⁴²⁻⁴⁴ Technical pulsed-field gel electrophoresis (PFGE) is considered the "gold standard" for the study of the epidemiology of infectious pathogens.⁴⁵

Transmission of *streptococcus mutans* and dental caries risk in children

Initials colonization by *S. mutans* is known as major risk factor for ECC and future dental caries. Alaluusua & Renkonen⁴⁶ conducted a longitudinal study colonization of *S. mutans* and dental caries in children aged 2-4 years; children who positively acquired *S. mutans* at the age of 2 years old have active caries at the age of 4 years old (mean

score DMFS was 10.6). In children who acquired *S mutans* older than 2 years of age, the mean DMFS score was 3.4 at age 4 ($p < 0.005$). Kohler et al¹³ also reported that 89% of children with *S. mutans* colonization at the age of 2 years have carious lesions at the age of 4 years with an average value of 5.0 DMFS; but only 25% children who are not infected with *S. mutans* at the age of 2 years experience dental caries in the age of 4 years with a mean value of 0.3 DMFS. Gindejford et al¹⁷ longitudinally evaluated the risk factors of caries in 786 children aged 1 year and they were checked again at age 3.5 years to check for dental caries occurrence. This study was supported by Fujiwara et al²³ and Roeters et al²⁴; they confirmed that early infection of *S mutans* is a significant risk factor for the occurrence of dental caries in the future.

Knowledge of the initial acquisition of *S mutans* promotes optimum dental caries prevention. Therefore one of the primary prevention of ECC is to prevent or delay the acquisition of *S mutans* at an early age through the reduction in the amount of *S mutans* in the mother as the primary source of transmission.⁴⁸ Primary prevention of ECC needs to be started prenatal and perinatal period (including pregnancy and the first month of birth). Mothers with high amount of *S mutans* have greater risk to pass it on to their babies. Dental care in the mother can delay transmission to infants.⁴⁹ Research conducted Prawati Nuraini et al⁵⁰ showed a correlation between the level of *S mutans* mother and her child, in addition to the mother's level of *S mutans* can be predictive of caries in children.⁵¹

Several attempts were made to reduce the risk of transmission of *S mutans* such as reducing the amount of *S mutans* in mothers, sisters, and caregivers; eliminate active dental caries lesions; avoiding contamination of saliva (e.g. tasting food before eating and sharing toothbrushes); maintain oral hygiene; avoid the consumption of cariogenic foods, and visit a dentist at the early age.¹⁷

DISCUSSION

The spread of *S mutans* in the oral cavity can be influenced by the bacterial properties and host factors including saliva, teeth and immunity; the composition of the diet and environmental factors. These factors related to habits and life styles are varying in each population. Factors that are associated with the risk of caries in children include the age of child, level of *S mutans*, sucrose consumption, and the habit of tooth brushing.^{52,53} The earlier a child acquires *S mutans* the higher risk of caries in children. This is due to an early age the child's ability to maintain the oral health still low, such as the ability to brush their teeth. Children preference on high sucrose containing food such as candy, milk is still high. Morphology of primary teeth is different from permanent teeth. This contributes to the occurrence of caries faster in primary teeth. The existence of *S mutans* in early childhood provides the higher possibility of caries occurrence.

Risks of *S mutans* initial acquisition in children increases along with teeth eruption, either the primary or permanent teeth. The eruption of teeth provides area for *S mutans* colonization. The more areas available in

oral cavity, the higher risk of *S mutans* initial acquisition. *S mutans* need a "non-shedding" surface to persistently colonize, such as the tooth surface or oral obturator in babies with cleft palate. *S mutans* colonization on mucosal surfaces can occur but because of exfoliative process on mucosal surface the *S mutans* colonies is lost along with the mucosa. The existence of *S mutans* colonies after 2 primary teeth eruption reported by Citra Adina et al⁵ and the cumulative probability increases with the number of primary teeth erupted.^{6,54}

The mother as the child closest person is widely reported as the main source of transmission. Indonesian family is considered as the extended family, where the mother is not the only child's caregiver. The main transmission source is the closest person to the child, in this case can be a caregivers or babysitter, children's playmates or close relatives including the father. Parenting and lifestyle are contributing factor for transmission. The eating habit, sharing glasses and spoons etc consider as a potential transfer media of bacteria. Transmission occurs either directly or indirectly through saliva.

Efforts to prevent transmission can be done for example by lowering the amount of *S mutans* from the person surround the child who could potentially pass it. Decreasing the number of bacteria can be done by treating the caries teeth, improving oral hygiene by brushing teeth or use mouthwash etc. The efforts of caries prevention could be focused on the mothers. Prevention is done before pregnancy, during pregnancy and after pregnancy.

Previous research has reported that the age of initial acquisition of *S mutans* in Indonesian children occurred in the range of age 9.7 months⁴ and 7.6 months.⁵ that are earlier than the period "window of infectivity" reported by Caufield et al¹⁵ in the age range of 19-31 months. It is true that the studies in children at the area of Pucang Sewu Community health center and Simomulyo Surabaya region were not yet represented the Indonesian children, but it shows the possibility of initial acquisition of *S mutans* in Indonesia children occur at such an early age. However, this may be one of the predictions of the potential causes of high prevalence of dental caries in Indonesia children. At the age of 7 months a child has gained *S mutans* so no wonder that at the age of 2 years the child has been exposed to caries.

An extended family style in Indonesia could be conducive conditions for transmission of *S mutans*; due to the caretaker of the child is not only the mother but also the members of family. Mode of administration and the selection of food are contributing to the early age of the initials acquisition, including providing snack foods with high sugar levels between meals, and the habit of prolonged bottle feeding. Oral hygiene creates conducive conditions to *S mutans* transmission. This article suggests that the increased risk of caries in children related to the age of *S mutans* initial acquisition. Transmission of *S mutans* can occur vertically or horizontally. Knowledge regarding the acquisition and transmission of *S mutans* could be the basis of a comprehensive effort to prevent dental caries in preschool children.

REFERENCES

1. Klein MI, Flório FM, Pereira AC, Höfling JF, Gonçalves RB. Longitudinal study of transmission, diversity, and stability of *Streptococcus mutans* and *Streptococcus sobrinus* genotypes in Brazilian nursery children. *J Clin Microbiol*. 2004 Oct;42(10):4620-6.
2. Riset Kesehatan Dasar (RISKESDAS). Badan penelitian dan pengembangan kesehatan Kementerian Kesehatan Republik Indonesia. Tahun 2013; hlm. 112
3. Filstrup SL, Briskie D, da Fonseca M, Lawrence L, Wandera A, Inglehart MR. Early childhood caries and quality of life: child and parent perspectives. *Pediatr Dent*. 2003 Sep-Oct;25(5):431-40.
4. Tedjosasongko, U., Nuraini, P., Pradopo, S. Inisial akuisisi *Streptococcus mutans* pada anak balita di Puskesmas Pucang Sewu Surabaya. *Dent.J. (Maj.Ked. Gigi)*. Edisi Khusus PIN IKGA. 2005; 47-50
5. Citra Adinda, Udijanto Tedjosasongko, Teguh Budi Wibowo. Usia saat inisial akuisisi *Streptococcus mutans* dan jumlah erupsi gigi sulung pada anak. *Dent.J. (Maj. Ked.Gigi)*. 2014; 47(4): 202-205
6. Tedjosasongko U, Kozai K. Initial acquisition and transmission of *mutans streptococci* in children at day nursery. *ASDC J Dent Child*. 2002 Sep-Dec;69(3):284-8, 234-5.
7. Kozai K, Nakayama R, Tedjosasongko U, Kuwahara S, Suzuki J, Okada M, Nagasaka N. Intrafamilial distribution of *mutans streptococci* in Japanese families and possibility of father-to-child transmission. *Microbiol Immunol*. 1999;43(2):99-106.
8. Hameş-Kocabaş EE, Uçar F, Kocataş Ersin N, Uzel A, Alpöz AR. Colonization and vertical transmission of *Streptococcus mutans* in Turkish children. *Microbiol Res*. 2008;163(2):168-72.
9. Zhan L, Tan S, Den Besten P, Featherstone JD, Hoover CI. Factors related to maternal transmission of *mutans streptococci* in high-risk children-pilot study. *Pediatr Dent*. 2012 Jul-Aug;34(4):e86-91.
10. Teanpaisan R, Chaethong W, Piwat S, Thitasomakul S. Vertical transmission of *mutans streptococci* and *lactobacillus* in Thai families. *Pediatr Dent*. 2012 Mar-Apr;34(2):e24-9.
11. Binks C, Duane B. Mother-to-child transmission of *Streptococcus mutans*. *Evid Based Dent*. 2015 Jun;16(2):39-40.
12. da Silva Bastos Vde A, Freitas-Fernandes LB, Fidalgo TK, Martins C, Mattos CT, de Souza IP, Maia LC. Mother-to-child transmission of *Streptococcus mutans*: a systematic review and meta-analysis. *J Dent*. 2015 Feb;43(2):181-91.
13. Köhler B, Andréen I, Jonsson B. The earlier the colonization by *mutans streptococci*, the higher the caries prevalence at 4 years of age. *Oral Microbiol Immunol*. 1988 Mar;3(1):14-7.
14. American Academy of Pediatric Dentistry. Policy on Early Childhood Caries (ECC). Classifications, Consequences, and Preventive Strategies; *Pediatr Dent*. 2006. p. 31
15. Caufield PW, Cutter GR, Sasanayake AP. Initial acquisition of *mutans streptococci* by infants evidence for a discrete window of infectivity. *J Dent Res* 1993;72:37-45.
16. Straetemans MM, Van Loveren C, De Soet JJ, De Graaff J, Ten Cate JM. Colonization with *mutans streptococci* and *lactobacilli* and the caries experience of children after the age of five. *J Den Res*. 1998;77:1851-5.
17. Berkowitz RJ. *Mutans streptococci*: acquisition and transmission. *Pediatr Dent*. 2006 Mar-Apr;28(2):106-9; discussion 192-8.
18. Wan AK, Seow WK, Walsh LJ, Bird P, Tudehope DL, Purdie DM. Association of *Streptococcus mutans* infection and oral developmental nodules in pre-dentate infants. *J Dent Res*. 2001 Oct;80(10):1945-8.
19. Tanner AC, Milgrom PM, Kent R Jr, Mokeem SA, Page RC, Riedy CA, Weinstein P, Bruss J. The microbiota of young children from tooth and tongue samples. *J Dent Res*. 2002 Jan;81(1):53-7.
20. de Soet JJ, Bokhout B, Buijs JF, van Loveren C, de Graaff J, Prah - Andersen B. Transmission of *mutans streptococci* between mothers and children with cleft lip and / or palate. *Cleft Palate Craniofac J*. 1998; 35: 460-464.
21. Alaluusua S, Renkonen OV. *Streptococcus mutans* establishment and dental caries experience in children from 2 to 4 years old. *Scand J Dent Res*. 1983 Dec;91(6):453-7.
22. Köhler B, Andréen I, Jonsson B. The earlier the colonization by *mutans streptococci*, the higher the caries prevalence at 4 years of age. *Oral Microbiol Immunol*. 1988 Mar;3(1):14-7.
23. Fujiwara T, Sasada E, Mima N, Ooshima T. Caries prevalence and salivary *mutans streptococci* in 0-2-year-old children of Japan. *Community Dent Oral Epidemiol*. 1991 Jun;19(3):151-4.
24. Roeters FJ, van der Hoeven JS, Burgersdijk RC, Schaeken MJ. *Lactobacilli*, *mutans streptococci* and dental caries: a longitudinal study in 2-year-old children up to the age of 5 years. *Caries Res*. 1995;29(4):272-9.
25. Li Y, Wang W, Caufield PW. The fidelity of *mutans streptococci* transmission and caries status correlate with breast-feeding experience among Chinese families. *Caries Res*. 2000; 34: 123-132.
26. Emanuelsson IM, Wang XM. Demonstration of identical strains of *mutans streptococci* within Chinese families by genotyping. *Eur J Oral Sci*. 1998; 106:788-794.
27. Berkowitz RJ, Jones P. Mouth-to-mouth transmission of the bacterium *Streptococcus mutans* between mother and child. *Arch Oral Biol* 1985;30:377-379.
28. Caufield PW, Wannemuehler Y, Hensen J. Familial clustering of the *Streptococcus mutans* cryptic plasmid strain in a dental clinic population. *Infect Immun* 1982;38:785-787.
29. Köhler B, Bratthall D, Krasse B. Preventive measures in mothers influence the establishment of the bacterium *Streptococcus mutans* in their infants. *Arch Oral Biol*. 1983;28(3):225-31.
30. Li Y, Caufield PW, Dasanayake AP, Wiener HW, Vermund SH. Mode of delivery and other maternal factors influence the acquisition of *Streptococcus mutans* in infants. *J Dent Res*. 2005 Sep;84(9):806-11.
31. Mattos-Graner RO, Li Y, Caufield PW, Duncan M,

- Smith DJ. Genotypic diversity of mutans streptococci in Brazilian nursery children suggests horizontal transmission. *J Clin Microbiol.* 2001 Jun;39(6):2313-6.
32. Doméjean S, Zhan L, DenBesten PK, Stamper J, Boyce WT, Featherstone JD. Horizontal transmission of mutans streptococci in children. *J Dent Res.* 2010 Jan;89(1):51-5.
33. Van Loveren C, Buijs JF, ten Cate JM. Similarity of bacteriocin activity profiles of mutans streptococci within the family when the children acquire strains after the age of 5. *Caries Res* 2000;34:481-485.
34. Nakano K, Lapidattanakul J, Nomura R, et al. *Streptococcus mutans* clonal variation revealed by multilocus sequence typing. *J Clin Microbiol.* 2007; 45:2616-2625.
35. Caufield PW, Walker TM. Genetic diversity within *Streptococcus mutans* evident from chromosomal DNA restriction fragment polymorphisms. *J Clin Microbiol.* 1989; 27:274-278.
36. Jordan C, LeBlanc DJ. Influences of orthodontic appliances on oral populations of mutans streptococci. *Oral Microbiol Immunol.* 2002; 17:65-71.
37. Roberts MC, Riedy CA, Coldwell SE. How xylitol-containing products affect cariogenic bacteria. *J Am Dent Assoc.* 2002; 133:435-441.
38. Gronroos L, Alaluusua S. Site-specific oral colonization of mutans streptococci detected by arbitrarily primed PCR fingerprinting. *Caries Res.* 2000; 34:474-480.
39. Li Y, Caufield PW. Arbitrarily primed polymerase chain reaction fingerprinting for the genotypic identification of mutans streptococci from humans. *Oral Microbiol Immunol.* 1998; 13:17-22.
40. Alaluusua S, Alaluusua SJ, Karjalainen J, et al. The demonstration by ribotyping of the stability of oral *Streptococcus mutans* infection over 5 to 7 years in children. *Arch Oral Biol.* 1994; 39:467-471.
41. Gronroos L, Saarela M, Matto J, Tanner-Salo U, Vuorela A, Alaluusua S. Mutacin production by *Streptococcus mutans* may promote transmission of bacteria from mother to child. *Infect Immun.* 1998; 66:2595-2600.
42. Whiley RA, Beighton D. Current classification of the oral streptococci. *Oral Microbiol Immunol.* 1998; 13:195-216.
43. Becker MR, Paster BJ, Leys EJ, et al. Molecular analysis of bacterial species associated with childhood caries. *J Clin Microbiol.* 2002; 40:1001-1009.
44. Kawamura Y, Hou XG, Sultana F, Miura H, Ezaki T. Determination of 16S rRNA sequences of *Streptococcus mitis* and *Streptococcus gordonii* and phylogenetic relationships among members of the genus *Streptococcus*. *Int J Syst Bacteriol.* 1995; 45:406-408.
45. Goering RV. The molecular epidemiology of nosocomial infection: Past, present, and future. *Rev Med Microbiol.* 2000; 11:145-152.
46. Alaluusua S, Renkonen OV. Streptococcus mutans establishment and dental caries experience in children from 2 to 4 years old. *Scand J Dent Res* 1982;91:453-457.
47. Grindefjord M, Dahllöf G, Nilsson B, Modéer T. Stepwise prediction of dental caries in children up to 3.5 years of age. *Caries Res.* 1996;30(4):256-66.
48. Berkowitz RJ. Causes, treatment and prevention of early childhood caries: A microbiologic perspective. *J Can Dent Assoc* 2003;69:304-309.
49. Kloetzel MK, Huebner CE, Milgrom P. Referrals for dental care during pregnancy. *J Midwifery Womens Health.* 2011 Mar-Apr;56(2):110-7.
50. Prawati Nuraini, Chandra KW, Udijanto T. Level Streptococcus mutans ibu dan anak pra sekolah. *Dent.J.(Maj.Ked.Gigi).* Edisi Khusus Temu Ilmiah Nasional III-2003: 398-401
51. Chaffee BW, Gansky SA, Weintraub JA, Featherstone JD, Ramos-Gomez FJ. Maternal oral bacterial levels predict early childhood caries development. *J Dent Res.* 2014 Mar;93(3):238-44.
52. Warren JJ, Weber-Gasparoni K, Marshall TA, Drake DR, Dehkordi-Vakil F, Kolker JL, Dawson DV. Factors associated with dental caries experience in 1-year-old children. *J Public Health Dent.* 2008 Spring;68(2):70-5.
53. Ge Y, Caufield PW, Fisch GS, Li Y. Streptococcus mutans and Streptococcus sanguinis colonization correlated with caries experience in children. *Caries Res.* 2008;42(6):444-8.
54. Sharma R, Prabhakar A, Gaur A. Mutans Streptococci Colonization in Relation to Feeding Practices, Age and the Number of Teeth in 6 to 30-Month-Old Children: An in vivo Study. *Int J Clin Pediatr Dent.* 2012 May;5(2):124-31.