

DAFTAR PUSTAKA

- Adane, A. A. *et al.* (2013) 'Non-adherence to anti-tuberculosis treatment and determinant factors among patients with tuberculosis in northwest Ethiopia', *PLoS ONE*, 8(11). doi: 10.1371/journal.pone.0078791.
- Alegria-Flores, K. *et al.* (2017) 'Innovative approach to the design and evaluation of treatment adherence interventions for drug-resistant TB', *International Journal of Tuberculosis and Lung Disease*, 21(11), pp. 1160–1166. doi: 10.5588/ijtld.17.0296.
- Ali, A. O. A. and Prins, M. H. (2016) 'Patient non adherence to tuberculosis treatment in Sudan: Socio demographic factors influencing non adherence to tuberculosis therapy in Khartoum State', *Pan African Medical Journal*, 25, pp. 1–11. doi: 10.11604/pamj.2016.25.80.9447.
- Arifin, V. N. *et al.* (2019a) 'The Relationship of Social Support with Medication Adherence Pulmonary Tuberculosis Patients Through DOTS Strategy in Pidie Aceh Indonesia', *IOP Conference Series: Materials Science and Engineering*, 469(1). doi: 10.1088/1757-899X/469/1/012055.
- Arifin, V. N. *et al.* (2019b) 'The Relationship of Social Support with Medication Adherence Pulmonary Tuberculosis Patients Through DOTS Strategy in Pidie Aceh Indonesia', *IOP Conference Series: Materials Science and Engineering*, 469(1). doi: 10.1088/1757-899X/469/1/012055.
- Balakrishnan, S. *et al.* (2015) 'Social inclusion: An effort to end loss-to-treatment follow-up in tuberculosis', *Indian Journal of Tuberculosis. Tuberculosis Association of India*, 62(4), pp. 230–234. doi: 10.1016/j.ijtb.2015.11.007.
- Baniqued, M. G. *et al.* (2020) 'Social support from nurses and non-adherence with directly observed therapy (DOTS) maintenance phase among patients with tuberculosis in Metro Manila, Philippines', *Public Health Nursing*, (January), pp. 1–8. doi: 10.1111/phn.12714.
- Birch, S. *et al.* (2016) 'Does treatment collection and observation each day keep the patient away? An analysis of the determinants of adherence among patients with Tuberculosis in South Africa', *Health Policy and Planning*, 31(4), pp. 454–461. doi: 10.1093/heapol/czv084.
- Chen, B. *et al.* (2016) 'Social support received by multidrug-resistant tuberculosis patients and related factors: A cross-sectional study in Zhejiang Province, People's Republic of China', *Patient Preference and Adherence*, 10, pp. 1063–1070. doi: 10.2147/PPA.S105655.
- Davtyan, K. *et al.* (2015) 'Social support programme for tuberculosis patients in Armenia: perceptions of patients and doctors', *Public health panorama*, 01(01), pp. 252–259.
- Dinkes Provinsi Jawa Timur (2016) 'PROFIL KESEHATAN PROVINSI JAWA

- TIMUR TAHUN 2016 [East Java Health Profile 2016]’, *Provinsi Jawa Timur, Dinkes*.
- Dueñas, M. and Cardona, D. (2016) ‘Factores relacionados con la adherencia al tratamiento en pacientes con tuberculosis. Pereira, Colombia 2012-2013’, *Biomédica*, 36(3). doi: 10.7705/biomedica.v36i3.2904.
- Fagundez, G. *et al.* (2016) ‘Treatment Adherence of Tuberculosis Patients Attending Two Reference Units in Equatorial Guinea.’, *PloS one*. United States, 11(9), p. e0161995. doi: 10.1371/journal.pone.0161995.
- Higgins JPT, G. S. (editors) (2011) *Cochrane Handbook for Systematic Reviews of Interventions Version 5.1.0 [updated March 2011]*. Edited by G. S. (editors) Higgins JPT. The Cochrane Collaboration. Available at: Available from www.handbook.cochrane.org.
- Hornstein, E. A. and Eisenberger, N. I. (2017) ‘Unpacking the buffering effect of social support figures: Social support attenuates fear acquisition’, *PLoS ONE*, 12(5), pp. 1–9. doi: 10.1371/journal.pone.0175891.
- Hwang, E. Y. (2018) ‘성인 결핵 환자의 복약이행 관련 요인’, 30(5), pp. 493–503.
- Jansen-Aaldring, N., van de Berg, S. and van den Hof, S. (2018) *Patient support during treatment for active tuberculosis and for latent tuberculosis infection: Policies and practices in European low-incidence countries*, *Journal of Advanced Nursing*. doi: 10.1111/jan.13784.
- Khachadourian, V. *et al.* (2020) ‘People-centred care versus clinic-based DOT for continuation phase TB treatment in Armenia: a cluster randomized trial’, *BMC pulmonary medicine*, 20(1), p. 105. doi: 10.1186/s12890-020-1141-y.
- Khachadourian, Vahe *et al.* (2020) ‘People-centred care versus clinic-based DOT for continuation phase TB treatment in Armenia: a cluster randomized trial’, *BMC Pulmonary Medicine*, 20(1), p. 105. doi: 10.1186/s12890-020-1141-y.
- Klein, K. *et al.* (2019) ‘Evaluation of a social protection policy on tuberculosis treatment outcomes: A prospective cohort study’, *PLoS Medicine*. Public Library of Science. doi: 10.1371/journal.pmed.1002788.
- Langford, C. P. H. *et al.* (1997) ‘Social support: A conceptual analysis’, *Journal of Advanced Nursing*, 25(1), pp. 95–100. doi: 10.1046/j.1365-2648.1997.1997025095.x.
- Li, X. *et al.* (2018) ‘Effectiveness of comprehensive social support interventions among elderly patients with tuberculosis in communities in China: A community-based trial’, *Journal of Epidemiology and Community Health*. Department of Epidemiology and Biostatistics, School of Public Health, Tongji Medical College, Huazhong University of Science and Technology, Ministry of Education (MOE) Key Lab of Environment and Health, Huazhong University of Science and Technology, Wuh, 72(5), pp. 369–375.

doi: 10.1136/jech-2017-209458.

- Marizan, M., Mahendradhata, Y. and Wibowo, T. A. (2016) 'Faktor yang berhubungan dengan non-konversi BTA positif pada pengobatan tuberkulosis paru di kota Semarang', *Berita Kedokteran Masyarakat*, 32(3), pp. 77–81.
- Mazza-Stalder, J. *et al.* (2019) 'Improvement in Tuberculosis Outcomes With a Combined Medical and Social Approach', *Frontiers in Medicine*, 6(June), pp. 1–7. doi: 10.3389/fmed.2019.00135.
- Miller, T. A. and DiMatteo, M. R. (2013) 'Importance of family/social support and impact on adherence to diabetic therapy', *Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy*, 6, pp. 421–426. doi: 10.2147/DMSO.S36368.
- Moodley, N. *et al.* (2020) "'They are inconveniencing us" - exploring how gaps in patient education and patient centred approaches interfere with TB treatment adherence: perspectives from patients and clinicians in the Free State Province, South Africa', *BMC public health*. Aurum Institute, Johannesburg, South Africa, 20(1), p. 454. doi: 10.1186/s12889-020-08562-3.
- Morelli, S. A. *et al.* (2015) 'Emotional and instrumental support provision interact to predict well-being', *Emotion*, 15(4), pp. 484–493. doi: 10.1037/emo0000084.
- NICE (2014) 'Internal Clinical Guidelines Team, Gallstone disease', (October). Available at: <https://www.nice.org.uk/guidance/ng19/evidence/full-guidance-15672915543%0Ahttps://www.nice.org.uk/guidance/cg188/evidence/full-guideline-pdf-193302253>.
- Nur Kholifah, S. *et al.* (2010) 'MODEL ADAPTIF CONSERVATION (ACM) DALAM MENINGKATKAN DUKUNGAN KELUARGA DAN KEPATUHAN BEROBAT PADA PASIEN TB PARU DI WILAYAH KOTA SURABAYA (Adaptif Conservation (ACM) Model in Increasing Family Support and Compliance Treatment in Patient with Pulmonary Tuber'.
- Nursalam, P. and Hons, M. N. (2020) 'Panduan Penyusunan Skripsi- Literature dan Tesis - Systematic Review Alih Pembelajaran Akibat Pandemi', (April).
- Orlandi, G. M. *et al.* (2019) 'Social incentives for adherence to tuberculosis treatment', *Revista brasileira de enfermagem*. Universidade de São Paulo. São Paulo, São Paulo, Brazil, 72(5), pp. 1182–1188. doi: 10.1590/0034-7167-2017-0654.
- Palant, A. and Himmel, W. (2019) 'Are there also negative effects of social support? A qualitative study of patients with inflammatory bowel disease', *BMJ Open*, 9(1), pp. 1–10. doi: 10.1136/bmjopen-2018-022642.

- Park, S., George, M. and Choi, J. Y. (2020) 'Quality of life in Korean tuberculosis patients: A longitudinal study', *Public Health Nursing*. Department of Nursing, Seoyeong University, Gwangju, South Korea, 37(2), pp. 198–205. doi: 10.1111/phn.12691.
- Puspitasari, L., Murti, B. and Demartoto, A. (2016) 'Social Support on the Adherence to Treatment of Tuberculosis in Cilacap, Indonesia', *Multilevel Analysis on the Bio-psychosocial and Environment Factors Affecting the Risk of Pneumonia in Infants*, 01(01), pp. 58–65. doi: 10.26911/jepublichealth.2016.01.01.07.
- Putri, M. H. (2020) 'Dukungan keluarga sebagai faktor penting dalam kepatuhan minum obat pada pasien tuberculosis paru', *Wellness and Healthy Magazine*, 2(February), pp. 127–134. Available at: <https://wellness.journalpress.id/wellness/article/view/v1i218wh>.
- Rivera, O. *et al.* (2019) 'Abandono del tratamiento en tuberculosis multirresistente: factores asociados en una región con alta carga de la enfermedad en Perú', *Biomedica : revista del Instituto Nacional de Salud*, 39(2), pp. 44–57. doi: 10.7705/biomedica.v39i3.4564.
- Rogers, J. H. *et al.* (2018) 'Impact of community-based adherence support on treatment outcomes for tuberculosis, leprosy and HIV/AIDS-infected individuals in post-Ebola Liberia', *Global Health Action*. Taylor and Francis Ltd., 11(1). doi: 10.1080/16549716.2018.1522150.
- Saqib, S. E., Ahmad, M. M. and Panezai, S. (2019) 'Care and social support from family and community in patients with pulmonary tuberculosis in Pakistan', *Family Medicine and Community Health*, 7(4), pp. 1–9. doi: 10.1136/fmch-2019-000121.
- Sarafino, Edward P.; Smith, T. W. . (2011) *Health Psychology Biopsychosocial Interactions*.
- Sidoarjo, D. K. (2018) *Profil Kesehatan Kabupaten Sidoarjo*. Sidoarjo.
- Skiles, M. P. *et al.* (2018) 'Evaluating the impact of social support services on tuberculosis treatment default in Ukraine', *PLoS ONE*, 13(8), pp. 1–13. doi: 10.1371/journal.pone.0199513.
- Tate, R. L. and Douglas, J. (2011) 'Use of Reporting Guidelines in Scientific Writing: PRISMA, CONSORT, STROBE, STARD and Other Resources', *Brain Impairment*, 12(1), pp. 1–21. doi: 10.1375/brim.12.1.1.
- Tola, H. H. *et al.* (2019) 'Prevalence of tuberculosis treatment non-adherence in Ethiopia: A systematic review and meta-analysis', *International Journal of Tuberculosis and Lung Disease*, 23(6), pp. 741–749. doi: 10.5588/ijtld.18.0672.
- Vo, L. N. Q. *et al.* (2020) 'Tuberculosis among economic migrants: A cross-sectional study of the risk of poor treatment outcomes and impact of a

- treatment adherence intervention among temporary residents in an urban district in Ho Chi Minh City, Viet Nam', *BMC Infectious Diseases*. Friends for International TB Relief, 68B Nguyen Van Troi, 8, Phu Nhuan, Ho Chi Minh City, Viet Nam, 20(1). doi: 10.1186/s12879-020-4865-7.
- Wei, X. L. *et al.* (2015) 'Treatment interruption and directly observed treatment of multidrug-resistant tuberculosis patients in China', *International Journal of Tuberculosis and Lung Disease*, 19(4), pp. 413–419. doi: 10.5588/ijtld.14.0485.
- Widjanarko, B. *et al.* (2009) 'Factors that influence treatment adherence of tuberculosis patients living in Java, Indonesia', *Patient Preference and Adherence*, 3, pp. 231–238. doi: 10.2147/PPA.S6020.
- Wingfield, T. *et al.* (2015) 'Designing and implementing a socioeconomic intervention to enhance TB control: operational evidence from the CRESIPT project in Peru.', *BMC public health*. England, 15, p. 810. doi: 10.1186/s12889-015-2128-0.
- Wingfield, T. *et al.* (2016) 'The economic effects of supporting tuberculosis-affected households in Peru.', *The European respiratory journal*. England, 48(5), pp. 1396–1410. doi: 10.1183/13993003.00066-2016.
- World Health Organization (2003) *Treatment of tuberculosis: Guidelines for national programmes (2nd edition)*, World Health Organization,. doi: 10.1016/s0035-9203(99)90185-2.
- World Health Organization (2010) *Treatment of tuberculosis Guideline*, World Health Organization.
- World Health Organization (2019) 'Global Tuberculosis report country profile 2019', *Publication*, 63(10), p. 476. doi: 10.1177/2165079915607875.
- World Health Organization (2020) *Definitions and reporting framework for tuberculosis - 2013 revision (updated Dec 2014 and Jan 2020)*, *Euro surveillance : bulletin Européen sur les maladies transmissibles = European communicable disease bulletin*. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/23611033>.
- Wulandari, D. (2015) 'Analisis Faktor-Faktor yang Berhubungan dengan Kepatuhan Pasien Tuberkulosis Paru Tahap Lanjutan Untuk Minum Obat di RS Rumah Sehat Terpadu Tahun 2015', *Jurnal Administrasi Rumah Sakit*, 2(1), pp. 17–28.
- Yin, J. *et al.* (2018a) 'The relationship between social support, treatment interruption and treatment outcome in patients with multidrug-resistant tuberculosis in China: a mixed-methods study', *Tropical Medicine and International Health*, 23(6), pp. 668–677. doi: 10.1111/tmi.13066.
- Yin, J. *et al.* (2018b) 'The relationship between social support, treatment interruption and treatment outcome in patients with multidrug-resistant

tuberculosis in China: a mixed-methods study', *Tropical Medicine and International Health*, 23(6), pp. 668–677. doi: 10.1111/tmi.13066.

Yuh, J. and Choi, S. (2017) 'Sources of social support, job satisfaction, and quality of life among childcare teachers', *Social Science Journal*. Western Social Science Association, 54(4), pp. 450–457. doi: 10.1016/j.soscij.2017.08.002.