

DAFTAR PUSTAKA

- Agarwal, G., Angeles, R. N., Dolovich, L., & Kaczorowski. (2019). The Community Health Assessment Program in the Philippines (CHAP-P) diabetes health promotion program for low- to middle-income countries: Study protocol for a cluster randomized controlled trial. *BMC Public Health*, 19(1), 1–12. <https://doi.org/10.1186/s12889-019-6974-z>
- Alligood, M. R. (2014). *Nursing Theorists and Their Work (8th edn)*. <https://doi.org/10.5172/conu.2007.24.1.106a>
- Almatsier. (2010). *Penuntun Diet*. Jakarta: PT Gramedia Pustaka Utama
- AMERICAN DIABETES ASSOCIATION. (2018). Standards of Medical Care in. *The Journal of Clinical and Applied Research and Education*, 38(January 2015), Supplement 1. <https://doi.org/10.2337/dc13-S011>
- Bandura, A., & Locke, E. A. (2003). Negative self-efficacy and goal effects revisited. *Journal of Applied Psychology*, 88(1), 87–99. <https://doi.org/10.1037/0021-9010.88.1.87>
- Beck, J. (2017). *National Standards for Diabetes Self-Management Education and Support national standards*. doi: 10.1177/0145721717722968.
- Beckerle, C. M., & Lavin, M. A. (2013). Association of self-efficacy and self-care with glycemic control in diabetes. *Diabetes Spectrum*, 26(3), 172–178. <https://doi.org/10.2337/diaspect.26.3.172>
- Bennett, P., (2008). *Epidemiology of Type 2 Diabetes Mellitus In Le Roith et.al, Diabetes Mellitusa Fundamental and Clinical Text*, Philadelphia: LippincottWilliam&Wilkin s.;43(1), hal. 544-7
- Cai, C. & Hu, J., (2016). Effectiveness of a Family-based Diabetes Self-management Educational intervention for Chinese Adult With Type 2 Diabetes in Wuhan, China. *Journal A Family-Based Intervention*, hal. 697–711
- Chen, S., Burström, B., Sparring, V., Qian, D., & Burström, K. (2019). Differential Impact of an Education-Based Intervention for Patients with Type 2 Diabetes Mellitus in Rural China. *International Journal of Environmental Research and Public Health*, 16(15), 2676. <https://doi.org/10.3390/ijerph16152676>
- Dahlan M., (2010), *Besar Sampel dan Cara Pengambilan Sampel*, Jakarta: Salemba Medika.

- DeVellis, B. M. (2013). Self-efficacy theory. *Patient Education Newsletter*, 6(2), 4–6. <https://doi.org/10.1007/978-1-4419-6868-5>
- Ding, H., Fatehi, F., & Russell, A. W. (2018). User Experience of an Innovative Mobile Health Program to Assist in Insulin Dose Adjustment: Outcomes of a Proof-Of-Concept Trial. *Telemedicine and E-Health*, 24(7), 536–543. <https://doi.org/10.1089/tmj.2017.0190>
- Egede, L. E., Walker, R. J., & Payne. (2018). Effect of psychotherapy for depression via home telehealth on glycemic control in adults with type 2 diabetes: Subgroup analysis of a randomized clinical trial. *Journal of Telemedicine and Telecare*, 24(9), 596–602. <https://doi.org/10.1177/1357633X17730419>
- El-Sappagh, S., Ali, F., & El-Masri, S. (2019). Mobile Health Technologies for Diabetes Mellitus: Current State and Future Challenges. *IEEE Access*, 7(c), 21917–21947. <https://doi.org/10.1109/ACCESS.2018.2881001>
- Etienne, Amendezo. (2017). Effects of a lifestyle education program on glycemic control among patients with Diabetes at Kigali University Hospital, Rwanda: A randomized controlled trial. *Diabetic Research and Clinical Practice*: 126-137.
- Fatimah, R.N., (2015). Diabetes Melitus Tipe 2, *Jurnal Majority*, Vol.4, no.5 <http://juka.kedokteran.unila.ac.id/index.php/majority/article/download>
- Gunawardena, K. C., Jackson, R., & Robinett, I. (2019). The Influence of the Smart Glucose Manager Mobile Application on Diabetes Management. *Journal of Diabetes Science and Technology*, 13(1), 75–81. <https://doi.org/10.1177/1932296818804522>
- Guyton A.C. and Hall J.E. (2007). *Buku Ajar Fisiologi Kedokteran*. Edisi 9. Jakarta: EGC
- Hartini, S., (2009). *Diabetes Siapa Takut, Panduan Lengkap untuk Diabetes, Keluarganya dan Profesional Medis*, Jakarta: Penerbit Qanita
- Heideman, Wieke.H. (2014). Diabetes risk reduction in overweight first degree relatives of type 2 Diabetes patients: Effects of a low-intensive lifestyle education program (DiAlert) A randomized controlled trial. *Patient Education and Counseling* , 98: 470-483
- Higano K. (2015). The Effects of Telenursing with Goal Attainment Scaling in Diabetic Patients : A Case Report. *International Journal of Nursing & Clinical Practices*, 2, hal. 6–8

- International Diabetes Federation (IDF). (2014). IDF Diabetes Atlas Sixth Edition, *International Diabetes Federation (IDF)*.
- International Diabetes Federation (IDF). (2015). *International Diabetes Atlas. International Diabetes Federation (IDF)*
- Jeong, J. Y., Jeon, J. H., & Bae. (2018). Smart Care Based on Telemonitoring and Telemedicine for Type 2 Diabetes Care: Multi-Center Randomized Controlled Trial. *Telemedicine and E-Health*, 24(8), 604–613. <https://doi.org/10.1089/tmj.2017.0203>
- Kementrian Badan Penelitian dan Pengembangan Kesehatan. (2018). HASIL UTAMA RISKESDAS 2018 Kesehatan, 20–21. Retrieved from http://www.depkes.go.id/resources/download/info-terkini/materi_rakorpop_2018/Hasil_Riskesdas_2018.pdf
- Khattab, M., Khader, Y.S., Al-Khawaldeh, A., & Ajlouni, K., (2010). Factors Associated With Poor Glycemic Control Among Patients With Type 2 Diabetes. *Journal of Diabetes and Its Complications*. Vol. 24. Hal. 84-89
- Lauder, W., Watson, R., Topping, K., Holland, K., Johnson, M., Porter, M., ... Behr, A. (2008). An evaluation of fitness for practice curricula: Self-efficacy, support and self-reported competence in preregistration student nurses and midwives. *Journal of Clinical Nursing*, 17(14), 1858–1867. <https://doi.org/10.1111/j.1365-2702.2007.02223.x>
- Lie, S. S., Karlsen, B., Niemiec, C. P., Graue, M., & Oftedal, B. (2018). Written reflection in an eHealth intervention for adults with type 2 diabetes mellitus: A qualitative study. *Patient Preference and Adherence*, 12, 311–320. <https://doi.org/10.2147/PPA.S154612>
- Moura, N. dos S., Lopes, B. B., & Teixeira, J. J. D. (2019). Literacy in health and self-care in people with type 2 diabetes mellitus. *Revista Brasileira de Enfermagem*, 72(3), 700–706. <https://doi.org/10.1590/0034-7167-2018-0291>
- Notoatmodjo. (2010). *Pendidikan Dan Perilaku Kesehatan*. Jakarta: Rineka Cipta
- Notoatmodjo. 2012. *Prinsip-Prinsip Dasar Ilmu Kesehatan Masyarakat*. Jakarta : Rineka Cipta
- Nursalam. (2017). *Konsep dan Penerapan Metodologi Penelitian Ilmu Keperawatan: Pedoman Skripsi, Tesis, dan Instrumen Penelitian Keperawatan*. Jakarta: Salemba Medika
- Orem, DE. (2001). *Nursing Concept of Practice*. The C.V. Mosby Company. St Louis

- Ozgul, Erol. (2015). An Individualized Education Programme with Empowerment Approach: A Case Study. *International Journal of Caring Sciences* 8(2):451–57.
- PERKENI. (2015). *Pengelolaan dan pencegahan diabetes melitus tipe 2 di indonesia 2015*. Pengurus Besar Perkumpulan Endokrinologi Indonesia (PB PERKENI).
- Poppe, L., Mispel, V. Der, & Crombez. (2017). Users' thoughts and opinions about a self-regulation-based eHealth intervention targeting physical activity and the intake of fruit and vegetables: A qualitative study. *PLoS ONE*, 12(12), 1–19. <https://doi.org/10.1371/journal.pone.0190020>
- Potter, P. A. & Perry, A. G. (2010). *Buku Ajar Fundamental Keperawatan: konsep, proses, dan praktik*. Jakarta: EGC.
- Powers, M. A. (2015). *Diabetes Self-management Education and Support in Type 2 Diabetes*. doi: 10.1177/0145721715588904
- Premkumar G M J. (2016). Effects of a Behavioral Intervention on Self-Efficacy, Self-Care Behavior and HbA1c Values among Patients with Type 2 Diabetes Mellitus. *International Journal of Nursing Education*, July-Sept. 2016, Vol.8, No. 3
- RISKESDAS. (2018). Riset Kesehatan Dasar. Retrieved from www.depkes.go.id/resources/download/general/HasilRiskesdas2018.pdf
- Rygg, L., Rise, M., Gronning, K., Steinsbekk, A., (2012). Patient Education and Counseling Efficacy of ongoing group based diabetes self-management education for patients with type 2 diabetes mellitus . A randomised controlled trial. *Patient Education and Counseling*, 86(1), hal. 98–105. <http://dx.doi.org/10.1016/j.pec.2011.04.008>
- Shao, Y., Liang, L., Shi, L., Wan, C., & Yu, S. (2017). The Effect of Social Support on Glycemic Control in Patients with Type 2 Diabetes Mellitus: The Mediating Roles of Self-Efficacy and Adherence. *Journal of Diabetes Research*, 2017. <https://doi.org/10.1155/2017/2804178>
- Sidani, S. & Fan, L. (2009). Effectiveness of Diabetes Self-management Education Intervention Elements: A Meta-analysis. *Canadian Journal of Diabetes Volume 33* (1): p. 18-26.

- Smeltzer SC, & Bare BG. (2010). *Text Book of Medical Surgical Nursing (10thed) Vol 2*. Lippincott William & Wilkins. Philadelphia
- Soelistijo, S. A., Novida, H., Rudijanto, A., & Soewondo, P. (2015). *Kriteria Diagnostik DM Tipe 2. Konsensus Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 di Indonesia*.
- Steinert, A., Haesner, M., & Steinhagen-Thiessen, E. (2017a). App-based self-monitoring in type 2 diabetes. *Zeitschrift Fur Gerontologie Und Geriatrie*. <https://doi.org/10.1007/s00391-016-1082-5>
- Steinert, A., Haesner, M., & Steinhagen-Thiessen, E. (2017b). App-basiertes Selbstmonitoring bei Typ-2-Diabetes. *Zeitschrift Fur Gerontologie Und Geriatrie*, 50(6), 516–523. <https://doi.org/10.1007/s00391-016-1082-5>
- Surucu, H. A. . (2017). “The Impacts of Diabetes Education on Self Care Agency, Self-Care Activities and HbA1c Levels of Patients with Type 2 Diabetes : A Randomized Controlled Study,” *International Journal of Caring Sciences*, 10(1), hal. 479–490.
- Swoboda, C. M., Miller, C. K., & Wills, C. E. (2017). Patient Education and Counseling Impact of a goal setting and decision support telephone coaching intervention on diet , psychosocial, and decision outcomes among people with type 2 diabetes. *Patient Education and Counseling*, (2016). <https://doi.org/10.1016/j.pec.2017.02.007>
- Tavşanlı, N. G., Karadakovan, A., & Saygili, F. (2013). The use of videophone technology (telenursing) in the glycaemic control of diabetic patients: a randomized controlled trial. *Journal of Diabetes Research and Clinical Metabolism*, 2(1), 1. <https://doi.org/10.7243/2050-0866-2-1>
- Tong, T., Myers, A. K., Bissoonauth, A. A., Pekmezaris, R., & Kozikowski, A. (2019). Identifying the barriers and perceptions of non-Hispanic black and Hispanic/Latino persons with uncontrolled type 2 diabetes for participation in a home Telemonitoring feasibility study: a quantitative analysis of those who declined participation, withdre. *Ethnicity and Health*, 0(0), 1–10. <https://doi.org/10.1080/13557858.2019.1566520>
- Tucker, S. J., Olson, M. E., & Frusti, D. K. (2009). Evidence-Based Practice Selfefficacy Scale; Preliminary Reliability and Validity. *Clinical Nurse Specialist*, 23(4), 207–215. <https://doi.org/10.1097/NUR.0b013e3181aae8c6>
- Vadheim, L. M., Patch, K., & Brokaw. (2017). Telehealth delivery of the diabetes prevention program to rural communities. *Translational Behavioral Medicine*, 7(2), 286–291. <https://doi.org/10.1007/s13142-017-0496-y>
- Vazini, H., & Barati, M. (2014). The Health Belief Model and Self-Care

Behaviors among Type 2 Diabetic Patients. *Iranian Journal of Diabetes and Obesity*, 6(3), 107–113.

Walker, C. L., Kopp, M., Binford, R. M., & Bowers, C. J. (2017). Home Telehealth Interventions for Older Adults with Diabetes. *Home Healthcare*

Warren, R., Carlisle, K., Mihala, G., & Scuffham, P. A. (2018). Effects of telemonitoring on glycaemic control and healthcare costs in type 2 diabetes: A randomised controlled trial. *Journal of Telemedicine and Telecare*, 24(9), 586–595. <https://doi.org/10.1177/1357633X17723943>

Waspadji S., (2009). *Buku Ajar Ilmu Penyakit Dalam*, Jilid III, edisi ke lima, Jakarta: Interna Publishing, hal.1961