

DAFTAR PUSTAKA

- Alkadhimi, A., & Al-Awadhi, E. A. (2018). Miniscrews for orthodontic anchorage: a review of available systems. *Journal of Orthodontics*, 45(2), 102–114. <https://doi.org/10.1080/14653125.2018.1443873>
- Aly, S. A., Alyan, D., Fayed, M. S., Alhammadi, M. S., & Mostafa, Y. A. (2018). Success rates and factors associated with failure of temporary anchorage devices: A prospective clinical trial. *Journal of Investigative and Clinical Dentistry*, 9(3), e12331. <https://doi.org/10.1111/jicd.12331>
- Antoszewska, J., Papadopoulos, M. A., Park, H. S., & Ludwig, B. (2009). Five-year experience with orthodontic miniscrew implants: A retrospective investigation of factors influencing success rates. *American Journal of Orthodontics and Dentofacial Orthopedics*, 136(2), 158.e1-158.e10. <https://doi.org/10.1016/j.ajodo.2009.03.032>
- Araghbidikashani, M., Golshah, A., Nikkerdar, N., & Rezaei, M. (2016). In-vitro impact of insertion angle on primary stability of miniscrews. *American Journal of Orthodontics and Dentofacial Orthopedics*, 150(3), 436–443. <https://doi.org/10.1016/j.ajodo.2016.02.020>
- Ardani, I. G. A. W., Indharmawan, R., & Hamid, T. (2019). The effect of miniscrew length and bone density on anchorage resistance: An in vitro study. *International Orthodontics*, 17(3), 446–450. <https://doi.org/10.1016/j.ortho.2019.06.004>
- Ashith, M. V., Shetty, B. K., Shekatkar, Y., Mangal, U., & Mithun, K. (2018). Assessment of immediate loading with mini-implant anchorage in critical anchorage cases between stainless steel versus titanium miniscrew implants: A controlled clinical trial. *Biomedical and Pharmacology Journal*, 11(2), 971–977. <https://doi.org/10.13005/bpj/1456>
- Baghel, S., Garg, A., Sahu, S., Verma, N., Choudhary, A. S., & Raghuwanshi, S. (2019). *Temporary Anchorage Devices- An Update*. 18(3), 37–46. <https://doi.org/10.9790/0853-1803073746>
- Belludi, A., Bhardwaj, A., Gupta, A., & Karandikar, A. (2011). *Orthodontics Intrusion: Conventional and Mini-Implant Assisted Intrusion Mechanics*. 2(4).
- Bollero, P., Di Fazio, V., Pavoni, C., Cordaro, M., Cozza, P., & Lione, R. (2018). Titanium alloy vs. stainless steel miniscrews: An in vivo split-mouth study. *European Review for Medical and Pharmacological Sciences*, 22(8), 2191–2198. <https://doi.org/10.26355/eurrev-201804-14803>
- Candido, C. (2013). Use of temporary anchorage devices in orthodontics : A review of the literature. *Webmedcentral*, 1–6.
- Cha, J. Y., Kil, J. K., Yoon, T. M., & Hwang, C. J. (2010). Miniscrew stability

- evaluated with computerized tomography scanning. *American Journal of Orthodontics and Dentofacial Orthopedics*, 137(1), 73–79. <https://doi.org/10.1016/j.ajodo.2008.03.024>
- Chen, Y. J., Chang, H. H., Lin, H. Y., Lai, E. H. H., Hung, H. C., & Yao, C. C. J. (2008). Stability of miniplates and miniscrews used for orthodontic anchorage: Experience with 492 temporary anchorage devices. *Clinical Oral Implants Research*, 19(11), 1188–1196. <https://doi.org/10.1111/j.1600-0501.2008.01571.x>
- Costello, B. J., Ruiz, R. L., Petrone, J., & Sohn, J. (2010). Temporary Skeletal Anchorage Devices for Orthodontics. *Oral and Maxillofacial Surgery Clinics of North America*, 22(1), 91–105. <https://doi.org/10.1016/j.coms.2009.10.011>
- Dalessandri, D., Salgarello, S., Dalessandri, M., Lazzaroni, E., Piancino, M., Paganelli, C., Maiorana, C., & Santoro, F. (2014). Determinants for success rates of temporary anchorage devices in orthodontics: A meta-analysis (n > 50). *European Journal of Orthodontics*, 36(3), 303–313. <https://doi.org/10.1093/ejo/cjt049>
- Erbay Elibol, F. K., Oflaz, E., Buğra, E., Orhan, M., & Demir, T. (2020). Effect of cortical bone thickness and density on pullout strength of mini-implants: An experimental study. *American Journal of Orthodontics and Dentofacial Orthopedics*, 157(2), 178–185. <https://doi.org/10.1016/j.ajodo.2019.02.020>
- Galeotti, A., Uomo, R., Spagnuolo, G., Paduano, S., Cimino, R., Valletta, R., & D'Antò, V. (2013). Effect of pH on in vitro biocompatibility of orthodontic miniscrew implants. *Progress in Orthodontics*, 14(1), 1–7. <https://doi.org/10.1186/2196-1042-14-15>
- Giuliano Maino, B., Pagin, P., & Di Blasio, A. (2012). Success of miniscrews used as anchorage for orthodontic treatment: Analysis of different factors. *Progress in Orthodontics*, 13(3), 202–209. <https://doi.org/10.1016/j.pio.2012.04.002>
- Harrison, J. (2011). Orthodontic treatment. *Vital*, 8(1), 31–35. <https://doi.org/10.1038/vital1329>
- Hoste, S., Vercruyssen, M., Quirynen, M., & Willems, G. (2008). Risk factors and indications of orthodontic temporary anchorage devices: a literature review. *Australian Orthodontic Journal*, 24(2), 140–148.
- Jasoria, G., Shamim, W., Rathore, S., Kalra, A., Manchanda, M., & Jaggi, N. (2013). Miniscrew implants as temporary anchorage devices in orthodontics: A comprehensive review. *Journal of Contemporary Dental Practice*, 14(5), 993–999. <https://doi.org/10.5005/jp-journals-10024-1439>
- Jing, Z., Wu, Y., Jiang, W., Zhao, L., Jing, D., Zhang, N., Cao, X., Xu, Z., & Zhao, Z. (2016). Factors Affecting the Clinical Success Rate of Miniscrew Implants for Orthodontic Treatment. *The International Journal of Oral & Maxillofacial*

Implants, 31(4), 835–841. <https://doi.org/10.11607/jomi.4197>

- Kim, Y. H., Yang, S. M., Kim, S., Lee, J. Y., Kim, K. E., Gianelly, A. A., & Kyung, S. H. (2010). Midpalatal miniscrews for orthodontic anchorage: Factors affecting clinical success. *American Journal of Orthodontics and Dentofacial Orthopedics*, 137(1), 66–72. <https://doi.org/10.1016/j.ajodo.2007.11.036>
- Kuroda, S., Sugawara, Y., Deguchi, T., Kyung, H. M., & Takano-Yamamoto, T. (2007). Clinical use of miniscrew implants as orthodontic anchorage: Success rates and postoperative discomfort. *American Journal of Orthodontics and Dentofacial Orthopedics*, 131(1), 9–15. <https://doi.org/10.1016/j.ajodo.2005.02.032>
- Kuroda, S., Yamada, K., Deguchi, T., Kyung, H. M., & Takano-Yamamoto, T. (2009). Class II malocclusion treated with miniscrew anchorage: Comparison with traditional orthodontic mechanics outcomes. *American Journal of Orthodontics and Dentofacial Orthopedics*, 135(3), 302–309. <https://doi.org/10.1016/j.ajodo.2007.03.038>
- Lai, T. T., & Chen, M. H. (2014). Factors affecting the clinical success of orthodontic anchorage: Experience with 266 temporary anchorage devices. *Journal of Dental Sciences*, 9(1), 49–55. <https://doi.org/10.1016/j.jds.2013.02.010>
- Leo, M., Cerroni, L., Pasquantonio, G., Condò, S. G., & Condò, R. (2016). Temporary anchorage devices (TADs) in orthodontics: Review of the factors that influence the clinical success rate of the mini-implants. *Clinica Terapeutica*, 167(3), 70–77. <https://doi.org/10.7417/CT.2016.1936>
- Li, F., Hu, H. K., Chen, J. W., Liu, Z. P., Li, G. F., He, S. S., Zou, S. J., & Ye, Q. S. (2011). Comparison of anchorage capacity between implant and headgear during anterior segment retraction: A systematic review. *Angle Orthodontist*, 81(5), 915–922. <https://doi.org/10.2319/101410-603.1>
- Lim, H. J., Choi, Y. J., Evans, C. A., & Hwang, H. S. (2011). Predictors of initial stability of orthodontic miniscrew implants. *European Journal of Orthodontics*, 33(5), 528–532. <https://doi.org/10.1093/ejo/cjq122>
- Lim, H. J., Eun, C. S., Cho, J. H., Lee, K. H., & Hwang, H. S. (2009). Factors associated with initial stability of miniscrews for orthodontic treatment. *American Journal of Orthodontics and Dentofacial Orthopedics*, 136(2), 236–242. <https://doi.org/10.1016/j.ajodo.2007.07.030>
- Loli, D. (2017). Temporary anchorage devices (TADs): failure rates and risk factors. *Webmedcentral*, 1–5.
- Luzi, C., Verna, C., & Melsen, B. (2009). Guidelines for success in placement of orthodontic mini-implants. *Journal of Clinical Orthodontics : JCO*, 43(1), 39–44.

- Manni, A., Cozzani, M., Tamborrino, F., De Rinaldis, S., & Menini, A. (2011). Factors influencing the stability of miniscrews. A retrospective study on 300 miniscrews. *European Journal of Orthodontics*, 33(4), 388–395. <https://doi.org/10.1093/ejo/cjq090>
- McManus, M. M., Qian, F., Grosland, N. M., Marshall, S. D., & Southard, T. E. (2011). Effect of miniscrew placement torque on resistance to miniscrew movement under load. *American Journal of Orthodontics and Dentofacial Orthopedics*, 140(3), e93–e98. <https://doi.org/10.1016/j.ajodo.2011.04.017>
- Melo, A. C. M., Andrighetto, A. R., Hirt, S. D., Bongiolo, A. L. M., Silva, S. U., & Silva, M. A. D. da. (2016). Risk factors associated with the failure of miniscrews - A ten-year cross sectional study. *Brazilian Oral Research*, 30(1), e124. <https://doi.org/10.1590/1807-3107BOR-2016.vol30.0124>
- Mitchell, L. (2013). *Introduction to Orthodontics* (fourth edi). Oxford University Press. <http://library1.nida.ac.th/termpaper6/sd/2554/19755.pdf>
- Mohamed, M. F. (2019). Removal Torque Analyses of Two Self-drilling Orthodontic Temporary Anchorage Devices (TADs). *Dental Research and Management*, 3(2), 64–67. <https://doi.org/10.33805/2572-6978.130>
- Moon, C. H., Lee, D. G., Lee, H. S., Im, J. S., & Baek, S. H. (2008). Factors associated with the success rate of orthodontic miniscrews placed in the upper and lower posterior buccal region. *Angle Orthodontist*, 78(1), 101–106. <https://doi.org/10.2319/121706-515.1>
- Morarend, C., Qian, F., Marshall, S. D., Southard, K. A., Grosland, N. M., Morgan, T. A., McManus, M., & Southard, T. E. (2009). Effect of screw diameter on orthodontic skeletal anchorage. *American Journal of Orthodontics and Dentofacial Orthopedics*, 136(2), 224–229. <https://doi.org/10.1016/j.ajodo.2007.07.031>
- Mortensen, M. G., Buschang, P. H., Oliver, D. R., Kyung, H. M., & Behrents, R. G. (2009). Stability of immediately loaded 3- and 6-mm miniscrew implants in beagle dogs-a pilot study. *American Journal of Orthodontics and Dentofacial Orthopedics*, 136(2), 251–259. <https://doi.org/10.1016/j.ajodo.2008.03.016>
- Nahidh, M., Am, A. A., & Sc, A. (2019). *Understanding Anchorage in Orthodontics-Review Article*. 5(2).
- Pace, A., & Sandler, J. (2014). TADs: An evolutionary road to success. *Dental Update*, 41(3), 242–249. <https://doi.org/10.12968/denu.2014.41.3.242>
- Padmini, M., Bharathi, Smitha, & Rani Hamsa, P. (2016). Mini screws as temporary anchorage device in orthodontics: a narrative review. *IOSR Journal of Dental and Medical Sciences*, 15(10), 55–62. <https://doi.org/10.9790/0853-1510095562>

- Papadopoulos, M. A., Papageorgiou, S. N., & Zogakis, I. P. (2015). Success rates and risk factors of miniscrew implants used as temporary anchorage devices for orthodontic purposes. *Skeletal Anchorage in Orthodontic Treatment of Class II Malocclusion: Contemporary Applications of Orthodontic Implants, Miniscrew Implants and Mini Plates*, March, 258–273. <https://doi.org/10.1016/B978-0-7234-3649-2.00049-X>
- Park, H. S., Jeong, S. H., & Kwon, O. W. (2006). *Factors affecting the clinical success of screw implants used as orthodontic anchorage*. 18–25. <https://doi.org/10.1016/j.ajodo.2004.11.032>
- Perillo, L., Jamilian, A., Shafieyoon, A., Karimi, H., & Cozzani, M. (2015). Finite element analysis of miniscrew placement in mandibular alveolar bone with varied angulations. *European Journal of Orthodontics*, 37(1), 56–59. <https://doi.org/10.1093/ejo/cju006>
- Premkumar, S. (2015). *Textbook of Orthodontics*. Elsevier.
- Proffit, W. R., Fields, H. W., Brent, J., Larson, E., & Sarver, D. M. (2019). *Contemporary Orthodontics 6th Edition* (Sixth). Elsevier Inc.
- Rakosi, T., & Graber, T. M. (2010). *Orthodontic and Dentofacial Orthopedic Treatment* (R. G. Alexander (ed.)). Georg Thieme Verlag KG.
- Salmória, K. K., Tanaka, O. M., Guariza-Filho, O., Camargo, E. S., de Souza, L. T., & Maruo, H. (2008). Insertional torque and axial pull-out strength of mini-implants in mandibles of dogs. *American Journal of Orthodontics and Dentofacial Orthopedics*, 133(6), 790.e15-790.e22. <https://doi.org/10.1016/j.ajodo.2007.12.020>
- Santiago, R. C., de Paula, F. O., Fraga, M. R., Picorelli Assis, N. M. S., & Vitral, R. W. F. (2009). Correlation between miniscrew stability and bone mineral density in orthodontic patients. *American Journal of Orthodontics and Dentofacial Orthopedics*, 136(2), 243–250. <https://doi.org/10.1016/j.ajodo.2007.08.031>
- Sarul, M., Minch, L., Park, H. S., & Antoszewska-Smith, J. (2015). Effect of the length of orthodontic mini-screw implants on their long-term stability: A prospective study. *Angle Orthodontist*, 85(1), 33–38. <https://doi.org/10.2319/112113-857.1>
- Schätzle, M., Männchen, R., Zwahlen, M., & Lang, N. P. (2009). Survival and failure rates of orthodontic temporary anchorage devices: A systematic review. *Clinical Oral Implants Research*, 20(12), 1351–1359. <https://doi.org/10.1111/j.1600-0501.2009.01754.x>
- Scribante, A., Montasser, M. A., Radwan, E. S., Bernardinelli, L., Alcozer, R., Gandini, P., & Sfondrini, M. F. (2018). Reliability of orthodontic miniscrews: Bending and maximum load of different Ti-6Al-4V titanium and stainless steel

- Temporary Anchorage Devices (TADs). *Materials*, 11(7).
<https://doi.org/10.3390/ma11071138>
- Singaraju, G. sankar, & Murthy, V. (2009). Temporary anchorage devices in orthodontics. *Annals and Essences of Dentistry*, 1(1), 1–5.
<https://doi.org/10.5368/aedj.2009.1.1.1-5>
- Singh, G. (2007). *Textbook of Orthodontics* (2th ed.). Jaypee.
- Singh, K., Kumar, D., Jaiswal, R., & Bansal, A. (2010). Temporary anchorage devices -Mini-implants. *National Journal of Maxillofacial Surgery*, 1(1), 30.
<https://doi.org/10.4103/0975-5950.69160>
- Sugawara, J., & Nishimura, M. (2005). Minibone plates: The skeletal anchorage system. *Seminars in Orthodontics*, 11(1 SPEC. ISS.), 47–56.
<https://doi.org/10.1053/j.sodo.2004.11.008>
- Suzuki, M., Deguchi, T., Watanabe, H., Seiryu, M., Iikubo, M., Sasano, T., Fujiyama, K., & Takano-Yamamoto, T. (2013). Evaluation of optimal length and insertion torque for miniscrews. *American Journal of Orthodontics and Dentofacial Orthopedics*, 144(2), 251–259.
<https://doi.org/10.1016/j.ajodo.2013.03.021>
- Tatli, U., Alraawi, M., & Toroğlu, M. S. (2019). Effects of size and insertion angle of orthodontic mini-implants on skeletal anchorage. *American Journal of Orthodontics and Dentofacial Orthopedics*, 156(2), 220–228.
<https://doi.org/10.1016/j.ajodo.2018.08.026>
- Topouzelis, N., & Tsaousoglou, P. (2012). Clinical factors correlated with the success rate of miniscrews in orthodontic treatment. *International Journal of Oral Science*, 4(1), 38–44. <https://doi.org/10.1038/ijos.2012.1>
- Tuomi, J. T., Björkstrand, R. V., Pernu, M. L., Salmi, M. V. J., Huutilainen, E. I., Wolff, J. E. H., Vallittu, P. K., & Mäkitie, A. A. (2017). In vitro cytotoxicity and surface topography evaluation of additive manufacturing titanium implant materials. *Journal of Materials Science: Materials in Medicine*, 28(3), 1–6.
<https://doi.org/10.1007/s10856-017-5863-1>
- Uesugi, S., Kokai, S., Kanno, Z., & Ono, T. (2017). Prognosis of primary and secondary insertions of orthodontic miniscrews: What we have learned from 500 implants. *American Journal of Orthodontics and Dentofacial Orthopedics*, 152(2), 224–231. <https://doi.org/10.1016/j.ajodo.2016.12.021>
- Uzuner, F. D., & Işık Aslan, B. (2015). Miniscrew Applications in Orthodontics. *Current Concepts in Dental Implantology*, May. <https://doi.org/10.5772/59879>
- Wilmes, B., Niegel, T., & Drescher, D. (2018). Upper-molar intrusion using anterior palatal anchorage and the ‘Mini-Mousetrap’ appliance. *Australasian Orthodontic Journal*, 34(2), 263–267.

- Woodall, N., Tadepalli, S. C., Qian, F., Grosland, N. M., Marshall, S. D., & Southard, T. E. (2011). Effect of miniscrew angulation on anchorage resistance. *American Journal of Orthodontics and Dentofacial Orthopedics*, 139(2), e147–e152. <https://doi.org/10.1016/j.ajodo.2010.08.017>
- Yi Lin, S., Mimi, Y., Ming Tak, C., Kelvin Weng Chiong, F., & Hung Chew, W. (2015). A study of success rate of miniscrew implants as temporary anchorage devices in Singapore. *International Journal of Dentistry*, 2015. <https://doi.org/10.1155/2015/294670>
- Yustina, A. R., Suardita, K., & Agustin, D. (2012). Peningkatan jumlah osteoklas pada peradangan periapikal akibat induksi lipopolisakarida *Porphyromonas gingivalis* (suatu penelitian laboratories menggunakan tikus). *Jurnal Bina Praja (JBP)*, 14(3), 140–144.