

## DAFTAR PUSTAKA

- Aeni, Q., & Takarina, B. (2016). Description of Psychosocial responses of program students nursing science study of kendal stikes end of levels in preparation of the skripsi, 4.
- Albar, Z. (2003). *Lupus Eritematosus Sistemik Buku Ajar Ilmu Penyakit Dalam*. Jakarta: Fakultas Kedokteran Universitas Indonesia.
- Allgood, M.R, & Tomey, A. M. (2006). *Nursing theory: Utilization & application* (3rd editio). Missouri: Mosby.
- Allgood, Martha Raile. (2014). *Nursing Theorist and Their Work* (8th ed.). St. Louis, Missouri: Elsevier.
- Bai, R., Liu, S., Zhao, Y., Cheng, Y., Li, S., Lai, A., ... Xu, J. (2016). Depressive and Anxiety Disorders in Systemic Lupus Erythematosus Patients without Major Neuropsychiatric Manifestations, 2016.
- Bartels, C. (2006). Systemic Lupus Erythematosus.
- Bazeley, P. and Jackson, K. (2013). *Qualitative Data Analysis with NVivo*. Sage Publication.
- Beckerman, L. N., Auerbach, C., & Blanco, I. (2011). Psychosocial dimensions of SLE : implications for the health care team. <https://doi.org/10.2147/JMDH.S19303>
- Beckerman, N. (2011). Social Work in Health Care Living With Lupus : A Qualitative Report, (December 2014), 37–41. <https://doi.org/10.1080/00981389.2011.554302>
- Benchalak, M., Narong, M., & Worawit, L. (2013). Prevalence and predictors of depression in patients with systemic lupus erythematosus : a cross-sectional study, 799–804.
- Bijl, M., Limburg, P. ., & Kallenberg, C. G. . (2001). *New Insights Into the Pathogenesis of Systemic Lupus Erythematosus*.
- Castleberry, A. (2014). NVivo 10 [software program]. Version 10. QSR International; 2012. *American Journal of Pharmaceutical Education*, 78(1), 25. <https://doi.org/10.5688/ajpe78125>
- Chaplin, J. . (2011). *Kamus Lengkap Psikologi*. Jakarta: Rajagrafindo Persada.
- Converse, M. (2012). ‘Philosophy of phenomenology: How understanding aids research.’ *Nurse Researcher*, 20(1), 28–32. <https://doi.org/10.7748/nr2012.09.20.1.28.c9305>
- Creaven, K. A. M. B. A. (2015). Living with invisible illness : social support experiences of individuals with systemic lupus erythematosus. *Quality of Life*

- Research*. <https://doi.org/10.1007/s11136-015-1151-z>
- Creswell, J. (2007). *Qualitative Inquiry & Research Design: Choosing Among Five Approches* (2nd ed.). California: Sage Publication.
- Delafuente, J. . (2002). *Systemic Lupus Erythematosus* (5th ed.). New York: Mc Graw Hill Company.
- Epstein, F. . (1998). *Antibodies to DNA*. London: Engl J Med.
- Exel, E. Van, Jacobs, J., Korswagen, L., Voskuyl, A. E., Stek, M., Dekker, J., & Bultink, I. E. M. (2013). Depression in systemic lupus erythematosus , dependent on or independent of severity of disease, 1462–1469.
- Gaballah, N. M., & El-najjar, A. R. (2018). The Egyptian Rheumatologist Clinical characteristics and health related quality of life ( HRQoL ) in Egyptian patients with systemic lupus erythematosus. *The Egyptian Rheumatologist*, 3–7. <https://doi.org/10.1016/j.ejr.2018.07.003>
- Gallop, K., Nixon, A., Swinburn, P., Sterling, K. L., Naegeli, A. N., & Silk, M. E. T. (2012). Development of a conceptual model of health-related quality of life for systemic lupus erythematosus from the patient ’ s perspective, 934–943.
- Given, L. (2008). *The SAGE Encyclopedia of Qualitative Research Methods*. Thousand Oaks. California. <https://doi.org/10.4135/9781412963909>
- Hahn, B. . (2005). *Systemic Lupus Erythematosus* (16th ed.). New York: Mc Graw Hill Company.
- Hale, E. D. (2006). Joining The Dots for Patients with Systemic Lupus Erythematosus : Personal Persspective of Health Care from a qualitative study. *Bmj*, 585–590. <https://doi.org/10.1136/ard.2005.037077>
- Hale, E. D., Treharne, G. J., Norton, Y., Lyons, A. C., Douglas, K. M. J., Erb, N., & Kitas, G. D. (2006). ‘ Concealing the evidence ’ : the importance of appearance concerns for patients with systemic lupus erythematosus, 532–540.
- Hawari, D. (2004). *Manajemen Stress dan Depresi*. Jakarta: Fakultas Kedokteran Universitas Indonesia.
- Herfindal, E. T., & Gourley, D. . (2000). *Textbook of Therapuetics Drug and Disease Management* (7th ed.). Philadelphia: Lippincott William & Wilkins.
- Isenberg, D. ., & Horsfall, A. . (1998). *Systemic Lupus Erythematosus Disease Management* (2nd ed.). London: Oxford University Press.
- Kahija, Y.F. (2017). *Penelitian Fenomenologis, Jalan Memahami Pengalaman Hidup*. Yogyakarta: Kanisius.
- Lincoln, Y.S. (1985). *Naturalistic inquiry / Yvonna S. Lincoln, Egon G. Guba*. (E. G. Guba, Ed.). California: Sage Publication.
- Mazzoni, D, Cicognani, E., & Prati, G. (2016). Health-related quality of life in

systemic lupus erythematosus: a longitudinal study on the impact of problematic support and self-efficacy, 1–7.

Mazzoni, Davide, & Cicognani, E. (2014). Social Work in Health Care Problematic Social Support From Patients ' Perspective : The Case of Systemic Lupus Erythematosus Problematic Social Support From Patients ' Perspective : The Case of Systemic Lupus, (October), 37–41. <https://doi.org/10.1080/00981389.2014.888124>

Mazzoni, Davide, & Cicognani, E. (2015). Positive and Problematic Support, Stress and Quality of Life in Patients with Systemic Lupus Erythematosus, 5806(December). <https://doi.org/10.1080/10615806.2015.1134785>

Mcelhone, K., Abbott, J., Gray, J., Williams, A., & Teh, L. (2010). Patient perspective of systemic lupus erythematosus in relation to health-related quality of life concepts : a qualitative study, 1640–1647.

Mok, C. ., & Lau, C. . (2003). Pathogenesis of Systemic Lupus Erythematosus. *J Lin Path*, 56(7), 481–490.

Moldovan, I., Katsaros, E., Carr, F. N., Cooray, D., Torralba, K., & Shinada, S. (2011). The Patient Reported Outcomes in Lupus ( PATROL ) study : role of depression in health-related quality of life in a Southern California lupus cohort, 1285–1292.

Morales, E. I. (2017). Factors Associated with Health-Related Quality of Life in Mexican Lupus Patients Using the LupusQol. *Plos One*, 1–10. <https://doi.org/10.1371/journal.pone.0170209>

Nowicka-sauer, K., Hajduk, A., & Kujawska-danecka, H. (2017). Learned helplessness and its associations with illness perception , depression and anxiety among patients with systemic lupus erythematosus, 19(3), 243–246.

Pagana, K. ., & Pagana, T. . (2002). *Mosby's Manual of Diagnostic and Laboratory Test* (2nd ed.). St. Louis: Mosby.

Paolo, D., Margiotta, E., Basta, F., Dolcini, G., Batani, V., Vullo, M. Lo, ... Afeltra, A. (2018). Physical activity and sedentary behavior in patients with Systemic Lupus Erythematosus, 1–16.

Perrett, S. E. (2007). Review of Roy adaptation model-based qualitative research. *Nursing Science Quarterly*, 20(4), 349–356. <https://doi.org/10.1177/0894318407306538>

Polit, D.F & Beck, C. T. (2013). *Nursing Research; Appraising Evidence for Nursing Practice* (7th ed.). Philadelphia: Lippincott William & Wilkins.

Polit, D. F., & Beck, C. T. (2013). *Nursing Research; Appraising Evidence for Nursing Practice* (7th ed.). Philadelphia: Lippincot Williams & Wilkins.

Poole, B. D. (2017). Depression and anxiety in systemic lupus erythematosus. *Medicine*.

- Richter, J. G., Muth, T., Li, J., Brinks, R., Chehab, G., Koch, T., ... Schneider, M. (2017). Erythematosus and Rheumatoid Arthritis Elevated Psychosocial Stress at Work in Patients with Systemic Lupus Erythematosus and Rheumatoid Arthritis. <https://doi.org/10.3899/jrheum.170233>
- Roy, C., Whetsell, M. V., & Frederickson, K. (2009). *The Roy adaptation model and research: Global perspective. Nursing Science Quarterly* (Vol. 22). <https://doi.org/10.1177/0894318409338692>
- Rutter, S. J., & Kiemle, G. (2015). Exploring the social and interpersonal experiences of South Asian women with a diagnosis of Systemic Lupus Erythematosus, *0446*(October). <https://doi.org/10.1080/08870446.2014.972397>
- Shakeri, H., Omrani, M., Omrani, H. R., Arman, F., & Vahdani, A. (2015). Depression , Anxiety and Disease-Related Variables and Quality of Life Among Individuals With Systemic Lupus Erythematosus Living in Kermanshah, *17*(12). <https://doi.org/10.5812/ircmj.31047>
- Shen, B., Tan, W., Feng, G., He, Y., Liu, J., Chen, W., ... Gu, Z. (2013). The Correlations of Disease Activity , Socioeconomic Status , Quality of Life , and Depression / Anxiety in Chinese Patients with Systemic Lupus Erythematosus, *2013*.
- Tay, S. H., Cheung, P. P. M., & Mak, A. (2015). Active disease is independently associated with more severe anxiety rather than depressive symptoms in patients with systemic lupus erythematosus, *1392–1399*.
- Tunnicliffe, D. J., Singh-grewal, D., Chaitow, J., Mackie, F., Manolios, N., Lin, M., ... Tong, A. (2016). Lupus Means Sacrifices : Perspectives of Adolescents and Young Adults With Systemic Lupus Erythematosus, *68*(6), 828–837. <https://doi.org/10.1002/acr.22749>
- Tunnicliffe, D. J., Singh-grewal, D., Craig, J. C., Howell, M., Tugwell, P., Mackie, F., ... Tong, A. (2017). Healthcare and Research Priorities of Adolescents and Young Adults with Systemic Lupus Erythematosus : A Mixed-methods Study, *1–8*. <https://doi.org/10.3899/jrheum.160720>
- Utami, S. S., & Mustikasari, M. (2017). Aspek Psikososial Pada Penderita Kanker Payudara: Studi Pendahuluan. *Jurnal Keperawatan Indonesia*, *20*(2), 65–74. <https://doi.org/10.7454/jki.v20i2.503>
- Utset, T. O., Baskaran, A., Segal, B. M., Trupin, L., Ogale, S., Herberich, E., & Kalunian, K. (2015). Work disability , lost productivity and associated risk factors in patients diagnosed with systemic lupus erythematosus, *1–10*. <https://doi.org/10.1136/lupus-2014-000058>
- Wahyuni D, Huda N, & Utami GT. (2015). Studi Fenomenologi: Pengalaman Pasien Kanker Stadium Lanjut yang Menjalani Kemoterapi. *JOM*, *2*(2).
- Widjiati, S. (2015). Standar Asuhan Keperawatan. *Standar Asuhan Keperawatan*,

12.

- Williams, E. M., Bruner, L., Penfield, M., Kamen, D., Oates, J. C., & Carolina, S. (2015). Stress and Depression in Relation to Functional Health Behaviors in Africa American Patients with Systemic Lupus Erythematosus, 2014(Suppl 4). <https://doi.org/10.4172/2161-1149.S4-005.Stress>
- Yusuf, A., Fitriyasari, R., & Endang Nihayati, H. (2015). *Buku Ajar Keperawatan Kesehatan Jiwa*. Jakarta: Salemba Medika.
- Zakeri, Z., Shakiba, M., & Narouie, B. (2012). Prevalence of depression and depressive symptoms in patients with systemic lupus erythematosus : Iranian experience, 1179–1187. <https://doi.org/10.1007/s00296-010-1791-9>
- Zamora-racaza, G., Azizoddin, D. R., Ishimori, M. L., Ormseth, S. R., Wallace, D. J., Penserga, E. G., ... Weisman, M. H. (2017). Role of psychosocial reserve capacity in anxiety and depression in patients with systemic lupus erythematosus, 1–9. <https://doi.org/10.1111/1756-185X.13033>