

DAFTAR PUSTAKA

- Agarwal, P., & Mukerji, G. (2019). Mobile app for improved self-management of type 2 diabetes: Multicenter pragmatic randomized controlled trial. *Journal of Medical Internet Research*, *21*(1), 1–13. <https://doi.org/10.2196/10321>
- Amran, P., & Rahman, R. (2018). Gambaran Hasil Pemeriksaan HbA1c Pada Penderita Diabetes Melitus Tipe II Di RSUD Labuang Baji Makassar. *Jurnal Media Analisis Kesehatan*, *9*(2), 149–155. <https://doi.org/10.32382/mak.v9i2.686>
- Anzaldo-Campos, & Cecilia, M. (2016). Dulce wireless Tijuana: A randomized control trial evaluating the impact of project Dulce and short-term mobile technology on glycemic control in a family medicine clinic in Northern Mexico. *Diabetes Technology and Therapeutics*, *18*(4), 240–251. <https://doi.org/10.1089/dia.2015.0283>
- Arsand, E., & Muzny, M. (2015). Performance of the first combined smartwatch and smartphone diabetes diary application study. *Journal of Diabetes Science and Technology*, *9*(3), 556–563. <https://doi.org/10.1177/1932296814567708>
- Association, A. D. (2018). Lifestyle Management: Standards of Medical Care in Diabetes 2018. *Diabetes Care*, *41*(January), S38–S50. <https://doi.org/10.2337/dc18-S004>
- Chai, S., & Wang, D. (2020). The effect of education and mobile health management on improvement of blood glucose with type 2 diabetes mellitus. *Journal of Public Health (Germany)*. <https://doi.org/10.1007/s10389-020-01210-5>
- Chen, X., & Koskela, M. (2016). Image based information access for mobile phones. *International Workshop on Content-Based Multimedia Indexing*, *3*, 130–135. <https://doi.org/10.1109/CBMI.2010.5529886>
- Cheng, L., & Sit, J. (2018). Effectiveness of a patient-centred, empowerment-based intervention programme among patients with poorly controlled type 2 diabetes: A randomised controlled trial. *International Journal of Nursing Studies*, *79*(October 2017), 43–51. <https://doi.org/10.1016/j.ijnurstu.2017.10.021>
- Chery, M., & Avignon, J. (2018). Self-Care Management Education : Improving Diabetes Type 2 Patients ' Health Outcomes. *Journal Grand Canyon University*. <https://doi.org/doi:10.1186/s12913-015-0979-9>
- Christoph, H., & Müller, O. (2019). Novel Smartphone Game Improves Physical Activity Behavior in Type 2 Diabetes. *American Journal of Preventive Medicine*, *57*(1), 41–50. <https://doi.org/10.1016/j.amepre.2019.02.017>
- Cui, M., & Wu, X. (2016). T2DM self-management via smartphone applications: A systematic review and meta-analysis. *PLoS ONE*, *11*(11), 1–15. <https://doi.org/10.1371/journal.pone.0166718>

- Delahanty, L. M., & Dalton, K. M. (2015). Improving diabetes outcomes through lifestyle change - A randomized controlled trial. *Journal Obesity*, 23(9), 1792–1799. <https://doi.org/10.1002/oby.21172>
- Edwina, D. A., & Manaf, A. (2015). *Artikel Penelitian Pola Komplikasi Kronis Penderita Diabetes Melitus Tipe 2 Rawat Inap di Bagian Penyakit Dalam RS . Dr . M . Djamil*. 4(1), 102–106.
- Elizabeth, & Mutiaz, I. R. (2015). Kajian Interaksi Dan Persepsi Visual Pada Game Cut the Rope Dan Angry Birds Untuk Mengetahui Challenge Based Immersion. *Wimba*, 5(1), 67–88.
- Goyal, S., & Nunn, C. A. (2017). A Mobile App for the Self-Management of Type 1 Diabetes Among Adolescents: A Randomized Controlled Trial. *JMIR MHealth and UHealth*, 5(6), e82. <https://doi.org/10.2196/mhealth.7336>
- Gunawardena, K. C., & Jackson, R. (2019). The Influence of the Smart Glucose Manager Mobile Application on Diabetes Management. *Journal of Diabetes Science and Technology*, 13(1), 75–81. <https://doi.org/10.1177/1932296818804522>
- Hermanns, N., & Ehrmann, D. (2019). The impact of a structured education and treatment programme (FLASH) for people with diabetes using a flash sensor-based glucose monitoring system: Results of a randomized controlled trial. *Diabetes Research and Clinical Practice*, 150, 111–121. <https://doi.org/10.1016/j.diabres.2019.03.003>
- Hooshmandja, M., & Mohammadi, A. (2019). Effect of mobile learning (application) on self-care behaviors and blood glucose of type 2 diabetic patients. *Journal of Diabetes and Metabolic Disorders*, 18(2), 307–313. <https://doi.org/10.1007/s40200-019-00414-1>
- IDF. (2017). *International Diabetes Federation (IDF) Atlas Eighth edition 2017*.
- Izahar, S., & Lean, Q. Y. (2017). Content analysis of mobile health applications on diabetes mellitus. *Frontiers in Endocrinology*, 8(NOV), 1–8. <https://doi.org/10.3389/fendo.2017.00318>
- Jiwintarum, Y., & Fauzi, I. (2019). Penurunan Kadar Gula Darah Antara Yang Melakukan Senam Jantung Sehat Dan Jalan Kaki. *Jurnal Kesehatan Prima*, 13(1), 1. <https://doi.org/10.32807/jkp.v13i1.192>
- Kamar, M., & Rivera. (2015). Smartphone application for self blood glucose monitoring & disease management-a case report. *Journal Innovations in Mobile and Wireless Technologies*. <https://doi.org/10.4108/eai.14-10-2015.2262011>
- Kato, S., & Ando, M. (2020). Effectiveness of lifestyle intervention using the internet of things system for individuals with early type 2 diabetes mellitus. *Journal Internal Medicine*, 59(1), 45–53. <https://doi.org/10.2169/internalmedicine.3150-19>
- Kempf, K., & Martin, S. (2015). Autonomous exercise game use improves

- metabolic control and quality of life in type 2 diabetes patients - a randomized controlled trial. *BMC Endocrine Disorders*, 13, 1–9. <https://doi.org/10.1186/1472-6823-13-57>
- Kerfoot, P., & Gagnon, D. (2017). A team-based online game improves blood glucose control in veterans with type 2 diabetes: A randomized controlled trial. *Diabetes Care*, 40(9), 1218–1225. <https://doi.org/10.2337/dc17-0310>
- Kim, B. (2015). *Understanding Gamification*. American Library Association. <https://doi.org/http://dx.doi.org/10.5860/ltr.51n2>
- Kitsiou, S., & Paré, G. (2017). Effectiveness of mHealth interventions for patients with diabetes: An overview of systematic reviews. *PLoS ONE*, 12(3), 1–16. <https://doi.org/10.1371/journal.pone.0173160>
- Kleinman, N., & Shah, A. (2016). Impact of the gather mHealth system on A1C: Primary results of a multisite randomized clinical trial among people with type 2 diabetes in India. *Journa Diabetes Care*, 39(10), e169–e170. <https://doi.org/10.2337/dc16-0869>
- Koot, D., & Goh, P. (2019). A mobile lifestyle management program (Glycoleap) for people with type 2 diabetes: Single-arm feasibility study. *JMIR MHealth and UHealth*, 7(5), 1–13. <https://doi.org/10.2196/12965>
- Lyons, I., & Barber, N. (2016). The Medicines Advice Service Evaluation (MASE): A randomised controlled trial of a pharmacist-led telephone based intervention designed to improve medication adherence. *BMJ Quality and Safety*, 25(10), 759–769. <https://doi.org/10.1136/bmjqs-2015-004670>
- Metwally, A., & Soliman, M. (2019). Effect of counteracting lifestyle barriers through health education in egyptian type 2 diabetic patients. *Open Access Macedonian Journal of Medical Sciences*, 7(17), 2886–2894. <https://doi.org/10.3889/oamjms.2019.624>
- Nurayati, L., & Adriani, M. (2017). *Hubungan Aktifitas Fisik dengan Kadar Gula Darah Puasa Penderita Diabetes Melitus Tipe 2 Association Between Physical Activity and Fasting Blood Glucose Among Type 2 Diabetes Mellitus patients*. 80–87. <https://doi.org/10.20473/amnt.v1.i2.2017.80-87>
- Nurmalisyah, F. F. (2018). *Pengaruh psikoedukasi keluarga terhadap beban dan dukungan keluarga dalam merawat penderita skizofrenia di rumah*. Airlangga Publishing.
- PERKENI. (2015a). Konsesus Pengelolaan Dan Pencegahan Diabetes Melitus Tipe2 Di Indonesia 2015. In *Perkeni*. <https://www.google.com/url?sa=t&source=web&rct=j&url=https://pbperkeni.or.id/wp-content/uploads/2019/01/4.-Konsensus-Pengelolaan-dan-Pencegahan-Diabetes-melitus-tipe-2-di-Indonesia-PERKENI-2015.pdf&ved=2ahUKEwjy8KOs8cfoAhXCb30KHQb1Ck0QFjADegQIBhAB&usg=AOv>
- PERKENI. (2015b). *Pengelolaan dan pencegahan diabetes melitus tipe 2 di*

indonesia 2015.

- Pesta, D. H., & Goncalves, R. L. S. (2017). Resistance training to improve type 2 diabetes : working toward a prescription for the future. *Nutrition & Metabolism (2017)*, *14*, 1–10. <https://doi.org/10.1186/s12986-017-0173-7>
- Pranoto, A. (2019). Kendali Glikemik pada Pasien Diabetes Melitus Tipe 2 dengan dan tanpa Tuberkulosis Paru Glycemic Control in Type 2 Diabetes Mellitus Patients with and without Pulmonary Tuberculosis. *Jurnal MKMI*, *15*(1), 99–109.
https://www.researchgate.net/publication/334255803_Kendali_Glikemik_pada_Pasien_Diabetes_Melitus_Tipe_2_dengan_dan_tanpa_Tuberkulosis_Paru
- Quinn, C., & Butler, E. C. (2018). Mobile diabetes intervention study of patient engagement and impact on blood glucose: Mixed methods analysis. *JMIR MHealth and UHealth*, *6*(2), 1–11. <https://doi.org/10.2196/mhealth.9265>
- Rizky. (2018). *Pengaruh Resistance Exercise terhadap Perbaikan Neuropati Diabetikum, Ankle Brachial Index dan Kadar Glukosa Darah pada pasien Diabetes Mellitus Tipe2.*
- Sarayani, A., & Mashayekhi, M. (2018). Efficacy of a telephone-based intervention among patients with type-2 diabetes; a randomized controlled trial in pharmacy practice. *International Journal of Clinical Pharmacy*, *40*(2), 345–353. <https://doi.org/10.1007/s11096-018-0593-0>
- Setyowati, L. (2017). Pengajaran Literasi Informasi Dengan Konsep Gamification Di Perpustakaan Perguruan Tinggi. *Jurnal Perpustakaan*, *8*(1), 39–50. <https://doi.org/10.20885/unilib.vol8.iss1.art4>
- Waki, K., & Aizawa, K. (2015). Diabetes with a multimedia food recording tool, food log: Smartphone-based self-management for type 2 diabetes. *Journal of Diabetes Science and Technology*, *9*(3), 534–540. <https://doi.org/10.1177/1932296815579690>
- Walsh, A. (2015). Playful Information Literacy: Play and information Literacy in Higher Education. *Nordic Journal of Information Literacy in Higher Education*, *7*(1), 80–94. <https://doi.org/10.15845/noril.v7i1.223>
- Wang, J., Cai, C., Padhye, N., Orlander, P., & Zare, M. (2018). A behavioral lifestyle intervention enhanced with multiple-behavior self-monitoring using mobile and connected tools for underserved individuals with type 2 diabetes and comorbid overweight or obesity: Pilot comparative effectiveness trial. *JMIR MHealth and UHealth*, *6*(4), 1–14. <https://doi.org/10.2196/mhealth.4478>
- Wayne, N., & Perez, D. F. (2015). Health coaching reduces HbA1c in type 2 diabetic patients from a lower-socioeconomic status community: A randomized controlled trial. *Journal of Medical Internet Research*, *17*(10). <https://doi.org/10.2196/jmir.4871>
- World Health Organization. (2016). Global Report on Diabetes. *Isbn*, 978, 88.

<https://doi.org/ISBN 978 92 4 156525 7>

- Yang, Y., & Lee, E. Y. (2020). Effect of a mobile phone-based glucose-monitoring and feedback system for type 2 diabetes management in multiple primary care clinic settings: Cluster randomized controlled trial. *JMIR MHealth and UHealth*, 8(2), 1–15. <https://doi.org/10.2196/16266>
- Yaqin, A., & Niken, S. (2017). *EFEK SELF EFFICACY TRAINING TERHADAP SELF EFFICACY DAN*. 1(1), 1–10.
- Yasmin, F., & Nahar, N. (2020). The influence of mobile phone-based health reminders on patient adherence to medications and healthy lifestyle recommendations for effective management of diabetes type 2: A randomized control trial in Dhaka, Bangladesh. *BMC Health Services Research*, 20(1), 1–13. <https://doi.org/10.1186/s12913-020-05387-z>
- YomTov, E., & Feraru, G. (2017). Encouraging Physical Activity in Patients With Diabetes: Intervention Using a Reinforcement Learning System. *Journal of Medical Internet Research*, 19(10), e338. <https://doi.org/10.2196/jmir.7994>
- Yu, X. F., & So, K. W. (2018). Effectiveness of a Nurse-led Integrative Health and Wellness (NIHaW) Programme on Behavioural, Psychosocial and Biomedical Outcomes among Individuals with Newly Diagnosed Type 2 Diabetes: A Randomised Controlled Trial. *Journal Clinical Research in Diabetes and Endocrinology*, August.
- Yusuf, AH & Fitryasari, RZ & Tristiana, D & Aditya, R. (2017). *Riset Kualitatif Dalam Keperawatan*. Mitra Wacana Media.
- Zhou, W., & Chen, M. (2016). Welltang - A smart phone-based diabetes management application - Improves blood glucose control in Chinese people with diabetes. *Diabetes Research and Clinical Practice*, 116, 105–110. <https://doi.org/10.1016/j.diabres.2016.03.018>