

DAFTAR PUSTAKA

- ADA (American Diabetes Association) (2018) 'Classification and Diagnosis of Diabetes: Standards of Medical Care in Diabetes—2018', *Diabetes Care*, 41(Supplement 1), pp. S13–S27. doi: 10.2337/dc18-S002.
- Alligood, M. R. (2014) *Nursing Theorist and Their Work*. 8th edn. St. Louis, Missouri: Elsevier.
- Arifin, B. *et al.* (2019) "Diabetes is a gift from god" a qualitative study coping with diabetes distress by Indonesian outpatients', *Quality of Life Research*. doi: 10.1007/s11136-019-02299-2.
- Aylaz, R. *et al.* (2015) 'Relationship between social support and fatigue in patients with type 2 diabetes mellitus in the east of turkey', *Japan Journal of Nursing Science*, 12(4), pp. 367–376. doi: 10.1111/jjns.12076.
- Baetz, M and Bowen, R. (2008) 'Chronic pain and fatigue: Associations with religion and spirituality.', *Pain research & management*. United States, 13(5), pp. 383–388. doi: 10.1155/2008/263751.
- Baetz, Marilyn and Bowen, R. (2008) 'Chronic Pain and Fatigue: Associations with Religion and Spirituality', *Pain Research and Management*, 13(5), pp. 383–388. doi: 10.1155/2008/263751.
- Bazeley, P. and Jackson, K. (2013) *Qualitative Data Analysis with NVivo*. Sage Publications Ltd.
- Brouwer, A. M. *et al.* (2012) 'Adolescents and Type 2 Diabetes Mellitus', *Clinical Pediatrics*, 51(12), pp. 1130–1139. doi: 10.1177/0009922812460914.
- Castleberry, A. (2014) 'NVivo 10 [software program]. Version 10. QSR International; 2012.', *American Journal of Pharmaceutical Education*, 78(1), p. 25. doi: 10.5688/ajpe78125.
- Cavelti-Weder, C. *et al.* (2011) 'Inhibition of IL-1 Improves Fatigue in Type 2 Diabetes', *Diabetes Care*, 34(10), pp. e158–e158. doi: 10.2337/dc11-1196.
- Cobb, A. K. (2000) 'Acculturation and Accommodation in Qualitative and Quantitative Research', *Journal of Professional Nursing*, 16(4), p. 188. doi: 10.1053/jpnu.2000.7823.
- Davidson, P. M. *et al.* (2011) 'The Health of Women and Girls Determines the Health and Well-Being of Our Modern World: A White Paper From the International Council on Women's Health Issues', *Health Care for Women International*, 32(10), pp. 870–886. doi: 10.1080/07399332.2011.603872.

- DiGiacomo, M. *et al.* (2015) 'Developing a gender-based approach to chronic conditions and women's health: a qualitative investigation of community-dwelling women and service provider perspectives', *BMC Women's Health*, 15(1), p. 105. doi: 10.1186/s12905-015-0264-4.
- Drivsholm, T. *et al.* (2005) 'Symptoms, signs and complications in newly diagnosed type 2 diabetic patients, and their relationship to glycaemia, blood pressure and weight', *Diabetologia*, 48(2), pp. 210–214. doi: 10.1007/s00125-004-1625-y.
- Egan, A. M. and Dinneen, S. F. (2019) 'What is diabetes?', *Medicine (United Kingdom)*, 47(1), pp. 1–4. doi: 10.1016/j.mpmed.2018.10.002.
- Fritschi, C. *et al.* (2012) 'Fatigue in Women with Type 2 Diabetes', *Diabetes Educ*, 38(5), pp. 662–672. doi: 10.1177/0145721712450925.Fatigue.
- Fritschi, C. and Fink, A. M. (2012) 'Fatigue in Adults with Type 2 Diabetes—An Overview of Current Understanding and Management Approaches', *US Endocrinology*, 08(02), p. 84. doi: 10.17925/USE.2012.08.02.84.
- Fritschi, C. and Quinn, L. (2010) 'Fatigue in patients with diabetes: A review', *Journal of Psychosomatic Research*, 69(1), pp. 33–41. doi: 10.1016/j.jpsychores.2010.01.021.
- Given, L. (2008) 'The SAGE Encyclopedia of Qualitative Research Methods'. Thousand Oaks, California. doi: 10.4135/9781412963909.
- Goedendorp, M. M. *et al.* (2014) 'Chronic Fatigue in Type 1 Diabetes: Highly Prevalent but Not Explained by Hyperglycemia or Glucose Variability', *Diabetes Care*, 37(1), pp. 73–80. doi: 10.2337/dc13-0515.
- Gomes-Villas Boas, L. C. *et al.* (2012) 'Relationship among social support, treatment adherence and metabolic control of diabetes mellitus patients', *Revista Latino-Americana de Enfermagem*, 20(1), pp. 52–58. doi: 10.1590/S0104-11692012000100008.
- Griggs, S. and Morris, N. S. (2018) 'Fatigue Among Adults With Type 1 Diabetes Mellitus and Implications for Self-Management: An Integrative Review', *The Diabetes Educator*, 44(4), pp. 325–339. doi: 10.1177/0145721718782148.
- Heidari, Z. *et al.* (2019) 'Psychosomatic complaints profile in patients with type 2 diabetes: a matched case-control study', *The Egyptian Journal of Neurology, Psychiatry and Neurosurgery*. The Egyptian Journal of Neurology, Psychiatry and Neurosurgery, 55(1), p. 53. doi: 10.1186/s41983-019-0098-3.
- Jain, A. *et al.* (2015) 'Study of fatigue, depression, and associated factors in type 2 diabetes mellitus in industrial workers', *Industrial Psychiatry Journal*, 24(2), p. 179. doi: 10.4103/0972-6748.181731.

- Jennings, K. M. (2017) 'The Roy Adaptation Model', *Advances in Nursing Science*, 40(4), pp. 370–383. doi: 10.1097/ANS.000000000000175.
- Kahn, J. R., McGill, B. S. and Bianchi, S. M. (2011) 'Help to Family and Friends: Are There Gender Differences at Older Ages?', *Journal of Marriage and Family*, 73(1), pp. 77–92. doi: 10.1111/j.1741-3737.2010.00790.x.
- Kalra, S. and Sahay, R. (2018) 'Diabetes Fatigue Syndrome', *Diabetes Therapy*. Springer Healthcare, 9(4), pp. 1421–1429. doi: 10.1007/s13300-018-0453-x.
- Katz-Wise, S. L., Priess, H. A. and Hyde, J. S. (2010) 'Gender-role attitudes and behavior across the transition to parenthood.', *Developmental Psychology*, 46(1), pp. 18–28. doi: 10.1037/a0017820.
- Khlat, M., Sermet, C. and Le Pape, A. (2000) 'Women's health in relation with their family and work roles: France in the early 1990s', *Social Science & Medicine*, 50(12), pp. 1807–1825. doi: 10.1016/S0277-9536(99)00419-0.
- Kleinman, A. and Benson, P. (2006) 'Anthropology in the clinic: The problem of cultural competency and how to fix it', *PLoS Medicine*, 3(10), pp. 1673–1676. doi: 10.1371/journal.pmed.0030294.
- Koornstra, R. H. T. *et al.* (2014) 'Management of fatigue in patients with cancer - A practical overview', *Cancer Treatment Reviews*. Elsevier Ltd, 40(6), pp. 791–799. doi: 10.1016/j.ctrv.2014.01.004.
- Kusnanto (2017) *Asuhan Keperawatan pada Klien dengan Diabetes Mellitus Pendekatan Holistic Care*. Surabaya: AUP.
- Lasselin, J. *et al.* (2012) 'Fatigue symptoms relate to systemic inflammation in patients with type 2 diabetes', *Brain, Behavior, and Immunity*. Elsevier Inc., 26(8), pp. 1211–1219. doi: 10.1016/j.bbi.2012.03.003.
- Lien, A. S.-Y., Hwang, J.-S. and Jiang, Y.-D. (2018) 'Diabetes related fatigue sarcopenia, frailty', *Journal of Diabetes Investigation*, 9(1), pp. 3–4. doi: 10.1111/jdi.12752.
- Lincoln, Y. S. (1985) *Naturalistic inquiry* / Yvonna S. Lincoln, Egon G. Guba. Edited by E. G. Guba. Beverly Hills, Calif: Sage Publications.
- Maahs, D. M. *et al.* (2010) 'Epidemiology of Type 1 Diabetes', *Endocrinology and Metabolism Clinics of North America*, 39(3), pp. 481–497. doi: 10.1016/j.ecl.2010.05.011.
- Van Mannen, M. (1990) *Researching Lived Experience Human Science for an Action Sensitive Pedagogy*.
- Margareth, M. C. R. (2012) *Asuhan Keperawatan Medikal Bedah dan Penyakit*

Dalam. Yogyakarta: Nuha Medika.

Mellerio, H. *et al.* (2015) 'Long-term impact of childhood-onset type 1 diabetes on social life, quality of life and sexuality', *Diabetes & Metabolism*, 41(6), pp. 489–497. doi: 10.1016/j.diabet.2014.12.006.

Menting, J. *et al.* (2015) 'A web-based cognitive behaviour therapy for chronic fatigue in type 1 diabetes (Dia-Fit): study protocol for a randomised controlled trial', *Trials*, 16(1), p. 262. doi: 10.1186/s13063-015-0764-4.

Menting, J. *et al.* (2016) 'Severe fatigue in type 1 diabetes : Exploring its course , predictors and relationship with HbA 1c in a prospective study', *Diabetes Research and Clinical Practice*. Elsevier Ireland Ltd, 121, pp. 127–134. doi: 10.1016/j.diabres.2016.09.011.

Nefs, G. *et al.* (2015) 'Subjective sleep impairment in adults with type 1 or type 2 diabetes: Results from Diabetes MILES—The Netherlands', *Diabetes Research and Clinical Practice*, 109(3), pp. 466–475. doi: 10.1016/j.diabres.2015.07.008.

Nurrahmani, H. K. (2015) *Stop Diabetes, Hipertensi, Kolesterol Tinggi, Jantung Koroner*. Yogyakarta: Istana Media.

Ota, A. and Ulrih, N. P. (2017) 'An Overview of Herbal Products and Secondary Metabolites Used for Management of Type Two Diabetes', *Frontiers in Pharmacology*, 8(July), pp. 1–14. doi: 10.3389/fphar.2017.00436.

Park, H. *et al.* (2015) 'Glucose control and fatigue in type 2 diabetes: the mediating roles of diabetes symptoms and distress', *Journal of Advanced Nursing*, 71(7), pp. 1650–1660. doi: 10.1111/jan.12632.

PERKENI (2015a) *Konsensus Pengelolaan dan Pencegahan Diabetes Melitus tipe 2 di Indonesia 2015*, Pengurus Besar Perkumpulan Endokrinologi Indonesia (PB Perkeni). doi: 10.1017/CBO9781107415324.004.

PERKENI (2015b) *Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 di Indonesia 2015*. Pengurus Besar Perkumpulan Endokrinologi Indonesia (PB Perkeni).

Perrett, S. E. (2007) 'Review of Roy adaptation model-based qualitative research', *Nursing Science Quarterly*, 20(4), pp. 349–356. doi: 10.1177/0894318407306538.

Polit, D. F. and Beck, C. T. (2013) *Nursing Research; Appraising Evidence for Nursing Practice*. 7th edn. Philadelphia: Lippincot Williams & Wilkins.

Prue, G. *et al.* (2006) 'Cancer-related fatigue: A critical appraisal', *European Journal of Cancer*, 42(7), pp. 846–863. doi: 10.1016/j.ejca.2005.11.026.

- Regan, P. O. and Hegarty, J. (2017) 'European Journal of Oncology Nursing The importance of self-care for fatigue amongst patients undergoing chemotherapy for primary cancer', *European Journal of Oncology Nursing*. Elsevier Ltd, 28, pp. 47–55. doi: 10.1016/j.ejon.2017.02.005.
- Roy, C., Whetsell, M. V. and Frederickson, K. (2009) *The Roy adaptation model and research: Global perspective, Nursing Science Quarterly*. doi: 10.1177/0894318409338692.
- Schiøtz, M. L. *et al.* (2012) 'Social support and self-management behaviour among patients with Type 2 diabetes', *Diabetic Medicine*, 29(5), pp. 654–661. doi: 10.1111/j.1464-5491.2011.03485.x.
- Segerstedt, J., Lundqvist, R. and Eliasson, M. (2015) 'Patients with type 1 diabetes in Sweden experience more fatigue than the general population', *Journal of Clinical & Translational Endocrinology*. Elsevier Inc, 2(3), pp. 105–109. doi: 10.1016/j.jcte.2015.06.001.
- Sekse, R. J. T., Hufthammer, K. O. and Vika, M. E. (2015) 'Fatigue and quality of life in women treated for various types of gynaecological cancers: a cross-sectional study', *Journal of Clinical Nursing*, 24(3–4), pp. 546–555. doi: 10.1111/jocn.12647.
- Seo, Y. *et al.* (2014) 'Factors Affecting Fatigue in Patients with Type II Diabetes Mellitus in Korea', *Asian Nursing Research*. Elsevier, 9(1), pp. 60–64. doi: 10.1016/j.anr.2014.09.004.
- Seyedfatemi, N. *et al.* (2014) 'Women's health concept: A meta-synthesis study', *Iranian Journal of Public Health*, 43(10), pp. 1335–1344.
- Shanty, M. (2011) *Silent Killer Disease*. Yogyakarta: Javalitera.
- Sharif, S. *et al.* (2019) 'Frequency of Depression in Patients with Type 2 Diabetes Mellitus and its Relationship with Glycemic Control and Diabetic Microvascular Complications', *Cureus*. doi: 10.7759/cureus.5145.
- Sharma, N., Chakrabarti, S. and Grover, S. (2016) 'Gender differences in caregiving among family - caregivers of people with mental illnesses', *World Journal of Psychiatry*, 6(1), p. 7. doi: 10.5498/wjp.v6.i1.7.
- Singh, R. *et al.* (2016) 'Fatigue in Type 2 Diabetes: Impact on Quality of Life and Predictors', *PLOS ONE*. Edited by F. Paul, 11(11), p. e0165652. doi: 10.1371/journal.pone.0165652.
- Singh, R. and Kluding, P. M. (2013) 'Fatigue and Related Factors in People With Type 2 Diabetes', *The Diabetes Educator*, 39(3), pp. 320–326. doi: 10.1177/0145721713479144.

- Sinha, S. (2017) 'Multiple roles of working women and psychological well-being', *Industrial Psychiatry Journal*, 26(2), p. 171. doi: 10.4103/ipj.ipj_70_16.
- Walter, J. G. (2018) 'The adequacy of measures of gender roles attitudes: a review of current measures in omnibus surveys', *Quality & Quantity*, 52(2), pp. 829–848. doi: 10.1007/s11135-017-0491-x.
- Weijman, I. (2003) 'Fatigue in employees with diabetes: its relation with work characteristics and diabetes related burden', *Occupational and Environmental Medicine*, 60(>90001), pp. 93i – 98. doi: 10.1136/oem.60.suppl_1.i93.
- Weijman, I. *et al.* (2004) 'Diabetes, Employment and Fatigue-Related Complaints: A Comparison Between Diabetic Employees, "Healthy" Employees, and Employees With Other Chronic Diseases', *Journal of Occupational and Environmental Medicine*, 46(8), pp. 828–836. doi: 10.1097/01.jom.0000135605.62330.ca.
- Zhao, F.-F. *et al.* (2018) 'The association of diabetes-related self-care activities with perceived stress, anxiety, and fatigue: a cross-sectional study', *Patient Preference and Adherence*, Volume 12, pp. 1677–1686. doi: 10.2147/PPA.S169826.