

DAFTAR REFERENSI

- Aagashe, US, Borade, A, Gulawani, S & Dhongade R 2013, 'Influence of maternal risk factor in pulmonary maturity in preterm newborn', *Pediatric Oncall* [serial online], vol 10, no. 2, art #16, available from: www.pediatriconcall.com/fordocor/Medical_original_articles/maternalrisk.asp
- Abbasalizadeh, Sh, Abbasalizadeh, F & Sharifan, Z 2007, 'Pulmonary maturation in preterm rupture of membranes with oligohydramnios', *Journal of Medical Science*, vol. 7, no. 2, hh. 203-209.
- Ainsworth, SB 2005, 'Patophysiology of neonatal respiratory distress syndrome implication for early treatment strategies', *Treat Respir Med*, vol. 4, no.6, hh 423-437.
- Alamsyah, E 2010, 'Analisis epidemiologis upaya kesehatan maternal neonatal di Indonesia dalam pencapaian target millenium development goals (MDGs) 2015)', *Buletin Perinasia*, tahun 17, no. 1, hh. 1-8.
- Altuncu, E, Akman, I, Kotiloglu, E et al. 2008, 'The relationship of placental histology to pregnancy and neonatal characteristics in preterm infants', *J Turkish-German Gynecol Assoc*, vol. 9, no. 1, hh. 1-7.
- American Lung Association 2008, 'Respiratory distress syndrome and bronchopulmonary dysplasia (RDS & BPD)', in *Lung disease data 2008*, hh.111-116.
- American Lung Association 2010, 'Respiratory distress syndrome (RDS)', in *State of lung disease in diverse communities 2010*, hh.73-75.
- Anadkat, JS, Kuzniewicz, MW, Chaudhari, BP et al. 2012, 'Increased risk for respiratory distress among white, male, late preterm and term infant', *Journal of Perinatology*, vol. 32, no. 10, hh. 780-785.
- Angsar, MD 2009, 'Hipertensi dalam kehamilan', dalam AB Saifuddin, T Rachimhadhi & GH Winkjosastro (eds.), *Ilmu kebidanan*, edk 4, PT Bina Pustaka Sarwono Prawirohardjo, Jakarta, hh. 530-561.
- Arnold, C, Mclean, FH, Kramer, MS & Usher, RH 1987, 'Respiratory distress syndrome in second-born versus first-born twins; a matched case-control analysis', *N Eng J Med*, vol. 317, hh. 1121-1125.
- Boedjang, N & Boedjang, RF 2011, *Diagnostik imaging toraks neonatus bayi baru lahir*, Badan Penerbit FK UI, Jakarta, hh. 42-45.
- Canpolat, FE, Yurdakok, M, Korkmaz, A et al. 2006, 'Birthweight discordance in twin and the risk of being heavier for respiratory distress syndrome', *Twin Research and Human Genetics: The official Journal of The International Society for Twin Studies*, vol. 9, no. 5, hh. 659-663.

- Corwin, EJ 2009, 'Sistem Pernapasan', dalam *Buku Saku Patofisiologi*, edk.3, trans. NB Subekti, EGC, Jakarta, hh. 557-560.
- Cultrera, R, Seraceni, S, Germani, R & Contini, C 2006, 'Molecular evidence of ureaplasma urealyticum and ureaplasma parvum colonization in preterm infant during respiratory distress syndrome', *BMC Infectious Diseases*, vol. 6, no. 166, hh 1-12.
- Dahlan, MS 2010, 'Menentukan besar sampel', dalam *Langkah-langkah Membuat Proposal Penelitian Bidang Kedokteran dan Kesehatan*, seri 3, edk 2, CV Sagung Seto, Jakarta, hh. 79-96.
- Damanik SM 2009, 'Klasifikasi bayi menurut berat lahir dan masa gestasi', dalam *Buku Ajar Neonatologi*, Kosim MS, Yunanto A, Dewi R, Sarosa GI, Usman A (eds.) IDAI, Jakarta, hh. 11-30.
- Dani, C, Reali, MF, Bertini, G et al. 1999, 'Risk factor for the development of respiratory distress syndrome and transient tachypnoea in newborn infants', *European Respiratory Journal*, vol. 14, hh. 155-159.
- Dargaville, PA 2006, 'Infant respiratory distress syndrome', *Encyclopedia of Respiratory Medicine*, hh. 320-334.
- Dharmasetiawani, N 2009, 'Asfiksia dan resusitasi bayi baru lahir', dalam MS Kosim, A Yunanto, R Dewi, GI Sarosa & A Usman (eds), *Buku ajar Neonatologi*, IDAI, Jakarta, hh. 103-125.
- Fehlman, E, Tapia, JL, Fernandez, R et al. 2010, 'Impact of respiratory distress syndrome in very low birth weight infant: a multicentre South-American Study', *Archivos Argentinos De Pediatría*, vol. 108, no. 5, hh. 393-400.
- Firmansyah, I & Lubis, M 2004, 'Pemakaian ventilator frekuensi tinggi pada bayi asfiksia berat', *Sari Pediatri*, vol. 5, no. 4, hh. 155-159.
- Gerten, KA, Coonrod, DV, Bay, RC & Chambliss, LR 2005, 'Cesarean delivery and respiratory distress syndrome: does labor make a difference?', *American Journal of Obstetrics and Gynecology*, vol. 193, hh. 1061-1064.
- Gezer, A, Rashidova, M, Guralp, O & Ocer, F 2012. 'Perinatal mortality and morbidity in twin pregnancies: the relation between chorionicity and gestational age at birth', *Arch Gynecol Obstet*, vol. 285, hh. 353-360.
- Ghartey, K, Coletta, J, Lizarraga, L et al. 2012, 'Neonatal respiratory morbidity in the early term delivery', *Am J Obstet Gynecol*, vol 207, no. 4, hh.292.
- Glista, B 1986, *Pediatric case studies the infant of the diabetic mother*, Elsevier Science Publishing Company Inc, New York, hh. 632-643.
- Gouyon, JB, Ribakovsky, C, Ferdynus, C et al. 2007, 'Severe respiratory disorders in term neonates', *Pediatric and Perinatal Epidemiology*, vol. 22, hh. 22-30.

- Haas, DM, Sischy, AC, Mccullough, W & Simsiman, AJ 2011, 'Maternal ethnicity influences on neonatal respiratory outcomes after antenatal corticosteroid use for anticipated preterm delivery', *The Journal of Maternal-Fetal and Neonatal Medicine*, vol. 24, no. 3, hh. 516-520.
- Hacking, D, Watkins, A, Fraser, S et al. 2001, 'Respiratory distress syndrome and birth order in premature twins', *Arch dis Child Fetal Neonatal*, vol. 84, hh. F117-F121.
- Hansen, AK, Wisborg, K, Uldbjerg, N & Henriksen, TB 2008, 'Risk of respiratory morbidity in term infants delivered by elective caesarean section: cohort study', *BMJ*, vol. 336, hh. 85-87.
- Hazinski, TA 2006, 'Sistem pernapasan', dalam AM Rudolph et al. (eds.), *Buku ajar pediatri Rudolph*, vol. 3, edk 20, trans. AS Wahab, EGC, Jakarta, hh. 1756-1763.
- Hermansen, CL & Lorah, KN 2007, 'Respiratory distress in the newborn', *American Family Physician*, vol. 76, no. 7, hh. 987-994.
- Hobar, JD, Carpenter, JH, Kenny, M (eds.) 2003, *Very Low Birth Weight Database Summary*, Vermont Oxford Network, Burlington.
- Hsu, YC, Lin, CH, Chang, FM & Yeh, TF 1998, 'Neonatal outcome of preterm infants born to mothers with plcenta previa', *Clinical Neonatology*, vol. 5, no. 1.
- Husada, D 2008, *Predictive Model For Diagnosis of Neonatal Sepsis*, a thematic paper for the degree of Master of Clinical Tropical Medicine, Faculty of Graduate Studies, Mahidol University.
- Jelin, AC, Cheng, YW, Shaffer, BL et al. 2010, 'Early-onset preeclamsia and neonatal outcomes', *The Journal of Maternal-Fetal and Neonatal Medicine*, vol. 23, no. 5, hh. 389-392.
- Kamath, BD, Todd, JK, Glazner, JE et al. 2009, 'Neonatal outcomes after elective cesarean delivery', *The American College of Obstetricians and gynecologists*, vol. 113, no. 6, hh. 1231-1238.
- Killen, AA, Rubin, E & Strayer, DS 2008, 'Developmental and genetic disease', dalam R Rubin & DS Strayer (eds.), *Rubin's Pathology*, 5th edn, Lippincott Williams & Wilkins, Philadelphia, hh. 177-228.
- Kliegman, RM 2010, 'Ilmu kedokteran janin dan neonatal', dalam RE Behrman & RM Kliegman (eds.), *Esensi Pediatri Nelson*, EGC, Jakarta, hh. 231-237.
- Koivisto M, Marttila, R, Saarela, T et al. 2005, 'Wheezing illness and re-hospitalization in the first two years of life after neonatal respiratory distress syndrome', *Jpediatr*, vol. 147, no. 4, hh.486-492.

- Krisnadi, SR 2009, 'Faktor resiko persalinan prematur', dalam SR Krisnadi, JS Effendi & A Pribadi (eds.), *Prematuritas*, PT. Refika Aditama, Bandung, hh. 43-65.
- Lahra, MM, Beeby, PJ & Jeffery, HE 2009, 'Maternal versus fetal inflammation and respiratory distress syndrome: a 10-year hospital cohort study', *Arch Dis Child Fetal Neonatal*, vol. 94, no. 1, hh. F13-F16.
- Lewis, DF, Futayyeh, S, Towers, CV et al. 1996, 'Preterm delivery from 34 to 37 weeks of gestation: is respiratory distress syndrome a problem?', *American Journal of Obstetrics and Gynecology*, vol. 174, no. 2, hh. 525-528.
- Maitra, A & Kumar, V 2009, 'Penyakit pada masa bayi dan anak', dalam V Kumar, AK Abbas & N Fausto (eds.), *Robbins & Cotran dasar patologi penyakit*, edk 7, trans. U Brahm, EGC, Jakarta, hh. 496-498.
- Marttila, R 2003. *Epidemiological and genetic study of respiratory distress syndrome in preterm infants*, diakses tanggal 11 Maret 2013, available from: <http://herkules.oulu.fi/isbn9514272145/html/x497.html>.
- Marttila, R, Kaprio, J & Hallman, M 2004, 'Respiratory distress syndrome in twin infants compared with singletons', *American Journal of Obstetric and Gynecology*, vol 191, hh. 271-276.
- Morrison, JJ, Rennie, JM & Milton, PJ 1995, 'Neonatal respiratory morbidity and mode of delivery at term: influence of timing of elective caesarean section', *Br J Obstet Gynaecol*, vol. 102, no. 2, hh 101-106.
- Olsen, IE, Groveman, SA, Lawson, ML, Clark, RH & Zemel, BS 2010, 'New intrauterine growth curves based on United States data', *Pediatrics*, vol 125, no. 2, hh. e214-e224.
- Papageorgiou, AN, Colle, E, Kostopoulus, EF & Gelfand, MM 1981, 'Incidence of respiratory distress syndrome following antenatal betamethasone: role of sex, type of delivery, and prolonged rupture of membrane', *Pediatrics*, vol. 67, no. 5, hh. 614-617.
- Pillow, JJ & Jobe, AH 2008, 'Respiratory disorder of the newborn', in LM Taussig & LI Landau (eds.), *Pediatric respiratory medicine*, 2nd edn, Mosby Elsevier, Philadelphia, hh. 365-372.
- Porto, AMF, Coutinho, IC, Correia, JB & Amorim, MMR 2011, 'Effectiveness of antenatal corticosteroids in reducing respiratory disorders in late preterm infants: randomised clinical trial', *BMJ*, vol. 342, hh. 855-858.
- Pribadi, A 2009, 'Peran kortikosteroid dalam pengelolaan persalinan prematur', dalam SR Krisnadi, JS Effendi & A Pribadi (eds.), *Prematuritas*, PT. Refika Aditama, Bandung, hh. 165-172.
- Pudjiadi, A, Hegar, B, Handryastuti, S et al. 2011, *Pedoman Pelayanan Medis IDAI* edk. 2, IDAI, Jakarta, hh. 66-77.

- Robert, D & Dalziel, S 2006, 'Antenatal corticosteroid for accelerating fetal lung maturation for women at risk of preterm birth', *Cochrane Database of Systematic Review*, no. 3, hh. 1-141.
- Saifuddin, AB, Adriansz, G, Wiknjosastro, GH & Waspodo, D (eds) 2009, 'Masalah bayi baru lahir', *Buku Acuan Nasional Pelayanan Kesehatan Maternal dan Neonatal*, PT BPSP, Jakarta, hh. 337-402.
- Smith, GCS, Wood, AM, White, IR et al. 2004, 'Neonatal respiratory morbidity at term and the risk of childhood asthma', *Arch Dis Child*, vol. 89, hh. 956-960.
- Soewarto, S 2009, 'Ketuban pecah dini', dalam AB Saifuddin, T Rachimhadhi & GH Winkjosastro (eds.), *Ilmu kebidanan*, edk 4, PT Bina Pustaka Sarwono Prawirohardjo, Jakarta, hh. 677-682.
- Sukarya, WS 2009, 'Kehamilan dan gangguan endokrin', dalam AB Saifuddin, T Rachimhadhi & GH Winkjosastro (eds.), *Ilmu kebidanan*, edk 4, PT Bina Pustaka Sarwono Prawirohardjo, Jakarta, hh. 851-857.
- Sweet, DG, Carnielli, V, Greisen, G et al. 2010, 'European consensus guideline on the management of neonatal respiratory distress syndrome in preterm infants – 2010 update', *Neonatology*, vol. 97, no. 4, hh. 402-417.
- Thomas, PE 2011, 'Do racial disparities persist in infant mortality from respiratory distress syndrome?', *JOGNN*, vol. 40, hh. 47-51.
- Tobing, R 2004, 'Kelainan kardiovaskular pada sindrom gawat nafas neonatus', *Sari Pediatri*, vol. 6, no. 1, hh. 40-46.
- Torrance, HL, Mulder, EJH, Brouwers, HAA et al. 2007, 'Respiratory outcome in preterm small for gestational age fetuses with or without abnormal umbilical artery doppler and/or maternal hypertension', *The Journal of Maternal-Fetal and Neonatal Medicine*, vol. 20, no. 8, hh. 613-621.
- Tsuda, H, Takahashi, Y, Iwagaki, S et al. 2010, 'Intra-amniotic lamellar body count before 34 weeks of gestation', *The Journal of Maternal-Fetal and Neonatal Medicine*, vol. 23, no.10, hh. 1230-1236.
- Tubman, TRJ, Rollins, MD, Patterson, C & Halliday, HL 1991, 'Increased incidence of respiratory distress syndrome in babies of hypertensive mothers', *Archives of Disease in Childhood*, vol. 66, hh. 52-54.
- Vignoles, P, Gire, C, Mancini, J et al. 2011, 'Gestational diabetes: a strong independent factor for severe neonatal respiratory failure after 34 weeks', *Arch Gynecol Obstet*, vol. 284, hh. 1099-1104.
- Wambach, JA, Wegner, DJ, DePass, K et al. 2012, 'Single *ABCA3* mutation increase risk for neonatal respiratory distress syndrome', *Pediatrics*, vol.130, no. 6, hh. 1575-1582.

- Wang, A, Holston, AM, Yu, KF et al. 2011, 'Circulating anti-angiogenic factors during hypertensive pregnancy and increased risk of respiratory distress syndrome in preterm neonates', *The Journal of maternal-Fetal and Neonatal Medicine*, vol. 25, no. 8, hh. 1447-1452.
- Werner, EF, Savitz, DA, Janevic, TM et al. 2012, 'Mode of delivery and neonatal outcomes in preterm, small-for-gestational-age newborns', *Obstetrics and Gynecology*, vol 120. No. 3, hh. 560-564.
- William, W & Mayer, B 2011, 'Sistem pernapasan', dalam JP Kowalak (ed.), *Buku ajar patofisiologi*, trans. A Hartono, EGC, Jakarta, hh. 218-266.