

DAFTAR PUSTAKA

DAFTAR PUSTAKA

- Abbas AK, 2007. Basic Immunology : functions and disorders of the immune system. Philadelphia: Elsevier-Saunders, hlm 268-300
- Angulo I dan Fresno M, 2002. Cytokines in the Pathogenesis of and Protection against Malaria. *Clin. Diagn. Lab. Immunol.* 9(6):1145-1152.
- Anstey NM, Price RN ,2007. Improving Case Definitions for Severe Malaria. *PLoS Med* 4(8): e267.
- Asadullah K, Sterry W, Volk D, 2003. Interleukin-10 Therapy—Review of a New Ahlmroach. *Pharmacol Rev* 55:241–269
- Bakirdkk, 2009. Comparative study between non lethal and lethal strains of Plasmodium yoelii with reference to its immunological aspect. *J Egypt SocParasitol* 39(2):585-93
- Basuki S, 2000. Immunological analysis of malaria pigment in pathogenesis malaria. Thesis. Tokyo University
- Beattie L, 2005. The Role of the Spleen in Malaria : Cellular Changes that Affect the Development of Immunity. Thesis. School of Life Sciences, Queensland University of Technology.
- Bousheri S dan Cao H. New insight into the role of dendritic cells in malaria immune pathogenesis. *Trends in Parasitology.* 24 (5):199-200
- Chomczynski P, Mackey K, 1995. Short technical report. Modification of the TRIZOL reagent procedure for isolation of RNA from Polysaccharide-and proteoglycan-rich sources. *Biotechniques* 19(6): 942-5.
- Clancy John, 1998. Basic Concepts in Immunology. New York: McGraw-Hill.hlm 14-17
- CobanC dkk, 2005. Toll-like receptor 9 mediates innate immune activation by the malaria pigment hemozoin. *J Exp Med* 201: 19–25.
- Coban C, Yagi M, Ohata K, Igari Y, dkk, 2009. The Malarial Metabolite Hemozoin and Its Potential Use as a Vaccine Adjuvant. *Allergology International.* 2010;59:115-124
- Couper KN dkk, 2008. IL-10 from CD4+CD252Foxp32CD1272 Adaptive Regulatory T Cells Modulates Parasite Clearance and Pathology during Malaria Infection. *PLoSPathog* 4(2): e1000004
- Crawley J, Chu C, Nosten F. Malaria in children *Lancet* 2010; 375: 1468–81

Culleton R dan Kaneko O, 2004. Erythrocyte binding ligands in malaria parasites: Intracellular trafficking and parasite virulence. NAOSITE

de Waal Malefyt, 1998. Interleukin-10. In (Mire-Sluis AR dan Thorpe R, eds). Cytokines, California : Academic Press, hlm 151-161

del Portillo HA dkk, 2012. The role of the spleen in malaria. Cellular Microbiology 14 (3) :343-355

Denning TL dkk, 2000. Expression of IL-10 receptors on epithelial cells from the murine small and large intestine. International Immunology 12 (2) : 133-139

DeshpandeP dan Shastry P, 2004. Modulation of cytokine profiles by malaria pigment — hemozoin: role of IL-10 in suppression of proliferative responses of mitogen stimulated human PBMC. Cytokine 28:205–213

Ding YZ, Fu S, Zamarin D, Bromberg J, 2003. Interleukin-10. Dalam (Thomson AW and Lotze MT, eds). The Cytokine Handbook, 4th ed. London : Elsevier Science, hlm 603-618

Engwerda C R, Beattie L, dan Amante F H , 2005. The importance of the spleen in malaria. Trends Parasitol 21: 75–80

Fahey JR dan Spitalny, 1984. Virulent and Nonvirulent Forms of Plasmodium yoelii Are Not Restricted to Growth Within a Single Erythrocyte Type. Infection and Immunity 44(1):151-156

Feng CG dkk, 2006. Experimental Models for the Analysis of IL-10 Function. Dalam (Narincola FM, eds). Interleukin-10, Texas : Landes Bioscience, hlm 39-45

Freitas do Rosario AP dan Langhorne J, 2012. T cell-derived IL-10 and its impact in the regulation of host responses during malaria. International Journal for Parasitology

Frita R, Carapau D, Mota MM, dkk, 2012. In Vivo Hemozoin Kinetics after Clearance of Plasmodium berghei Infection in Mice. Malaria Research and Treatment : 373086

Fu Y, Ding Y, Zhou T, dkk, 2012. Comparative Histopathology of Mice Infected With the 17XL and 17XNL Strains of *Plasmodium yoelii*. Journal of Parasitology, 98(2):310-315

Gardner, M. J., Hall, N., Fung, E., White, O., Berriman, M., Hyman, R. W., Carlton, J. M., Pain,A., Nelson, K. E., Bowman, S., dkk, 2002. Genome sequence of the human malaria parasite *Plasmodium falciparum*. Nature 419:498-511.

Hafalla JC, Silvie O, Matuschewski K, 2011. Cell biology and immunology of malaria. Immunological Reviews 240: 297–31

Hassan dkk, 2011. Cytokines and their role in modulating the severity of *Plasmodium falciparum* malaria. Khartoum Medical Journal 3 (1) :373-376

Hematoxylin-Eosin (HE) Staining Solution (Mayer), 2010

Hiroi T dkk, 2002. Quantitation of T-cell Cytokine Responses by ELISA, ELISPOT, Flow Cytometry and Reverse Transcriptase-PCR Methods. Dalam Kaufmann SHE dan Kabelitz D. Methods in Microbiology Vol 32, Immunology of Infection 2nd ed, London : Academic Press, hlm 301-331

Hoff J, 2000. Methods of Blood Collection in the MouseLab Animal 29(10):47-53

http://fs1.bib.tiera.ru/content/DVD-022/de_Waal_Malefyt_R._IL-10_Receptor%28en%29%288s%29.pdf

<http://www.cdc.gov/malaria/about/biology/index.html>

Jauler LM dkk, 2011. Strain-specific spleen remodelling in *Plasmodium yoelii* infections in Balb/c mice facilitates adherence and spleen macrophage-clearance escape. Cellular Microbiology 13(1):109-122

Keller CC dkk, 2006. Acquisition of Hemozoin by Monocytes Down-Regulates Interleukin-12p40 (IL-12p40) Transcripts and Circulating IL-12p70 through an IL-10-Dependent Mechanism: In Vivo and In Vitro Findings in Severe Malarial Anemia. Infection and Immunity 74(9):5249–5260

Kemenkes RI, 2011, Profil Kesehatan Indonesia tahun 2010, Jakarta

Kita M, Tong L, Tanaka K, Imanishi J, 1992. Expression de l'ARN messager des cytokines chez la Souris dans des condition physiologiques. Int Immunol 4 (4): 475-485

Kobayashi F, Morii T, Matsui T, dkk, 1996. Production of interleukin 10 during malaria caused by lethal and nonlethal variants of *Plasmodium yoeliiyoelii* Parasitol Res (1996) 82:385-391

Kossodo S dkk, 1997. Interleukin-10 modulates susceptibility in experimental cerebral malaria. Blackwell Science Ltd Immunology. Vol 91:536-540

Krishnowegda Gdkk, 2005. Induction of proinflammatory responses in macrophages by the glycosylphosphatidylinositols of *Plasmodium falciparum*: cell signaling receptors, glycosylphosphatidylinositol (GPI) structural requirement, and regulation of GPI activity. J. Biol. Chem. 280: 8606–8616

Langhorne J dkk, 2004. Dendritic cells, pro-inflammatory responses, and antigen

Langhorne J dkk, 2008. Immunity to malaria: more questions than answers. Nature immunology 9 (7) : 725-732

- Langhorne J, Quin SJ, danSanni LA, 2002. Mouse models of bloodstage malaria infections: immune responses and cytokines involved in protection and pathology. Dalam (Perlmann PT danBlomberg M, eds). *Malaria Immunology*, Chem. Immunol. Basel :Karger80:204–228
- Long G H dkk,2008.Experimental manipulation of immune-mediated disease and its fitness costs for rodent malaria parasites. *BMC Evolutionary Biology* 8:128
- Malaria Situation in SEAR Countries, 2011.WHO Regional Office for South-East Asia
- Marsh K dan Kinyanjui S, 2006. Immune effector mechanisms in malaria. *Parasite Immunol* 28: 51–60
- Mathurin P dkk, 2002.IL-10 receptor and coreceptor expression in quiescent and activated hepatic stellate cells.*Am J PhysiolGastrointest Liver Physiol*282: G981–G990
- Mege JL, Meghari S, Honstettre A, Capo C, Raoult D, 2006.The two faces of interleukin 10 in human infectious diseases. *Lancet Infect Dis* 6:557–69
- Millington OR, Di Lorenzo C, Phillips R.S, Garside P, dan Brewer J.M, 2006. Suppression of adaptive immunity to heterologous antigens during *Plasmodium* infection through hemozoin-induced failure of dendritic cell function.*J Biol* 5: 5.
- Moll K, Ljungström I, Perlmann H, Scherf A, Wahlgren M, 2008. Methods in Malaria Research. Sweden: MR4 / ATCC, hlm 147-149, 201-221
- Niikura M, Inoue S, Kobayashi F, 2010. Role of Interleukin-10 in Malaria: Focusing on Coinfection with Lethal and Nonlethal MurineMalaria Parasite. *Journal of Biomedicine and Biotechnology*:1-8
- O'Neill LA dan Bowie AG, 2007. The family of five: TIR -domain-containing adaptors in Toll-like receptor signalling. *Natl Rev Immunol* 7: 353–364
- Othoro C dkk, 1999.A Low Interleukin-10 Tumor Necrosis Factor-a Ratio Is Associated with Malaria Anemia in Children Residing in a Holoendemic Malaria Region in Western Kenya. *The Journal of Infectious Diseases* 179:279–82
- Parroche Pet al, 2007.Malaria hemozoin is immunologically inert but radically enhances innate responses by presenting malaria DNA to Toll-like receptor 9. *Proc Natl Acad Sci USA* 104: 1919–1924.
- Pascal LE, True LD, Campbell DS, dkk, 2008. Correlation of mRNA and protein levels: Cell type-specific gene expression of cluster designation antigens in the prostate. *BMC Genomics*9:246
- Penman B and Gupta S, 2008. Evolution of virulence in malaria. *Journal of Biology* 7:22

Depkes RI : Petunjuk Pemeriksaan Laboratorium Puskesmas, 1991. Jakarta: Departemen Kesehatan RI

Riley EM dkk, 2006. Regulating immunity to malaria. Parasite Immunology 28:35–49

Sabat dkk, 2010. Biology of interleukin-10. Cytokine and Growth Factor Reviews 21 : 331–344

Sanni LA, Fonseca LF, Langhorne J, 2002. Mouse models of erythrocytic-stage malaria Dalam (Doolan DL, eds). Malaria Methods and Protocols. Humana Press 72: 57-62

Saraiva M dan O'Garra, 2010. The regulation of IL-10 production by immune cells. Nature Reviews Immunology. Macmillan Publishers 10:170-179

Schofield L dan Grau GE. 2005. Immunological Processes in Malaria Pathogenesis. Immunology. Nature Publishing Group 5 :722-735

Scholzen A, Minigo G, Plebanski M, 2009. Heroes or villains? T regulatory cells in malaria infection. Trends in Parasitology 26(1): 16-25

Schwenk R, Asher LV, Chalom I, dkk, 2003. Opsonization by antigen-specific antibodies as a mechanism of protective immunity induced by Plasmodium falciparum circumsporozoite protein based vaccine. Parasite Immunol 25: 17–25.

Shibui A dkk, 2009. CD4+ T cell response in early erythrocytic stage malaria: Plasmodium berghei infection in BALB/c and C57BL/6 mice. Parasitol Res 105:281–286.

Shio MT, Kassa FA, Bellemare MJ, Olivier M, 2010. Innate inflammatory response to the malarial pigment hemozoin. Microbes and Infection 12 :889-899

Singh B dkk, 2000. Immune responses mediating survival of naive BALB/c mice experimentally infected with lethal rodent malaria parasite, Plasmodium yoelii nigeriensis. Microbes Infect 2(5):473-480.

Smith JB dan Mangkoewidjojo S, 1988. Pemeliharaan, Pembiakan dan Penggunaan Hewan Percobaan di Daerah Tropis. Jakarta : UI press, hlm 10-36

Snow, RW. dkk, 2005. The global distribution of clinical episodes of Plasmodium falciparum malaria. Nature 434: 214-217.

Stevenson MM, Ing R, Berretta F, Miu J, 2011. Regulating the Adaptive Immune Response to Blood-Stage Malaria: Role of Dendritic Cells and CD4+Foxp3+ Regulatory T Cells. Int. J. Biol. Sci 7(9):1311-1322

Suwarno, 2011, kuliah bioteknologi

Tambajong EH, 2000. Patobiologi Malaria. Dalam (Harijanto PN, eds). Malaria; Epidemiologi, Patogenesis, Manifestasi Klinis & Penanganan, Jakarta : EGC, hlm 78-118

Totino P RR, Magalhaes AD, Silva LA, dkk., 2010, Apoptosis of non-parasitized red blood cells in malaria: a putative mechanism involved in the pathogenesis of anaemia. *Malaria Journal* 9:350

Trampuz A , Jereb M , Igor MdanRajesh MP, 2003. Clinical review: Severe malaria. *Critical Care* 2003, 7:315-323

Trinchieri G, 2001. Regulatory Role of T Cells Producing both Interferon γ and Interleukin 10 in Persistent Infection. *J. Exp. Med* 194(10) : F53-F57

TRIZOL Reagent technical insert (Invitrogen)

Urban BC & Todryk S, 2006. Malaria pigment paralyzes dendritic cells. *Journal of Biology* 5:4

Urban BC dan Robert DJ, 2002. Malaria, monocytes, macrophages and myeloid dendritic cells : sticking of infected erythrocytes switches off host cells. *Current Opinion in Immunology* 14 : 458-465

Waisberg M, Vickers BK, Yager SB, dkk, 2012. Testing in Mice the Hypothesis That Melanin Is Protective in Malaria Infections. *PlosOne* 7(1): e29493

Were T, Davenport GC, Yamo EO, dkk, 2009. Naturally acquired hemozoin by monocytes promotes suppression of RANTES in children with malarial anemia through an IL-10-dependent mechanism. *Microbes and Infection* 11 : 811-819

WHO, 1991. Basic Malaria Microscopy Part I. Learner's Guide. Geneva, Switzerland

WHO, 2010, Guidelines for the treatment of Malaria, 2nd ed, Geneva, Switzerland

WHO, 2010, World Malaria Report, Geneva, Switzerland

WHO-SEARO, 2011. Malaria Situation, Geneva, Switzerland

Wilson JN dkk, 2005. Analysis of IL10 haplotypic associations with severe malaria. *Genes and Immunity* 6: 462–466

Wroczyńska A, Nahorski W, Bakowska A, dkk, 2005. Cytokines and Clinical Manifestations of Malaria in Adults with Severe and Uncomplicated Disease. *Internat. Marit. Health* 56: 1 – 4

Wykes M, Keighley C, Pinzon-Charry A, dkk, 2007. Dendritic cell biology during malaria. *Cellular Microbiology* 9(2):300–305

Wykes MN dan Good MF, 2008. What really happens to dendritic cells during malaria? *Nature Reviews Microbiology* 2008;6:864-70

Wykes MN dan Good MF, 2009. Infectious disease: Malaria. What have we learnt from mouse models for the study of malaria? *Eur. J. Immunol* 39: 1991–2058

Yamada H, Mizuno S, Reza-Gholizadeh M, Sugawara I, 2001. Relative Importance of NF- κ B p50 in Mycobacterial Infection, *Infect Immun*, 69(11): 7100-7105

Zainuddin A, 2000. MetodePenelitian. Program PascaSarjanaUnair, Surabaya, hlm 73-74

Zdanov A, 2006. Structure and Function of IL-10 and the IL-10 Receptor. Dalam (Narincola FM, eds). *Interleukin-10*, Texas :Landes Bioscience, hlm 39-45

Zhu X, Pan Y, Zheng L, dkk, 2012, Polysaccharides from the Chinese medicinal herb Achyranthesbidentataenhance anti-malarial immunity during Plasmodium yoelii 17XL infection in mice. *Malaria Journal* 11:49