

DAFTAR PUSTAKA

- Aggarwal BB, Shishodia S, Sandur SK, Pandey MK, Sethi G. (2006). Inflammation and cancer: how hot is the link?. *Biochem Pharmacol* 72(11):1605-21.
- Akram, M. (2012). 'Effects of Benzo(a)pyrene on Human Breast Cancer Cell Lines'. Thesis. Kuopio. University of Eastern Finland, pp. 39
- Allen, B. G., Bhatia, S. K., Anderson, C. M., Eichenberger-Gilmore, J. M., Sibenaller, Z. A., Mapuskar, K. A., Schoenfeld, J. D., Buatti, J. M., Spitz, D. R., & Fath, M. A. (2014). Ketogenic diets as an adjuvant cancer therapy: History and potential mechanism. *Redox biology*, 2, 963–970. <https://doi.org/10.1016/j.redox.2014.08.002>
- Aponte Y.R.T., Calderon V., Gonzalez M.J., (2018). *The Ketogenic Diet and Cancer. Archives of Oncology and Cancer Therapy. 2018; 1(1): 48-53.*
- Azar ST, Beydoun HM, and Albadri MR (2016) Benefits of Ketogenic Diet For Management of Type Two Diabetes: A Review. *J Obes Eat Disord* 2: 2. doi:10.4172/2471-8203.100022
- Barsiene J, Lehtonen K, Koehler A, Broeg K, Vuorinen PJ, Lang T. Biomarker responses in flounder (*Platichthys flesus*) and mussel (*Mytilus edulis*) in the Klaipeda-Butinge area (Baltic Sea). *Mar Pollut Bull* 2006;53:422–36
- Baumgarten, S. C., & Frasor, J. (2012). Minireview: Inflammation: an instigator of more aggressive estrogen receptor (ER) positive breast cancers. *Molecular endocrinology (Baltimore, Md.)*, 26(3), 360–371. doi:10.1210/me.2011-1302
- Berkel, A.A.v., Dominique M. IJff, Jan Martin Verkuyl. Cognitive benefits of the ketogenic diet in patients with epilepsy: A systematic overview. (2018). *Epilepsy & Behavior*, 87, 69-77. <https://doi.org/10.1016/j.yebeh.2018.06.004>.
- Cai, X., Cao, C., Li, J., Chen, F., Zhang, S., Liu, B., ... Ye, L. (2017). Inflammatory factor TNF- α promotes the growth of breast cancer via the positive feedback loop of TNFR1/NF- κ B (and/or p38)/p-STAT3/HBXIP/TNFR1. *Oncotarget*, 8(35), 58338–58352. doi:10.18632/oncotarget.16873
- Coussens, L. M., & Werb, Z. (2002). Inflammation and cancer. *Nature*, 420(6917), 860–867. <https://doi.org/10.1038/nature01322>
- Cree I. A. (2011). Cancer biology. *Methods in molecular biology (Clifton, N.J.)*, 731, 1–11. https://doi.org/10.1007/978-1-61779-080-5_1
- Delaware Health and Social Services (DHSS). (2015). Benzo(a)pyrene Frequently Asked Question. Online-version, <https://dhss.delaware.gov/dhss/dph/files/benzopyrenfaq.pdf>

- Ding, J., Xu, X., Wu, X., Huang, Z., Kong, G., Liu, J., Huang, Z., Liu, Q., Li, R., Yang, Z., Liu, Y., & Zhu, Q. (2019). Bone loss and biomechanical reduction of appendicular and axial bones under ketogenic diet in rats. *Experimental and therapeutic medicine*, 17(4), 2503–2510. <https://doi.org/10.3892/etm.2019.7241>
- Dupuis, N., Curatolo, N., Benoist, J.-F., & Auvin, S. (2015). *Ketogenic diet exhibits anti-inflammatory properties*. *Epilepsia*, 56(7), e95–e98. doi:10.1111/epi.13038
- Ellenbroek, J. H., van Dijck, L., Töns, H. A., Rabelink, T. J., Carlotti, F., Ballieux, B. E. P. B., & de Koning, E. J. P. (2014). *Long-term ketogenic diet causes glucose intolerance and reduced β - and α -cell mass but no weight loss in mice*. *American Journal of Physiology-Endocrinology and Metabolism*, 306(5), E552–E558. doi:10.1152/ajpendo.00453.2013
- Engels EA. (2008). Inflammation in the development of lung cancer: epidemiological evidence. *Expert Review of Anti-infective Therapy*, 8(4): 605-615. doi: 10.1586/14737140.8.4.605
- Environmental Protection Agency (EPA). (2017). Toxicological Review of benzopyrene. United States: IRIS National Center for Environmental Assessment. Available on https://cfpub.epa.gov/ncea/iris/iris_documents/documents/toxreviews/0136tr.pdf
- Erickson, N., Boscheri, A., Linke, B. *et al.* *Med Oncol.* (2017). 34: 72. <https://doi.org/10.1007/s12032-017-0930-5>
- Freedland, S. J., Mavropoulos, J., Wang, A., Darshan, M., Demark-Wahnefried, W., Aronson, W. J., Cohen, P., Hwang, D., Peterson, B., Fields, T., Pizzo, S. V., & Isaacs, W. B. (2008). Carbohydrate restriction, prostate cancer growth, and the insulin-like growth factor axis. *The Prostate*, 68(1), 11–19. <https://doi.org/10.1002/pros.20683>
- Freedman, M.R.; King, J.; Kennedy, E. Popular diets: A scientific review. (2001). *Obes. Res*, 9, S1–S40.
- Gao, M., Li, Y., Sun, Y., Shah, W., Yang, S., Wang, Y., & Long, J. (2011). *Benzo[a]pyrene Exposure Increases Toxic Biomarkers and Morphological Disorders in Mouse Cervix*. *Basic & Clinical Pharmacology & Toxicology*, 109(5), 398–406. doi:10.1111/j.1742-7843.2011.00755.x
- GLOBOCAN. (2019). Indonesia Summary Statistics 2018 available from <http://gco.iarc.fr/today/data/factsheets/populations/360-indonesia-factsheets.pdf>

- Gluschnaider, U., Hertz, R., Ohayon, S., Smeir, E., Smets, M., Pikarsky, E., & Bar-Tana, J. (2014). *Long-Chain Fatty Acid Analogues Suppress Breast Tumorigenesis and Progression. Cancer Research, 74(23), 6991–7002.* doi:10.1158/0008-5472.can-14-0385
- Harris, K. L., Pulliam, S. R., Okoro, E., Guo, Z., Washington, M. K., Adunyah, S. E., Amos-Landgraf, J. M., & Ramesh, A. (2016). Western diet enhances benzo(a)pyrene-induced colon tumorigenesis in a polyposis in rat coli (PIRC) rat model of colon cancer. *Oncotarget, 7(20), 28947–28960.* <https://doi.org/10.18632/oncotarget.7901>
- Haryono, Samuel J., Sumadi L. A., Adrian Salim. (2018). *Dasar-dasar Biologi Molekuler Kanker bagi Praktis Klinis.* UGM PRESS: Yogyakarta.
- Higashiyama, H., Uemura, M., Igarashi, H., Kurohmaru, M., Kanai-Azuma, M., & Kanai, Y. (2018). Anatomy and development of the extrahepatic biliary system in mouse and rat: a perspective on the evolutionary loss of the gallbladder. *Journal of anatomy, 232(1), 134–145.* <https://doi.org/10.1111/joa.12707>
- Hopkins, B. D., Pauli, C., Xing, D., Wang, D. G., Li, X., Wu, D., ... Cantley, L. C. (2018). *Suppression of insulin feedback enhances the efficacy of PI3K inhibitors. Nature.* doi:10.1038/s41586-018-0343-4
- IARC (2010). Some non-heterocyclic polycyclic aromatic hydrocarbons and some related exposures. IARC Monogr Eval Carcinog Risks Hum, 92: 1–853. PMID:21141735 PMID:18756632
- IARC Working Group on the Evaluation of Carcinogenic Risk to Humans. Chemical Agents and Related Occupations. Lyon (FR): International Agency for Research on Cancer; 2012. (IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, No. 100F.) benzopyrene. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK304415/>
- Irmawati, A., Birgita G. P., Pratiwi S. (2018a). The Influence of Moderate Exercise on Caspase-3 Expression in Inhibiting Transformation of Oral Squamous Epithelial Cells. *Journal of International Dental and Medical Research, 11(1), 285-288.*
- Irmawati, A., Jasmin, N., & Sidarningsih (2018b). The effect of moderate exercise on the elevation of Bax/Bcl-2 ratio in oral squamous epithelial cells induced by benzopyrene. *Veterinary world, 11(2), 177–180.* doi:10.14202/vetworld.2018.177-180
- Ju Hye Ok, Hosun Lee, Hae-Yun Chung, Sung Hwan Lee. (2018). The potential use of a ketogenic diet in pancreatobiliary cancer patients after pancreatectomy. *Anticancer Research 38(11):6519-6527.* doi: 10.21873/anticancer.13017

- Kamel M, Shouman S, El-Merzebany M, Kilic G, Veenstra T, Saeed M, Wagih M, Diaz-Arrastia C, Patel D, Salama S. Effect of Tumour Necrosis Factor-Alpha on Estrogen Metabolic Pathways in Breast Cancer Cells. *J Cancer* 2012; 3:310-321. doi:10.7150/jca.4584. available from <http://www.jcancer.org/v03p0310.htm>
- Katanov, C., Lerrer, S., Liubomirski, Y., Leider-Trejo, L., Meshel, T., Bar, J., Feniger-Barish, R., Kamer, I., Soria-Artzi, G., Kahani, H., Banerjee, D., & Ben-Baruch, A. (2015). Regulation of the inflammatory profile of stromal cells in human breast cancer: prominent roles for TNF- α and the NF- κ B pathway. *Stem cell research & therapy*, 6(1), 87. <https://doi.org/10.1186/s13287-015-0080-7>
- Kemenkes. (2015). Buletin Kanker. Pusat Data dan Informasi Kementerian Kesehatan RI 2015. Jakarta: Balitbang Kemenkes RI.
- Kemenkes. (2015). Infodatin Kanker. Pusat Data dan Informasi Kementerian Kesehatan RI 2015. Jakarta: Balitbang Kemenkes RI.
- Kemenkes RI. (2013). Riset Kesehatan Dasar; RISKESDAS 2013. Jakarta: Balitbang Kemenkes RI.
- Kemenkes RI. (2018). Riset Kesehatan Dasar; RISKESDAS 2018. Jakarta: Balitbang Kemenkes RI.
- Khodadadi, S., Sobhani, N., Mirshekar, S., Ghiasvand, R., Pourmasoumi, M., Miraghajani, M., & Dehsoukhteh, S. S. (2017). Tumor Cells Growth and Survival Time with the Ketogenic Diet in Animal Models: A Systematic Review. *International journal of preventive medicine*, 8, 35. doi:10.4103/2008-7802.207035
- Klement RJ and Paziienza V. (2019). Impact of Different Types of Diet on Gut Microbiota Profiles and Cancer Prevention and Treatment. *Medicina (Kaunas)*. 29;55(4). pii: E84. doi: 10.3390/medicina55040084.
- Kolb, R., Sutterwala, F. S., & Zhang, W. (2016). Obesity and cancer: inflammation bridges the two. *Current opinion in pharmacology*, 29, 77–89. <https://doi.org/10.1016/j.coph.2016.07.005>
- Kumar, V., Abbas, A. K., Aster, J. C., & Robbins, S. L. (2013). Robbins basic pathology, 9th Edition. Philadelphia, PA: Elsevier Saunders.
- Lettieri-Barbato, D., & Aquilano, K. (2018). Pushing the Limits of Cancer Therapy: The Nutrient Game. *Frontiers in oncology*, 8, 148. doi:10.3389/fonc.2018.00148
- Liangan, R., Kairupan, C., & Durry, M. (2015). Pengaruh Pemberian Ekstrak Lengkuas (Alpinia Galanga) Terhadap Gambaran Histologik Payudara Mencit (Musculus) Yang Diinduksi Benzo (a) pyrene. *eBiomedik*, 3(1).

- Ma, Yunfeng, Yi Ren, Zhi-Jun Dai, Cai-Jun Wu, Yan-Hong Ji, Jiru Xu. (2017). IL-6, IL-8 and TNF- α levels correlate with disease stage in breast cancer patients. *Adv Clin Exp Med*. 26(3):421–426. doi:10.17219/acem/62120
- Malik, D. E., David, R. M., & Gooderham, N. J. (2018). Mechanistic evidence that benzo[a]pyrene promotes an inflammatory microenvironment that drives the metastatic potential of human mammary cells. *Archives of toxicology*, 92(10), 3223–3239. <https://doi.org/10.1007/s00204-018-2291-z>
- Mohamed, H. E., El-Swefy, S. E., Rashed, L. A., & Abd El-Latif, S. K. (2010). *Biochemical effect of a ketogenic diet on the brains of obese adult rats*. *Journal of Clinical Neuroscience*, 17(7), 899–904. doi:10.1016/j.jocn.2009.11.005
- Moreira SM, Moreira-Santos M, Ribeiro R, Guilhermino L. The ‘coral bulker’ fuel oil spill on the north coast of portugal: spatial and temporal biomarker responses in mytilus galloprovincialis. *Ecotoxicology* 2004;13:619–30
- Mudaliar, S., Sindura Alloju and Robert R. Henry. (2016). Can a Shift in Fuel Energetics Explain the Beneficial Cardiorenal Outcomes in the EMPA-REG OUTCOME Study? A Unifying Hypothesis. *Diabetes Care Journal*, 39(7): 1115-1122. <https://doi.org/10.2337/dc16-0542>
- Nandivada, P., Fell, G.L., Pan, A.H., Nose, V., Ling, P-R., Bistrrian, B.R. and Puder, M. (2016). Eucaloric Ketogenic Diet Reduces Hypoglycemia and Inflammation in Mice with Endotoxemia. *Lipids*, 51(6):703-714. <https://doi.org/10.1007/s11745-016-4156-7>. PMID: 27117864.
- Nansi, E. M., Meilany F. Durry, Carla Kairupan. Gambaran Histopatologik Payudara Mencit (*Mus musculus*) yang Diinduksi Benzo(a)pyrene dan Diberikan Ekstrak Kunyit (*Curcuma longa L.*). (2015). *Jurnal e-Biomedik (eBm)*, 3(1).
- Nurcahyo, J. 2010. *Awas bahaya kanker rahim dan kanker payudara*. Yogyakarta: Wahana
- Ok, J. H., Lee, H., Chung, H.-Y., Lee, S. H., Choi, E. J., Kang, C. M., & Lee, S. M. (2018). The Potential Use of a Ketogenic Diet in Pancreatobiliary Cancer Patients After Pancreatectomy. *Anticancer Research*, 38(11), 6519-6527. doi:10.21873/anticancer.13017
- Paoli A. (2014). Ketogenic diet for obesity: friend or foe?. *International journal of environmental research and public health*, 11(2), 2092–2107. doi:10.3390/ijerph110202092
- Park, E. J., Lee, J. H., Yu, G. Y., He, G., Ali, S. R., Holzer, R. G., Osterreicher, C. H., Takahashi, H., & Karin, M. (2010). Dietary and genetic obesity promote liver inflammation and tumorigenesis by enhancing IL-6 and TNF expression. *Cell*, 140(2), 197–208. <https://doi.org/10.1016/j.cell.2009.12.052>

- Patel, H. J., & Patel, B. M. (2017). TNF- α and cancer cachexia: Molecular insights and clinical implications. *Life sciences*, *170*, 56–63. <https://doi.org/10.1016/j.lfs.2016.11.033>
- Peiris-Pagès, M., Martínez-Outschoorn, U. E., Pestell, R. G., Sotgia, F., & Lisanti, M. P. (2016). Cancer stem cell metabolism. *Breast cancer research : BCR*, *18*(1), 55. <https://doi.org/10.1186/s13058-016-0712-6>
- Pinto, A., Bonucci, A., Maggi, E., Corsi, M., & Businaro, R. (2018). Anti-Oxidant and Anti-Inflammatory Activity of Ketogenic Diet: New Perspectives for Neuroprotection in Alzheimer's Disease. *Antioxidants (Basel, Switzerland)*, *7*(5), 63. <https://doi.org/10.3390/antiox7050063>
- Poelzer, K., Mannion, C., Ortiz, M. M., Bang, R., & Woods, P. (2018). A Systematic Review of the Quality of Life for Families Supporting a Child Consuming the Ketogenic Diet for Seizure Reduction. *Current developments in nutrition*, *3*(5), nzz079. doi:10.1093/cdn/nzy079
- Poplawski, M. M., Mastaitis, J. W., Isoda, F., Grosjean, F., Zheng, F., & Mobbs, C. V. (2011). Reversal of diabetic nephropathy by a ketogenic diet. *PLoS one*, *6*(4), e18604. doi:10.1371/journal.pone.0018604
- Pribadi, Gutama. (2008). *Penggunaan Mencit dan Tikus sebagai Hewan Model Penelitian Nikotin*. Bogor: Institut Pertanian Bogor.
- Public Health England (PHE), 2017. Contaminated land information sheet: risk assessment approaches for polycyclic aromatic hydrocarbons (PAHs). Retrieved: May 11, 2019, from https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/671075/Contaminated_land_information_sheet_PAHs.pdf
- Rhyu, H. S., & Cho, S. Y. (2014). The effect of weight loss by ketogenic diet on the body composition, performance-related physical fitness factors and cytokines of Taekwondo athletes. *Journal of exercise rehabilitation*, *10*(5), 326–331. <https://doi.org/10.12965/jer.140160>
- Roberts, M. N., Wallace, M. A., Tomilov, A. A., Zhou, Z., Marcotte, G. R., Tran, D., Perez, G., Gutierrez-Casado, E., Koike, S., Knotts, T. A., Imai, D. M., Griffey, S. M., Kim, K., Hagopian, K., McMackin, M. Z., Haj, F. G., Baar, K., Cortopassi, G. A., Ramsey, J. J., & Lopez-Dominguez, J. A. (2017). A Ketogenic Diet Extends Longevity and Healthspan in Adult Mice. *Cell metabolism*, *26*(3), 539–546.e5. <https://doi.org/10.1016/j.cmet.2017.08.005>
- Ruskin, D. N., Kawamura, M., & Masino, S. A. (2009). Reduced pain and inflammation in juvenile and adult rats fed a ketogenic diet. *PLoS one*, *4*(12), e8349. <https://doi.org/10.1371/journal.pone.0008349>

- Samaha FF, Iqbal N, Seshadri P, Chicano KL, Daily DA, *et al.* (2003) A low-carbohydrate as compared with a low-fat diet in sever obesity. *N Engl J Med* 348: 2074-2081.
- Samosir AA. Pengaruh ekstrak etanol daun bangun-bangun (*plectranthus amboinicus* (lour) preng) terhadap penghambat karsinogenesis mammae mencit betina yang diinduksi benzo(α)pyrene. 2014;2: p.1-6.12.
- Saslow, L. R., Mason, A. E., Kim, S., Goldman, V., Ploutz-Snyder, R., Bayandorian, H., ... Moskowitz, J. T. (2017). An Online Intervention Comparing a Very Low-Carbohydrate Ketogenic Diet and Lifestyle Recommendations Versus a Plate Method Diet in Overweight Individuals With Type 2 Diabetes: A Randomized Controlled Trial. *Journal of medical Internet research*, 19(2), e36. doi:10.2196/jmir.5806
- Sativani I, (2010), Pengaruh Pemberian Deksametason Dosis Bertingkat Per Oral 30 Hari Terhadap Kerusakan Sel Hepar Tikus Wistar, Skripsi, Semarang, Universitas Diponegoro.
- Shilpa, J., & Mohan, V. (2018). Ketogenic diets: Boon or bane?. *The Indian journal of medical research*, 148(3), 251–253. doi:10.4103/ijmr.IJMR_1666_18
- Stevani, H. (2016). *Modul Bahan Ajar Cetak Farmasi: Praktikum Farmakologi*. Jakarta: Kementrian Kesehatan Republik Indonesia.
- Susantiningih, Tiwuk dan Syazili Mustofa. (2018). Ekspresi IL-6 dan TNF- α Pada Obesitas. *Jurnal Kedokteran Universitas Lampung*, 2(2).
- Tan-Shalaby J. (2017). Ketogenic Diets and Cancer: Emerging Evidence. *Federal practitioner : for the health care professionals of the VA, DoD, and PHS*, 34(Suppl 1), 37S–42S.
- Taylor, M. K., Swerdlow, R. H., Burns, J. M., & Sullivan, D. K. (2019). An Experimental Ketogenic Diet for Alzheimer Disease Was Nutritionally Dense and Rich in Vegetables and Avocado. *Current developments in nutrition*, 3(4), nzz003. doi:10.1093/cdn/nzz003
- Thio, L. L., Erbayat-Altay, E., Rensing, N., & Yamada, K. A. (2006). Leptin contributes to slower weight gain in juvenile rodents on a ketogenic diet. *Pediatric research*, 60(4), 413–417. <https://doi.org/10.1203/01.pdr.0000238244.54610.27>
- Waters J.P., Pober JS, Bradley JR. Tumour necrosis factor and cancer. *J Pathol.* 2013;230:241–248.
- Westerterp-Plantenga, M.S.; Nieuwenhuizen, A.; Tome, D.; Soenen, S.; Westerterp, K.R. (2009). Dietary protein, weight loss, and weight maintenance. *Annu. Rev. Nutr.*, 29, 21–41.

- Williams, T. J., & Cervenka, M. C. (2017). The role for ketogenic diets in epilepsy and status epilepticus in adults. *Clinical neurophysiology practice*, 2, 154–160. doi:10.1016/j.cnp.2017.06.001
- Wisnu, G.N.P.P., Khairun N.B., Riyan W. (2017) Diet Ketogenik: Terapi Nonfarmakologis yang Menjanjikan untuk Epilepsi. *Jurnal Kedokteran Universitas Negeri Lampung* 7(1), 118-122.
- Wolczyk, D., Zaremba-Czogalla, M., Hryniewicz-Jankowska, A., Tabola, R., Grabowski, K., Sikorski, A. F., & Augoff, K. (2016). TNF- α promotes breast cancer cell migration and enhances the concentration of membrane-associated proteases in lipid rafts. *Cellular oncology (Dordrecht)*, 39(4), 353–363. doi:10.1007/s13402-016-0280-x
- Yang, X.; Cheng, B. Neuroprotective and anti-inflammatory activities of ketogenic diet on MPTP-induced neurotoxicity. *J. Mol. Neurosci.* 2010, 42, 145–153.
- Zapata-Prez O, Ceja-Moreno V, Dominguez J, Del Rio-Garcia M, Rodriguez-Fuentes G, Chan E. Biomarkers and pollutants in the tilapia *Oreochromis Niloticus* in four lagoons from Reforma, Chiapas, Mexico: a case study. *Mar Environ Res* 2004; 58:319–28.
- Zarychta E, Rhone P, Bielawski K, Rosc D. (2018). Elevated plasma levels of tissue factor as a valuable diagnostic biomarker with relevant efficacy for prediction of breast cancer morbidity. *Jurnal of physiology and pharmacology*, 69(6), doi: 10.26402/jpp.2018.6.06
- Zhou W, Mukherjee P, Kiebish MA, Markis W [12] T, Mantis JG, Seyfried TN, Lowry JK, Snyder JJ, Lowry PW, Kaiser J, et al. (2007). The calorically restricted ketogenic diet, an effective alternative therapy for malignant brain cancer. *Nutr {&} Metab [Internet]*. BioMed Central; 2007;4:5. Available from: <http://nutritionandmetabolism.biomedcentral.com/articles/10.1186/1743-7075-4-5>
- Zhou, J., Liu, B., Liang, C., Li, Y., & Song, Y.-H. (2016). *Cytokine Signaling in Skeletal Muscle Wasting. Trends in Endocrinology & Metabolism*, 27(5), 335–347.
- Zick, S. M., ND, MPH, Detrick Snyder, MPH, Donald I. Abrams, MD. (2018). Pros and Cons of Dietary Strategies Popular Among Cancer Patients. *Oncology (Williston Park)*. 32(11):542-7