

DAFTAR PUSTAKA

- &NA; (2014) 'Principles of Anatomy and Physiology, 13th Edition', *Medicine & Science in Sports & Exercise*. doi: 10.1249/01.mss.0000446521.17381.6e.
- Agustina, R., Indrawati, D. T. and Masruhim, M. A. (2015) 'AKTIVITAS EKSTRAK DAUN SALAM (EUGENIA POLYANTHA) SEBAGAI ANTIINFLAMASI PADA TIKUS PUTIH (RATTUS NORVEGICUS)', *Journal Of Tropical Pharmacy And Chemistry*. doi: 10.25026/jtpc.v3i2.96.
- Akhmad, I. (2015) 'Efek Latihan Berbeban Terhadap Fungsi Kerja Otot', *Efek Latihan Berbeban Terhadap Fungsi Kerja Otot*, 1(2), pp. 80–102.
- American College of Sports Medicine (2009) 'American College of Sports Medicine position stand. Progression models in resistance training for healthy adults.', *Medicine and science in sports and exercise*. doi: 10.1249/MSS.0b013e3181915670.
- Ammann, B. C., Knols, R. H., Baschung, P., de Bie, R. A. and de Bruin, E. D. (2014) 'Application of principles of exercise training in sub-acute and chronic stroke survivors: A systematic review', *BMC Neurology*. doi: 10.1186/s12883-014-0167-2.
- Asadullah, K., Sterry, W. and Volk, H. D. (2003) 'Interleukin-10 therapy - Review of a new approach', *Pharmacological Reviews*. doi: 10.1124/pr.55.2.4.
- Babcock, T. A., Novak, T., Ong, E., Jho, D. H., Helton, W. S. and Espat, N. J. (2002) 'Modulation of lipopolysaccharide-stimulated macrophage tumor necrosis factor- α production by ω -3 fatty acid is associated with differential cyclooxygenase-2 protein expression and is independent of interleukin-10', *Journal of Surgical Research*. doi: 10.1006/jsre.2002.6498.
- Bahrudin, M. (2018) 'PATOLOGISIOLOGI NYERI (PAIN)', *Saintika Medika*, 13(1), p. 7. doi: 10.22219/sm.v13i1.5449.
- Baker, E. J., Miles, E. A., Burdge, G. C., Yaqoob, P. and Calder, P. C. (2016) 'Metabolism and functional effects of plant-derived omega-3 fatty acids in humans', *Progress in Lipid Research*. doi: 10.1016/j.plipres.2016.07.002.
- Bhullar, A. S., Putman, C. T. and Mazurak, V. C. (2016) 'Potential Role of Omega-3 Fatty Acids on the Myogenic Program of Satellite Cells', *Nutrition and Metabolic Insights*. doi: 10.4137/nmi.s27481.
- Black, K. E., Witard, O. C., Baker, D., Healey, P., Lewis, V., Tavares, F., Christensen, S., Pease, T. and Smith, B. (2018) 'Adding omega-3 fatty acids to a protein-based supplement during pre-season training results in reduced muscle soreness and the better maintenance of explosive power in professional Rugby Union players', *European Journal of Sport Science*. doi: 10.1080/17461391.2018.1491626.

- Blatteis, C. M. and Sehic, E. (1998) 'Cytokines and fever', in *Annals of the New York Academy of Sciences*. doi: 10.1111/j.1749-6632.1998.tb09600.x.
- Bompa, T. O. and Haff, G. G. (2009) *Periodization: Theory and Methodology of Training, Champaign, Ill. : Human Kinetics*;
- Briolay, A., Jaafar, R., Nemoz, G. and Bessueille, L. (2013) 'Myogenic differentiation and lipid-raft composition of L6 skeletal muscle cells are modulated by PUFAs', *Biochimica et Biophysica Acta - Biomembranes*. doi: 10.1016/j.bbamem.2012.10.006.
- Calder, P. C. (2009) 'Polyunsaturated fatty acids and inflammatory processes: New twists in an old tale', *Biochimie*. doi: 10.1016/j.biochi.2009.01.008.
- Calder, P. C. (2013a) 'N-3 Fatty acids, inflammation and immunity: New mechanisms to explain old actions', in *Proceedings of the Nutrition Society*. doi: 10.1017/S0029665113001031.
- Calder, P. C. (2013b) 'Omega-3 polyunsaturated fatty acids and inflammatory processes: Nutrition or pharmacology?', *British Journal of Clinical Pharmacology*. doi: 10.1111/j.1365-2125.2012.04374.x.
- Calder, P. C., Albers, R., Antoine, J. M., Blum, S., Bourdet-Sicard, R., Ferns, G. A., Folkerts, G., Friedmann, P. S., Frost, G. S., Guarner, F., Løvik, M., MacFarlane, S., Meyer, P. D., M'Rabet, L., Serafini, M., Van Eden, W., Van Loo, J., Vas Dias, W., Vidry, S., Winklhofer-Roob, B. M. and Zhao, J. (2009) 'Inflammatory disease processes and interactions with nutrition', *British Journal of Nutrition*. doi: 10.1017/S0007114509990511.
- Campos, G. E. R., Luecke, T. J., Wendeln, H. K., Toma, K., Hagerman, F. C., Murray, T. F., Ragg, K. E., Ratamess, N. A., Kraemer, W. J. and Staron, R. S. (2002) 'Muscular adaptations in response to three different resistance-training regimens: Specificity of repetition maximum training zones', *European Journal of Applied Physiology*. doi: 10.1007/s00421-002-0681-6.
- Carbone, M., Ly, B. H., Dodson, R. F., Pagano, I., Morris, P. T., Dogan, U. A., Gazdar, A. F., Pass, H. I. and Yang, H. (2012) 'Malignant mesothelioma: Facts, Myths, and Hypotheses', *Journal of Cellular Physiology*. doi: 10.1002/jcp.22724.
- Chu, A. J. (2005) 'Tissue factor mediates inflammation', *Archives of Biochemistry and Biophysics*. doi: 10.1016/j.abb.2005.06.005.
- Chu, W. M. (2013) 'Tumor necrosis factor', *Cancer Letters*. doi: 10.1016/j.canlet.2012.10.014.
- Clarkson, P. M., Nosaka, K. and Braun, B. (1992) 'Muscle function after exercise-induced muscle damage and rapid adaptation', *Medicine and Science in Sports and Exercise*. doi: 10.1249/00005768-199205000-00004.

- Compound, P. L., Pratama, A. E., Of, E., Set, C., On, E., Hypertrophy, M., Members, O. F., Gmc, O. F., Mada, G., Centre, F., Email, O., Pratama, A. E., Penelitian, A., Mada, G., Group, T., Design, P.-P., Mada, G., Mada, G. and Mada, G. (no date) 'Pengaruh Latihan Compound Set Terhadap Hypertrophy Otot Pada Members Gmc (Gajah Mada Medical Center) Fitness Centre Effect of Compound Set Exercise on Muscle Hypertrophy of Members of Gmc (Gajah', (2), pp. 1–9.
- Copray, J. C. V. M., Mantingh, I., Brouwer, N., Biber, K., Küst, B. M., Liem, R. S. B., Huitinga, I., Tilders, F. J. H., Van Dam, A. M. and Boddeke, H. W. G. M. (2001) 'Expression of interleukin-1 beta in rat dorsal root ganglia', *Journal of Neuroimmunology*. doi: 10.1016/S0165-5728(01)00324-1.
- Costello, J. T., Baker, P. R. A., Minett, G. M., Bieuzen, F., Stewart, I. B. and Bleakley, C. (2015) 'Whole-body cryotherapy (extreme cold air exposure) for preventing and treating muscle soreness after exercise in adults', *Cochrane Database of Systematic Reviews*. doi: 10.1002/14651858.CD010789.pub2.
- Dankel, S. J., Jessee, M. B., Mattocks, K. T., Mouser, J. G., Counts, B. R., Buckner, S. L. and Loenneke, J. P. (2017) 'Training to Fatigue: The Answer for Standardization When Assessing Muscle Hypertrophy?', *Sports Medicine*. doi: 10.1007/s40279-016-0633-7.
- DeFilippis, A. P. and Sperling, L. S. (2006) 'Understanding omega-3's', *American Heart Journal*. doi: 10.1016/j.ahj.2005.03.051.
- Dooly, C. R. and Johnson, A. T. (2014) 'Exercise physiology', in *Biomechanics: Principles and Practices*. doi: 10.1201/b15575.
- Durán, A. M., Salto, L. M., Câmara, J., Basu, A., Paquien, I., Beeson, W. L., Firek, A., Cordero-Macintyre, Z. and De León, M. (2019) 'Effects of omega-3 polyunsaturated fatty-acid supplementation on neuropathic pain symptoms and sphingosine levels in Mexican-Americans with type 2 diabetes', *Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy*. doi: 10.2147/DMSO.S187268.
- Endres, S., Ghorbani, R., Kelley, V. E., Georgilis, K., Lonnemann, G., Van Der Meer, J. W. M., Cannon, J. G., Rogers, T. S., Klempner, M. S., Weber, P. C., Schaefer, E. J., Wolff, S. M. and Dinarello, C. A. (1989) 'The Effect of Dietary Supplementation with n—3 Polyunsaturated Fatty Acids on the Synthesis of Interleukin-1 and Tumor Necrosis Factor by Mononuclear Cells', *New England Journal of Medicine*. doi: 10.1056/NEJM198902023200501.
- Fajriani, F. (2008) 'Pemberian Obat-Obatan Anti Inflamasi Non Steroid (AINS) pada Anak', *Journal of Dentistry Indonesia*, 15(3), pp. 200–204. doi: 10.14693/jdi.v15i3.27.
- Fischer, C. P. (2006) 'Interleukin-6 in acute exercise and training: What is the

biological relevance?’, *Exercise Immunology Review*.

- de Freitas, M. C., Gerosa-Neto, J., Zanchi, N. E., Lira, F. S. and Rossi, F. E. (2017) ‘Role of metabolic stress for enhancing muscle adaptations: Practical applications’, *World Journal of Methodology*. doi: 10.5662/wjm.v7.i2.46.
- Gleeson, M., Bishop, N. C., Stensel, D. J., Lindley, M. R., Mastana, S. S. and Nimmo, M. A. (2011) ‘The anti-inflammatory effects of exercise: Mechanisms and implications for the prevention and treatment of disease’, *Nature Reviews Immunology*. doi: 10.1038/nri3041.
- Greenberg, P. L., Gordeuk, V., Issaragrisil, S., Siritanaratkul, N., Fucharoen, S. and Ribeiro, R. C. (2001) ‘Major hematologic diseases in the developing world-new aspects of diagnosis and management of thalassemia, malarial anemia, and acute leukemia.’, *Hematology / the Education Program of the American Society of Hematology. American Society of Hematology. Education Program*. doi: 10.1182/asheducation-2001.1.479.
- Grimbaldeston, M. A., Nakae, S., Kalesnikoff, J., Tsai, M. and Galli, S. J. (2007) ‘Mast cell-derived interleukin 10 limits skin pathology in contact dermatitis and chronic irradiation with ultraviolet B’, *Nature Immunology*. doi: 10.1038/ni1503.
- Gutiérrez-Pliego, L. E., Martínez-Carrillo, B. E., Reséndiz-Albor, A. A., Arciniega-Martínez, I. M., Escoto-Herrera, J. A., Rosales-Gómez, C. A. and Valdés-Ramos, R. (2018) ‘Effect of Supplementation with n -3 Fatty Acids Extracted from Microalgae on Inflammation Biomarkers from Two Different Strains of Mice ’, *Journal of Lipids*. doi: 10.1155/2018/4765358.
- Hall, J. E. (2012) *Guyton e Hall, Fisiologia Medica, Guyton E Hall, Fisiologia Medica*. doi: 10.1016/B978-88-214-3229-3/00001-6.
- Heber, D. (2014) ‘Cancer and inflammation’, in *Immunonutrition: Interactions of Diet, Genetics, and Inflammation*. doi: 10.1201/b16661.
- Hirano, T. (1998) ‘Interleukin 6 and its receptor: Ten years later’, *International Reviews of Immunology*. doi: 10.3109/08830189809042997.
- Hoehn, K. and Marieb, E. N. (2012) ‘Human Anatomy & Physiology’, *Benjamin-Cummings Publishing Company*. doi: 10.1007/BF00845519.
- Jabbour, H. N., Sales, K. J., Catalano, R. D. and Norman, J. E. (2009) ‘Inflammatory pathways in female reproductive health and disease’, *Reproduction*. doi: 10.1530/REP-09-0247.
- Jeromson, S., Mackenzie, I., Doherty, M. K., Whitfield, P. D., Bell, G., Dick, J., Shaw, A., Rao, F. V., Ashcroft, S. P., Philp, A., Galloway, S. D. R., Gallagher, I. and Hamilton, D. L. (2018) ‘Lipid remodeling and an altered membrane-associated proteome may drive the differential effects of EPA and DHA

- treatment on skeletal muscle glucose uptake and protein accretion', *American Journal of Physiology - Endocrinology and Metabolism*. doi: 10.1152/ajpendo.00438.2015.
- Khan, S. A. (2017) 'Effects of Short Term Supplementation of Fish Oil Capsules on the Blood Fatty Acid Profile of Vegetarians : A Pilot Study', 6(5), pp. 19–23.
- Kim, J. and Lee, J. (2014) 'A review of nutritional intervention on delayed onset muscle soreness. Part I', *Journal of Exercise Rehabilitation*. doi: 10.12965/jer.140179.
- Kraemer, W. J. and Ratamess, N. A. (2004) 'Fundamentals of Resistance Training: Progression and Exercise Prescription', *Medicine and Science in Sports and Exercise*. doi: 10.1249/01.MSS.0000121945.36635.61.
- Lopes, C. R., Aoki, M. S., Crisp, A. H., De Mattos, R. S., Lins, M. A., Da Mota, G. R., Schoenfeld, B. J. and Marchetti, P. H. (2017) 'The Effect of Different Resistance Training Load Schemes on Strength and Body Composition in Trained Men', *Journal of Human Kinetics*. doi: 10.1515/hukin-2017-0081.
- Marini, M. and Veicsteinas, A. (2010) 'The exercised skeletal muscle: a review', *European Journal of Translational Myology*. doi: 10.4081/ejtm.2010.1807.
- Martindale, R. G., Warren, M. M. and McClave, S. A. (2016) 'Does the use of specialized proresolving molecules in critical care offer a more focused approach to controlling inflammation than that of fish oils?', *Current Opinion in Clinical Nutrition and Metabolic Care*. doi: 10.1097/MCO.0000000000000250.
- Maruhashi, T., Kihara, Y. and Higashi, Y. (2017) 'Exercise', in *Therapeutic Angiogenesis*. doi: 10.1007/978-981-10-2744-4_15.
- Mcglory, C., Wardle, S. L., Macnaughton, L. S., Witard, O. C., Scott, F., Dick, J., Bell, J. G., Phillips, S. M., Galloway, S. D. R., Hamilton, D. L. and Tipton, K. D. (2016) 'Fish oil supplementation suppresses resistance exercise and feeding-induced increases in anabolic signaling without affecting myofibrillar protein synthesis in young men', *Physiological Reports*. doi: 10.14814/phy2.12715.
- Mittal, S. K. and Roche, P. A. (2015) 'Suppression of antigen presentation by IL-10', *Current Opinion in Immunology*. doi: 10.1016/j.coi.2014.12.009.
- Moore, K. W., de Waal Malefyt, R., Coffman, R. L. and O'Garra, A. (2001) ' I NTERLEUKIN -10 AND THE I NTERLEUKIN -10 R ECEPTOR ', *Annual Review of Immunology*. doi: 10.1146/annurev.immunol.19.1.683.
- Morin, C., Charbonneau, L., Ouellet, N., Ouellet, H., Blier, P. U., Dufresne, F. and Fortin, S. (2017) 'Eicosapentaenoic acid monoglyceride resolves

- inflammation in an ex vivo model of human peripheral blood mononuclear cell', *European Journal of Pharmacology*. doi: 10.1016/j.ejphar.2017.05.018.
- Oh, D. Y., Talukdar, S., Bae, E. J., Imamura, T., Morinaga, H., Fan, W. Q., Li, P., Lu, W. J., Watkins, S. M. and Olefsky, J. M. (2010) 'GPR120 Is an Omega-3 Fatty Acid Receptor Mediating Potent Anti-inflammatory and Insulin-Sensitizing Effects', *Cell*. doi: 10.1016/j.cell.2010.07.041.
- Ostrowski, K., Rohde, T., Asp, S., Schjerling, P. and Pedersen, B. K. (1999) 'Pro- and anti-inflammatory cytokine balance in strenuous exercise in humans', *Journal of Physiology*. doi: 10.1111/j.1469-7793.1999.287ad.x.
- Ostrowski, K., Schjerling, P. and Pedersen, B. K. (2000) 'Physical activity and plasma interleukin-6 in humans - Effect of intensity of exercise', *European Journal of Applied Physiology*. doi: 10.1007/s004210000312.
- Özenci, V., Kouwenhoven, M., Huang, Y. M., Xiao, B. G., Kivisäkk, P., Fredrikson, S. and Link, H. (1999) 'Multiple sclerosis: Levels of interleukin-10-secreting blood mononuclear cells are low in untreated patients but augmented during interferon- β -1b treatment', *Scandinavian Journal of Immunology*. doi: 10.1046/j.1365-3083.1999.00546.x.
- Pedersen, B. K. and Febbraio, M. A. (2008) 'Muscle as an endocrine organ: Focus on muscle-derived interleukin-6', *Physiological Reviews*. doi: 10.1152/physrev.90100.2007.
- Pichyangkul, S., Saengkrai, P. and Webster, H. K. (1994) 'Plasmodium falciparum pigment induces monocytes to release high levels of tumor necrosis factor- α and interleukin-1 β ', *American Journal of Tropical Medicine and Hygiene*. doi: 10.4269/ajtmh.1994.51.430.
- Plebanski, M., Proudfoot, O., Pouniotis, D., Coppel, R. L., Apostolopoulos, V. and Flannery, G. (2002) 'Immunogenetics and the design of Plasmodium falciparum vaccines for use in malaria-endemic populations', *Journal of Clinical Investigation*. doi: 10.1172/JCI0216163.
- Proske, U. and Morgan, D. L. (2001) 'Muscle damage from eccentric exercise: Mechanism, mechanical signs, adaptation and clinical applications', *Journal of Physiology*. doi: 10.1111/j.1469-7793.2001.00333.x.
- Sari, S. (2016) 'Suriani Sari; Dosen IKIP PGRI PONTIANAK 97', pp. 97–107.
- Schoenfeld, B. J. (2012) 'The use of nonsteroidal anti-inflammatory drugs for exercise-induced muscle damage: Implications for skeletal muscle development', *Sports Medicine*, 42(12), pp. 1017–1028. doi: 10.2165/11635190-000000000-00000.
- Scott, J. R. (1998) 'Fox's Physiological Basis for Exercise and Sport, 6th Edition',

- Medicine & Science in Sports & Exercise*. doi: 10.1097/00005768-199812000-00016.
- Sherwood, L. (2012) 'Membran Plasma dan Potensial Membran', *Fisiologi Manusia dari sel ke sistem*. doi: 10.1145/2566486.2567983.
- Sikka, G., Miller, K. L., Steppan, J., Pandey, D., Jung, S. M., Fraser, C. D., Ellis, C., Ross, D., Vandegaer, K., Bedja, D., Gabrielson, K., Walston, J. D., Berkowitz, D. E. and Barouch, L. A. (2013) 'Interleukin 10 knockout frail mice develop cardiac and vascular dysfunction with increased age', *Experimental Gerontology*. doi: 10.1016/j.exger.2012.11.001.
- Skuladottir, I. H., Petursdottir, D. H. and Hardardottir, I. (2007) 'The effects of omega-3 polyunsaturated fatty acids on TNF- α and IL-10 secretion by murine peritoneal cells in vitro', *Lipids*. doi: 10.1007/s11745-007-3081-1.
- Smith, G. I., Atherton, P., Reeds, D. N., Mohammed, B. S., Rankin, D., Rennie, M. J. and Mittendorfer, B. (2011a) 'Dietary omega-3 fatty acid supplementation increases the rate of muscle protein synthesis in older adults: A randomized controlled trial', *American Journal of Clinical Nutrition*. doi: 10.3945/ajcn.110.005611.
- Smith, G. I., Atherton, P., Reeds, D. N., Mohammed, B. S., Rankin, D., Rennie, M. J. and Mittendorfer, B. (2011b) 'Omega-3 polyunsaturated fatty acids augment the muscle protein anabolic response to hyperinsulinaemia-hyperaminoacidaemia in healthy young and middle-aged men and women', *Clinical Science*. doi: 10.1042/CS20100597.
- Smith, G. I., Julliand, S., Reeds, D. N., Sinacore, D. R., Klein, S. and Mittendorfer, B. (2015) 'Fish oil-derived n-3 PUFA therapy increases muscle mass and function in healthy older adults', *American Journal of Clinical Nutrition*. doi: 10.3945/ajcn.114.105833.
- Spangenburg, E. E. and Booth, F. W. (2006) 'Leukemia inhibitory factor restores the hypertrophic response to increased loading in the LIF(-/-) mouse', *Cytokine*. doi: 10.1016/j.cyto.2006.05.001.
- Stauber, W. T., Clarkson, P. M., Fritz, V. K. and Evans, W. J. (1990) 'Extracellular matrix disruption and pain after eccentric muscle action', in *Journal of Applied Physiology*. doi: 10.1152/jappl.1990.69.3.868.
- Syarli, H. and Pati, E. (2017) 'Pengaruh Recovery Aktif dan Pasif dalam Meringankan Gejala Delayed Onset Muscle Soreness (DOMS)', *Journal of Sport Science and Education (Jossae)*, 2(2), pp. 38–41.
- Tachtsis, B., Camera, D. and Lacham-Kaplan, O. (2018) 'Potential roles of n-3 PUFAs during skeletal muscle growth and regeneration', *Nutrients*. doi: 10.3390/nu10030309.

- Takeuchi, O. and Akira, S. (2010) 'Pattern Recognition Receptors and Inflammation', *Cell*. doi: 10.1016/j.cell.2010.01.022.
- Tamarat, S., Leatemiab, L. D. and Masjhoerc, D. H. (2018) 'Studi OAINS pada Kasus Osteoarthritis di RSUD Abdul Wahab Samarinda', *Jurnal Kedokteran Mulawarman*, 4(1), pp. 29–38
- Tidball, J. G. (2005) 'Inflammatory processes in muscle injury and repair', *American Journal of Physiology - Regulatory Integrative and Comparative Physiology*. doi: 10.1152/ajpregu.00454.2004.
- Tidball, J. G. (2011) 'Mechanisms of muscle injury, repair, and regeneration', *Comprehensive Physiology*. doi: 10.1002/cphy.c100092.
- Toigo, M. and Boutellier, U. (2006) 'New fundamental resistance exercise determinants of molecular and cellular muscle adaptations', *European Journal of Applied Physiology*. doi: 10.1007/s00421-006-0238-1.
- Ulven, S. M., Kirkhus, B., Lamglait, A., Basu, S., Elind, E., Haider, T., Berge, K., Vik, H. and Pedersen, J. I. (2011) 'Metabolic effects of krill oil are essentially similar to those of fish oil but at lower dose of EPA and DHA, in healthy volunteers', *Lipids*. doi: 10.1007/s11745-010-3490-4.
- Vedin, I., Cederholm, T., Levi, Y. F., Basun, H., Garlind, A., Irving, G. F., Jönhsagen, M. E., Vessby, B., Wahlund, L. O. and Palmblad, J. (2008) 'Effects of docosahexaenoic acid-rich n-3 fatty acid supplementation on cytokine release from blood mononuclear leukocytes: The OmegAD study', *American Journal of Clinical Nutrition*. doi: 10.1093/ajcn/87.6.1616.
- Wada, M., DeLong, C. J., Hong, Y. H., Rieke, C. J., Song, I., Sidhu, R. S., Yuan, C., Warnock, M., Schmaier, A. H., Yokoyama, C., Smyth, E. M., Wilson, S. J., FitzGerald, G. A., Garavito, R. M., De, X. S., Regan, J. W. and Smith, W. L. (2007) 'Enzymes and receptors of prostaglandin pathways with arachidonic acid-derived versus eicosapentaenoic acid-derived substrates and products', *Journal of Biological Chemistry*. doi: 10.1074/jbc.M703169200.
- Walsh, N. P., Gleeson, M., Shephard, R. J., Gleeson, M., Woods, J. A., Bishop, N. C., Fleshner, M., Green, C., Pedersen, B. K., Hoffman-Goetz, L., Rogers, C. J., Northoff, H., Abbasi, A. and Simon, P. (2011) 'Position statement part one: Immune function and exercise', *Exercise Immunology Review*.
- Watkins, L. R., Milligan, E. D. and Maier, S. F. (2003) 'Glial proinflammatory cytokines mediate exaggerated pain states: Implications for clinical pain', *Advances in Experimental Medicine and Biology*.
- Wieseler-Frank, J., Maier, S. F. and Watkins, L. R. (2004) 'Glial activation and pathological pain', *Neurochemistry International*. doi: 10.1016/j.neuint.2003.09.009.

- Williams-Bey, Y., Boularan, C., Vural, A., Huang, N. N., Hwang, I. Y., Shan-Shi, C. and Kehrl, J. H. (2014) 'Omega-3 free fatty acids suppress macrophage inflammasome activation by inhibiting NF- κ B activation and enhancing autophagy', *PLoS ONE*. doi: 10.1371/journal.pone.0097957.
- Xie, W. R., Deng, H., Li, H., Bowen, T. L., Strong, J. A. and Zhang, J. M. (2006) 'Robust increase of cutaneous sensitivity, cytokine production and sympathetic sprouting in rats with localized inflammatory irritation of the spinal ganglia', *Neuroscience*. doi: 10.1016/j.neuroscience.2006.06.045.
- Żebrowska, A., Mizia-Stec, K., Mizia, M., Gąsior, Z. and Poprzęcki, S. (2015) 'Omega-3 fatty acids supplementation improves endothelial function and maximal oxygen uptake in endurance-trained athletes', *European Journal of Sport Science*, 15(4), pp. 305–314. doi: 10.1080/17461391.2014.949310.
- Zhou, Y., Hong, Y. and Huang, H. (2016) 'Triptolide Attenuates Inflammatory Response in Membranous Glomerulo-Nephritis Rat via Downregulation of NF- κ B Signaling Pathway', *Kidney and Blood Pressure Research*. doi: 10.1159/000452591.

LAMPIRAN